AIC MILAN 2021
14th AIC Congress

Proceedings of the International Colour Association (AIC) Conference 2021

Milan (Italy), August 30th - September 3rd 2021

Published by
International Colour Association (AIC)

Sponsored by
Gruppo del Colore
(Associazione Italiana Colore)

DISCLAIMER

COPYRIGHT

ISBN: 978-0-6484724-3-8
eISSN: 2617-2429
ISSN: 2617-2410

HOW TO CITE THIS BOOK

AIC (International Colour Association). 2021. Proceedings of the International Colour Association (AIC) Conference 2021. Milan, Italy. AIC.
How to cite an article included in this book:
Author's name. 2021. Title of the article. In: Proceedings of the International Colour Association (AIC) Conference 2021. Milan, Italy. AIC, page numbers of the article.

INDEX

Digital reproduction of colors and materials used in pottery: a case study from the ancient Picenum

Enrico Zampieri [1], Vincenzo Baldoni [2], Simone Garagnani [2,*], Andrea Gaucci [2] and Michele Silani [3]

[1] Sapienza University of Rome; enrico.zampieri3@gmail.com
[2] Alma Mater Studiorum - University of Bologna; vincenzo.baldoni@unibo.it, simone.garagnani@unibo.it, andrea.gaucci3@unibo.it
[3] Università degli Studi della Campania Luigi Vanvitelli; michele.silani@unicampania.it
***** Corresponding author: simone.garagnani@unibo.it

Abstract

Digital replicas of pottery, due to their many benefits in terms of sharing opportunities and visualization, recently became popular in museum exhibits, often introducing virtual expositions for pieces belonging to collections all over the world. However, the accuracy of digital duplicates plays a paramount role in the perception of shapes and colors, since the most minute feature could easily lead to identify unexpected clues of an object (e.g. its precise time of production or even its author). This is particularly true of pottery, whose materials, manufacturing techniques and decorations have been subject to dedicated research throughout history. This paper introduces some of the specific outcomes of a research program, oriented to the quick digital acquisition, 3D replication and accurate visualization at the different scales of the Davanzali necropolis in Numana, a settlement of ancient Picenum (Marche Region, Italy).

Keywords: *Picenum pottery, 3D digital modeling, color acquisition for archaeology, digital photogrammetry*

INTRODUCTION: THE DAVANZALI NECROPOLIS IN NUMANA

During the first millennium B.C., the settlement of Numana raised in the Southern part of the Conero promontory and soon became one of the most important trade harbours along the Western Adriatic coast. Our knowledge on the pre-Roman Numana mainly refers to data coming from excavations conducted in different necropolises, spread all over its territory. The largest one is known as Quagliotti-Davanzali, excavated in the 20th century and connected to other funerary areas recently discovered nearby. A research project has been developed on this pivotal context since 2016 by a group of scholars of the University of Bologna, in cooperation with the *Soprintendenza ABAP* and the *Direzione Regionale Musei* of the *Regione Marche*. The project, still running, aims to study a considerable group of burials (241 tombs) located at the center of the Quagliotti-Davanzali area. The research introduced in this contribution is part of a wider project, named "*From the finding to the landscape, archaeological analysis and virtual modelling of Picenian necropolises in Numana*", which was focused on digital replication of the Davanzali necropolis, at the different scales of the finding (with particular attention to pottery) and the landscape (considering all the tombs).

A few tombs have been published so far, thus the new research project on this area offers the chance to examine for the first time a consistent and homogeneous group of tombs of the ancient Picenian center. Results of the study, which is now in its final stages, offer significant keys to analyze historical, economic, social and cultural aspects of the pre-Roman Numana, considering that the Davanzali area was used from the 9th to the 2nd century B.C. (on the research project and its perspectives, see Baldoni and Finocchi 2019). During the maximum development of this emporium (6th to 4th century B.C.), Numana built up trade and cultural networks with many areas from the Mediterranean to Europe: this wide range of contacts is well documented in the Davanzali necropolis by many objects deposited in the grave goods, whose pottery is the most abundant.

Therefore, we focused on the investigation of the several types of vases found in tombs, ranging from coarse ware to fine pottery. Amongst the fine pottery, there is a considerable number of decorated vases, especially red-figured ones, produced in Numana (the so-called *Alto-Adriatic* pottery) and from Greece a and Western Greek colonies (*Attic* and *Italiote* pottery).

THE POTTERY: TYPES, PRODUCTION AND THE MEANING OF COLORS

Through the interpolation of the available data from the documentation produced at the time of the excavation and the new surveys carried out in the field, traditional studies on the funerary assemblages led to the production of three-dimensional models related to the main phases of exploitation of the necropolis, useful to read the ancient landscape and its modifications during the considerable period of its use (9th to 2nd century B.C.).

A detailed model was created for a specific portion of the necropolis (Baldoni and Finocchi 2019), in an attempt to reconstruct the state of the burials at the time of the excavation in the 1970s, with the aim of making this model a tool as much for the archaeological analysis of the context as to its enhancement. The chosen sector falls into a central area of the necropolis, close to one of the oldest tombs in the whole settlement, and it is characterized by a notable superimposition of graves, which persisted in the same area for a long period, namely from 6th to 3rd century B.C. This circumstance provided a convincing test field for 3D reconstructions in a complex stratigraphic context, and it led to the documentation of whole funerary assemblages, characterized by rather heterogeneous objects. Excluding metal objects and focusing mainly on pottery, it has been possible to digitally acquire both locally produced fine vases, characteristic of the different phases of the Picenum culture, and many vases with figures, imported especially from Athens and Magna Graecia. This is fundamental to better understand the role of Numana in the Adriatic trade, especially during the 5th and 4th centuries B.C. The analysis of this type of materials using photogrammetric and laser-scanning techniques is part of a rather recent but already consolidated tradition of studies (Trinkl 2013): the digital documentation of these finds opens up new possibilities to investigate Attic and Italiote productions, allowing researchers at first an objective analysis of the morphological aspects of a single vase. There are also numerous perspectives to consider when referring to the decoration of vases, especially in the red-figure pottery (Bursich and Pace 2017), certainly well represented in the contexts of Numana. Recent investigations demonstrated the usefulness of digital documentation and archaeometry in the study of multiple characteristics of the figured decoration of vases, as well as in determining their state of conservation (Vak 2013). Further attention to the Picenum area is paid to the local production of red-figure pottery, starting from the second half of the 4th century B.C., the so-called *Alto-Adriatic pottery*, which is still interested by a limited number of analytical studies on the decoration and the colors used.

Due to these premises, the Davanzali necropolis in Numana is an interesting context for a large-scale experimentation of digital techniques to reproduce the finds, as well as, hopefully, a paradigmatic case study for other similar contexts in pre-Roman Italy and beyond.

THE POTTERY VIRTUAL RECONSTRUCTION

Vases, and particularly figured ones, are some of the most relevant archaeological artifacts to consider and their accurate representation was paramount to share 3D models throughout scholars, archaeologists or museum visitors, who are targeted users interested in the detailed analysis of the pottery. The resulting representation of the shape at the object scale, dealing with the thickness of the surfaces and the definition of materials and their colored details, required to fix precise critical issues, mostly related to the geometric 3D morphologies, whether they are preserved in their entirety or

found in portions then to be reassembled. Following a precise taxonomy made of noticeable peculiarities, useful to scholars and restorers to pinpoint details to better identify the original painters and their techniques, a specific four-staged acquisition methodology was applied.



Figure 1: The general workflow adopted to produce digital colored replicas of the imported pottery found in the Numana necropolis.

The digital workflow adopted

To ensure the acquisition of a huge number of ceramic findings in a reasonable time, the proposed methodology originates from photogrammetric surveys and terrestrial laser scanning (TLS). Although laser scanning devices were initially tested, photogrammetry was privileged due to the ease of use, the relative cost-effectiveness and the versatility in contexts where an active acquisition would make survey operations more complex. In the end, the general "workflow" for the digital replication of the artifacts was organized as follows (Figure 1):

- acquisition stage for artifacts, where samples under examination are digitized from time to time using color-calibrated photography;
- phase of analysis and editing of the digital model inferred, with definition and optimization of the surfaces of the models, their informative enrichment relevant to the decorations and figured parts;
- production of the graphic and documental drawings stage, in which the three-dimensional models are treated for the realization of explanatory drawings according to traditional rules of representation;
- organization of the general information archive, where models and analytical documents are collected in digital archives aimed at disseminating knowledge deriving from the analysis of the finds.

The acquisition stage

A standard and consolidate photogrammetric pipeline (Schonberger and Frahm 2016) was adopted. The camera equipment can be easily used by common, non-expert users too, increasing the number of artifacts acquired in this stage. Vases were placed on a rotating table, which was previously prepared

with the application of a set of *Ringed Automatically Detected* targets (RAD) printed upon stickers, then applied to the circular flat surface bearing the artefact to be digitized. Every artifact was captured rotating the table at equal angles (about 18 degree each), shooting with locked camera settings. At least 60 pictures of every vase were taken, changing the height of the shooting position and carefully turning objects upside down (Figure 2).

These parameters grant overlapping for every shot, taken at a reasonable distance from objects illuminated by diffuse lights, placed outside of a photographic illumination box. Vases were initially documented using a Nikon D7000 DSLR camera with a fixed 50 mm. lens kit placed on a tripod.

Analysis, editing and color calibration

To faithfully replicate the color appearance of the digitized vases, single shots used for the photogrammetric reconstruction were color-calibrated, framing a standard color target in images. A common solution for target-based color characterization (McCamy et al. 1976) relies on the ColorChecker Classic produced by X-Rite, which shows standardized patches with known reflectance. A proper depth-of-field value was chosen to prevent diffraction blurring, while fine tuning for colors considered the issues expressed by Simone et al. (2021). The photogrammetric 3D reconstruction, in terms of *bundle adjustment*, camera orientation, sparse cloud and dense one generation, was carried out following two different pipelines, in order to evaluate the final outcomes of a commercial workflow (using the Agisoft Metashape software) and that of an open source ones (COLMAP for the *Structure-from-Motion* and *Multi-View Stereo* point cloud reconstruction pipeline and OpenMVS for the final 3D mesh generation). Some custom scripts were also developed to better identify the base plane orientation through RAD targets (Figure 3). Once successfully produced, textured 3D models were studied and analyzed following traditional representation methods to isolate decorations and figures. They can be decomposed, in fact, into their basic cognitive elements, displayed under different synthetic sources of lighting, unwrapped in cylindrical projection views to facilitate an in-depth iconographic, stylistic and shape analysis (Mara and Sablatnig 2006).

To ease these operations, 3D models were catalogued to identify geometric invariants, such as local symmetry or internal rotation axes. 2D drawings were later inferred from 3D models slicing them with suitable section views produced through simple calculations of arithmetic means between the coordinates of the bounding box planes surrounding single models, and symmetrically calculated on the reference system adopted in the reconstruction.



Figure 2: The general acquisition sequence, with 3 laps of pictures shot around every ceramic.

For circular or elliptical rotational geometries, where the inner side was often difficult to capture, we went back to the ideal geometry, minimizing the sum of the square distances of the axis searched for from contour points identified on the models' surfaces (Gander et al. 1994).

Figure 3: A digital reconstructed of an Attic red-figure skyphos from Davanzali necropolis (T.216, inv. 27356). On the left (a) the Agisoft Metashape 3D model from color calibrated raw images, on the right (b) the same photoset processed with COLMAP + openMVS.

Production of graphics and documental drawings

Once the virtual geometry and its references were defined, digital models were sliced to get views passing through the planes identified as by Mara (Mara et al. 2007). This process leads to produce a faithful representation of the ceramic thickness, with a maximum error deviation never exceeding 2.1 mm when compared to reference ground models acquired with active technologies.

Where it was simply not possible to identify the internal surface of the vases, additional sectional elements were drawn offsetting external surfaces inward according to values as far as known. The section profile was then exported from the three-dimensional model to CAD software, where two-dimensional drawings were perfected.

Thence, attention was paid to the graphic representation of figured parts. For some time now there have been contributions in the literature that suggest analytical expressions to obtain cylindrical projections of the mappings pertaining to the figures in historical pottery (Karras et al. 1996). More recent works hypothesize the use of triangular strips adapted to the surface of arbitrary objects to unfold them more easily through unfolding algorithms (Massarwi et al. 2007).

Although the cylinder is the simplest geometric primitive to carry out a representation arranged on a curved surface, we decided to use spherical primitives to obtain an equirectangular projection of the textures of the photogrammetric model, to facilitate the interpretation of figures and decorations with a final rendition much more similar to traditional manual drawings (Rieck et al. 2013).

Organization of the general information archive

During the research work, many samples were collected and digitized following the approach introduced: files and data were gathered into repositories organized in a hierarchical way. 3D final models, 2D drawings and color metadata proper of the digitized objects such as their geographical location and place of conservation were collected. These data may, in the future, be linked to museums or public institutions databases, in which 3D models will act as graphical indexes to provide users with easy access to much more detailed information. The overall methodology proved to be a significant resource for enhancing the vast cultural heritage of the pre-Roman Numana.

ACKNOWLEDGEMENTS

This project was developed thanks to the "Almaidea" founding program of the University of Bologna. Authors would like to thank the *Soprintendenza ABAP* and the *Direzione Regionale Musei of the Regione Marche* for the valuable support during surveys and excavations.

REFERENCES

Baldoni, V. and S. Finocchi. 2019. Nuove ricerche sui contesti funerari di Numana: temi, metodi e prospettive di ricerca. In *Dialoghi sull'Archeologia della Magna Grecia e del Mediterraneo. Atti del III Convegno Internazionale di Studi. Paestum, 16-18 novembre 2018,* III.3. Paestum: Pandemos: 631-642.

Bursich, D. and A. Pace. 2017, Ripensando il «metodo Beazley». Ceramica attica e fotomodellazione 3D: il caso del Painter of Syracuse 19861. *ACalc* 28: 73-91.

Gander, W., G.H. Golub, and R. Strebel. 1994. Least-squares fitting of circles and ellipses. *BIT* 34: 558-578.

Karras, G. E., P. Patias and E. Petsa. 1996. Digital monoplotting and photo-unwrapping of developable surfaces in architectural photogrammetry. *Int. Arch. Photogramm. and Remote Sensing* XXXI Part B5: 290–294.

Mara, H. and R. Sablatnig. 2006. Determination of Ancient Manufacturing Techniques of Ceramics by 3D Shape Estimation. In: *Proceedings of 12th International Conference VSMM Interactive Technologies and Sociotechnical Systems (VSMM'06).* H.Z.Z. Pan, H. Thwaites, A.C. Addison and M. Forte, Berlin: Springer, 349-357.

Mara, H., M. Kampel, F. Niccolucci, and R. Sablatnig. 2007, Ancient Coins & Ceramics – 3D and 2D Documentation for Preservation and Retrieval of Lost Heritage. *Int. Arch. Photogramm. and Remote Sensing* XXXVI-5/W47.

Massarwi, F., C. Gotsman, and G. Elber. 2007. Papercraft Models using Generalized Cylinders. In: *Proceedings 15th Pacific Conf. on Computer Graphics and Applications*. Maui, USA:148–157.

McCamy, C.S., H. Marcus, and J. Davidson. 1976. A color-rendition chart. *J. Appl. Photogr. Eng.* 2: 95–99.

Rieck, B., H. Mara, and S. Krömker. 2013. Unwrapping highly-detailed 3d meshes of rotationally symmetric man-made objects. *ISPRS Ann. Photogramm. Remote Sens. Spat. Inf. Sci.* II-5/W1: 259–264.

Schonberger, J. L., and J. M. Frahm. 2016. Structure-from-motion revisited. In: *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition*, Las Vegas, NV, USA, 27–30 June 2016: 4104–4113.

Simone, G., M. Gaiani, A. Ballabeni, and A. Rizzi. 2021. Complex process of image color correction: a test of a target-based framework. *J. Opt. Soc. Am.* A 38: 663-674.

Trinkl, E. 2013 (Hrsg.). *Interdisziplinäre Dokumentation - und Visualisierunmethoden, Corpus Vasorum Antiquorum Österreich*, Beihefte I. Wien, Österreichische Akademie der Wissenschaften.

Vak, B. 2013. *Auf der Suche nach dem Original. Anwendungen und Illustrationen naturwissenschaftlicher Diagnostik an attisch igürlich bemalter Keramik aus der Antikensammlung des Kunsthistorischen Museums*. In: Trinkl, E. 2013: 41-72.