



AIT Series

Trends in earth observation

Volume 2

Planet Care from Space

**Edited by Dessenra M.A., Melis M.T
and Rossi P.**

Planet Care from Space

Edited by

Maria Antonietta Dessenà, Maria Teresa Melis and Patrizia Rossi

AIT Series: Trends in earth observation



Volume 2 - Published in September 2021
Edited by Maria Antonietta Dessenà, Maria Teresa Melis and Patrizia Rossi
Published on behalf of the Associazione Italiana di Telerilevamento (AIT)
Via Lucca 50
50142 Firenze, Italy

ISSN 2612-7148
ISBN 978-88-944687-0-0
DOI: 10.978.88944687/00

All contributions published in the Volume “Planet Care from Space” were subject to blind peer review from independent reviewers.

Publication Ethics and Publication Malpractice Statement
Editors, Reviewers and Authors agreed with Publication Ethics and Publication Malpractice Statement

© 2021 by the authors; licensee Italian Society of Remote Sensing (AIT).
This Volume is an open access volume distributed under the terms and conditions of the Creative Commons Attribution license (<http://creativecommons.org/licenses/by/4.0/>).



Preface

The 10th International Conference “Planet Care from Space”, set as a virtual event in Cagliari, Sardinia, is the natural continuation of the AIT mission to achieve a wider diffusion of Remote Sensing technologies, techniques, and culture, after the Palermo and Firenze events in 2016 and 2018 respectively.

We are therefore proud, after the 2020 halt due to Covid-19, to introduce a new Volume of the Series of “Trends in Earth Observation”, focused on Geo-Envi-Hazards and Climate Change investigations, but including the complete range of EO state-of-the-art and its applications.

AIT is continuing to collaborate with the Copernicus world, ASITA, EARSeL, EARSC, ISPRS, Universities and private and public Agencies to provide its partners with the widest dynamic, scientific and operational information, always with a synoptic and integrated point of view.

During the last decades, EO has gone through various cultural steps.

When our association was born (between 1986 and the early ‘90s) the questions we received, the most were about what we could actually do with RS. A long, often completely theoretical list, was the most common answer. Then, EO was gradually seen as the solution for any territorial problem, namely through EO algorithms or classifications that were suitable for the needs of the user. Furthermore, our technology has recently been considered an important component of several Artificial Intelligence procedures, especially analytic processes through big data treatments.

Nowadays, the social situation created by the pandemic and the increasingly dire and visible effects of climate changes are generating a new political and social awareness, (such as the various worldwide national plans of recovery and resilience, like the one of the EU) which is bringing forth to us, scientists, operators, administrators, and simple citizens the awareness of the real priorities of protecting and safeguard the health of the planet and the continuation of the life of the human species.

So, dear colleagues, this is the core of our mission: to offer powerful tools to anyone who senses the need to protect and safeguard the biosphere and the human lives, indicating sustainable exploitations through synoptic, georeferenced and accessible “consolidated applications”.

Our duty will be to collect, show, map, measure and calculate any dangerous or “hidden situations” that are unsustainable in any natural, semi-natural and human areas and activities.

The diffusion of this volume to others than our usual community, such as politicians, managers and decision-makers could help to speed-up the achievements of this new Earth Observation service position.

Special thanks to the Conference organization: Maria Teresa Melis and Maria Antonietta Dessenà who spent their effort with passion and successful, the entire AIT Board and all the friends who have contributed to this result.

AIT President
Livio Rossi

Contents

Introduction	iv
Forest fires: new tools for an old threat	1
1. Detection and characterization of forest fire using Sentinel-1 cross-ratio time series decomposition approach. Preliminary results about the Susa fire of autumn 2017	2
<i>S. De Petris , F. Sarvia , E. Borgogno-Mondino</i>	
2. Forest fire risk assessment in the Greek islands of Cephalonia and Ithaca using multicriterial analysis of spatial data and remotely sensed products	5
<i>E. Panagiotidou, S. Kolios</i>	
3. Semi-automatic approach of burnt area extraction based on different indices	9
<i>E. Ilardi, S. Morreale, S. Bassetti, E. Arco, P. Boccardo</i>	
4. Sampling scheme and reference fire perimeters from Sentinel-2 data for validation of burned area products in Africa	13
<i>M. Sali, L. Busetto, M. Boschetti, M. Franquesa, E. Chuvieco, D. Stroppiana</i>	
Geohazards, Earth and Planetary geological mapping	17
5. Geological mining survey through the analysis of Aster and Landsat 8 images in the souther sector of Ecuador	18
<i>D. B. Medina Aldas, A. J. Penafiel Lara, E. Diaz Arias, D. R. Altamirano Moran, M. Mulas</i>	
6. A tool for digital resources analysis methodology to planning Geological survey activities	23
<i>M. Villalta, A. Viña , E. Larreta , M. Mulas</i>	
7. Multi-source and multi-scale monitoring system of Deep-seated gravitational slope deformation in east-central Sardinia.	28
<i>V. Demurtas, P. E. Orru', G. Deiana</i>	
8. Morphological and compositional investigation of Krieger Crater (Moon)	33
<i>C. Collu, S. Podda, M.T. Melis</i>	
9. Dynamics of Strombolian explosions: the February 2020 Etna sequence	37
<i>M. Palmas, L. Pioli, S. Scollo, B. Behncke, E. De Beni, M. Cantarero</i>	
10. Objective geological and geomorphological mapping of martian Sedimentary deposits: an example from the southeastern margin of Holden crater	41
<i>I. Di Pietro, M. Pondrelli, A. Frigeri, L. Marinangeli, A.C. Tangari , M. Pantaloni, E. Luzzi, R. Pozzobon, A. Nass, M. Massironi, A.P. Rossi</i>	
11. Soil and water salinization of an oasis ecosystem in the Ziban region (Tolga), Algeria	45
<i>S. Belghemmaz, M. Fenni, G.M. Afrasinei, Y. Louadj</i>	
Marine Remote Sensing and Coastal Hazard	51
12. Analysis of the erosive processes triggered by the construction of ports using remote sensing. Case study: Calabria (Italy)	52
<i>G. Foti, G. Barbaro, G.C. Barillà, P. Mancuso, P. Puntorieri , R. Piria</i>	
13. Marine remote sensing for a sustainable development	57
<i>M. Migliaccio, F. Nunziata, A. Buono</i>	
14. Analysis of the vertical movement of active GNSS stations as a result of semidiurnal tides	62
<i>R. Pearson, E. Niculae</i>	
15. Coastal flooding: case studies in Calabria (Italy)	67
<i>G. Barbaro, G. Bombino, G. Foti, G.C. Barillà, G. Mauro, P. Puntorieri, M. Mandalari</i>	

16. Analysis of the correlation between coastal erosion and anthropogenic processes using remote sensing. Case study: Calabria (Italy)	72
<i>G. Foti, G. Barbaro, G.C. Barillà, P. Mancuso, P. Puntorieri, M. Mandarà</i>	
17. Sea state analysis using GNSS-R in far-from-specular acquisition geometries	77
<i>G. Di Martino, A. Di Simone, A. Iodice, D. Riccio, G. Ruello</i>	
18. Evaluating the potentialities of Copernicus very high resolution (VHR) optical datasets for assessing the shoreline erosion hazard in microtidal environments	81
<i>L. Cenci, V. Pampanoni, G. Laneve, C. Santella, V. Boccia</i>	
19. Water color data analysis system for coastal zone monitoring	85
<i>F. Filippone, C. Ippoliti, S. Tora, C. Giansante, E. Scamosci, M. Petrini, N. Di Deo, A. Conte</i>	
20. A self-organizing-map based method for finding plastic patches on the sea	89
<i>C. Calledada, A. Montisci, M.C. Porcu, A. Rashid</i>	

Monitoring Forest health93

21. A spatial approach for multi-temporal estimation of forest growing stock volume and aboveground carbon pool. A case study in Tuscany (Italy).	94
<i>E. Vangi, G. D'Amico, S. Francini, C. Borghi, F. Giannetti, D. Travaglini, G. Pellis, M. Vitullo, G. Chirici</i>	
22. Amazon forest monitoring using fully convolutional neural networks	99
<i>A. Pugliese, V. Yordanov, B. Delipetrev, M. Brovelli</i>	
23. Assessing thematic land cover change of world's largest mangrove forest (Sundarbans) using remotely sensed data	104
<i>A. H. Kanan, F. Pirotti, M. Mastiero</i>	
24. In situ (Tree Talker) and remotely-sensed multispectral imagery (Sentinel-2) integration for continuous forest monitoring: the first step toward wall-to-wall mapping of tree functional traits ...	108
<i>S. Francini, I. Zorzi, F. Giannetti, F. Chianucci, D. Travaglini, G. Chirici, C. Cocozza</i>	
25. Monitoring thirty-five years of Italian forest disturbance using Landsat time series	112
<i>C. Borghi, S. Francini, M. Pollastrini, F. Bussotti, D. Travaglini, M. Marchetti, M. Munafò, G. Scarascia-Mugnozza, D. Tonti, M. Ottaviano, C. Giuliani, A. Cavalli, E. Vangi, G. D'Amico, F. Giannetti, G. Chirici</i>	
26. Multitemporal LiDAR data for forest carbon monitoring in Mediterranean Forest.....	116
<i>G. D'Amico, F. Giannetti, E. Vangi, C. Borghi, S. Francini, D. Travaglini, G. Chirici</i>	

New Remote Sensing tools in precision farming120

27. Can meadows mowing be detected by remote sensing? A possible answer based on Sentinel-2 image time series in the CAP framework	121
<i>F. Sarvia, S. De Petris, E. Borgogno-Mondino</i>	
28. Estimation of biophysical parameters in rice cropping system from Sentinel-2 data and hybrid approach: perspective for precision agriculture application	125
<i>M. Rossi, G. Candiani, M. Gianinetto, F. Nutini, M. Boschetti</i>	
29. Retrieval of maize biophysical variables from Multispectral and Hyperspectral EO data using a hybrid approach	129
<i>M. Ranghetti, M. Boschetti, M. Gianinetto, G. Tagliabue, C. Panigada, G. Candiani</i>	
30. A reproducible workflow to derive crop phenology and agro-practice information from Sentinel-2 time series: a case study for Sardinia cropping systems	133
<i>L. Ranghetti, F. Nutini, D. Cillis, M. Boschetti</i>	

Urban Health from Space: actual and past scenarios.....137

31. How much greenness can mitigate urban warming? A tentative answer based on thermal data from Landsat missions	138
<i>T. Orusa, S. De Petris, F. Sarvia, E. Borgogno-Mondino</i>	
32. A remote sensing index for assessing peri-urban ecosystem services: a case from Tuscany (Italy)	143
<i>E. Barbierato, I. Bernetti, I. Capecci</i>	

33. Satellite data for structural monitoring of historical building:the temple of Minerva Medica in Rome	148
<i>M.F. Sabba', M. Lerna, M. Diaferio, D. Foti</i>	
34. Estimation of multitemporal dry deposition of air pollution by urban forests at city scale	153
<i>V. Fanara, G. Chirici, C. Cocozza, G. D'Amico, F. Giannetti, S. Francini, F. Salbitano, A. Speak, E. Vangi, D. Travaglini</i>	
35. Investigating spaceborne remote sensing techniques for buried Nuraghi structures identification: the Nuraghe Nanni Arru' case Study	157
<i>C. Casari, R. Demontis, E. Lorrai, L. Muscas , S. Amici, V. Cannas</i>	
Recent advancement in Remote Sensing Technologies	161
36. Operational satellite-based high-resolution water quality products from for use cases around the world	162
<i>K. Schenk, H. Bernert, P. Bauer</i>	
37. CubeSats: paving the way towards an effective reliability – oriented approach	166
<i>G. Fois, G. Mura</i>	
38. Orthorectification of PRISMA images	170
<i>V. Baiocchi, F. Giannone, F. Monti</i>	
39.15 years of snow cover retrieval and monitoring over Sardinia by MSG data	174
<i>P. Boi</i>	
40. Airborne optical data harvesting and geo-processing for water quality retrieval of lake Mulargia	177
<i>M. Bresciani, C. Giardino, S. Mangano, M. Pinardi, K. Schenk, T. Heege, M.A. Dessenra, P. Buscarinu</i>	
41. UAV photogrammetry-based mapping of Sicilian pocket beaches: first approach	181
<i>A. Muzirafuti, M. Cascio, S. Lanza</i>	
42. Exploitation of imaging spectroscopy data from PRISMA and DESIS for water quality mapping	185
<i>C. Giardino, M. Bresciani, A. Fabbretto, S. Mangano</i>	
43. SAR small satellite constellations: added value vs. existing Earth Observation space system	189
<i>V. Mastroddi, L. Soli, C. Ciancarelli, A. Nassisi, A. Intelisano</i>	
44. Space economy and EO smallsat	193
<i>A. Nassisi, P. Santoriello, A. Iovane, J. Canettieri, I. Patatti</i>	
45. Exploring potentialities of the new “Remote Sensing Piemonte” open service for agro-forestry applications	198
<i>E. Borgogno-Mondino, F. Sarvia , S. De Petris</i>	