Manfred SCHRENK, Vasily V. POPOVICH, Peter ZEILE, Pietro ELISEI, Clemens BEYER, Judith RYSER, Christa REICHER, Canan ÇELIK (Eds.)

ISSN 2521-3938

PROCEEDINGS

of the 25th International Conference on Urban Planning, Regional Development and Information Society

TAGUNGSBAND

REAL CORP 2020:



POSTPONED TO SEPTEMBER

SHAPING URBAN CHANGE LIVABLE CITY REGIONS FOR THE 21ST CENTURY

EDITION #1 APRIL 2020

A co-operation of

Ministerium für Heimat, Kommunales, Bau und Gleichstellung des Landes Nordrhein-Westfalen



städtebau







CD-Rom Edition: ISBN 978-3-9504173-8-8 Print Edition: ISBN 978-3-9504173-9-5

15-18 SEPTEMBER 2020, RWTH AACHEN, GERMANY TEMPLERGRABEN 57, 52062 AACHEN

www.corp.at

REAL CORP 2020: SHAPING URBAN CHANGE Livable City Regions for the 21st Century

Proceedings of

25th International Conference on Urban Planning, Regional Development and Information Society 1st Edition, April 2020

Beiträge zur

25. internationalen Konferenz zu Stadtplanung, Regionalentwicklung und Informationsgesellschaft 1. Auflage, April 2020

Edited by

Manfred SCHRENK, Vasily V. POPOVICH, Peter ZEILE, Pietro ELISEI, Clemens BEYER, Judith RYSER, Christa REICHER, Canan ÇELIK

Vienna, 2020

 CD-ROM-Edition
 ISBN: 978-3-9504173-8-8

 Print-Edition
 ISBN: 978-3-9504173-9-5

 ISSN 2521-3938 (Online), ISSN 2521-392X (Print)

Im Selbstverlag des Vereins

CORP - Competence Center of Urban and Regional Planning

Kompetenzzentrum für Stadtplanung und Regionalentwicklung Klosterneuburger Straße 121/36, 1200 Wien, Österreich office@corp.at, https://www.corp.at



TEAM

Manfred SCHRENK
Clemens BEYER
Wolfgang W. WASSERBURGER
Judith RYSER
Christa REICHER
Canan ÇELIK



PREFACE

Manfred SCHRENK,

Conference Director,
President CORP – Competence Center of Urban and Regional Planning

WELCOME to REAL CORP 2020, the

25th International Conference on Urban & Regional Development and Spatial Planning in the Information Society!

REAL CORP 2020 under the topic "Shaping Urban Change" tries to explore the common things in different trends which can be seen in urban development around the globe.

Historic administrative boundaries do not represent real urban structures any more, cities expand beyond these boundaries and form metropolitan regions, which may even result in transnational functional urban areas and agglomerations. In almost all cases it is of utmost importance to coordinate urban development between several governments, administrative authorities and institutions on different levels, but this task turns out to be a quite difficult one.

Cities and regions are hungry for resources and see themselves opposed to density and environmental problems as well as other threats, nevertheless sustainability, resilience, high quality of life and considerate exploitation of natural resources are central goals of urban development. New technologies and digitisation play an essential role in the development of cities, urban regions and metropolises — without appropriate urban, environmental and mobility technologies it would hardly be possible to see urban development, maintenance of functionality and creation of livable urban areas.

In some parts of the world – particularly in China and India, but also in Japan and South-East Asia, and in parts of South America, Africa and the Gulf region – cities and metropolises are growing undamped and hundreds of millions of people are attracted to cities. However, in numerous European cities and agglomerations we can currently see two kinds of processes which may appear to be contradictory at first glance: reurbanisation and regionalisation. The return to core cities as a place of life has a lot of reasons, but it is strongly linked to changes in the working environment and the trend to combine working and living much more as it were possible in suburban fringe areas. But many city centres are lacking affordable housing space, whereas there are plenty of vacancies in the surroudings. Wrong allocations create unnecessary commuter flows.

REAL CORP 2020 aims to discuss strategies and concepts for quality change management in the light of the challenges outlined above, which arise in neighbourhoods, cities, urban regions and metropolitan areas. This also raises the question of who the actual actors of current urban, regional and metropolitan regional development are and what role planners can play in the corresponding scenarios.

The renowned RWTH Aachen in the historical European medium sized city of Aachen, in the German federal state of North Rhine-Westphalia with its rich mining and industrial tradition, located in a cross-border city region in the border triangle Germany-Belgium-Netherlands, is the ideal place to discuss these developments and challenges with experts from all over the world.

This year we brought together some 250 participants from more than 40 countries worldwide. The main goal of the REAL CORP conference series isto bring together leading experts in the field of spatial planning, geoinformation and related disciplines to exchange their knowledge, share their ideas, discuss current

developments and get together for face to face networking leading to the development of new thoughts, partnerships and projects. The success of the REAL CORP conferences is – clearly without doubt – the result of the efforts of participants, reviewers, and the conference organising team consisting of CORP association and RWTH Aachen – Department of Urban Design. We would like to acknowledge the Reviewer Team and Programme Committee members for their valueable voluntary help with the review process. Our thanks go to all participants and authors of the submitted papers as well.

The proceedings of this year's conference contain 122 scientific papers; 98 of them were selected after a double-blind, double-stage (for both abstracts and full papers) peer-review process for publication and presentation at the 25th International Conference on Urban Planning and Regional Development in the Information Society, REAL CORP 2020. The non-reviewed papers were accepted by the programme committee after a double-blind abstract review. The conference is held from 15 to 18 September 2020 in Aachen, Germany, in co-operation with RWTH Aachen – Department of Urban Design and Ministry for Regional Identity, Communities and Local Government, Building and Gender Equality of the Land of North Rhine-Westphalia.

Welcome to Aachen! Have a great conference!

Manfred SCHRENK, Clemens BEYER & the REAL CORP Team



All rights reserved. – Alle Rechte vorbehalten.

Editors – Herausgeber:

DI Manfred SCHRENK, President CORP - Competence Center of Urban and Regional Planning, Vienna, Austria

Prof. Dr. Vasily V. POPOVICH, SPIIRAS, St. Petersburg, Russia

Dr.-Ing. Peter ZEILE, TU Kaiserslautern, Kaiserslautern, Germany

Dr.-Ing. Pietro ELISEI, URBASOFIA, Bucharest, Romania

Dipl.-Ing. Clemens BEYER, CORP – Competence Center of Urban and Regional Planning, Vienna, Austria

Arch. Judith RYSER, City Scope Europe, London, UK

Prof. Christa REICHER, RWTH Aachen; Aachen, Germany

Canan ÇELIK, M. Sc., RWTH Aachen; Aachen, Germany

Publisher – Medieninhaber und Verleger:

CORP - Competence Center of Urban and Regional Planning

Kompetenzzentrum für Stadtplanung und Regionalentwicklung Klosterneuburger Straße 121/36, 1200 Vienna, Austria office@corp.at, https://www.corp.at

CD-ROM Edition: ISBN 978-3-9504173-6-4 **Print Edition:** ISBN 978-3-9504173-7-1

ISSN 2521-3938 (Online), ISSN 2521-392X (Print)

Contributions by the authors reflect their own findings, views and opinions which may not necessarily be consistent with the views and opinions of the editors.

Die Arbeiten geben die Erkenntnisse und Ansichten des jeweiligen Autors wieder und müssen nicht mit den Ansichten der Herausgeber übereinstimmen.

Table of Contents – Inhaltsverzeichnis

PREFACE	
Analysewerkzeug zur indikatorgestützten Umfeldanalyse – Erkennen, Vergleichen, Übertragen	
Analysing and Evaluating Gender+ Specific Requirements in Urban Space to Support Urban Planning Ernst Gebetsroither-Geringer, Magdalena Bürbaumer, Theresa Fink	
Analysis in Selected European Smart City Districts regarding Ageing Population	
Application of Gaode OPEN API in the Fire-Fighting Facility Planning Evaluation	45
Approaches of Flexible Spatial Planning to Sustainable Cities	57
Automatisierte Generierung eines 3D-Baumkatasters am Beispiel des KIT Campus Nord	65
Behaviour Change towards Sustainable Mobility triggered by Nudging Initiatives	75
Between Urban Transformation and Everyday Practices – Participation and Co-Production in the City of Tarija, Bolivia Fabio Bayro-Kaiser	87
Bridging Policy Streams of Minerals and Land Use Planning: a Conceptualisation and Comparative Analysis of Instruments for Policy Integration in 11 European Member States	95
Andreas Endl, Sara Louise Gottenhuber, Katharina Gugerell Building a Common Platform: Integrative and Territorial Approach to Planning Cultural Heritage within the Framework of the Spatial Plan of the Republic of Serbia 2021-2035 Ana Niković, Božidar Manić.	107
Campus Development of the IDEA League Universities	117
Campus Sustainability Appraisal in Nigeria: Setting up Sustainable Attributes for Higher Educational Institutions Yusuf A. Adenle, Yi Sun, Chi-Kwan Chau, Edwin Chan	
Canberra – Cultural Controversies and Urban Change in a Capital City Region	133
Climate Urgency and Cities: Action and Reaction, Evidence and Reluctance Judith Ryser, Teresa Franchini	147
Co-Creation and Sustainable Urban Planning: How to Co-Create Sustainable Mobility Solutions at the Neighbourhood Level? Experiences from the Horizon 2020 Project "Sunrise"	163
Connected E-Mobility, IoT and its Emerging Requirements for Planning and Infrastructures Jan-Philipp Exner, Sebastian Bauer, Kateryna Novikova, Jeffrey Ludwig, Dirk Werth	175
Das Konzept der Regiopole als Entwicklungsstrategie kleinerer Großstädte im (inter-)nationalen Standortwettbewerb Tobias Weber, Swantje Grotheer, Kirsten Mangels	183
Deciphering and Modelling Spatiotemporal Patterns and Processes across Scales – Migratory Flows and their Implications under a Healthy City Scenario in the Ruhr Area, Germany	195
Decision Support System Design as a Method to Enhance Public Participation in Urban Development: The CRISALIDE Project, Rostov-on-Don	205 nrenk,
DevOps Competences for Smart City Administrators Hans Rüdiger Kaufmann, Dolores Bengoa, Christoph Sandbrink, Angeliki Kokkinaki, Achilles Kameas, Altheo Valentini, Or Iatrellis	miros
Digitales Entwerfen von Stadt – vom Geodesign zur Echtzeitplanung	
"Digital.Labor" - Co-Creation for the Digital City of Tomorrow	
E-Scooter as Environmentally Friendly Last Mile Option? Insights on Spatial and Infrastructural Implications for Urbar Areas based on the Example of Vienna	243

Enterprise BIM: A Holistic Approach to the Future of Smart Buildings	
Environmental Analysis of the Residential Sector in Cairo	
Erweiterte typologische Betrachtung als Werkzeug zur Integration von Nachhaltigkeitsaspekten in Stadtplanungsprozesse	
Estimating the HARA Land Use Model for Housing Planning based on Hedonic Price Analysis	285
Evaluating the Impact of Innovative Public Transport Systems: a Case of South Africa	
Experiences and Future of Using VR in the Construction Sector	Daniel
Feeling Safe in Urban Estates: Learning from Riverwood, Sydney	311
Flächenkonflikte urbaner Mobilität – mit Flexibilisierung zu mehr Raumpotenzial?	
Following the Smartness: Leipzig as a Follower City in a Horizon 2020 Smart Cities and Communities Lighthouse Proje Andreia Lopes Azevedo, Sonja Stöffler, Trinidad Fernandez	335
Forschung, Bildung und Transfer in der Kreativwirtschaft von Klein- und Mittelstädten	345 345
French Connections – Examining the Residential Clustering and Dispersion of Francophones in the Toronto Area	
From Urban Design to Energy Simulation – a Data Conversion Process Bridging the Gap Between Two Domains	
Geographies of Ageing in Flanders (Belgium)	
Grätzlrad Wien: Nutzerinnen- und Nutzerstruktur und Nutzungsverhalten in host-basiertem Lastenrad-Sharing	391 391
Größere Discounter, kleinere Verbrauchermärkte und Onlineshops: Welche Rolle spielen die aktuellen Trends im Lebensmitteleinzelhandel für die Nahversorgung im ländlichen Raum?	
How to Attract the Right Economic Activities in a Certain Spatial Environment?	
Identifying Locations Suitable for Innovative Urban Public Transport Integration in Gauteng Province	
Identifying Policies and Legislative Frameworks to Create Integrated Innovative Public Transport in Gauteng Province Siphiwe Mbatha, Trynos Gumbo	
Improving Urban Regulations to Raise the City's Green Area Rates to Achieve Quality of Life Standards	
Industrial Landscapes Between Environmental Sustainability and Landscape Constraints: The Case Study of Euralluminia in the Sulcis Area of Sardinia (Italy)	
Integrate Traditional Ecological Knowledge into Disaster Mitigation and Adaptation Strategies in High Risk Settlement – a Case Study of Taiwan Chia-En Tsai, Tzu-Ling Chen	s 459
Integrated Qualitative and Quantitative Analysis of Causal Urban Food-Water-Energy Relations towards more Climate Resilient Cities	e- 469
Interventionen für eine nachhaltige Mobilitätskultur?	
Is Green Infrastructure a Game Changer for Sustainable Regional Development? A Scenario Approach for Stuttgart Region Till Jenssen	
Klimabelange in der Bauleitplanung	
Ko-produktive Stadtentwicklung? Steuerungsansätze und Steuerungsprobleme mit kreativen Wertschöpfungsprozessen Sarah C. Schreiner	ı507



Kommunale Profile zur Prüfung möglicher Übertragbarkeiten von lokalen Entwicklungskonzepten	
Läuft mit GIS?! Erhebung von Fußgängerfreundlichkeit mittels mobiler GIS	
Kerstin Kopal	
Land as a Scarce Resource, Work and Workspaces as a Common. The Case of the Metropolitan Region Amsterdam Bernardina Borra, Gert Urhahn	
Leveraging Newly Available Big Data for Urban Architectural Heritage: Designing a Recommendation System for	
Heritage Sites through the Lens of Social Media	553
Micro Housing: No Contribution to Affordable Housing – a Berlin Case Study	
Simon Hein, Johannes Nießen	
MILP Model for Energy Supply Design to overcome the Cannibalization of Solar Thermal Plants and large-scale Heat	575
Pumps in Urban District Heating Systems	
Monitoring Street Infrastructures with Artificial Intelligence	
Multimodale Verkehrslösungen als Chance für nachhaltige städtisch-ländliche Beziehungen Lisa Bauchinger, Anna Reichenberger, Theresia Oedl-Wieser, Thomas Dax	
Nanjing Golou Campus as Interface of Public Space and Learning Environment	609
Stefan Netsch, Katharina Gugerell	609
New Places for Urban Development – the Space between Historical City Centres and Post-War Expansions Areas	
New Policies For The Development Of Informal Settlements	
Mahmoud Zaki, Walaa Mehanna, Salma Lasheen	619
Nutzen der Digitalisierung auf eine nachhaltige Landschafts- und Raumentwicklung: Ergebnisse einer breit angelegten Delphi-Umfrage in der Schweiz	623
Sybille Rapberger, Dirk Engelke, Claudio Büchel, Carsten Hagedorn, Martin Schlatter, Jolanda Zurfluh, Hans-Michael Sc Roger Bräm	hmitt,
Optimizing the Performance of Public Open Spaces by Enhancing the Human Thermal Comfort	
Participatory Mapping of Citizens' Experiences at Public Open Spaces: A Case Study at Bologna Living Lab	
Places Representation on Social Media – A Study to Analyze the Differences between the Virtual Communities and the	
Offline Environment	
Mai Ahmed, Peter Zeile Planning in Self-Planned Informal Cities	
Md. Manjur Morshed	
Public Perception of Environmental Change in Rapidly Growing Cities: the Case of Cairo, Egypt	
Merham Keleg, Georgia Butina Watson, Mohamed A. Salheen	677
Realexperimente als Treiber sozialer Innovationen? Umsetzungsimpulse für eine nachhaltige urbane Mobilität im	600
Quartier	
Reshaping the Urban Experience: Prospects for Digital Streetscape towards better Livability in Public Spaces	
Ayat Ayman Abdel-Aziz, Hassan Abdel-Salam, Zeyad El-Sayad	
Rethinking Mobility and Fixity in Developing Cities: a Case of South Africa	
Selbstermächtigung und Selbstorganisation als Schlüssel für nachhaltige Lern- und Transformationsprozesse in der	
Region Römerland Carnuntum	homas
Shaping Urban Changes for Child-Friendly Cities: How Participation and Co-Creation Processes are Transforming Car	
Oriented Neighbourhoods in the Metamorphosis Project	731
Smart Cities – a New Revitalisation Approach for Shrinking Cities?	739
Smart Cities brauchen Smarte Räume – Szenarien für die Zukunft eines energie- und ressourcenwirksamen Quartiers	, 5)
durch smarte Stadtgestaltung am Beispiel von Smart City Waagner Biro in Graz	

Smart Cities for Smarter Citizens: Participatory Planning in Housing Renovation using 3D BIM Tools: the Case of Eckart Vaartbroek	761
Trinidad Fernandez, Catalina Diaz, Sonja Stöffler	
Smart Through Gender+: Kernthemen für eine inklusive Stadtplanung am Beispiel Linz (Austria)	767 767
Socio-Economic Transformation of Urban Nodes in Amman: Determining Ingredients of Success	
Solar Energy Simulations in Historical Districts for Retrofitting and Evidence-Based Decision Making: Data Challenges	
for Low Carbon Cities in the EU Neighbourhood & Accession Countries	781
Spatial Transformations in Urban Areas During the Past 50 Years	789
Standort, Wettbewerb oder Persönlichkeit: Wer oder was entscheidet über die Adoption des Onlinehandels als	789
Vertriebskanal?	
Thomas Wieland, Angelika Hoppe, Caroline Kramer	
STEMPICOM – Geodatenkonzept für gemeinschaftsbasierte Lieferdienste in ländlichen Regionen	
Straße der Zukunft	
Felix Stroh, Constanze Heydkamp, Angela Wendnagel-Beck	
The Case of Smart City Istanbul: How to Evaluate the City Region and its Benchmarks with Participatory and	
Negotiation Processes?	
The Effect of the Physical Environment on Social Interaction: The Case of Educational Campuses	
Hisham Negm, Dina Sameh Taha, Dina Mohamed Saadallah	847
The Possible Role of Brownfields Sites in a Circular Way in the Example of the "Isola Bergamasca"	
Maria Rosa Ronzoni	
The Vertical Urban Factory as a Concept for Mixed Use in Future Cities	
The Viennese Building Stock from 1920 to 2018: a Prototype Model	
Ferdinand Reimer, Ulrich Kral	
Topics and Sentiments in Online Place Reviews, an Innovative Way of Understanding the Perception of a City without Asking	
Bart Neuts, Egbert van der Zee, Simon Scheider, Enkhbold Nyamsuren, Thérèse Steenberghen	
Transdisciplinarity in Urban Planning for Future Challenges at the Example of Digital Transformation	
Unlocking "Kasi Wealth": Perceptions of Transformations through Spatial Planning and Local Economic Development in Soshanguve	
Trynos Gumbo, Nkalipho Mafela	
Urban Area Development as an Expansive Learning Process: the Relevance of Monitoring and Evaluation	
Kees Stam, Gert-Joost Peek, Paul Chan	
Urban Governance as a Tool for Enhancing Resilient Urban Form: Case Study Alexandria, Egypt	
Urban Governance Toolbox for a Climate-Friendly Smart City	949
Natalie Pfau-Weller, Rebecca Nell	
Urban Regional Social Community Detection Using Location Based Social Network Big Data	
Urban Structure Transformation between the Role of Urban Planning Methods and Real Estate Market Force – Case	
Study: the New Millennial Cities in Egypt	967
Using Nature-Based Solutions to Create more Climate-Resilient, Green and Livable Mediterranean Cities: Experiences	> 0 /
from Castellón and Cannes	
Vibrant or Dull Urban Spaces: Are City of Tshwane "A Re Yeng" and "Gautrain" Connector Points Places of Social and	
Economic Interaction?	987
Bongumusa Ndwandwe, Trynos Gumbo	
Vom Konzept zur Tat – die Weiterentwicklung des Smart-City-Wheels zur Smart-City-Onion Dirk Engelke, Sybille Rapberger	
Walk Your City: Using Nudging to Promote Walking	
Thomas Wernbacher Mario Platzer Josefine Schneider Sylvia Titze Natalie Denk Alexander Pfeiffer	1009



Wohnungsnot und Siedlungsentwicklung in wachsenden Metropolregionen – Planspiel für politische	
Entscheidungsträgerinnen und Entscheidungsträger	
Active Mobility as a Response to Physical Inactivity in Cities	
Parsa Arbab, Karin Pfeffer, Javier Martinez, Sherif Amer	
A Historic Institutionalist Research on the Protection of Plot Pattern in Chinese Historic Cities, taking Nanjing as an Example	
	.1057
Building the Case for Nature-Based Solutions: Enablers and Barriers in Data-Driven Solutions for Climate Adaptive Developments Jeremy Anterola, Mariusz Hermansdorfer, Kane Borg, Stefan Brückmann	
CentropeMAP und CentropeSTATISTICS – interaktive Zeitreihendarstellung grenzübergreifender statistischer Daten.	
Clemens Beyer, Manfred Schrenk	
City for All: Livable Peripheral Neighbourhoods in Ruse (Bulgaria) through Advanced Mobility Measures Lucia Ilieva	
Crowd Flow Analysis for Measuring the Impact of Urban Transformation Actions in City's Heritage Areas	
Data and Algorithm – the Fast Lane for Carless Mobility	
Andreas Thinius	.1081
Developing Public Rental Housing on Rural Collective Construction Land in Shanghai Suburbs: A Case of Cao'an Village in Jiading Industrial District	1087
Miao Hu	.1087
Do we Need Urban Shrinkage to Become Smarter Planners? The Masterplan for Novoshakhtinsk	
Exploring the Applicability of Sustainable Development Goals in Fringe Areas of Fast Growing Metropolises Dipanjan Howlader, Basudatta Sarkar	
Finding a Midpoint between Civil and Military Use. The Case of Villaputzu (Sardinia, Italy)	
Flexible, Digital and Integrated: Public Transport of the Future in Suburban and Rural Areas	
Herausforderungen der städtischen Szenerien an die Automatisierung von Fahrzeugbewegungen – wo sollen welche	
Anwendungen aktiviert werden? Heinz Dörr.	
Innovative Sustainable Energy Solutions in Smart Cities	. 1141
Alla Oskina	
Methode Testentwurf – zur Erkundung von Potenzialen der Innenentwicklung in Gemeinden, Städten und Metropolregionen	
Marita Schnepper	.1147
Modelling Milieu-specific Housing Demands for Augsburg Oberhausen using BPD-MOSAIC	
Multicriteria Assessment of Urban Development Projects – from Objectives to a Project Priority List	
Wolfgang Loibl, Hans-Martin Neumann, Ghazal Etminan	
Reflexive Städte: Magneten des Wissens im Kontext globaler Digitalisierung	
Research College NRW "Sustainable Energy Systems in the Quarter" - Collection of Abstracts	
Karen Wesely, Simon Slabik, Lisa Taruttis, Christoph Weber, Mona Treude, Lisa Kränke, Dione Hernández Galvis, David K Anne Paulus	röger
Solidified Branding Function: How the Urban Brand Affects a Small Town's Delopment? Case Study of Wangqingtuo, Tianjin, China	
Yuqi Chen, Peng Zeng Study on the Classification Method of Unban Vitality Spatial Pottom Paged on Full Time Vitality Spatianna Cose State	
Study on the Classification Method of Urban Vitality Spatial Pattern Based on Full-Time Vitality Spectrum: A Case Stud of Tianjin, China	. 1181
Supporting the Transformation Process to Smart Sustainable Cities in Switzerland: Implementation Guidelines and	.1101
Promising Practices	
The Inclusive City of Johannesburg and the Challenge of Affordable Housing	

The Pedestrian Traffic of the Inner Courtyards in Graz	1199
László Jóna	
The Symptoms of the Liquid City	1207
Olivier Lefebvre	
Wissensbasierte Stadtentwicklung in Bochum – von der Strategie zum KonzeptKonzent	1213
Ilka Mecklenbrauck	
Greenery in Cities and Controlling the Reasons of Urban Heat Islands – a Sustainable Approach for the St	paces of the
Future in Controlling Urban Heat Islands	1219
Islam Elghonaimy, Dalia Eldardiry	



reviewed paper

Environmental Analysis of the Residential Sector in Cairo

Mohamed Edeisy

(Dr. Mohamed Edeisy, Department of Planning, Design, Technology of Architecture, Sapienza University of Rome, Via Flaminia, 70, 00196, Rome, Italy, mohamed.eledeisy@uniroma1.it)

1 ABSTRACT

Rapid demographic increase and transition in governmental policies influenced the patterns of Egyptian residential sector, services and urban fabric. The housing stock in Egypt is dominated by private owners, informally and high consumption rates. Studies attempted to classify historic periods that created the current urban pattern and led to an uncontrollable expansion of a metropolis. Political and demographic changes had a major role in the city's urban, architectural and legislative transformation, especially after the change of government policies in 1953. The article aims to evaluate the development milestones of the housing stock in Cairo before and after 1953, from an environmental sustainability perspective on a building and urban scale. Based on official statistics, maps from various periods and literature, the urban development of the city is assessed. The impact of governmental policies and strategic plans is analyzed, taking into consideration demographic growth, urban sprawl and environmental aspects. The residential stock is classified in two time phases (before and after 1953) and three dominant typological -urban and architectural- criteria. Based on this classificatory model, representative characteristics of different periods are assessed in terms of morphology, construction materials and environmental design. The results provide a critical analysis of Cairo's environmental and sustainability policies in the second half of the previous century. It provides an evaluation base for comparison with the city's current built environment and offers guidance for future scenarios.

Keywords: Building typology, Informality, Urban built environment, Residential consumption, Housing stock

2 INTRODUCTION

Greater Cairo Region (GCR) is composed of three governorates: Cairo on the east of the River Nile, Giza on the west and Qalyubia in the north. Each governorate has its own administration, governor, and boundaries. According to the national Central Agency for Public Mobilization and Statistics, GCR's surface are is 290km2, its population in 2016 was 22.9 million inhabitants divided as follows: 9.7 million in Cairo, 8.9 million in Giza and 4.3 million in Qalyubia. However, GCR is physically inseparable and it is hard to define a precise barrier that separates the governorates' environmental, physical and social boundaries.


Historically, urban growth started in the core city, Cairo; it is one of the most ancient parts of Egypt. The city's history is long and the region's background goes back to the times of ancient Egypt (31st century BCE) when its capital - Memphis - was not far away from the current location of Cairo, and GCR still hosts the great pyramids of Giza.

Like in many old civilisations, ancient Egyptian buildings were used as a source for construction materials and their stones were adopted to build the houses of Islamic Cairo (Singerman 2011). The first attempt to declare a city with a defined administration and boundaries, after Memphis, goes back to the 10th century. Cairo was founded as a capital for the Mediterranean empire of the Fatimids in 969AD with the arrival of Jawhar Al-Siqilli. Then, the Caliph Al Moizz a few years later made it his basis of rule. Thus, the first city was created according to the urban patterns and features of Islamic architecture (Abu-Lughod 1971).

3 CAIRO BEFORE 1953 | BACKGROUND

3.1 Islamic Cairo

Islamic architecture in Cairo passed through different periods: Fatimid, Ayyubid, Mamluks and Ottomans. In the beginning, the Fatimid architecture combined elements of eastern and western architecture and was strongly influenced by Mediterranean cultures. The city fabric was characterised by a human compact form with low-rise residences and narrow streets, which has the advantage of providing solar shading but minimises wind flows for urban health and social purposes (Sharon L. Harlanan December 2006). Compact cities have environmental, social and fiscal advantages; and in similar climates, the compactness of the city fabric proved to result in lower energy demand for artificial climatisation and have a positive influence on



energy savings on a building and city scale (Frey 2003). In Islamic Cairo, the streets were oriented North-South to take advantage of prevailing wind that came from the north; it was characterised by winding streets of different sizes to decrease the potential effect of wind storm carrying dust/sand and provide shaded spaces. Early residential buildings were made with clay brick, which was and still is a commonly used building material in Egypt, then stone gradually took over and it became a major construction material. Morphologically, a typical dwelling apartment in the Fatimid period had a rectilinear plan that revolved around a central courtyard that provided natural lighting and ventilation (Safran 2000). Private houses included a ground floor and one or two upper floors. Exterior windows included sophisticated shading systems - Mashrabeya - that decrease light glare and block visual access from the exterior, providing privacy for households.




Fig. 1: Greater Cairo Region (Yousry, 1997)

The inexistence of advanced technological tools forced architects to develop solutions that guaranteed thermal comfort without affecting the surroundings negatively. Islamic architecture did not oversee the important concepts of physics and fluid dynamics like air buoyancy and thermal convection. It was based on the use of solar energy, heat conduction and convection, ventilation, evaporation and passive cooling methods to provide high comfort levels for inner spaces (Nermine Abdel Gelil Mohamed 2014) (Yahya Lavafpour 2011); In addition, the correct application of local building materials worked as an efficient way to increase comfort levels and drastically reduce the environmental impact of construction (J.C Morel 2001).

Light-coloured materials with high reflectivity were chosen to decrease the temperature and decrease the dry weather effect. Nermine Abdel Gelil and Waleed Hussein listed the materials commonly used in Cairene Islamic architecture: Stone was a widely used construction material during the Ayyubid and Mamluk eras (12th-16th century), and marble was used by the Mamluks (13th-16th century). Traditionally, limestone was used for the construction of ground floor load bearing walls. External walls were built of at least 50cm thick limestone, which contributed to the thermal insulation of indoor spaces and provided high thermal mass effect. During summer, the heat was stored in the walls during the day and released into indoor spaces at night when temperatures were lower, and spaces could be cooled by natural ventilation (cross ventilation and stack effect). In addition, due to the light colour - and the high reflectivity- of the limestone, it deflected solar radiation during hot days. Wood was used for building flat horizontal roofs, mashrabeyas, takhtabushes, windows, malqafs, shokhshekhas and scaffolding during the construction of walls; it was also used for shading purposes (Nermine Abdel Gelil Mohamed 2014). Red Brick was used for compact forms, like vaults and domes, which have low surface area to volume ratio and hence provide minimum heat gain and minimum heat loss through the building envelope and imply higher thermal comfort conditions.




Fig. 2: Manzil Amna bint Salim (back) and manzil al-Kiridliya (front), located adjacent to Ibn Tulun Mosque on Ibn Tulun Street. Above, photo from the street by Nermine Abdel Gelil Mohamed; below, ground, first and second floors (Nermine Abdel Gelil Mohamed 2014)

3.2 European Cairo

The end of the Islamic architecture era in Cairo can be considered to be at the beginning of the 19th century (1805), after the expulsion of the last Ottoman governor by Mohamed Ali, who announced the virtual independence of Egypt from the Ottoman court. This was the beginning of "Modern Egypt" with comprehensive efforts and mega infrastructure projects to modernise the city and the country in general. In 1863, the Cairene population had barely passed 300,000 (Raymond 2000). Khedive Ismail - who received European education in Paris - showed more effort for social and cultural modernisation of Egypt. A completely modern western city emerged from a small neighbourhood 'Azbakia' and the physical and urban patterns of Cairo changed. His famous saying was "My country is no longer in Africa; we are now part of Europe. It is therefore, natural for us to abandon our former ways and to adopt a new system adapted to our social conditions". (Haag 2003)

The first city plan presented by a French architect was inspired by Haussmann's plans for Paris. It ignored the existing compact patterns of Islamic Cairo and produced new radial grids of large wide streets. English, Italian and Greek architects presented proposals and participated in the construction of a new part of the European city. Cairo was nominated as "Paris along the Nile" and this area – constructed by the Khedive- is now known "Downtown- Wust El Balad". Utilities and services like water, electricity and trams were developing on a huge scale (Myntti 2000). The new elegant city centre offices, shops, restaurants and cafés gave a new identity to the city. Traditional Islamic architecture was abandoned, and in some cases the use of

its elements like mashrabiyya was prohibited and replaced by glass window panes and wooden shutters. Styles ranged from Baroque, Neo-classical and Rococo to Bauhaus, Italian Renaissance and Arabesque until the 1950s (Elshahed 2007).




Fig. 3: European Cairo urban fabric (left) vs Paris urban fabric (right)

By the beginning of the 20th century, new lavish neighbourhoods (e.g. Garden city and Zamalek) were already developed. Urban expansion later took place along the north (towards Shubra), then the first satellite cities – like Heliopolis- were designed to host up to 100,000 inhabitants. In the 1940's roads, bridges and water system projects started to take place to provide a solid base for further urban expansions. Cairo became an attractive pole for all Egyptians that came from rural and surrounding areas. The first industrial slums were developing in nearby Boulak, where spot densities reached world records (4000 person/hectare). From 1937 to 1947 the population of Cairo doubled from 1,300,000 to 2,800,000 inhabitants and moving out of the slowly degrading old city centre became a trend by the higher income groups which could afford to buy property in more modern neighbourhoods (Cresti 1987).




Fig. 4: Change in architectural elements - Downtown Facade from European Cairo 1927 (Elshahed 2007)



Fig. 5: Buildings from European Cairo (photographs by Alain Bonnamy) (Galila El Kadi 2006)

Until today, published work that analyses the architecture of European Cairo from an environmental and passive design perspective is not evident. It is obvious that not until building with reinforced concrete started to take place during the first decades of the 20th century, thick load-bearing stone and masonry walls with high thermal mass was the main building and structural technology used for residential buildings. In addition to the function of articulating the space, load bearing walls ensure the stability of the building to enable it to withstand vertical loads and horizontal thrusts.

This structural function is associated with thermal and acoustic insulation. Therefore, construction materials of poor thermal conductivity were chosen for the construction of thick heavy walls; they provided thermal flywheel effect resulting in a cool environment in summer and a warm environment in winter. This guaranteed higher comfort levels in comparison to slim envelopes of reinforced concrete beam-column structures that started to spread later for residential blocks. Typically, apartment block heights started to be 4, 5, 6 floors. Average floor-to-ceiling height was 4m; this is higher than average floor-to-ceiling height of residential buildings built today – and in the last 40 years- which is typically 3m. This allowed better air movement and higher comfort levels. Through the phenomenon of convection, fluids have a natural movement in which hot air tends to rise allowing the lower part of the room to have lower temperatures that could reach up to 1°C less in warm days. Therefore, in hot climates, a higher floor-to-ceiling distance means a greater distance of the hot air layers from the users, guaranteeing higher comfort levels. (R. P. Guimarães 2013)




Fig. 6: Cairo built-up area before and after 1950 (Sims, 2012)

Thick wood was used for window frames and shutters on the outside, which worked as a good insulator of solar radiation as wood has low thermal conductivity. Metal was used sparingly for façade ornaments and balcony fences, but it was not a dominant material. Facades included elaborate decorative ornaments, balconies and overhangs which had a shading function that varied in relation to the orientation of the façade. However, the void-to-solid ratio in residential facades of European Cairo was higher than that of the hosues of Islamic Cairo; allowing major solar access through openings and reducing comfort levels during the hot season. Light hues of colours were used to reflect solar radiation, decrease heat absorption and conduction, which guaranteed lower radiant and operative temperature of internal spaces. Many residential blocks included inner courtyards, which permitted higher air cross ventilation between outer façade openings and

the ones overlooking the interior courtyard. In addition, weather conditions in Cairo were moderate compared to extreme temperatures reached in the last couple of decades due to global warming, urban heat island effect, and climate change.

MODERN CAIRO

4.1 New phase with new policies

In 1949 the Municipality of Cairo was created as the official local administration responsible for managing the city resources and development. The Ministry of Housing, Utilities and Urban Development (MHUUD) issued its first housing and building statutes and laws regarding conciliation, and law amendments. In 1953, the King was deposed by a revolutionary command council and a republic was declared. This was an announcement of a new phase in Egyptian history and led to Cairo's total change. The building sector and the urbanism were directly influenced by those political changes. The new government followed new policies:

- Subsidised public housing
- Applying social housing programmes
- Condominium investments were encouraged to provide the possibility of growth in new areas of Cairo (e.g. Mohandessin neighbourhood)
- New laws were issued regarding improving fees on the real-estate that was upgraded due to the improvement of public utilities and others to reduce rents on housing units
- European Cairo neighboorhoods were Egyptianised (mixed land use and commercial zones were created; elegant villas were replaced by high apartment blocks).

Until 1940, Cairo represented 6-8% of the national population. Between 1950 to 1960, Cairo's percentage of the national population inflated from 11.2% to 18.4%. Rural settlements - of migrants to Cairo - were expanding around the actual city with no planning, architecture or construction reference at all (Yousry 1997); with reinforced concrete as a fast and convenient solution, the city started to grow at a fast pace.

Year	Cairo		Egypt		Cairo as % of national
	Population ('000)	% growth rate	Population ('000)	% growth rate	population
1800	200	2.0	3,000	1.2	6.7
1900	600	2.3	10,000	1.3	6.0
1920	875	3.1	13,000	1.4	6.7
1930	1,150	2.2	15,000	2.3	7.7
1940	1,525	4.1	19,000	1.0	8.0
1950	2,350	4.1	21,000	2.2	11.2
1960	4,784	2.2	26,000	2.4	18.4
1976	6,776	3.5	38,200	2.8	17.7
1986	9,514		50.500		18.8

Table 1 Population growth of Cairo and Egypt, 1800-1986 (Yousry 1997)

4.2 Master plans (1950s -1960s)

In 1956 a master plan that included east and west desert flank expansions was prepared and in the 1960s new industrial zones were identified - Helwan, Shubra, Imbaba and Giza- enhancing the appearance of Cairo as a future mega metropolis. The government financed the design of new settlements like Nasr city (designed to cover 6,300 acres of vacant desert and later extended incorporating additional 14,000 acres) allowing the growth of areas like Abbasiya and Heliopolis. MHUUD issued a new law in 1964 (Law No.6) defining design criteria and rules for structural and building works. It issued ministerial decrees to regulate building execution because of informality; this was followed by other laws and decrees that regulate the restoration, maintenance and elevation of existing buildings (Ministry of Housing 2015). Cairo's population was 6,113,000 inhabitants in 1966 and new master plans had to be created again to include the extension of the industrial area of Helwan and new towns like the 6th of October, Al Badr, El Obour and a West Bank project that was not realised. Later additions included distant extensions towards the north and east: unsuccessful town examples namely Sadat City and 10th of Ramadan new town. These plans had the objective of sccommodating future population growth until 1990 (Sutton 2001).




Fig. 7: 1970 and 1983 master plans for Cairo: new towns, new settlements, ring road, and east—west axes of development (Sutton 2001)

4.3 New laws and informal housing (1970s)

In the 1970s the MHUUD issued a new series of laws aiming to regulate the growing building sector and control rising illegality:

- 1. Law No. 62 of 1974: Provisions for reconstruction, 1974
- 2. Law No. 66 for in 1974: Establishment of Engineers' Syndicate, 1974
- 3. Law No. 49 of 1977: Sale and lease regulations between owners and leasers.
- 4. Law No. 59 of 1979: Indications concerning new urban communities and settlements.

However, the war of 1967 had a negative influence on the national economy and the city's urban development. The government was unable to fulfil the new urban aspiration, shelved the planned projects and turned a blind eye on the illegal growth of the informal sector caused by fast demographic growth. In Greater Cairo, more than 80% of new units built during the 1970s were considered illegal (Sharaf 1999). The official public constructions that started in the 1970s aimed to reach different economic groups and they accelerated the city's expansion towards the east through new settlements and towns like Nasr City and the 10th of Ramadan. Spontaneous urbanisation was promoted west of the Nile towards existing neighbourhoods like Giza, Dokki and Mohandessin. A process of "demolition-reconstruction-densification" was the reason for the transformation of elegant neighbourhoods in the city centre "e.g. Mohandessin". Between 1980 and 1992 a third of the villas and smaller blocks have been demolished and were replaced by tower blocks (Galila El Kadi 2006). Today in neighbourhoods like "Mohandessin", it is hard to find a trace of the old villas or planned low-rise residential blocks built according to regulations. Instead, they have been replaced by tall blocks built by private -mostly the illegal - sector and contractors with a main target: increasing financial profit margins (Sutton 2001). The spread of reinforced concrete as a fast and efficient construction material had a direct influence on the pace of urban growth; new settlements and towns were planned to reach different social groups. High residential blocks of reinforced concrete - column and beam structure and bricks for walls and interior partitions - were built, increasing the average height of residential and commercial blocks. 10-12 story buildings with elevators were starting to become more common and were often built for social housing in the new satellite towns and settlements.

4.4 New city and local divisions (1980s)

In 1982 Greater Cairo was defined by the General organisation of physical planning, located within the jurisdiction of the 3 Governorates: Cairo on the east, Giza on the west and Qalyubia on the north. The total built-up area of GCR was 32,600 hectares with 21,690 hectares for residential use representing 67% of all land use. So, it was necessary to prepare new plans again and one year later a new master plan was made to house 2-3 million people (Luloff 2001). Egyptian authorities confirmed infrastructure development plans and the city was divided into 16 homogeneous sectors for the first time. The division aimed to decrease the suffocating high densities, transfer the population to outer areas of the centre and decrease the pressure on central areas. The census of 1986 had a major impact; the city's ring road plan was changed, and this allowed a better connection with new settlements like 6 October and New Cairo and gave the way for later development outside the centre on both the east and west flanks of the desert.

4.5 Master plans and their impact (1990s)

In the early 1990s, the urban form, size, and fabric of GCR had already developed in a random and spontaneous manner, instead of following a planned strategy. Sutton and Fahmi listed a series of factors behind, what they considered the failure of the previously mentioned master plans and strategies (Wael Fahmy 2008). They observed the following main factors:

- The dominance of the unplanned "spontaneous urbanisation" over three decades (probably referring to the 1960s, 1970s and 1980s).
- Failure of new towns/settlements to attract residents and alleviate overcrowded conditions in central Cairo.
- Financial constraints on government expenditure and growth of the private sector involvement.
- The strengthening of Cairo's polycentricity
- Negative impact of the 1992 Earthquake
- Vacant city dwellings in a situation of housing crisis
- The role of the new ring road and its influence on land use and population.

The impact of the failure of the master plans (made in 1956, 1970, 1982 and 1983) was evident in the 1990s. Since the 1970s till the end of the 1990s, because of a spontaneous rather than a planned land use transformation, central Cairo witnessed a contradictory movement, namely the consolidation of its central place tertiary functions and the fragmentation of these functions over multi centres. Due to the financial constraints on the government expenditure, the government was incapable of providing suitable or economically convenient housing solutions that responded to the fast demographic growth and migration to the capital. Most of the planned new towns failed completely to attract residents and provide them with suitable housing solutions (e.g. 10th Ramadan, Al badr, El Obour, Mobarak housing). It is estimated that in 2006, 25-30% of units were presumably vacant, especially in the new towns ((USAID) 2006). This opened a wide door to the private investment and illegal sector to gain momentum with a market economy approach. Studies propose that up to 84% of constructions over the 1970s and 1980s have been illegal. By illegal, for the most part, studies do not refer to slums or shanty town dwellings. Instead, it is referred to modern formal housing built illegally or without any formal planning permission, possibly with violations of floor plans, land use and construction materials (Sutton 2001).

This led to two main results:

- The spread of informal housing with no design or planning, built by local contractors under no strict administrate control or building regulations of any type.
- The spread of a standard poor construction procedure served to meet people's housing needs. This procedure ignored sustainable or environmental design and produced repetitive minimalistic rectilinear (linear and tower) apartment blocks with no consideration of passive design strategies like quality material selection, shading, natural lighting and ventilation. (Wael Fahmy 2008)



Fig. 8: Residential buildings from Modern Cairo "Mohandessin" and a construction site with traditional technologies (Author)

Due to material availability, common knowledge, easy application, time efficiency, and economic convenience: reinforced concrete column and beam structural system and bricks (slit, clay, cement) for walls and interior partitions is the dominant method used for residential construction since the 1950s and almost exclusively used with the flat slab structural system for residential sector and apartment blocks. Double and triple glazing technologies for windows are not common and single glazed windows with wooden shutters are widely used for openings.

Informal settlements (either semi-legal or illegal residences built on private and public land) are where 70% of the inhabitants of GCR live. Apartment blocks is the dominant housing system in GCR and most of it is owned by the private sector which represents more than 97% in housing construction, with no energy efficiency or renewable energy awareness (Hanna, Sustainable Energy Potential in the Egyptian Residential 2013) (Ahmed Abdin 2006). According to HSE in Greater Cairo, building median height is 5 floors with an average total surface area of the building (building footprint) 157m2. Some structures could reach a height of more than 12 stories, but it is uncommon to find low rise buildings and villas (David Sims 2008). In Egypt, 99% of the households receive electricity and the national demand is on a continuous rise (Singerman 2011).

The 2006 national census showed that the Egyptian building stock comprised about 16.5 million buildings and 11.5 million were used residential purposes in 2006, representing more than 60% of the Egyptian building stock. The Organisation for Energy Planning (OEP) conducted energy surveys between 1998 and 2002 in major cities like Cairo, Alexandria, Port Said and Asyut to represent 2634 apartments in GCR. The research revealed that the average annual end-use energy consumption was 2866kWh/m2 per apartment with 17% as the degree of saturation of air conditioners (Hanna, Sustainable Energy Potential in the Egyptian Residential 2013). The residential sector represented 36% of electricity consumption and about 21% of the total energy consumption nationally in the period 1990-2000 (International Energy Agency 2015). The residential consumption continues to rise 5-10% annually and it is necessary to adopt new efficient policies (Mohamed Edeisy, Energy Efficiency for Egyptian Housing: Code Compliance and Enforcement 2018).



Fig. 9: Satellite images of (from left to right) Islamic (in by informality), European and Modern Cairo



Fig. 10: Buildings (from left to right) Islamic, European and Modern Cairo (Nermine Abdel Gelil Mohamed 2014) (Galila El Kadi 2006)

DISCUSSION

The Islamic residential stock represented compact morphological characteristics. On a building scale, this provided minimum heat gain and minimum heat loss through the building envelope and implied higher thermal comfort conditions. On an urban scale, this provided higher shading and lower temperatures. Islamic Cairo is characterised by using local materials. Stone was widely used - especially limestone - (12-16th century) for the construction of thick walls. Wood was used for building roofs, furniture and window shades (mashrabeya). In terms of environmental sustainability, the compactness of the Islamic urban fabric provided more shading and a low surface area to volume ratio – on an urban and architectural scale, which guaranteed higher indoor and outdoor thermal comfort levels.

European Cairo residential morphology is dominated by apartment blocks inspired by European - Baroque, Neo-classical and Rococo to Bauhaus, Italian Renaissance and Arabesque – architecture. On an urban scale, European Cairo witnessed a significant infrastructure development. It is characterised by wide streets for cars, lighting and open space. European Cairo residences were mostly built with thick load-bearing stone and masonry walls and then with the development of the concrete technologies, it started to become widely used. European Cairo residential blocks' thick heavy walls had low thermal conductivity and high thermal mass. Internal courtyards allowed good cross ventilation on hot summer days. On an urban scale, the city's infrastructure was developed significantly.




Fig. 11: General framework for future strategies prioritizing the problems of the existing built environment (Author)

After 1953, modern minimalistic apartment blocks - linear and tower - started to become more common gradually and it became the dominating building morphology. The impact of the failure of the master plans was evident and lead to a spontaneous transformation rather than planned land use. The informal settlements (either semi-legal or illegal residences built on private and public land) are where 70% of the inhabitants of GCR live (Hanna, Sustainable Energy Potential in the Egyptian Residential 2013). Modern Cairo blocks were built in a reinforced concrete column and beam structural system and bricks (slit, clay, cement) for walls. Modern Cairo (after the 1950s), is dominated by informality and illegality. Building skeletons of reinforced concrete and red brick filling have high thermal conductivity and thermal bridges are present. In addition, in the last decades, reliance on artificial acclimatisation is rising accompanied by high consumption levels and greenhouse gas emissions.

6 CONCLUSION

New public policies should take into consideration the factors that led to the failure of previous masterplans. The continuous rapid growth and load on GCR made it extremely complex to manage the numerous actors of physical change of the built environment. The public sector should consider strengthening the attractivity of other Egyptian poles/cities to attract the population there, take advantage of the resources available in unused land – 99% of Egyptians live in 5.5% of land area (Erin H. Foubery 2009)- and decrease the pressure on the capital region.

Future strategies should give priority to solving the problems of the existing built environment through urban regeneration and requalification strategies on urban, neighbourhood and building scale. It is important to valorise the existing building stock of Islamic and European Cairo through urban preservation movements, heritage conservation, and renovation.

Moreover, it is necessary to foresee applicable tools that -while upgrading and maintaining the identity and services of the existing stock- work on upgrading the current state of the informal and illegal existing building stock of Modern Cairo. Passive retrofits have a high environmental potential in GCR; envelope retrofit in Cairo can lead up to lower energy consumption, increase in indoor comfort levels and lower greenhouse gas emissions (Mohamed Edeisy, Envelope retrofit in hot arid climates 2017) (Mohamed Eledeisy 2016); it provides an added aesthetic value through renovating the façade and helps cover gaps or cracks. When applied on a neighbourhood scale, it can be an instrument that contributes to decreasing informality and disorder between buildings in each district. It can be used as a tool to give harmony in the buildings' external aspect (similar colours, materials, etc.) and kick start an urban regeneration movement that begins with the household and expands to reach the neighbourhood within a general framework that integrates the actors of change on a city scale.

The article identified three significant styles of Cairene architecture. It evaluated the development of the housing stock on an urban and building scale before and after 1953. It is obvious that the built-up area of Cairo increased sharply after the 1950s (figure 6). GCR reached an uncontrollable size; the instability of governmental policies and regular change of decisions led to unsuccessful results on the urban and the building scale. The residential sector is mostly informal with a low effort in upgrading. This work presented a descriptive analysis of 3 typologies of a residential building; two of them are from the period before 1953 and the third is after. It analysed the development of housing stock after 1953 with common construction methods and their impact on the current built environment. In terms of technological, environmental and morphological quality of the housing sector -building and urban scale-, it is necessary to apply realistic solutions that reduce informal sprawl of the capital and encourage the private sector to adopt higher construction qualities in design, material selection and energy demand. The work provides an evaluation base and offers guidance in relation to the presented typologies within a general work frame on a wider scale. The indications given can support public policies for future scenarios of GCR and for Cairo vision 2050 strategies.

7 LIMITATIONS AND FUTURE WORK

This work understands that the Cairene housing stock is complex and it cannot be limited to three residential typologies and/or styles. However, the article aims to provide an inclusive overview of the main and most common architectural styles with a focus on their morphological and technological quality before and after 1950. Future work can further analyse the building stock in the period (2000-2020) and propose guiding indications for the vision of Cairo 2050 within the national vision of Egypt.

8 REFERENCES

(USAID), World Bank and United States Agency for International Development. "A framework for Housing Policy Reform in Egypt." 2006.

Abu-Lughod, Janet. Cairo: 1001 years of the city victorious. Princeton University Press, 1971.

Ahmed Abdin, Khaled Elfarra. "Energy Efficiency in the Construction Sector in The Mediterranean. Market Analysis and Capacity Assessment--Egypt." MED-ENEC, European Union, 2006.

- British Standard Institution. "British Standards Institution (BSI). BS 8206 Part 2: Lighting for buildings: Code of practice for daylighting." London, 1992.
- Collins, Belinda Lowenhaupt. indows and people: A literature survey. Psychological reaction to environments with and without windows. National Bureau of Standards, Washington, DC (USA); US Dept. of Commerce, National Bureau of Standards, Institute for Applied Technology, Washington, 1975.
- Cresti, Federico. "The Expanding Metropolis. Coping with the Urban Growth of Cairo." Oriente Moderno, 1987: 60-63.
- David Sims, Hazem Kamal, and David Solomon. "Housing study for urban Egypt." USAID, Final Report, December, 2008.

Department of Health. "Health Building Note 00-03: Clinical and clinical support spaces." 2013.

Department of Health. Health Building Note 04-01: Adult in-patient facilities. Crown copyright, 2013.

Department of Health. "The Essence of Care: Patient-focused benchmarking for health care practitioners." 2001.

Directive, Council. "Directive 2010/75/EU of the European Parliament and of the Council." Official Journal of the European Union L 334 (2010): 13-35.

Elshahed, Mohamed Mohamed Kamal. "Facades of modernity: Image, performance, and transformation in the egyptian metropolis." PhD Thesis. Massachusetts Institute of Technology, 2007.

Erin H. Foubery, Alexander B. Murphy. Human geography: people, place, and culture. John Wiley & Sons, 2009.

Frey, Hilderbrand. Designing the city: Towards a more sustainable urban form. Taylor and Francis, 2003.

Galila El Kadi, Dalila El Kerday. "Belle époque Cairo: the politics of refurbishing the downtown business district." Cairo cosmopolitan: Politics, culture, and urban space in the new globalized middle east, 2006: 345-371.

Haag, Michael. The Rough Guide History of Egypt. Rough Guides, 2003.

Hanna, George Bassili. "Energy Efficiency Building Codes and Green Pyramid Rating System." International Journal of Science and Research, 2013: 3055-3069.

Hanna, George Bassili. "Sustainable Energy Potential in the Egyptian Residential." The Journal of Environmental Science and Engineering B2, 2013: 374-382.

Heba Farouk Ahmed, Basil Kamel. "Cairo: Three cities, three periods, three maidans." Built Environment (1978-), 1996: 104-123.

Hilary Dalke, Paul J Littlefair, David L Loe, N Camgöz. Lighting and colour for hospital design - A Report on an NHS Estates Funded. TSO (The Stationery Office), 2004.

International Energy Agency. Egypt: Balances. 2015.

https://www.iea.org/statistics/statisticssearch/report/?country=Egypt&product=balances (accessed July 01, 2015).

J.C Morel, A Mesbah, M Oggero, P Walker. "Building houses with local materials: means to drastically reduce the environmental impact of construction." Building and Environment, 2001: 1119-1126.

Kamel, Basil Ahmed, and Mohamed Said Asar. "Applying Realistic Environmental & Sustainable Measures in Community Development with Special Reference to Egypt: A Socio-Cultural Study." Procedia - Social and Behavioral Sciences 68 (December 2012): 661-675.

Keep, Philip J. "Stimulus deprivation in windowless rooms'. A. Vol. 32." naesthesia (Wiley Online Library) 32, no. 7 (1997): 598-

Luloff, Jeffrey C Bridger and Albert Elliot. "Building the sustainable community: is social capital the answer?" Sociological inquiry, 2001: 458-472.

Ministry of Housing, Utilities and Urban Development. Design. Ministry of Housing, Utilities and Urban Development. Design. June 2015. http://www.moh.gov.eg/en/en_design/default_en.aspx.

Mohamed Edeisy, Carlo Cecere. "Energy Efficiency for Egyptian Housing: Code Compliance and Enforcement." International Journal of the Constructed Environment 9, no. 3 (2018): 1-15.

Mohamed Edeisy, Carlo Cecere. "Envelope retrofit in hot arid climates." Procedia environmental sciences, 2017: 264-273.

Mohamed Edeisy, C. Cecere. "Energy retrofit for residential buildings" Colloqui.AT.e 2016. Matera: Gangemi editore, 2016. 68-70.

Myntti, Cynthia. Paris along the Nile: Architecture in Cairo from the belle époque. American University in Cairo Press, 2000.

Nermine Abdel Gelil Mohamed, Waleed Hussein Ali. "Traditional Residential Architecture in Cairo from a Green Architecture Perspective." Arts and Design Studies, 2014.

R. P. Guimarães, M. C. R. Carvalho, F. A. Santos. "The influence of ceiling height in thermal comfort of buildings. A case study in Belo Horizonte, Brazil." International Journal for Housing Science, 2013: 75-86.

Raymond, André. Cairo. Harvard University Press, 2000.

Safran, Janina M. The second Umayyad Caliphate: the articulation of caliphal legitimacy in al-Andalus. Harvard CMES, 2000.

Sharaf, M and Mansy, M and El Sayed, A and Abbas, E. "Natural radioactivity and radon exhalation rates in building materials used in Egypt." Radiation Measurements 31 (1999): 491-495.

Sharon L. Harlanan, Athony J. Brazel, Lela Prashad, William L. Stefanov, Larissa Larsen. "Neighborhood microclimates and vulnerability to heat stress." Social Science & Medicine 63. 11, December 2006: 2847-2863.

Singerman, Diane. Cairo contested: Governance, urban space and global modernity. Oxford University Press, 2011.

Sue Hignetta, Jun Lu. "An investigation of the use of health building notes by UK healthcare building designers." Applied Ergonomics 40 (July 2009): 608-616.

Sutton, Keith and Fahmi, Wael. "Cairo's urban growth and strategic master plans in the light of Egypt's 1996 population census results." Cities (Elsevier) 18, no. 3 (2001): 135--149.

Ulrich, Roger S. "Ulrich, R.S. 'View from the window may influence recovery from surgery'. . Vol. 224, 1984, pp. ." Science (American association for the advancement of science) 224, no. 4647 (1984): 420–421.

United Nations, Department of Economic and Social Affairs, Population Division. The worlds cities in 2016 data booklet. 2016.

Wael Fahmy, Keith Sutton. "Greater Cairo's housing crisis: contested spaces from inner city areas to new comunities"." Cities, 2008: 277-297.

World Bank. World Bank Group DOING BUSINESS Measuring Business Regulations. 2015. http://www.doingbusiness.org/data/exploreeconomies/egypt/ (accessed May 19, 2015).

Yahya Lavafpour, Mastor Surat. "Passive low energy architecture in hot and dry climate." Australian Journal of Basic and Applied Sciences 5, no. 8 (2011): 757-765.

Yousry, Mahmoud and Atta, Tarek A Aboul. "The challenge of urban growth in Cairo." The Urban Challenge in Africa: Growth and Management of its Large Cities, London, Tokyo and Paris: The United Nations University Press., 1997.