

Erratum to: Test of a building vulnerability model for L'Aquila earthquake

Valerio Baiocchi · Donatella Dominici · Rachele Ferlito ·
Francesca Giannone · Massimo Guarascio ·
Maria Zucconi

Published online: 25 October 2014
© Società Italiana di Fotogrammetria e Topografia (SIFET) 2014

Erratum to: Appl Geomat (2012) 4:95-103
DOI 10.1007/s12518-011-0065-x

In the references erroneously books were cited instead of single papers therein.

This applies to:

Guarascio M et al (2007) Safety and security engineering II.
WIT Press, South Hampton

It should read:

Guarascio, M, Lombardi M, Rossi G, Sciarra G (2007) "Risk analysis and acceptability criteria" In: Guarascio, M. et al WIT Transactions on the Built Environment 94, pp. 131-138 and to

Guarascio et al (2009)

It should read:

Guarascio, M. et al. (2009) Geostatistics/Reliability based Risk analysis of the Vajont landslide WIT Transactions on the Built Environment 108, pp. 607-615

The online version of the original article can be found at <http://dx.doi.org/10.1007/s12518-011-0065-x>.

V. Baiocchi (✉) · F. Giannone
DICEA-University "La Sapienza",
Rome, Italy
e-mail: valerio.baiocchi@uniroma1.it

D. Dominici
DAU-University of L'Aquila,
L'Aquila, Italy
e-mail: Donatella.dominici@univaq.it

R. Ferlito
Dipartimento Nazionale di Protezione Civile
(Italian National Agency for Civil Protection),
Rome, Italy
e-mail: rachele.ferlito@protezionecivile.it

M. Guarascio · M. Zucconi
DICMA-University "La Sapienza",
Rome, Italy

M. Guarascio
e-mail: massimo.guarascio@uniroma1.it