



# Measurement of the cross-sections of the electroweak and total production of a $Z\gamma$ pair in association with two jets in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector

The ATLAS Collaboration

This Letter presents the measurement of the fiducial and differential cross-sections of the electroweak production of a  $Z\gamma$  pair in association with two jets. The analysis uses  $140 \text{ fb}^{-1}$  of LHC proton–proton collision data taken at  $\sqrt{s}=13$  TeV recorded by the ATLAS detector during the years 2015–2018. Events with a  $Z$  boson candidate decaying into either an  $e^+e^-$  or  $\mu^+\mu^-$  pair, a photon and two jets are selected. The electroweak component is extracted by requiring a large dijet invariant mass and by using the information about the centrality of the system and is measured with an observed and expected significance well above five standard deviations. The fiducial  $pp \rightarrow Z\gamma jj$  cross-section for the electroweak production is measured to be  $3.6 \pm 0.5 \text{ fb}$ . The total fiducial cross-section that also includes contributions where the jets arise from strong interactions is measured to be  $16.8^{+2.0}_{-1.8} \text{ fb}$ . The results are consistent with the Standard Model predictions. Differential cross-sections are also measured using the same events and are compared with parton-shower Monte Carlo simulations. Good agreement is observed between data and predictions.

# Contents

<b>1</b>	<b>Introduction</b>	<b>2</b>
<b>2</b>	<b>ATLAS detector</b>	<b>4</b>
<b>3</b>	<b>Simulated event samples</b>	<b>4</b>
<b>4</b>	<b>Event reconstruction and selection</b>	<b>6</b>
<b>5</b>	<b>Background estimation</b>	<b>8</b>
<b>6</b>	<b>Systematic uncertainties</b>	<b>10</b>
<b>7</b>	<b>Signal extraction procedure</b>	<b>11</b>
<b>8</b>	<b>Differential cross-sections</b>	<b>13</b>
	8.1 Phase space definition	13
	8.2 Unfolding procedure	14
<b>9</b>	<b>Results</b>	<b>15</b>
<b>10</b>	<b>Conclusions</b>	<b>21</b>

## 1 Introduction

The study of the electroweak (EW) production of two vector bosons associated with two jets is a powerful test of the Standard Model (SM) due to its sensitivity to the gauge-boson self-interactions, related to the non-Abelian structure of the electroweak interaction. It provides the means to investigate vector-boson scattering (VBS) processes ( $VV \rightarrow VV$  with  $V = W, Z$  or  $\gamma$ ), which directly probe the electroweak symmetry breaking sector of the SM [1], and to extract constraints on anomalous gauge-boson couplings [2]. Improved constraints probe scales of new physics in the multi-TeV range and provide a way to look for signals of new physics in a model-independent way.

In particular, the study of the EW production of a  $Z\gamma$  pair associated with two jets (referred to as  $EW-Z\gamma jj$ ) is interesting because it probes the neutral quartic gauge couplings, as for the  $ZZ$  production but with a larger expected cross-section. These couplings are forbidden at the lowest order in the SM. The EW production of the  $Z\gamma jj$  final state, shown in the top row of Figure 1, consists of both VBS processes directly sensitive to triple and quartic gauge couplings, and non-VBS processes, which incorporate other EW contributions.

In the VBS process two jets are typically present, one in the forward direction and the other in the backward direction, while the vector-boson pair is more centrally produced [3]. For such events the scattered quarks are not colour connected and little hadronic activity is expected in the gap between the two jets. This topology allows VBS production to be distinguished statistically from the production of  $Z\gamma jj$  final states via mixed EW and quantum chromodynamics (QCD) mechanisms, referred to as  $QCD-Z\gamma jj$ . The bottom row of Figure 1 shows examples of some  $QCD-Z\gamma jj$  diagrams where the strong interaction acts between the initial quarks, or where the jets arise from the strong interaction. The  $Z\gamma jj$  production via EW and




Figure 1: Representative Feynman diagrams of the processes relevant to this analysis: (a) quartic gauge coupling VBS, (b) triple gauge coupling VBS, (c) electroweak non-VBS, QCD-induced process with (d) gluon exchange or (e) gluon radiation.

QCD mechanisms interfere constructively when the initial and final states are the same, with an interference term at the level of 7%.<sup>o</sup>

Previous experimental results of  $EW\text{-}Z\gamma jj$  production with the  $Z$  decaying into charged leptons were published by the ATLAS and CMS collaborations using data collected at  $\sqrt{s} = 8$  TeV [4, 5]. Evidence of the process was reported by both experiments using partial data sets collected at  $\sqrt{s} = 13$  TeV using  $36 \text{ fb}^{-1}$  [6, 7], and the process has been observed by CMS [8] using the full Run 2 data sample. The measurement of the total  $Z\gamma jj$  cross-section has been reported recently by ATLAS [9]. The results presented here complements this previous paper by providing a measurement of the total  $Z\gamma jj$  in a VBS-like region, which is useful to obtain a detailed characterization of this process in a region sensitive to new physics.

The analysis described here exploits the full data sample collected with the ATLAS detector in Run 2 at a centre-of-mass energy of  $\sqrt{s} = 13$  TeV corresponding to an integrated luminosity of  $140 \text{ fb}^{-1}$ . This Letter reports the observation by ATLAS of the  $EW\text{-}Z\gamma jj$  process, where the  $Z$  boson decays into either  $e^+e^-$  or  $\mu^+\mu^-$  pairs, and its fiducial and differential cross-section measurements in several observables: the transverse momentum of the leading lepton ( $p_{\text{T}}^l$ , sensitive to process modelling), the transverse momentum of the jets ( $p_{\text{T}}^j$ ), the invariant mass of and absolute rapidity difference between the two leading jets ( $m_{jj}$  and  $|\Delta y|$ , sensitive to the  $EW\text{-}Z\gamma jj$  and  $QCD\text{-}Z\gamma jj$  kinematic differences), the transverse momentum of the photon and  $Z\gamma$  systems and the absolute azimuthal difference between the  $Z\gamma$  system and the two leading jets ( $E_{\text{T}}^\gamma$ ,  $p_{\text{T}}^{Z\gamma}$  and  $|\Delta\phi(Z\gamma, jj)|$ , potentially sensitive to new physics effects).

The fiducial and differential cross-sections that include the  $QCD\text{-}Z\gamma jj$  contribution are also reported for

the same observables, in addition to the  $Z$  boson transverse momentum ( $p_T^Z$ ) and the centrality of the  $Z\gamma jj$  system ( $\zeta(Z\gamma)$ , described in Section 4).

The measurement of the EW and total fiducial cross-sections presented in this Letter improves upon the precision of the previous ATLAS result [6] and several variables are measured for the first time differentially in these processes ( $p_T^{Z\gamma}$ ,  $|\Delta\phi(Z\gamma, jj)|$ ,  $p_T^Z$  and  $\zeta(Z\gamma)$ ).

The layout of the Letter is as follows: the ATLAS detector is briefly described in Section 2, the data sample and the simulated signal and background Monte Carlo (MC) samples used in the analysis are presented in Section 3, while the event reconstruction and selection are reported in Section 4. The determination of the background and event yields are discussed in Section 5 and the experimental and theoretical uncertainties are presented in Section 6. The procedure to extract the signal and to measure the differential cross-sections are described in Sections 7 and 8. Finally, Section 9 presents the cross-section measurements, and conclusions are drawn in Section 10.

## 2 ATLAS detector

The ATLAS detector [10] at the LHC is a multipurpose particle detector with a forward–backward symmetric cylindrical geometry<sup>1</sup> and nearly  $4\pi$  coverage in solid angle. It consists of an inner tracking detector (ID), electromagnetic and hadronic calorimeters, and a muon spectrometer (MS). The ID, surrounded by a thin superconducting solenoid delivering a 2 T magnetic field, provides precision tracking of charged particles and momentum measurements in the pseudorapidity range of  $|\eta| < 2.5$ . A high-granularity electromagnetic (EM) sampling calorimeter covers the pseudorapidity range of  $|\eta| < 3.2$ , and a coarser granularity calorimeter up to  $|\eta| = 4.9$ . The hadronic calorimeter system covers the entire pseudorapidity range up to  $|\eta| = 4.9$ . The MS consists of three large superconducting toroids each containing eight coils, a system of trigger chambers, and precision tracking chambers, which provide trigger and tracking capabilities in the range  $|\eta| < 2.4$  and  $|\eta| < 2.7$ , respectively. A two-level trigger system [11] is used to select events. The first-level trigger is implemented in hardware and uses a subset of the detector information. This is followed by the software-based high-level trigger system, which runs offline reconstruction.

An extensive software suite [12] is used in data simulation, in the reconstruction and analysis of real and simulated data, in detector operations, and in the trigger and data acquisition systems of the experiment.

## 3 Simulated event samples

MC simulated samples are used to model the  $EW\text{-}Z\gamma jj$  signal and a variety of background processes. The signal process was generated at leading-order (LO) accuracy (at order  $\alpha_{EW}^4$ , where  $\alpha_{EW}$  is the electroweak coupling constant) using MADGRAPH5\_AMC@NLO 2.6.5 [13] with the default dynamical scale choice and the NNPDF3.1 LO parton distribution function (PDF) set [14]. PYTHIA 8.240 [15] with the ‘dipoleRecoil’ option turned on, and configured with the A14 set of tuned parameters (tune) [16],

---

<sup>1</sup> ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the  $z$ -axis along the beam direction. The  $x$ -axis points from the IP to the centre of the LHC ring, and the  $y$ -axis points upwards. Cylindrical coordinates  $(r, \phi)$  are used in the transverse  $(x, y)$  plane,  $\phi$  being the azimuthal angle around the  $z$ -axis. The pseudorapidity is defined in terms of the polar angle  $\theta$  as  $\eta = -\ln \tan(\theta/2)$ . Angular distance is measured in units of  $\Delta R \equiv \sqrt{(\Delta y)^2 + (\Delta\phi)^2}$ .

was used to add parton-showering, hadronisation and underlying event activity. The signal MC was also interfaced with HERWIG ++ 2.7.1 [17, 18] for parton showering, hadronisation and underlying event activity. The comparison between the two samples is used to estimate the uncertainties due to the choice of the parton showering and underlying event models.

The dominant background in the cross-section measurement of the EW production of  $Z\gamma jj$  events is represented by the  $QCD-Z\gamma jj$  process. Two sets of MC samples are used to model this final state. The nominal sample was produced with SHERPA 2.2.11 [19, 20], where matrix elements were calculated with up to one additional parton at next-to-leading order (NLO) and up to three additional partons at LO. The matrix element calculation included all diagrams at order  $\alpha_{EW}^2$ . The virtual QCD corrections for matrix elements at NLO accuracy were provided by the OPENLOOPS library [21]. The merging of the matrix element and parton shower (PS) was performed with MEPS@NLO [22, 23]. The NNPDF3.0 next-to-next-to-leading-order (NNLO) PDF was used in conjunction with a dedicated PS tuning developed by the SHERPA authors. An alternative sample was produced with MADGRAPH5\_AMC@NLO 2.3.3 and used for cross checks. This sample has the default dynamical scale using the NNPDF3.0 NLO PDF set. The matrix element calculation in this sample includes all diagrams at order  $\alpha_{EW}^2$  and the emission of up to two extra final-state partons, where up to one additional final-state parton is at NLO.

Additionally, for the evaluation of the theoretical uncertainty, a set of four samples was generated at particle level using SHERPA 2.2.11 with the NNPDF3.0 NNLO PDF set, as well all other generation parameters being the same as the nominal SHERPA 2.2.11 sample, in order to provide results with alternative merging and resummation scales. Two samples were produced with merging scale variations (QCUT=15 GeV and QCUT=30 GeV) and two samples with resummation scale factors (QSF=0.25 and QSF=4).<sup>2</sup>

Interference between the EW and QCD processes was estimated at LO accuracy using the MADGRAPH5\_AMC@NLO 2.3.3 MC event generator with the NNPDF3.0 LO PDF set including contributions to the sum of the amplitudes of the matrix element squared at order  $\alpha_S\alpha_{EW}^3$ . These interference effects are found to be positive and about 7% of the  $EW-Z\gamma jj$  cross-section in the fiducial phase space studied. This effect is included as a systematic uncertainty in the signal prediction.

In all samples described above, photon isolation criteria were imposed at parton level making use of the smooth-cone isolation prescription introduced in Ref. [24]. This procedure removes contributions in which the photon is produced from quark or gluon fragmentation in an infrared safe way to all orders of perturbation theory. The chosen isolation parameters are  $\delta_0 = 0.1$ ,  $\epsilon = 0.1$  and  $n = 2$ .

The second-largest background, arising from the  $Z$ +jets process with one of the jets misidentified as a photon, is estimated with a data-driven method. A MC sample is only used to estimate a correlation factor between different control regions as explained in Section 5. This sample was produced with POWHEG Box v1 [25–27] at NLO accuracy with the CT10 [28] NLO PDF set, interfaced to PYTHIA 8.210 [15] with the AZNLO tune [29].

The third-largest background, arising from the  $t\bar{t}\gamma$  process was generated at LO accuracy with MADGRAPH5\_AMC@NLO using the NNPDF 2.3 LO PDF set [30] and was interfaced to the PYTHIA 8.212 generator, configured with the A14 tune [16]. An NLO factor of 1.44 was applied, based on the value found in an analysis of  $t\bar{t}\gamma$  production at  $\sqrt{s} = 13$  TeV by the ATLAS Collaboration [31], which normalizes the LO prediction from this MC sample to an NLO calculation in the fiducial phase-space region used in the

<sup>2</sup> QCUT indicates the scale for the calculation of the overlap between jets from the matrix element and the parton shower and is nominally 20 GeV, and QSF represents the scale used for the resummation of the soft gluon emissions and is nominally 1.

$t\bar{t}\gamma$  analysis in the dilepton channel. The predicted contribution from this background is validated using an  $e\mu\gamma$  control region as explained in Section 5.

All other backgrounds are smaller and are estimated with MC simulation. The background process  $QCD-WZ(l\nu ll)$  was generated with SHERPA 2.2.2 at NLO with up to one additional parton, using the NNPDF3.0 NNLO PDF set. The  $EW-WZ(l\nu ll)jj$  background was generated with MADGRAPH5\_AMC@NLO 2.6.2 at LO accuracy, using the NNPDF3.0 LO PDF set and interfaced to PYTHIA 8.235. The  $WW\gamma$  background is only considered in the  $e\mu\gamma$  control region study and was generated with SHERPA 2.2.5 at NLO, using the NNPDF3.0 NNLO PDF set.

The simulated samples are overlaid with additional proton–proton interactions (pile-up) generated with PYTHIA 8.186 using the A3 tune [32] and the NNPDF2.3LO PDF set [30]. MC events are reweighted to better reproduce the distribution of the mean number of interactions per bunch crossing observed in data. All generated events were passed through the ATLAS detector simulation [33] based on GEANT4 [34] and processed using the same reconstruction software as for data. Scale factors are applied to the simulated events to correct for small differences between them and data in the trigger, reconstruction, identification and isolation efficiencies for photons, electrons and muons. Furthermore, in simulated events electron, photon and jet energy and the muon momentum are smeared to account for the small differences in resolution between data and simulation.

## 4 Event reconstruction and selection

The data were collected between 2015 and 2018 during proton–proton collisions at  $\sqrt{s} = 13$  TeV. The integrated luminosity of the sample used for the analysis is  $140 \text{ fb}^{-1}$ . The sample only includes data recorded with stable beam conditions and with all relevant subdetector systems operational [35].

Events were selected using unprescaled single lepton and dilepton triggers [36, 37] with transverse momentum ( $p_T$ ) thresholds that depended on the lepton flavour and running period. In 2015 a single-electron or muon trigger, with  $p_T$  above 24 and 20 GeV respectively, was required while in the following years these thresholds were set to 26 GeV for both flavours of leptons. Additional single-lepton triggers with higher  $p_T$  thresholds but with looser identification criteria were also used to increase the total data-taking efficiency. Events with a pair of electron candidates with  $p_T > 12$  GeV, or a pair of muon candidates satisfying  $p_T > 18$  GeV and  $p_T > 8$  GeV for the leading and subleading muons, were also selected at trigger level in 2015. In the following years these dilepton trigger thresholds were increased up to 24 GeV for the dielectron case and 22 (8) GeV for the leading (subleading) muon for the dimuon case. The trigger efficiency for events satisfying all the selection criteria described below is about 99%.

Events are required to have at least one collision vertex reconstructed from at least two tracks, where the tracks must have a  $p_T$  larger than 500 MeV. The hard-interaction vertex of the event is chosen as the one with the largest value of the sum of the squared transverse momentum of the associated tracks.

Electron candidates, reconstructed from topological clusters of energy deposited in the EM calorimeter that are matched to an ID track, are required to satisfy the medium likelihood identification criterion of Ref. [38]. This is based on a combination of shower shape information from the EM calorimeter and tracking information from the ID. Electron candidates are required to have  $p_T > 20$  GeV and  $|\eta| < 2.47$  but excluding the transition region between the barrel and endcap electromagnetic calorimeters ( $1.37 < |\eta| < 1.52$ ). The overall efficiency of the electron reconstruction and identification is about 80% for electrons with  $p_T \approx 20$  GeV and increases with  $p_T$ .

Muon candidates, reconstructed by matching tracks in the ID with tracks in the MS, are required to satisfy the medium identification criterion of Ref. [39]. This includes requirements on the number of hits matched to the tracks reconstructed in the ID and in the MS, and on the probability that the ID and MS momentum measurements are compatible. Muon candidates are required to have  $p_T > 20$  GeV and  $|\eta| < 2.5$ . The overall efficiency of the muon reconstruction and identification is above 97% with no strong dependence on  $p_T$ .

Electron and muon candidates are required to originate from the primary vertex. The significance of the transverse impact parameter, defined as the absolute value of the track transverse impact parameter,  $|d_0|$ , measured relative to the hard-interaction vertex and divided by its uncertainty, is required to be less than five for electrons and less than three for muons. Furthermore, for both electrons and muons the difference  $\Delta z_0$  between the value of the  $z$  coordinate of the point on the track at which  $d_0$  is defined, and the  $z$  position of the primary vertex, is required to satisfy  $|\Delta z_0 \cdot \sin \theta| < 0.5$  mm (where  $\theta$  is the track polar angle).

Photon candidates are reconstructed and identified using algorithms based on the expected shapes of showers developing in the electromagnetic calorimeter [38]. Both converted and unconverted candidates<sup>3</sup> are retained. Photon candidates are selected if they are reconstructed within the fiducial volume of the central calorimeter ( $|\eta| < 2.37$ ) and outside the transition region between the barrel and endcap electromagnetic calorimeters ( $1.37 < |\eta| < 1.52$ ).

Photon, electron and muon candidates are required to be isolated from other particles. In all cases, the isolation criteria are based on the sum,  $p_T^{iso}$ , of the scalar transverse momenta of tracks with  $p_T > 1$  GeV, and on the sum,  $E_T^{iso}$ , of the transverse energy of topological clusters, within cones of size  $\Delta R$  around the photon or lepton candidates, excluding the contribution of the candidates themselves. The calorimeter isolation is also corrected on an event-by-event basis for the contribution from the underlying event and pile-up. Electron candidates are required to satisfy the *FCLoose* isolation criteria of Ref. [38] with a cone of size  $\Delta R = 0.2$ . The efficiency of the isolation criteria is greater than 95% for electrons with  $p_T > 20$  GeV. Muon candidates are required to satisfy the *PflowLoose\_FixedRad* isolation criteria of Ref. [39] with a cone of size  $\Delta R = 0.2$ . The efficiency of the isolation criteria is greater than 90% for muons with  $p_T > 20$  GeV.

Photon candidates are required to satisfy the *FixedCutLoose* isolation criteria of Ref. [38]. The photon isolation criterion employs a cone of size  $\Delta R = 0.2$  for both the track and calorimeter isolation, and requires  $p_T^{iso}/E_T^\gamma < 0.05$  and  $E_T^{iso}/E_T^\gamma < 0.065$ , where  $E_T^\gamma$  is the photon transverse energy.

At least one isolated photon, satisfying tight identification requirements is required. The efficiency of the tight photon identification criterion, for isolated photons, ranges from 80–85% for photons of transverse energy  $E_T^\gamma \approx 25$  GeV depending on the pseudorapidity region of the detector and on the conversion status of the candidate.

Jets are clustered using the anti- $k_r$  algorithm [40, 41] with a radius parameter of  $R = 0.4$ . The inputs to the algorithm are obtained with a particle flow procedure using topological clusters in the calorimeter and reconstructed tracks [42].

Jets are calibrated and corrected for detector effects using a combination of simulated events and in situ methods. Jet candidates are required to have  $p_T > 25$  GeV and rapidity  $|y| < 4.4$ . Jets with  $p_T < 60$  GeV and  $|\eta| < 2.4$  are required to be consistent with originating from the primary vertex using the tight working point of the jet vertex tagging algorithm of Ref. [43].

---

<sup>3</sup> For the converted candidates, the photon cluster is matched to a reconstructed conversion vertex formed either from two oppositely charged-particle tracks or from a single track consistent with having originated from a photon conversion. For the unconverted photons the photon cluster is matched to neither a conversion vertex nor an electron track.

A procedure to remove ambiguities in the particle reconstruction is applied: jet candidates are removed if they overlap with electron or photon candidates, i.e.  $\Delta R(j, e) < 0.2$  or  $\Delta R(j, \gamma) < 0.4$ , then leptons are removed if they are close to a jet candidate, i.e.  $\Delta R(\ell, j) < 0.4$  ( $\ell = e, \mu$ ), photons are removed if they are close to a lepton candidate, i.e.  $\Delta R(\gamma, \ell) < 0.4$  and finally electron candidates are removed if they overlap with muon candidates i.e.  $\Delta R(\mu, e) < 0.2$ .

Events are required to have exactly two leptons of same flavour and opposite charge, at least one photon and at least two jets. One of the electrons or muons in the lepton pair must be matched to the electron or muon that triggered the event. Events are further selected by requiring that the leading lepton has  $p_T > 30$  GeV and that the leading photon has  $p_T > 25$  GeV and satisfies isolation and tight identification requirements. To remove contributions from low-mass resonances, the invariant mass  $m(\ell\ell)$  of the opposite-charge, same-flavour lepton pair must be larger than 40 GeV.

To suppress events originating from leptonic  $Z$  decays where one of the leptons has radiated a photon, the sum of  $m_{\ell\ell}$  and the invariant mass of the  $\ell^+\ell^-\gamma$  system,  $m_{\ell^+\ell^-\gamma}$ , formed from the lepton pair and the highest- $E_T^\gamma$  photon candidate, must be larger than 182 GeV, approximately twice the mass of the  $Z$  boson, as adopted in previous publications [4, 6].

Furthermore, to enhance the VBS topology, events must have at least two jets with  $p_T^j$  above 50 GeV and a rapidity difference between them,  $|\Delta y| > 1$ . The invariant mass of this pair of jets,  $m_{jj}$ , is required to be larger than 150 GeV for the total  $Z\gamma jj$  process measurements, and larger than 500 GeV for the  $Z\gamma jj$  EW process measurements. This selection significantly reduces the number of events with three bosons in the final state in first case, and the number of QCD  $Z\gamma jj$  background events in the second case.

Events containing  $b$ -tagged jets are rejected. The  $b$ -tagging algorithm provides a working point with a 70% selection efficiency for  $b$ -jets in an inclusive  $t\bar{t}$  MC sample and rejection factors of  $\approx 10$  and 400 for charm- and light-flavour jets, respectively [44]. The two highest- $p_T$  jets satisfying these conditions are referred to as VBS tagged jets. Events with additional jets of transverse momentum above 25 GeV in the rapidity gap between the two VBS tagged jets are rejected. The centrality of the  $\ell^+\ell^-\gamma$  system relative to the VBS tagged jets ( $j_1$  and  $j_2$ ) defined as

$$\zeta(Z\gamma) = \left| \frac{y_{Z\gamma} - (y_{j_1} + y_{j_2})/2}{y_{j_1} - y_{j_2}} \right|, \quad (1)$$

where  $y$  indicates the rapidity, is required to be less than 5.

For the EW  $Z\gamma jj$  signal extraction, within the  $m_{jj} > 500$  GeV region, the selected events are further split into a signal region (SR,  $\zeta(Z\gamma) < 0.4$ ) and a QCD control region (CR,  $\zeta(Z\gamma) > 0.4$ ) as explained in Section 7. For the measurements of the full  $Z\gamma jj$  process, within the relaxed  $m_{jj} > 150$  GeV region, only the region  $\zeta(Z\gamma) < 0.4$  is used, referred to as ‘Extended SR’. This variable has been chosen to build the signal and control regions because it has been found to be almost uncorrelated with  $m_{jj}$ .

The observed total number of events in the  $m_{jj} > 500$  GeV SR and CR is 562 and 274 respectively. In the  $m_{jj} > 150$  GeV Extended SR phase space, the observed total number of events is 1461.

## 5 Background estimation

The main source of background in the cross-section measurement of the EW production of  $Z\gamma jj$  final states consists of  $Z\gamma jj$  events from QCD-induced processes. The shape of this background is estimated from



simulation and the normalisation is determined simultaneously with the signal strength via a maximum-likelihood fit to the  $m_{jj}$  data distribution in the SR and CR that are defined in Section 4. A  $QCD-Z\gamma jj$  normalisation parameter, together with the signal normalisation is extracted and the CR is used to constrain the systematic uncertainties in both  $QCD-Z\gamma jj$  and  $EW-Z\gamma jj$  processes. The fit procedure is described in Section 7.

The second-largest background (and largest background for the total  $Z\gamma jj$  cross-section measurements) arises from the  $Z$ +jets process with a jet misidentified as a photon and is referred to as non-prompt photon background. This contribution is estimated in data separately in the SR, Extended SR and CR using a two-dimensional sideband method [45] similar to that applied in the previous analyses [4, 6] and includes the background deriving from both EW and QCD  $Z$ +jets induced processes. In this procedure the selection criteria that define the SR, Extended SR and CR are applied to data except for the photon identification and calorimeter isolation requirements. Photon candidates are split into those that satisfy the tight ID requirements and those that do not. The candidates that fail to satisfy the tight identification requirements are required to satisfy a non-tight selection criterion that removes requirements on four of the nine EM calorimeter shower shape variables required for tight photons. These two samples are further split according to whether the photon satisfies the calorimeter isolation criteria or not. A prompt photon region and three control regions are then defined using this method. The number of  $Z$ +jets events in SR, CR and Extended SR is obtained from the number of events in the three control regions by assuming that the ratio of non-prompt isolated and non-isolated photon candidates is the same for tightly identified photons and for photons failing to satisfy the tight identification criteria. The small residual correlation between the two variables and the leakage of prompt photon candidates into the non-prompt photon region are estimated from simulation. The correlation is also estimated in data using a control region where the photon fails track isolation and the difference between the MC and data results are included in the systematic uncertainty (Section 6). The shape of this background is obtained from both control regions where the photon candidate fails to satisfy the tight identification criteria. Comparisons with different control regions show that this choice does not introduce any bias to the shape of the distributions.

The third-largest background arises from the  $t\bar{t}\gamma$  process. It is estimated from simulation and checked by comparing predictions with data using an  $e\mu\gamma$  data sample where the same selections are applied as those that define the SR, Extended SR and CR, except that a different-flavour lepton pair is chosen instead of a same-flavour pair. The very small number of non- $t\bar{t}\gamma$  events in this sample is estimated either from simulated events, for events with a prompt photon, or with the procedure described above for events with a jet misidentified as a photon. Predictions are compared with data in the control regions  $e\mu\gamma\_SR$ ,  $e\mu\gamma\_Extended\_SR$  and  $e\mu\gamma\_CR$ , before or after requiring that the events have at least one  $b$ -jet. In both cases it is found that predictions must be scaled by a factor of  $1.44 \pm 0.22$  (i.e., an uncertainty of  $\pm 15\%$ ) to describe the data well, in agreement with previous studies [31].

The background contribution due to  $WZjj$  events is minor and is evaluated from simulation while the contribution from other processes is found to be negligible. In the SR, it is estimated that 48% of the events come from  $EW-Z\gamma jj$  and 44% from  $QCD-Z\gamma jj$ , compared to 9% and 81% for  $EW-Z\gamma jj$  and  $QCD-Z\gamma jj$  in the CR, respectively. In the Extended SR, it is estimated that 88% of events come from  $Z\gamma jj$ .

The yields of the different sources of background, after the fit to extract the signal is performed, are shown in Table 1.

## 6 Systematic uncertainties

The overall uncertainties in the differential cross-section measurements are dominated by the statistical uncertainty in the data, and the inclusive cross-section measurement uncertainties are shared equally between the statistical and systematic uncertainties.

Systematic uncertainties that affect the acceptance and the shape of the  $m_{jj}$  distribution for the fiducial cross-section measurement and of the other observables for the differential cross-section measurements for both signal and backgrounds are considered. The  $EW\text{-}Z\gamma jj$  and  $QCD\text{-}Z\gamma jj$  normalisations are extracted from a likelihood fit. Systematic uncertainties in the shapes and normalisation of distributions are only considered if they are found to make an impact on the result, which is translated into a threshold for only considering the uncertainties that are larger than 0.5% for all measurements except for the  $EW\text{-}Z\gamma jj$  differential cross-section for which the threshold is 1%, due to larger statistical uncertainties in this measurement. Uncertainties that are smaller than these thresholds are found to make no difference to the results when added to the fit.

The experimental systematic uncertainties that are accounted for in the analysis include uncertainties in the energy scale and resolution of jets, photons and electrons, in the scale and resolution of the muon momentum and uncertainties in the scale factors applied to simulation to reproduce the trigger, reconstruction, identification, and isolation efficiencies measured in data. Uncertainties due to the suppression of pile-up jets and to the  $b$ -jet veto are also considered.

The largest of these experimental uncertainties, in all cross-section measurements, are related to the jet energy calibration and response, and are at the level of 3% in most of the measured bins, but can reach 7% in highest bin of the  $m_{jj}$  differential measurement. The dominant uncertainties associated with photons are due to the identification and isolation efficiencies [46], which are both about 1% with a negligible dependence on  $m_{jj}$ , but can reach 3% in the highest bin of  $p_T^\gamma$  differential cross-section measurement. Uncertainties in the lepton reconstruction, identification, isolation, trigger efficiency, energy/momentum scale and resolution are determined using  $Z \rightarrow \ell\ell$  events [38, 39, 47].

The dominant contribution comes from the electron identification efficiency, which is about 1% with a negligible dependence on  $m_{jj}$ , but can reach about 4% in the highest bin of the  $p_T^l$  differential measurement. The uncertainty associated with the pile-up modelling depends on  $m_{jj}$  and is 2% on average. The uncertainty in the combined 2015–2018 integrated luminosity is 0.83% [48], obtained using van der Meer beam separation scans during dedicated running periods.

The overall uncertainty related to the background estimation is the second largest experimental uncertainty in the cross-section measurements, at the level of 1–2% depending on the variable or process measured. A 35% uncertainty on the normalisation of the  $Z$ +jets background is used. It is extracted along with the data-driven procedure described in Section 5 and it accounts for the uncertainty in the number of events in the two-dimensional sideband method used to estimate this background (statistical component). It also includes the uncertainty related to the estimate of the correlation between the photon identification and isolation requirements and to the leakage of the prompt photons into the non-prompt regions. The statistical component dominates. The uncertainty derived from the evaluation of the shape of the  $Z$ +jets background in different observables is found to be negligible. A 15% and a 20% yield uncertainty, derived from the data-driven normalisation correction (see Section 5) and from QCD scales and PDF variations, is assigned to the estimate of the normalisation of the  $t\bar{t}\gamma$  and  $W^\pm Z \rightarrow lll\nu$  backgrounds, respectively. Other sources of background, including one due to the superposition of pile-up events, are found to be negligible and therefore the related uncertainties are neglected.

The main theoretical uncertainties that are considered in the analysis are related to the scale and PDF set choices in the MC generation of the signal and the  $QCD-Z\gamma jj$  background. The effect of missing higher orders is estimated by changing the default values of the renormalisation and factorisation scales,  $\mu_R$  and  $\mu_F$ , by a factor of 0.5 and 2.0 with the constraint that the ratio  $0.5 \leq \mu_R/\mu_F \leq 2$ . The maximal change in the shape of distributions from these variations is taken as the associated uncertainty. This procedure is performed for the  $EW-Z\gamma jj$  and  $QCD-Z\gamma jj$  processes using the nominal MADGRAPH5\_AMC@NLO and SHERPA 2.2.11 samples, respectively. The uncertainties due to the choice of PDF in the shape of distributions for the  $EW-Z\gamma jj$  and  $QCD-Z\gamma jj$  processes are evaluated using the eigenvalues of the PDF set following the PDF4LHC prescription [49]. To account for the uncertainties related to the modelling of  $QCD-Z\gamma jj$ , the impact of the merging and resummation scale is derived using the five SHERPA 2.2.11 samples with different QCUT and QSF scales as described in Section 3. Signal uncertainties due to the choice of the parton showering and the underlying event model are estimated by interfacing the signal MC to either PYTHIA or HERWIG and the five up and down eigenvariations of the A14 tune. The parton shower uncertainty from taking the difference between HERWIG and PYTHIA is dominant and has a strong shape component. Parton shower and underlying event uncertainties are uncorrelated. The underlying event uncertainty is obtained by taking the envelope of the maximum variations bin by bin.

The interference between the EW signal and the  $QCD-Z\gamma jj$  background is not included as part of the EW signal in the fit that extracts the EW signal. Instead this contribution is directly computed with MADGRAPH5\_AMC@NLO and the size and shape of the interference contribution is taken as an extra template uncertainty on the signal. The overall size effect is 7% in the phase space dedicated to the signal measurement and the shape varies depending on the variable studied, with typically larger interference effect where the  $QCD-Z\gamma jj$  background dominates. Another source of uncertainty arises from the finite size of the MC (at the level of 1%) and the data samples (ranging from 9% to 22% depending on the measurement, variable and bin considered).

The implementation of these uncertainties in the various measurements performed are described in Sections 7 and 8 and their final impact on the measurements is discussed in Section 9. Table 3 provides a breakdown of the uncertainties in the final measurement.

## 7 Signal extraction procedure

To extract the  $EW-Z\gamma jj$  cross-section, the signal strength parameter defined as

$$\mu_{EW} = \sigma_{meas}^{EW} / \sigma_{exp}^{EW} \quad (2)$$

is introduced in both the SR and CR, and obtained with a maximum-likelihood fit simultaneously to the data  $m_{jj}$  distributions in both regions using template MC distributions. In Eq. (2) the numerator indicates the measured  $EW-Z\gamma jj$  cross-section and the denominator is the expected  $EW-Z\gamma jj$  cross-section. An unconstrained normalisation parameter is introduced in the SR and CR for the  $QCD-Z\gamma jj$  contribution and is extracted simultaneously with  $\mu_{EW}$ .

The significance of observing the  $EW-Z\gamma jj$  process is estimated by using a profile likelihood ratio of the background only hypothesis ( $\mu_{EW} = 0$ ) and the best fit result ( $\mu_{EW} = \hat{\mu}$ ) [50]. The  $EW-Z\gamma jj$  cross-section is obtained from the signal strength by multiplying it by the MC cross-section prediction in the SR region defined at particle level.

The extraction of the full  $Z\gamma jj$  cross-section is performed in a very similar manner, adding together the relative fractions of the  $EW-Z\gamma jj$  and  $QCD-Z\gamma jj$   $m_{jj}$  templates, as predicted from MC, and defining the signal strength  $\mu_{Z\gamma}$  as parameter of interest of the fit. No CR is used in this fit, and a wider region (with  $m_{jj} > 150$  GeV, the Extended SR) is used. The  $Z\gamma jj$  cross-section is obtained by multiplying the signal strength by the MC cross-section prediction in the Extended SR defined at particle level.

In these two measurements, the electron and muon channels are combined directly in the input histograms, by summing the two contributions, such that a single template is used. Probability density functions are built for the  $m_{jj}$  templates in the SR, Extended SR and CR based on a Poisson distribution and are combined in an extended likelihood. Each source of uncertainty is implemented in these functions as a nuisance parameter of the likelihood fit with a Gaussian constraint, except for the MC statistical uncertainty that is implemented with a Poisson constraint.

The uncertainties from the  $Z$ +jets,  $WZ$  and  $t\bar{t}\gamma$  backgrounds are treated as correlated between regions. All systematic uncertainties except for the theoretical ones are correlated between processes and between the two regions. The PDF and scale uncertainties are not correlated between processes, and for the  $EW-Z\gamma jj$  process they are also not correlated between regions. Choosing a different correlation scheme does not change the result. The normalisation part of PDF and scale uncertainties are subtracted to consider only acceptance effects on the signal. The interference, parton shower and underlying event uncertainties in the  $EW-Z\gamma jj$  contribution are also not correlated between regions. The merging and resummation scale uncertainties in the  $QCD-Z\gamma jj$  contribution are correlated between regions.

For the  $EW-Z\gamma jj$  measurement, the difference in the predicted  $m_{jj}$  shape between two different  $QCD-Z\gamma jj$  MCs is the same in the SR and CR within modelling uncertainties; therefore, the  $m_{jj}$  shape in the CR is used to validate the  $m_{jj}$  shape of the  $QCD-Z\gamma jj$  background in the SR, and to constrain the correlated systematic uncertainties.

Table 1 shows the observed total number of events and expected number of signal and background events in the SR, Extended SR and CR, after the fit is performed. The post-fit  $m_{jj}$  distributions are displayed in Figure 2.

Table 1: Summary of the observed number of events after the fit in EW signal ( $N_{EW-Z\gamma jj}$ ), QCD  $Z\gamma jj$  ( $N_{QCD-Z\gamma jj}$ ),  $Z\gamma jj$  ( $N_{Z\gamma jj}$ ), in background ( $N_{Z+jets}$ ,  $N_{t\bar{t}\gamma}$ ,  $N_{WZjj}$ ), and in data ( $N_{obs}$ ). The quoted uncertainty corresponds to the post-fit statistical and systematic uncertainties and includes the covariance. The individual uncertainties can be correlated and do not necessarily add in quadrature to equal the total uncertainty.

Sample	Ext. SR, $m_{jj} > 150$ GeV	SR, $m_{jj} > 500$ GeV	CR, $m_{jj} > 500$ GeV
$N_{EW-Z\gamma jj}$		$269 \pm 27$	$25 \pm 6$
$N_{QCD-Z\gamma jj}$		$245 \pm 21$	$224 \pm 18$
$N_{Z\gamma jj}$	$1292 \pm 50$		
$N_{Z+jets}$	$78 \pm 30$	$21 \pm 8$	$16 \pm 5$
$N_{t\bar{t}\gamma}$	$73 \pm 11$	$16 \pm 2$	$8 \pm 1$
$N_{WZ}$	$17 \pm 3$	$9 \pm 2$	$4 \pm 1$
Total	$1461 \pm 38$	$560 \pm 23$	$277 \pm 17$
$N_{obs}$	1461	562	274




Figure 2: Post-fit  $m_{jj}$  distributions in (a) the  $m_{jj} > 500$  GeV SR (b) the  $m_{jj} > 500$  GeV CR and (c) the  $m_{jj} > 150$  GeV Extended SR. The uncertainty band around the expectation includes all systematic uncertainties (including MC statistical uncertainty) and takes into account their correlations as obtained from the fit. The error bar around the data points represents the data statistical uncertainty. Events beyond the upper limit of the histogram are included in the last bin.

## 8 Differential cross-sections

The procedure to extract the  $EW-Z\gamma jj$  and the  $Z\gamma jj$  differential cross-sections of the variables discussed in Section 1 is explained below.

### 8.1 Phase space definition

To define the phase space of the measurement, selection criteria, which closely mimic the detector-level selection are applied at particle level to the simulated signal. This selection is shown in Table 2.

Only particles with a mean lifetime  $c\tau > 10$  mm (referred to as stable particles) are considered. Only photons and leptons that do not originate from the decay of hadrons (or, for the leptons, from  $\tau$ -lepton decays) are selected. They are referred to as prompt photons and leptons, respectively. Contributions from photons within  $\Delta R = 0.1$  of a lepton are summed together to correct the lepton's four-momentum, a procedure known as 'dressing'.

At least one isolated photon with transverse momentum  $p_T > 25$  GeV and  $|\eta| < 2.37$  is required. The photon isolation requires that the scalar sum of  $p_T$  for all stable particles (except neutrinos, muons and the photon itself) within a cone of radius  $\Delta R = 0.2$  around the photon,  $E_T^{cone20}$  is less than 7% of the photon  $p_T$ . This criterion is found to be closest to the detector level isolation criteria used in the analysis.

The angular distance between the highest  $p_T$  photon and each of the two charged leptons selected is required to be  $\Delta R > 0.4$ .

Jets are reconstructed using the anti- $k_t$  algorithm with radius parameter  $R = 0.4$  using stable particles, excluding neutrinos and prompt electrons, muons and photons. Jets are considered if their angular distance

Table 2: Summary of selection criteria applied at particle level.

Lepton	$p_{\text{T}}^{\ell} > 20, 30(\text{leading}) \text{ GeV}, \quad  \eta_{\ell}  < 2.5$ $N_{\ell} \geq 2$
Photon	$E_{\text{T}}^{\gamma} > 25 \text{ GeV}, \quad  \eta_{\gamma}  < 2.37$ $E_{\text{T}}^{\text{cone20}} < 0.07 E_{\text{T}}^{\gamma}$ $\Delta R(\ell, \gamma) > 0.4$
Jet	$p_{\text{T}}^j > 50 \text{ GeV}, \quad  y_j  < 4.4$ $ \Delta y  > 1.0$ $m_{jj} > 150 \text{ GeV}$ or $m_{jj} > 500 \text{ GeV}$ Remove jets if $\Delta R(\gamma, j) < 0.4$ or if $\Delta R(\ell, j) < 0.3$
Event	$m_{\ell\ell} > 40 \text{ GeV}$ $m_{\ell\ell} + m_{\ell\ell\gamma} > 182 \text{ GeV}$ $\zeta(Z\gamma) < 0.4$ $N_{\text{jets}}^{\text{gap}} = 0$

relative to each of the two charged leptons selected above is  $\Delta R(j, \ell) > 0.3$  and if the angular distance relative to the highest  $p_{\text{T}}$  isolated photon is  $\Delta R(j, \gamma) > 0.4$ .

The rejection of events containing  $b$ -tagged jets as described in Section 4 is not applied in the fiducial phase space. Applying this selection would reduce the predicted  $EW\text{-}Z\gamma jj$  fiducial cross-section by less than 1% in both SR and CR, and the predicted  $QCD\text{-}Z\gamma jj$  fiducial cross-section event yield by about 7% in the Extended SR, with no kinematic dependence within the uncertainties of the measurements. The assumption is made that the simulation is correctly extrapolating from reconstructed to fiducial phase space.

## 8.2 Unfolding procedure

To obtain the  $EW\text{-}Z\gamma jj$  and the  $Z\gamma jj$  cross-sections at particle level in the fiducial volume discussed above, an unfolding procedure is performed to correct for detector effects (signal efficiency and acceptance effects). The unfolding procedure is the same as described in Refs. [51, 52] and based on a profile-likelihood approach.

The procedure is applied to the observed number of data events per bin  $i$   $N_i^{\text{reco}}$  in the SR and Extended SR, and is related to the number of events at fiducial level in bin  $j$   $N_j^{\text{fid}}$  by:

$$N_i^{\text{reco}} = \frac{1}{A_i} \sum_j e_j M_{ij} N_j^{\text{fid}} \quad (3)$$

where  $M_{ij}$  is the migration matrix (where each entry represents the normalised fraction of events at particle level in a bin  $j$  that are reconstructed at detector level in a bin  $i$ ),  $A_i$  the acceptance correction (fraction of detector-level events that are found both in the fiducial volume and in the detector-level selection) and  $e_j$  the efficiency correction (fraction of events that are in the fiducial volume that are found both in the fiducial volume and in the detector-level selection). For the  $Z\gamma jj$  measurement, the migration matrix is built after having summed the EW and QCD contributions.

In this procedure, the particle-level bins  $j$  are treated as separate subsamples that are multiplied by their respective entries in the response matrix and freely floating parameters ( $\mu_{EW}^j$  or  $\mu_{Z\gamma}^j$ , the signal strengths defined in Section 7 applied in bin  $j$ ) are assigned to each of these subsamples at detector level. In the  $EW-Z\gamma jj$  unfolding, the CR is fitted simultaneously with the SR to extract the  $QCD-Z\gamma jj$  bin by bin correction, together with  $\mu_{EW}^j$ . In this measurement, since the signal contamination is smaller than 1% in the CR, an approximation is made whereby the signal is treated as an additional background, and no response matrix for the signal is built in the CR. Each bin in the particle-level distribution is then ‘folded’ through the migration matrix via Eq. (3) to the same number of bins at detector level. In the unfolding procedure, no regularisation is applied.

For the  $EW-Z\gamma jj$  unfolding, the fraction of events in the diagonal elements of the migration matrix ranges between 80% ( $|\Delta\phi(Z\gamma, jj)|$ ) and 99% ( $E_T^\gamma, p_T^{Z\gamma}, p_T^l, |\Delta y|$ ). The acceptance corrections are on average around 89% improving as the variable increases, for all variables except  $|\Delta y|$  for which there is no obvious dependence. The efficiency corrections are at a level of 47% on average, and show similar trends as observed for the acceptance corrections.

For the  $Z\gamma jj$  unfolding, the fraction of events in the diagonal elements of the migration matrix ranges between 82% ( $|\Delta\phi(Z\gamma, jj)|$ ) and 98% ( $|\Delta y|$  and  $p_T^\gamma$ ).

The acceptance corrections are on average around 76% improving as the variable increases, for all variables except  $|\Delta y|$  and  $\zeta(Z\gamma)$  for which there is no obvious dependence. The efficiency corrections are at a level of 40% on average, and show similar trends as observed for the acceptance corrections.

The systematic uncertainties considered for the unfolded results are the same as for the results at detector level (see Section 6) and are calculated via the migration matrices.

Several checks are performed to verify the robustness of the procedure: an injection test with non-SM cross-section values to check if this can be recovered in the unfolding procedure, the use of alternative MC predictions for the  $QCD-Z\gamma jj$  process and data-driven reweighting of the MC templates using the same observables or alternative ones. None of these checks show any noticeable effect on the unfolding results, and thus no additional uncertainty is assigned to the unfolding procedure.

## 9 Results

The  $EW-Z\gamma jj$  measured signal strength is

$$\begin{aligned}\mu_{EW} &= 1.02 \pm 0.09 \text{ (stat)} \pm 0.09 \text{ (syst)} \\ &= 1.02_{-0.12}^{+0.13}.\end{aligned}$$

There is a clear observation of the signal, with a background-only hypothesis rejected with a significance well above 5 standard deviations. The normalisation parameter of the  $QCD-Z\gamma jj$  background, constrained by data in the SR and CR is measured to be  $1.18 \pm 0.10$ .

The fiducial cross-section for the electroweak  $pp \rightarrow Z\gamma jj$  process in the phase space defined in Section 8 is obtained by computing the product of the signal strength and the predicted cross-section. The result is:

$$\sigma_{EW} = 3.6 \pm 0.5 \text{ fb}$$

to be compared with the predicted value from MADGRAPH5\_AMC@NLO 2.6.5 (interfaced with PYTHIA) (see Section 3), which gives:

$$\sigma_{EW}^{pred} = 3.5 \pm 0.2 \text{ fb.}$$

The PDF and scale theoretical uncertainties in the prediction are evaluated using the procedure described in Section 6.

The breakdown of the systematic uncertainties in the  $EW\text{-}Z\gamma jj$  cross-section is shown in Table 3.

Table 3: The breakdown of the systematic uncertainties in the  $EW\text{-}Z\gamma jj$  and  $Z\gamma jj$  cross-sections. The "Background" component includes uncertainties on  $Z$ +jets,  $t\bar{t}\gamma$  and  $WZ$  backgrounds. The "Reco" component includes uncertainties from electrons, photons, muons, jets, flavour tagging and pileup. The "EW mod." component includes interference, parton shower, underlying event, PDF and QCD scale uncertainties in the  $EW\text{-}Z\gamma jj$  process. The "QCD mod." component includes merging scale, resummation scale, PDF and QCD scale uncertainties in the  $QCD\text{-}Z\gamma jj$  process.

	Data stat.	MC stat.	Background	Reco	EW mod.	QCD mod.	Total
$\Delta\sigma_{EW}/\sigma_{EW}$ [%]	$\pm 9$	$\pm 1$	$\pm 1$	$\pm 4$	$+8$ $-6$	$\pm 2$	$\pm 13$
$\Delta\sigma_{Z\gamma}/\sigma_{Z\gamma}$ [%]	$\pm 3$	$\pm 1$	$\pm 2$	$+4$ $-3$	$+7$ $-6$	$\pm 9$	$+12$ $-11$

The total cross-section of the process  $pp \rightarrow Z\gamma jj$  in the fiducial phase space, which includes the  $QCD\text{-}Z\gamma jj$  and the  $EW\text{-}Z\gamma jj$  contributions, is obtained by multiplying the signal strength value  $\mu_{Z\gamma jj}$  by the predicted total  $Z\gamma jj$  cross-section in the Extended SR, where  $\mu_{Z\gamma jj} = 1.07 \pm 0.12$ . The measured total  $Z\gamma jj$  cross-section is thus:

$$\sigma_{Z\gamma} = 16.8_{-1.8}^{+2.0} \text{ fb,}$$

to be compared with the sum of predictions of MADGRAPH5\_AMC@NLO 2.6.5 interfaced with PYTHIA (EW contribution) and SHERPA 2.2.11 (QCD contribution):

$$\sigma_{Z\gamma}^{pred} = 15.7_{-2.6}^{+5.0} \text{ fb.}$$

The PDF and scale theoretical uncertainties in the prediction are evaluated using the procedure described in Section 6. Uncertainties are treated as uncorrelated between the  $EW\text{-}Z\gamma jj$  and  $QCD\text{-}Z\gamma jj$  contributions.

The breakdown of the systematic uncertainties in the  $Z\gamma jj$  cross-section is shown in Table 3. The differential cross-sections are shown in Figures 3, 4, 5 and 6.

In the SR phase space, the following variables are measured in two or three bins:  $p_T^l$ ,  $p_T^j$ ,  $E_T^\gamma$ ,  $p_T^{Z\gamma}$ ,  $m_{jj}$ ,  $|\Delta y|$  and  $|\Delta\phi(Z\gamma, jj)|$ . The variables  $|\Delta y|$  and  $m_{jj}$  are particularly sensitive to the kinematic difference between  $QCD\text{-}Z\gamma jj$  and  $EW\text{-}Z\gamma jj$  events (highest bins being dominated by  $EW\text{-}Z\gamma jj$  events), which make them important variables for VBS studies. They are measured with a precision ranging from about 25% (lowest bin) to about 15% (the highest bin, covering the range 1.5 TeV to 5 TeV for  $m_{jj}$  and 3.5 to 9 for  $|\Delta y|$ ). The variables  $p_T^{Z\gamma}$ ,  $E_T^\gamma$  and  $|\Delta\phi(Z\gamma, jj)|$  are usually studied for their sensitivity to new physics effects [4, 8, 53]. They are measured in the ranges of 0–700 GeV, 25–500 GeV and 0– $\pi$ , respectively, with a precision of 15–20% depending on bins and variables. The variables  $p_T^{Z\gamma}$  and  $(|\Delta\phi(Z\gamma, jj)|)$  are in addition measured differentially for the first time at the LHC. Transverse momentum  $p_T^l$  and  $p_T^j$  are also measured in the ranges of 30–1000 GeV and 50–1000 GeV respectively with a precision of around 25–30% in the last bin. The MADGRAPH5\_AMC@NLO predictions reproduce the data well everywhere within uncertainties, except for  $|\Delta\phi(Z\gamma, jj)|$  where a  $\sim$ two standard deviation discrepancy in the lowest bin of  $EW\text{-}Z\gamma jj$  measurement is seen. In the Extended SR phase space, the same variables are measured








Figure 3: The  $EW-Z\gamma jj$  differential cross-section in the Signal Region as a function of (a) the leading lepton  $p_T$ , (b) the leading photon  $p_T$ , (c) the leading jet  $p_T$  and (d) the  $Z\gamma$  system  $p_T$ . The lower panels show the ratios of the MC predictions to the data. The band around the unfolded data represents the total uncertainty (including statistical uncertainty) and takes into account the correlations as obtained from the fit. The hatched area represents the uncertainty in the prediction. Events beyond the upper limit of the histogram are included in the last bin.

in the same ranges for the total  $Z\gamma jj$  process with five bins in most cases, except for  $m_{jj}$  where the lower range is extended to 150 GeV, and  $p_T^l$  and  $p_T^{Z\gamma}$  for which the higher range is reduced to 500 GeV. The measurements in this process are also more precise, on average around 10%, ranging from  $\sim 7\%$  to  $\sim 20\%$  for lowest to highest  $p_T$  bins typically. In addition,  $p_T^Z$  (from 0 to 800 GeV) and  $\zeta(Z\gamma)$  (from 0 to 0.4) are measured. These two variables are also measured for the first time at the LHC for this process, with a precision of about 10%. The sum of MADGRAPH5\_AMC@NLO (for  $EW-Z\gamma jj$ ) and SHERPA 2.2.11 (for  $QCD-Z\gamma jj$ ) predictions reproduce the measurements well within uncertainties.



(a)

(b)



(c)

Figure 4: The  $EW-Z\gamma jj$  differential cross-section in the Signal Region as a function of (a) the dijet invariant mass, (b) the dijet rapidity difference and (c) the  $Z\gamma$  and dijet azimuthal difference. The lower panels show the ratios of the MC predictions to the data. The band around the unfolded data represents the total uncertainty (including statistical uncertainty) and takes into account the correlations as obtained from the fit. The hatched area represents the uncertainty in the prediction. Events beyond the upper limit of the histogram are included in the last bin.




Figure 5: The total  $Z\gamma jj$  differential cross-section in the Extended SR as a function of (a) the leading lepton  $p_T$ , (b) the leading photon  $p_T$ , (c) the leading jet  $p_T$ , (d) the  $Z$  boson  $p_T$  and (e) the  $Z\gamma$  system  $p_T$ . The lower panels show the ratios of the MC predictions to the data. The band around the unfolded data represents the total uncertainty (including statistical uncertainty) and takes into account the correlations as obtained from the fit. The hatched area represents the uncertainty in the prediction. Events beyond the upper limit of the histogram are included in the last bin.




Figure 6: The total  $Z\gamma jj$  differential cross-section in the Extended SR as a function of (a) the dijet invariant mass, (b) the dijet rapidity difference, (c) the  $Z\gamma$  and dijet azimuthal difference and (d) the centrality of the system  $\zeta(Z\gamma)$ . The lower panels show the ratios of the MC predictions to the data. The band around the unfolded data represents the total uncertainty (including statistical uncertainty) and takes into account the correlations as obtained from the fit. The hatched area represents the uncertainty in the prediction. Events beyond the upper limit of the histogram are included in the last bin.

## 10 Conclusions

This Letter presents a study of the production of events with a  $Z$  boson, decaying into either an  $e^+e^-$  or  $\mu^+\mu^-$  pair, a photon and two jets. The analysis uses  $140\text{ fb}^{-1}$  of LHC proton–proton collision data recorded at  $\sqrt{s} = 13\text{ GeV}$  by the ATLAS detector during the years 2015–2018. The data sample is enriched in events from the  $EW\text{-}Z\gamma jj$  process by requiring a large dijet invariant mass and by using the information about the centrality of the system. These selections characterise the signal region of the analysis. The  $EW\text{-}Z\gamma jj$  signal is extracted from a maximum-likelihood fit to the  $m_{jj}$  distributions in data simultaneously using this signal region and a control region and relying on template MC distributions.

The  $EW\text{-}Z\gamma jj$  process is observed by ATLAS in its charged leptonic decay with a significance well above 5 standard deviations by combining the electron and muon channels. The cross-section of the  $EW\text{-}Z\gamma jj$  process is measured with a precision of 13% to be  $3.6 \pm 0.5\text{ fb}$  in the signal phase space defined in the analysis, with  $m_{jj} > 500\text{ GeV}$ , to be compared with the predicted value from MADGRAPH5\_AMC@NLO 2.6.5 which gives  $3.5 \pm 0.3\text{ fb}$ . The  $(EW+QCD)\text{-}Z\gamma jj$  cross-section, which also includes contributions where the jets arise from the strong interaction, is obtained with a precision of 12%, in the  $m_{jj} > 150\text{ GeV}$  phase space. In the signal phase space of the analysis, the measured  $(EW+QCD)\text{-}Z\gamma jj$  cross-section is  $16.8^{+2.0}_{-1.8}\text{ fb}$  to be compared with the sum of predictions of MADGRAPH5\_AMC@NLO 2.6.5 and SHERPA 2.2.11 which gives  $15.7^{+5.0}_{-2.6}\text{ fb}$ . These results are thus consistent with the SM predictions. Differential cross-section measurements as a function of the transverse momentum of the leading lepton, jet, photon, and  $Z\gamma$  system, the invariant mass of and absolute rapidity difference between the two leading jets, the azimuthal difference between  $Z\gamma$  system and the two leading jets, the  $Z$  boson transverse momentum, and the centrality of the  $Z\gamma jj$  system are measured for the  $EW\text{-}Z\gamma jj$  and  $Z\gamma jj$  processes with precision around 20% and 10% on average respectively, and all of them are found to be consistent with the SM predictions.

## Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; ANID, Chile; CAS, MOST and NSFC, China; Minciencias, Colombia; MEYS CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS and CEA-DRF/IRFU, France; SRNSFG, Georgia; BMBF, HGF and MPG, Germany; GSRI, Greece; RGC and Hong Kong SAR, China; ISF and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MEiN, Poland; FCT, Portugal; MNE/IFA, Romania; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DSI/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taiwan; TENMAK, Türkiye; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, CANARIE, Compute Canada and CRC, Canada; PRIMUS 21/SCI/017 and UNCE SCI/013, Czech Republic; COST, ERC, ERDF, Horizon 2020 and Marie Skłodowska-Curie Actions, European Union; Investissements d’Avenir Labex, Investissements d’Avenir IDEX and ANR, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF, Greece; BSF-NSF and MINERVA, Israel; Norwegian Financial Mechanism 2014-2021,

Norway; NCN and NAWA, Poland; La Caixa Banking Foundation, CERCA Programme Generalitat de Catalunya and PROMETEO and GenT Programmes Generalitat Valenciana, Spain; Göran Gustafssons Stiftelse, Sweden; The Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [54].

## References

- [1] B. W. Lee, C. Quigg and H. B. Thacker, *Strength of Weak Interactions at Very High Energies and the Higgs Boson Mass*, [Phys. Rev. Lett. \*\*38\*\* \(16 1977\) 883](#).
- [2] O. J. P. Éboli, M. C. Gonzalez-Garcia and J. K. Mizukoshi,  *$pp \rightarrow jje^\pm\mu^\pm\nu\nu$  and  $jje^\pm\mu^\mp\nu\nu$  at  $\mathcal{O}(\alpha_{\text{em}}^6)$  and  $\mathcal{O}(\alpha_{\text{em}}^4\alpha_s^2)$  for the study of the quartic electroweak gauge boson vertex at CERN LHC*, [Phys. Rev. D \*\*74\*\* \(7 2006\) 073005](#).
- [3] D. L. Rainwater, R. Szalapski and D. Zeppenfeld, *Probing color singlet exchange in  $Z$  + two jet events at the CERN LHC*, [Phys. Rev. D \*\*54\*\* \(1996\) 6680](#), arXiv: [hep-ph/9605444](#).
- [4] ATLAS Collaboration, *Studies of  $Z\gamma$  production in association with a high-mass dijet system in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector*, [JHEP \*\*07\*\* \(2017\) 107](#), arXiv: [1705.01966 \[hep-ex\]](#).
- [5] CMS Collaboration, *Measurement of the cross section for electroweak production of  $Z\gamma$  in association with two jets and constraints on anomalous quartic gauge couplings in proton–proton collisions at  $\sqrt{s} = 8$  TeV*, [Phys. Lett. B \*\*770\*\* \(2017\) 380](#), arXiv: [1702.03025 \[hep-ex\]](#).
- [6] ATLAS Collaboration, *Evidence for electroweak production of two jets in association with a  $Z\gamma$  pair in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector*, [Phys. Lett. B \*\*803\*\* \(2020\) 135341](#), arXiv: [1910.09503 \[hep-ex\]](#).
- [7] CMS Collaboration, *Measurement of the cross section for electroweak production of a  $Z$  boson, a photon and two jets in proton–proton collisions at  $\sqrt{s} = 13$  TeV and constraints on anomalous quartic couplings*, [JHEP \*\*06\*\* \(2020\) 076](#), arXiv: [2002.09902 \[hep-ex\]](#).
- [8] CMS Collaboration, *Measurement of the electroweak production of  $Z\gamma$  and two jets in proton–proton collisions at  $\sqrt{s} = 13$  TeV and constraints on anomalous quartic gauge couplings*, (2021), arXiv: [2106.11082 \[hep-ex\]](#).
- [9] G. Aad et al., *Measurements of  $Z\gamma$ +jets differential cross sections in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector*, [JHEP \*\*07\*\* \(2023\) 072](#), arXiv: [2212.07184 \[hep-ex\]](#).
- [10] ATLAS Collaboration, *The ATLAS Experiment at the CERN Large Hadron Collider*, [JINST \*\*3\*\* \(2008\) S08003](#).
- [11] ATLAS Collaboration, *Operation of the ATLAS trigger system in Run 2*, [JINST \*\*15\*\* \(2020\) P10004](#), arXiv: [2007.12539 \[hep-ex\]](#).
- [12] ATLAS Collaboration, *The ATLAS Collaboration Software and Firmware*, ATL-SOFT-PUB-2021-001, 2021, URL: <https://cds.cern.ch/record/2767187>.
- [13] J. Alwall et al., *The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations*, [JHEP \*\*07\*\* \(2014\) 079](#), arXiv: [1405.0301 \[hep-ph\]](#).
- [14] NNPDF Collaboration: R. D. Ball et al., *Parton distributions for the LHC Run 2*, [JHEP \*\*04\*\* \(2015\) 040](#), arXiv: [1410.8849 \[hep-ph\]](#).
- [15] T. Sjöstrand et al., *An introduction to PYTHIA 8.2*, [Comput. Phys. Commun. \*\*191\*\* \(2015\) 159](#), arXiv: [1410.3012 \[hep-ph\]](#).

- [16] ATLAS Collaboration, *ATLAS Pythia 8 tunes to 7 TeV data*, ATL-PHYS-PUB-2014-021, 2014, URL: <https://cds.cern.ch/record/1966419>.
- [17] M. Bahr, S. Gieseke, M. Gigg, D. Grellscheid, K. Hamilton et al., *Herwig++ physics and manual*, *Eur. Phys. J. C* **58** (2008) 639, arXiv: [0803.0883](https://arxiv.org/abs/0803.0883) [hep-ph].
- [18] J. Bellm et al., *Herwig++ 2.7 Release Note*, (2013), arXiv: [1310.6877](https://arxiv.org/abs/1310.6877) [hep-ph].
- [19] *Sherpa Manual Version 2.2.11*, <https://sherpa.hepforge.org/doc/SHERPA-MC-2.2.11.html>, Accessed: 2020-11-10.
- [20] E. Bothmann et al., *Event generation with Sherpa 2.2*, *SciPost Physics* **7** (2019), ISSN: 2542-4653, URL: <http://dx.doi.org/10.21468/SciPostPhys.7.3.034>.
- [21] F. Buccioni et al., *OpenLoops 2*, *Eur. Phys. J. C* **79** (2019) 866, arXiv: [1907.13071](https://arxiv.org/abs/1907.13071) [hep-ph].
- [22] F. Siegert et al., *QCD matrix elements + parton showers: The NLO case*, *JHEP* **04** (2013) 027, arXiv: [1207.5030](https://arxiv.org/abs/1207.5030) [hep-ph].
- [23] S. Catani, F. Krauss, R. Kuhn and B. R. Webber, *QCD matrix elements + parton showers*, *JHEP* **11** (2001) 063, arXiv: [hep-ph/0109231](https://arxiv.org/abs/hep-ph/0109231).
- [24] S. Frixione, *Isolated photons in perturbative QCD*, *Phys. Lett. B* **429** (1998) 369, arXiv: [hep-ph/9801442](https://arxiv.org/abs/hep-ph/9801442).
- [25] P. Nason, *A new method for combining NLO QCD with shower Monte Carlo algorithms*, *JHEP* **11** (2004) 040, arXiv: [0409146](https://arxiv.org/abs/0409146) [hep-ph].
- [26] S. Frixione, P. Nason and C. Oleari, *Matching NLO QCD computations with parton shower simulations: the POWHEG method*, *JHEP* **11** (2007) 070, arXiv: [0709.2092](https://arxiv.org/abs/0709.2092) [hep-ph].
- [27] S. Alioli, P. Nason, C. Oleari and E. Re, *A general framework for implementing NLO calculations in shower Monte Carlo programs: the POWHEG BOX*, *JHEP* **06** (2010) 043, arXiv: [1002.2581](https://arxiv.org/abs/1002.2581) [hep-ph].
- [28] M. Guzzi et al., *CT10 parton distributions and other developments in the global QCD analysis*, (2011), arXiv: [1101.0561](https://arxiv.org/abs/1101.0561) [hep-ph].
- [29] ATLAS Collaboration, *Measurement of the Z/ $\gamma^*$  boson transverse momentum distribution in pp collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector*, *JHEP* **09** (2014) 145, arXiv: [1406.3660](https://arxiv.org/abs/1406.3660) [hep-ex].
- [30] NNPDF Collaboration: R. D. Ball et al., *Parton distributions with LHC data*, *Nucl. Phys. B* **867** (2013) 244, arXiv: [1207.1303](https://arxiv.org/abs/1207.1303) [hep-ph].
- [31] ATLAS Collaboration, *Measurements of inclusive and differential fiducial cross-sections of  $t\bar{t}$  production in leptonic final states at  $\sqrt{s} = 13$  TeV in ATLAS*, *Eur. Phys. J. C* **79** (2019) 382, arXiv: [1812.01697](https://arxiv.org/abs/1812.01697) [hep-ex].
- [32] ATLAS Collaboration, *The Pythia 8 A3 tune description of ATLAS minimum bias and inelastic measurements incorporating the Donnachie–Landshoff diffractive model*, ATL-PHYS-PUB-2016-017, 2016, URL: <https://cds.cern.ch/record/2206965>.
- [33] ATLAS Collaboration, *The ATLAS Simulation Infrastructure*, *Eur. Phys. J. C* **70** (2010) 823, arXiv: [1005.4568](https://arxiv.org/abs/1005.4568) [physics.ins-det].
- [34] S. Agostinelli et al., *GEANT4 - a simulation toolkit*, *Nucl. Instrum. Meth. A* **506** (2003) 250.



- [35] ATLAS Collaboration, *ATLAS data quality operations and performance for 2015–2018 data-taking*, *JINST* **15** (2020) P04003, arXiv: 1911.04632 [physics.ins-det].
- [36] ATLAS Collaboration, *Performance of electron and photon triggers in ATLAS during LHC Run 2*, *Eur. Phys. J. C* **80** (2020) 47, arXiv: 1909.00761 [hep-ex].
- [37] ATLAS Collaboration, *Performance of the ATLAS muon triggers in Run 2*, *JINST* **15** (2020) P09015, arXiv: 2004.13447 [hep-ex].
- [38] ATLAS Collaboration, *Electron and photon performance measurements with the ATLAS detector using the 2015–2017 LHC proton–proton collision data*, *JINST* **14** (2019) P12006, arXiv: 1908.00005 [hep-ex].
- [39] ATLAS Collaboration, *Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at  $\sqrt{s} = 13$  TeV*, *Eur. Phys. J. C* **81** (2021) 578, arXiv: 2012.00578 [hep-ex].
- [40] M. Cacciari, G. P. Salam and G. Soyez, *The anti- $k_t$  jet clustering algorithm*, *JHEP* **04** (2008) 063, arXiv: 0802.1189 [hep-ph].
- [41] G. P. Salam et al., *FastJet User Manual*, *Eur. Phys. J. C* **72** (2012) 1896, arXiv: 1111.6097 [hep-ph].
- [42] ATLAS Collaboration, *Jet reconstruction and performance using particle flow with the ATLAS Detector*, *Eur. Phys. J. C* **77** (2017) 466, arXiv: 1703.10485 [hep-ex].
- [43] ATLAS Collaboration, *Performance of pile-up mitigation techniques for jets in pp collisions at  $\sqrt{s} = 8$  TeV using the ATLAS detector*, *Eur. Phys. J. C* **76** (2016) 581, arXiv: 1510.03823 [hep-ex].
- [44] ATLAS Collaboration, *ATLAS b-jet identification performance and efficiency measurement with  $t\bar{t}$  events in pp collisions at  $\sqrt{s} = 13$  TeV*, *Eur. Phys. J. C* **79** (2019) 970, arXiv: 1907.05120 [hep-ex].
- [45] ATLAS Collaboration, *Measurement of the inclusive isolated prompt photon cross section in pp collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector*, *Phys. Rev. D* **83** (2011) 052005, arXiv: 1012.4389 [hep-ex].
- [46] ATLAS Collaboration, *Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016*, *Eur. Phys. J. C* **79** (2019) 205, arXiv: 1810.05087 [hep-ex].
- [47] ATLAS Collaboration, *Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton–proton collision data at  $\sqrt{s} = 13$  TeV*, *Eur. Phys. J. C* **79** (2019) 639, arXiv: 1902.04655 [hep-ex].
- [48] *Luminosity determination in pp collisions at  $\sqrt{s} = 13$  TeV using the ATLAS detector at the LHC*, (2022), arXiv: 2212.09379 [hep-ex].
- [49] J. Butterworth et al., *PDF4LHC recommendations for LHC Run II*, *J. Phys. G* **43** (2016) 023001, arXiv: 1510.03865 [hep-ph].
- [50] G. Cowan, K. Cranmer, E. Gross and O. Vitells, *Asymptotic formulae for likelihood-based tests of new physics*, *Eur. Phys. J. C* **71** (2011) 1554, [Erratum: *Eur.Phys.J.C* **73**, 2501 (2013)], arXiv: 1007.1727 [physics.data-an].

- [51] *Search for leptonic charge asymmetry in  $t\bar{t}W$  production in final states with three leptons at  $\sqrt{s} = 13$  TeV*, (2023), arXiv: [2301.04245](https://arxiv.org/abs/2301.04245) [[hep-ex](#)].
- [52] *Measurement of the charge asymmetry in top-quark pair production in association with a photon with the ATLAS experiment*, (2022), arXiv: [2212.10552](https://arxiv.org/abs/2212.10552) [[hep-ex](#)].
- [53] *Measurement of electroweak  $Z(\nu\bar{\nu})\gamma jj$  production and limits on anomalous quartic gauge couplings in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector*, (2022), arXiv: [2208.12741](https://arxiv.org/abs/2208.12741) [[hep-ex](#)].
- [54] *ATLAS Computing Acknowledgements*, tech. rep., CERN, 2023, URL: <https://cds.cern.ch/record/2869272>.

## The ATLAS Collaboration

G. Aad <sup>102</sup>, B. Abbott <sup>120</sup>, K. Abeling <sup>55</sup>, N.J. Abicht <sup>49</sup>, S.H. Abidi <sup>29</sup>, A. Aboulhorma <sup>35e</sup>, H. Abramowicz <sup>151</sup>, H. Abreu <sup>150</sup>, Y. Abulaiti <sup>117</sup>, A.C. Abusleme Hoffman <sup>137a</sup>, B.S. Acharya <sup>69a,69b,n</sup>, C. Adam Bourdarios <sup>4</sup>, L. Adamczyk <sup>86a</sup>, L. Adamek <sup>155</sup>, S.V. Addepalli <sup>26</sup>, M.J. Addison <sup>101</sup>, J. Adelman <sup>115</sup>, A. Adiguzel <sup>21c</sup>, T. Adye <sup>134</sup>, A.A. Affolder <sup>136</sup>, Y. Afik <sup>36</sup>, M.N. Agaras <sup>13</sup>, J. Agarwala <sup>73a,73b</sup>, A. Aggarwal <sup>100</sup>, C. Agheorghiesei <sup>27c</sup>, A. Ahmad <sup>36</sup>, F. Ahmadov <sup>38,z</sup>, W.S. Ahmed <sup>104</sup>, S. Ahuja <sup>95</sup>, X. Ai <sup>62a</sup>, G. Aielli <sup>76a,76b</sup>, A. Aikot <sup>163</sup>, M. Ait Tamlihat <sup>35e</sup>, B. Aitbenchikh <sup>35a</sup>, I. Aizenberg <sup>169</sup>, M. Akbiyik <sup>100</sup>, T.P.A. Åkesson <sup>98</sup>, A.V. Akimov <sup>37</sup>, D. Akiyama <sup>168</sup>, N.N. Akolkar <sup>24</sup>, K. Al Khoury <sup>41</sup>, G.L. Alberghi <sup>23b</sup>, J. Albert <sup>165</sup>, P. Albicocco <sup>53</sup>, G.L. Albouy <sup>60</sup>, S. Alderweireldt <sup>52</sup>, M. Aleksa <sup>36</sup>, I.N. Aleksandrov <sup>38</sup>, C. Alexa <sup>27b</sup>, T. Alexopoulos <sup>10</sup>, F. Alfonsi <sup>23b</sup>, M. Algren <sup>56</sup>, M. Alhroob <sup>120</sup>, B. Ali <sup>132</sup>, H.M.J. Ali <sup>91</sup>, S. Ali <sup>148</sup>, S.W. Alibocus <sup>92</sup>, M. Aliev <sup>145</sup>, G. Alimonti <sup>71a</sup>, W. Alkakh <sup>55</sup>, C. Allaire <sup>66</sup>, B.M.M. Allbrooke <sup>146</sup>, J.F. Allen <sup>52</sup>, C.A. Allendes Flores <sup>137f</sup>, P.P. Allport <sup>20</sup>, A. Aloisio <sup>72a,72b</sup>, F. Alonso <sup>90</sup>, C. Alpigiani <sup>138</sup>, M. Alvarez Estevez <sup>99</sup>, A. Alvarez Fernandez <sup>100</sup>, M. Alves Cardoso <sup>56</sup>, M.G. Alviggi <sup>72a,72b</sup>, M. Aly <sup>101</sup>, Y. Amaral Coutinho <sup>83b</sup>, A. Ambler <sup>104</sup>, C. Amelung <sup>36</sup>, M. Amerl <sup>101</sup>, C.G. Ames <sup>109</sup>, D. Amidei <sup>106</sup>, S.P. Amor Dos Santos <sup>130a</sup>, K.R. Amos <sup>163</sup>, V. Ananiev <sup>125</sup>, C. Anastopoulos <sup>139</sup>, T. Andeen <sup>11</sup>, J.K. Anders <sup>36</sup>, S.Y. Andreev <sup>47a,47b</sup>, A. Andreatta <sup>71a,71b</sup>, S. Angelidakis <sup>9</sup>, A. Angerami <sup>41,ac</sup>, A.V. Anisenkov <sup>37</sup>, A. Annovi <sup>74a</sup>, C. Antel <sup>56</sup>, M.T. Anthony <sup>139</sup>, E. Antipov <sup>145</sup>, M. Antonelli <sup>53</sup>, F. Anulli <sup>75a</sup>, M. Aoki <sup>84</sup>, T. Aoki <sup>153</sup>, J.A. Aparisi Pozo <sup>163</sup>, M.A. Aparo <sup>146</sup>, L. Aperio Bella <sup>48</sup>, C. Appelt <sup>18</sup>, A. Apyan <sup>26</sup>, N. Aranzabal <sup>36</sup>, C. Arcangeletti <sup>53</sup>, A.T.H. Arce <sup>51</sup>, E. Arena <sup>92</sup>, J-F. Arguin <sup>108</sup>, S. Argyropoulos <sup>54</sup>, J.-H. Arling <sup>48</sup>, O. Arnaez <sup>4</sup>, H. Arnold <sup>114</sup>, G. Artoni <sup>75a,75b</sup>, H. Asada <sup>111</sup>, K. Asai <sup>118</sup>, S. Asai <sup>153</sup>, N.A. Asbah <sup>61</sup>, J. Assahsah <sup>35d</sup>, K. Assamagan <sup>29</sup>, R. Astalos <sup>28a</sup>, S. Atashi <sup>160</sup>, R.J. Atkin <sup>33a</sup>, M. Atkinson <sup>162</sup>, H. Atmani <sup>35f</sup>, P.A. Atlasiddha <sup>106</sup>, K. Augsten <sup>132</sup>, S. Auricchio <sup>72a,72b</sup>, A.D. Auriol <sup>20</sup>, V.A. Austrup <sup>101</sup>, G. Avolio <sup>36</sup>, K. Axiotis <sup>56</sup>, G. Azuelos <sup>108,ah</sup>, D. Babal <sup>28b</sup>, H. Bachacou <sup>135</sup>, K. Bachas <sup>152,q</sup>, A. Bachiu <sup>34</sup>, F. Backman <sup>47a,47b</sup>, A. Badea <sup>61</sup>, P. Bagnaia <sup>75a,75b</sup>, M. Bahmani <sup>18</sup>, A.J. Bailey <sup>163</sup>, V.R. Bailey <sup>162</sup>, J.T. Baines <sup>134</sup>, L. Baines <sup>94</sup>, C. Bakalis <sup>10</sup>, O.K. Baker <sup>172</sup>, E. Bakos <sup>15</sup>, D. Bakshi Gupta <sup>8</sup>, V. Balakrishnan <sup>120</sup>, R. Balasubramanian <sup>114</sup>, E.M. Baldin <sup>37</sup>, P. Balek <sup>86a</sup>, E. Ballabene <sup>23b,23a</sup>, F. Balli <sup>135</sup>, L.M. Baltes <sup>63a</sup>, W.K. Balunas <sup>32</sup>, J. Balz <sup>100</sup>, E. Banas <sup>87</sup>, M. Bandieramonte <sup>129</sup>, A. Bandyopadhyay <sup>24</sup>, S. Bansal <sup>24</sup>, L. Barak <sup>151</sup>, M. Barakat <sup>48</sup>, E.L. Barberio <sup>105</sup>, D. Barberis <sup>57b,57a</sup>, M. Barbero <sup>102</sup>, M.Z. Barel <sup>114</sup>, K.N. Barends <sup>33a</sup>, T. Barillari <sup>110</sup>, M-S. Barisits <sup>36</sup>, T. Barklow <sup>143</sup>, P. Baron <sup>122</sup>, D.A. Baron Moreno <sup>101</sup>, A. Baroncelli <sup>62a</sup>, G. Barone <sup>29</sup>, A.J. Barr <sup>126</sup>, J.D. Barr <sup>96</sup>, L. Barranco Navarro <sup>47a,47b</sup>, F. Barreiro <sup>99</sup>, J. Barreiro Guimarães da Costa <sup>14a</sup>, U. Barron <sup>151</sup>, M.G. Barros Teixeira <sup>130a</sup>, S. Barsov <sup>37</sup>, F. Bartels <sup>63a</sup>, R. Bartoldus <sup>143</sup>, A.E. Barton <sup>91</sup>, P. Bartos <sup>28a</sup>, A. Basan <sup>100</sup>, M. Baselga <sup>49</sup>, A. Bassalat <sup>66,b</sup>, M.J. Basso <sup>156a</sup>, C.R. Basson <sup>101</sup>, R.L. Bates <sup>59</sup>, S. Batlamous <sup>35e</sup>, J.R. Batley <sup>32</sup>, B. Batool <sup>141</sup>, M. Battaglia <sup>136</sup>, D. Battulga <sup>18</sup>, M. Bauge <sup>75a,75b</sup>, M. Bauer <sup>36</sup>, P. Bauer <sup>24</sup>, L.T. Bazzano Hurrell <sup>30</sup>, J.B. Beacham <sup>51</sup>, T. Beau <sup>127</sup>, P.H. Beauchemin <sup>158</sup>, F. Becherer <sup>54</sup>, P. Bechtel <sup>24</sup>, H.P. Beck <sup>19,p</sup>, K. Becker <sup>167</sup>, A.J. Beddall <sup>82</sup>, V.A. Bednyakov <sup>38</sup>, C.P. Bee <sup>145</sup>, L.J. Beemster <sup>15</sup>, T.A. Beermann <sup>36</sup>, M. Begalli <sup>83d</sup>, M. Begel <sup>29</sup>, A. Behera <sup>145</sup>, J.K. Behr <sup>48</sup>, J.F. Beirer <sup>55</sup>, F. Beisiegel <sup>24</sup>, M. Belfkir <sup>159</sup>, G. Bella <sup>151</sup>, L. Bellagamba <sup>23b</sup>, A. Bellerive <sup>34</sup>, P. Bellos <sup>20</sup>, K. Beloborodov <sup>37</sup>, N.L. Belyaev <sup>37</sup>, D. Benckekroun <sup>35a</sup>, F. Bendebba <sup>35a</sup>, Y. Benhammou <sup>151</sup>,

M. Benoit [ID<sup>29</sup>](#), J.R. Bensinger [ID<sup>26</sup>](#), S. Bentvelsen [ID<sup>114</sup>](#), L. Beresford [ID<sup>48</sup>](#), M. Beretta [ID<sup>53</sup>](#),  
E. Bergeaas Kuutmann [ID<sup>161</sup>](#), N. Berger [ID<sup>4</sup>](#), B. Bergmann [ID<sup>132</sup>](#), J. Beringer [ID<sup>17a</sup>](#), G. Bernardi [ID<sup>5</sup>](#),  
C. Bernius [ID<sup>143</sup>](#), F.U. Bernlochner [ID<sup>24</sup>](#), F. Bernon [ID<sup>36,102</sup>](#), T. Berry [ID<sup>95</sup>](#), P. Berta [ID<sup>133</sup>](#), A. Berthold [ID<sup>50</sup>](#),  
I.A. Bertram [ID<sup>91</sup>](#), S. Bethke [ID<sup>110</sup>](#), A. Betti [ID<sup>75a,75b</sup>](#), A.J. Bevan [ID<sup>94</sup>](#), M. Bhamjee [ID<sup>33c</sup>](#), S. Bhatta [ID<sup>145</sup>](#),  
D.S. Bhattacharya [ID<sup>166</sup>](#), P. Bhattarai [ID<sup>143</sup>](#), V.S. Bhopatkar [ID<sup>121</sup>](#), R. Bi<sup>29,aj</sup>, R.M. Bianchi [ID<sup>129</sup>](#),  
G. Bianco [ID<sup>23b,23a</sup>](#), O. Biebel [ID<sup>109</sup>](#), R. Bielski [ID<sup>123</sup>](#), M. Biglietti [ID<sup>77a</sup>](#), T.R.V. Billoud [ID<sup>132</sup>](#), M. Bindi [ID<sup>55</sup>](#),  
A. Bingul [ID<sup>21b</sup>](#), C. Bini [ID<sup>75a,75b</sup>](#), A. Biondini [ID<sup>92</sup>](#), C.J. Birch-sykes [ID<sup>101</sup>](#), G.A. Bird [ID<sup>20,134</sup>](#),  
M. Birman [ID<sup>169</sup>](#), M. Biros [ID<sup>133</sup>](#), S. Biryukov [ID<sup>146</sup>](#), T. Bisanz [ID<sup>49</sup>](#), E. Bisceglie [ID<sup>43b,43a</sup>](#), J.P. Biswal [ID<sup>134</sup>](#),  
D. Biswas [ID<sup>141</sup>](#), A. Bitadze [ID<sup>101</sup>](#), K. Bjørke [ID<sup>125</sup>](#), I. Bloch [ID<sup>48</sup>](#), C. Blocker [ID<sup>26</sup>](#), A. Blue [ID<sup>59</sup>](#),  
U. Blumenschein [ID<sup>94</sup>](#), J. Blumenthal [ID<sup>100</sup>](#), G.J. Bobbink [ID<sup>114</sup>](#), V.S. Bobrovnikov [ID<sup>37</sup>](#), M. Boehler [ID<sup>54</sup>](#),  
B. Boehm [ID<sup>166</sup>](#), D. Bogavac [ID<sup>36</sup>](#), A.G. Bogdanchikov [ID<sup>37</sup>](#), C. Bohm [ID<sup>47a</sup>](#), V. Boisvert [ID<sup>95</sup>](#), P. Bokan [ID<sup>48</sup>](#),  
T. Bold [ID<sup>86a</sup>](#), M. Bomben [ID<sup>5</sup>](#), M. Bona [ID<sup>94</sup>](#), M. Boonekamp [ID<sup>135</sup>](#), C.D. Booth [ID<sup>95</sup>](#), A.G. Borbély [ID<sup>59</sup>](#),  
I.S. Bordulev [ID<sup>37</sup>](#), H.M. Borecka-Bielska [ID<sup>108</sup>](#), L.S. Borgna [ID<sup>96</sup>](#), G. Borissov [ID<sup>91</sup>](#), D. Bortoletto [ID<sup>126</sup>](#),  
D. Boscherini [ID<sup>23b</sup>](#), M. Bosman [ID<sup>13</sup>](#), J.D. Bossio Sola [ID<sup>36</sup>](#), K. Bouaouda [ID<sup>35a</sup>](#), N. Bouchhar [ID<sup>163</sup>](#),  
J. Boudreau [ID<sup>129</sup>](#), E.V. Bouhova-Thacker [ID<sup>91</sup>](#), D. Boumediene [ID<sup>40</sup>](#), R. Bouquet [ID<sup>5</sup>](#), A. Boveia [ID<sup>119</sup>](#),  
J. Boyd [ID<sup>36</sup>](#), D. Boye [ID<sup>29</sup>](#), I.R. Boyko [ID<sup>38</sup>](#), J. Bracinik [ID<sup>20</sup>](#), N. Brahimi [ID<sup>62d</sup>](#), G. Brandt [ID<sup>171</sup>](#),  
O. Brandt [ID<sup>32</sup>](#), F. Braren [ID<sup>48</sup>](#), B. Brau [ID<sup>103</sup>](#), J.E. Brau [ID<sup>123</sup>](#), R. Brenner [ID<sup>169</sup>](#), L. Brenner [ID<sup>114</sup>](#),  
R. Brenner [ID<sup>161</sup>](#), S. Bressler [ID<sup>169</sup>](#), D. Britton [ID<sup>59</sup>](#), D. Britzger [ID<sup>110</sup>](#), I. Brock [ID<sup>24</sup>](#), G. Brooijmans [ID<sup>41</sup>](#),  
W.K. Brooks [ID<sup>137f</sup>](#), E. Brost [ID<sup>29</sup>](#), L.M. Brown [ID<sup>165</sup>](#), L.E. Bruce [ID<sup>61</sup>](#), T.L. Bruckler [ID<sup>126</sup>](#),  
P.A. Bruckman de Renstrom [ID<sup>87</sup>](#), B. Brüers [ID<sup>48</sup>](#), A. Bruni [ID<sup>23b</sup>](#), G. Bruni [ID<sup>23b</sup>](#), M. Bruschi [ID<sup>23b</sup>](#),  
N. Bruscinò [ID<sup>75a,75b</sup>](#), T. Buanes [ID<sup>16</sup>](#), Q. Buat [ID<sup>138</sup>](#), D. Buchin [ID<sup>110</sup>](#), A.G. Buckley [ID<sup>59</sup>](#), O. Bulekov [ID<sup>37</sup>](#),  
B.A. Bullard [ID<sup>143</sup>](#), S. Burdin [ID<sup>92</sup>](#), C.D. Burgard [ID<sup>49</sup>](#), A.M. Burger [ID<sup>40</sup>](#), B. Burghgrave [ID<sup>8</sup>](#),  
O. Burlayenko [ID<sup>54</sup>](#), J.T.P. Burr [ID<sup>32</sup>](#), C.D. Burton [ID<sup>11</sup>](#), J.C. Burzynski [ID<sup>142</sup>](#), E.L. Busch [ID<sup>41</sup>](#),  
V. Büscher [ID<sup>100</sup>](#), P.J. Bussey [ID<sup>59</sup>](#), J.M. Butler [ID<sup>25</sup>](#), C.M. Buttar [ID<sup>59</sup>](#), J.M. Butterworth [ID<sup>96</sup>](#),  
W. Buttinger [ID<sup>134</sup>](#), C.J. Buxo Vazquez [ID<sup>107</sup>](#), A.R. Buzykaev [ID<sup>37</sup>](#), S. Cabrera Urbán [ID<sup>163</sup>](#),  
L. Cadamuro [ID<sup>66</sup>](#), D. Caforio [ID<sup>58</sup>](#), H. Cai [ID<sup>129</sup>](#), Y. Cai [ID<sup>14a,14e</sup>](#), V.M.M. Cairo [ID<sup>36</sup>](#), O. Cakir [ID<sup>3a</sup>](#),  
N. Calace [ID<sup>36</sup>](#), P. Calafiura [ID<sup>17a</sup>](#), G. Calderini [ID<sup>127</sup>](#), P. Calfayan [ID<sup>68</sup>](#), G. Callea [ID<sup>59</sup>](#), L.P. Caloba [ID<sup>83b</sup>](#),  
D. Calvet [ID<sup>40</sup>](#), S. Calvet [ID<sup>40</sup>](#), T.P. Calvet [ID<sup>102</sup>](#), M. Calvetti [ID<sup>74a,74b</sup>](#), R. Camacho Toro [ID<sup>127</sup>](#),  
S. Camarda [ID<sup>36</sup>](#), D. Camarero Munoz [ID<sup>26</sup>](#), P. Camarri [ID<sup>76a,76b</sup>](#), M.T. Camerlingo [ID<sup>72a,72b</sup>](#),  
D. Cameron [ID<sup>36</sup>](#), C. Camincher [ID<sup>165</sup>](#), M. Campanelli [ID<sup>96</sup>](#), A. Camplani [ID<sup>42</sup>](#), V. Canale [ID<sup>72a,72b</sup>](#),  
A. Canesse [ID<sup>104</sup>](#), J. Cantero [ID<sup>163</sup>](#), Y. Cao [ID<sup>162</sup>](#), F. Capocasa [ID<sup>26</sup>](#), M. Capua [ID<sup>43b,43a</sup>](#), A. Carbone [ID<sup>71a,71b</sup>](#),  
R. Cardarelli [ID<sup>76a</sup>](#), J.C.J. Cardenas [ID<sup>8</sup>](#), F. Cardillo [ID<sup>163</sup>](#), T. Carli [ID<sup>36</sup>](#), G. Carlino [ID<sup>72a</sup>](#), J.I. Carlotto [ID<sup>13</sup>](#),  
B.T. Carlson [ID<sup>129,r</sup>](#), E.M. Carlson [ID<sup>165,156a</sup>](#), L. Carminati [ID<sup>71a,71b</sup>](#), A. Carnelli [ID<sup>135</sup>](#),  
M. Carnesale [ID<sup>75a,75b</sup>](#), S. Caron [ID<sup>113</sup>](#), E. Carquin [ID<sup>137f</sup>](#), S. Carrá [ID<sup>71a,71b</sup>](#), G. Carratta [ID<sup>23b,23a</sup>](#),  
F. Carriò Argos [ID<sup>33g</sup>](#), J.W.S. Carter [ID<sup>155</sup>](#), T.M. Carter [ID<sup>52</sup>](#), M.P. Casado [ID<sup>13,i</sup>](#), M. Caspar [ID<sup>48</sup>](#),  
E.G. Castiglia [ID<sup>172</sup>](#), F.L. Castillo [ID<sup>4</sup>](#), L. Castillo Garcia [ID<sup>13</sup>](#), V. Castillo Gimenez [ID<sup>163</sup>](#),  
N.F. Castro [ID<sup>130a,130e</sup>](#), A. Catinaccio [ID<sup>36</sup>](#), J.R. Catmore [ID<sup>125</sup>](#), V. Cavaliere [ID<sup>29</sup>](#), N. Cavalli [ID<sup>23b,23a</sup>](#),  
V. Cavasinni [ID<sup>74a,74b</sup>](#), Y.C. Cekmecelioglu [ID<sup>48</sup>](#), E. Celebi [ID<sup>21a</sup>](#), F. Celli [ID<sup>126</sup>](#), M.S. Centonze [ID<sup>70a,70b</sup>](#),  
V. Cepaitis [ID<sup>56</sup>](#), K. Cerny [ID<sup>122</sup>](#), A.S. Cerqueira [ID<sup>83a</sup>](#), A. Cerri [ID<sup>146</sup>](#), L. Cerrito [ID<sup>76a,76b</sup>](#), F. Cerutti [ID<sup>17a</sup>](#),  
B. Cervato [ID<sup>141</sup>](#), A. Cervelli [ID<sup>23b</sup>](#), G. Cesarini [ID<sup>53</sup>](#), S.A. Cetin [ID<sup>82</sup>](#), Z. Chadi [ID<sup>35a</sup>](#), D. Chakraborty [ID<sup>115</sup>](#),  
J. Chan [ID<sup>170</sup>](#), W.Y. Chan [ID<sup>153</sup>](#), J.D. Chapman [ID<sup>32</sup>](#), E. Chapon [ID<sup>135</sup>](#), B. Chargeishvili [ID<sup>149b</sup>](#),  
D.G. Charlton [ID<sup>20</sup>](#), T.P. Charman [ID<sup>94</sup>](#), M. Chatterjee [ID<sup>19</sup>](#), C. Chauhan [ID<sup>133</sup>](#), S. Chekanov [ID<sup>6</sup>](#),  
S.V. Chekulaev [ID<sup>156a</sup>](#), G.A. Chelkov [ID<sup>38,a</sup>](#), A. Chen [ID<sup>106</sup>](#), B. Chen [ID<sup>151</sup>](#), B. Chen [ID<sup>165</sup>](#), H. Chen [ID<sup>14c</sup>](#),  
H. Chen [ID<sup>29</sup>](#), J. Chen [ID<sup>62c</sup>](#), J. Chen [ID<sup>142</sup>](#), M. Chen [ID<sup>126</sup>](#), S. Chen [ID<sup>153</sup>](#), S.J. Chen [ID<sup>14c</sup>](#), X. Chen [ID<sup>62c,135</sup>](#),  
X. Chen [ID<sup>14b,ag</sup>](#), Y. Chen [ID<sup>62a</sup>](#), C.L. Cheng [ID<sup>170</sup>](#), H.C. Cheng [ID<sup>64a</sup>](#), S. Cheong [ID<sup>143</sup>](#), A. Cheplakov [ID<sup>38</sup>](#),  
E. Cheremushkina [ID<sup>48</sup>](#), E. Cherepanova [ID<sup>114</sup>](#), R. Cherkaoui El Moursli [ID<sup>35e</sup>](#), E. Cheu [ID<sup>7</sup>](#), K. Cheung [ID<sup>65</sup>](#),  
L. Chevalier [ID<sup>135</sup>](#), V. Chiarella [ID<sup>53</sup>](#), G. Chiarelli [ID<sup>74a</sup>](#), N. Chiedde [ID<sup>102</sup>](#), G. Chiodini [ID<sup>70a</sup>](#),

A.S. Chisholm <sup>id20</sup>, A. Chitan <sup>id27b</sup>, M. Chitishvili <sup>id163</sup>, M.V. Chizhov <sup>id38</sup>, K. Choi <sup>id11</sup>,  
 A.R. Chomont <sup>id75a,75b</sup>, Y. Chou <sup>id103</sup>, E.Y.S. Chow <sup>id114</sup>, T. Chowdhury <sup>id33g</sup>, K.L. Chu <sup>id169</sup>,  
 M.C. Chu <sup>id64a</sup>, X. Chu <sup>id14a,14e</sup>, J. Chudoba <sup>id131</sup>, J.J. Chwastowski <sup>id87</sup>, D. Cieri <sup>id110</sup>, K.M. Ciesla <sup>id86a</sup>,  
 V. Cindro <sup>id93</sup>, A. Ciocio <sup>id17a</sup>, F. Cirotto <sup>id72a,72b</sup>, Z.H. Citron <sup>id169,1</sup>, M. Citterio <sup>id71a</sup>, D.A. Ciubotaru <sup>id27b</sup>,  
 B.M. Ciungu <sup>id155</sup>, A. Clark <sup>id56</sup>, P.J. Clark <sup>id52</sup>, J.M. Clavijo Columbie <sup>id48</sup>, S.E. Clawson <sup>id48</sup>,  
 C. Clement <sup>id47a,47b</sup>, J. Clercx <sup>id48</sup>, L. Clissa <sup>id23b,23a</sup>, Y. Coadou <sup>id102</sup>, M. Cobal <sup>id69a,69c</sup>,  
 A. Coccaro <sup>id57b</sup>, R.F. Coelho Barrue <sup>id130a</sup>, R. Coelho Lopes De Sa <sup>id103</sup>, S. Coelli <sup>id71a</sup>, H. Cohen <sup>id151</sup>,  
 A.E.C. Coimbra <sup>id71a,71b</sup>, B. Cole <sup>id41</sup>, J. Collot <sup>id60</sup>, P. Conde Muiño <sup>id130a,130g</sup>, M.P. Connell <sup>id33c</sup>,  
 S.H. Connell <sup>id33c</sup>, I.A. Connelly <sup>id59</sup>, E.I. Conroy <sup>id126</sup>, F. Conventi <sup>id72a,ai</sup>, H.G. Cooke <sup>id20</sup>,  
 A.M. Cooper-Sarkar <sup>id126</sup>, A. Cordeiro Oudot Choi <sup>id127</sup>, F. Cormier <sup>id164</sup>, L.D. Corpe <sup>id40</sup>,  
 M. Corradi <sup>id75a,75b</sup>, F. Corriveau <sup>id104,x</sup>, A. Cortes-Gonzalez <sup>id18</sup>, M.J. Costa <sup>id163</sup>, F. Costanza <sup>id4</sup>,  
 D. Costanzo <sup>id139</sup>, B.M. Cote <sup>id119</sup>, G. Cowan <sup>id95</sup>, K. Cranmer <sup>id170</sup>, D. Cremonini <sup>id23b,23a</sup>,  
 S. Crépe-Renaudin <sup>id60</sup>, F. Crescioli <sup>id127</sup>, M. Cristinziani <sup>id141</sup>, M. Cristoforetti <sup>id78a,78b</sup>, V. Croft <sup>id114</sup>,  
 J.E. Crosby <sup>id121</sup>, G. Crosetti <sup>id43b,43a</sup>, A. Cueto <sup>id99</sup>, T. Cuhadar Donszelmann <sup>id160</sup>, H. Cui <sup>id14a,14e</sup>,  
 Z. Cui <sup>id7</sup>, W.R. Cunningham <sup>id59</sup>, F. Curcio <sup>id43b,43a</sup>, P. Czodrowski <sup>id36</sup>, M.M. Czurylo <sup>id63b</sup>,  
 M.J. Da Cunha Sargedas De Sousa <sup>id57b,57a</sup>, J.V. Da Fonseca Pinto <sup>id83b</sup>, C. Da Via <sup>id101</sup>,  
 W. Dabrowski <sup>id86a</sup>, T. Dado <sup>id49</sup>, S. Dahbi <sup>id33g</sup>, T. Dai <sup>id106</sup>, D. Dal Santo <sup>id19</sup>, C. Dallapiccola <sup>id103</sup>,  
 M. Dam <sup>id42</sup>, G. D'amen <sup>id29</sup>, V. D'Amico <sup>id109</sup>, J. Damp <sup>id100</sup>, J.R. Dandoy <sup>id128</sup>, M.F. Daneri <sup>id30</sup>,  
 M. Danninger <sup>id142</sup>, V. Dao <sup>id36</sup>, G. Darbo <sup>id57b</sup>, S. Darmora <sup>id6</sup>, S.J. Das <sup>id29,aj</sup>, S. D'Auria <sup>id71a,71b</sup>,  
 C. David <sup>id156b</sup>, T. Davidek <sup>id133</sup>, B. Davis-Purcell <sup>id34</sup>, I. Dawson <sup>id94</sup>, H.A. Day-hall <sup>id132</sup>, K. De <sup>id8</sup>,  
 R. De Asmundis <sup>id72a</sup>, N. De Biase <sup>id48</sup>, S. De Castro <sup>id23b,23a</sup>, N. De Groot <sup>id113</sup>, P. de Jong <sup>id114</sup>,  
 H. De la Torre <sup>id115</sup>, A. De Maria <sup>id14c</sup>, A. De Salvo <sup>id75a</sup>, U. De Sanctis <sup>id76a,76b</sup>, A. De Santo <sup>id146</sup>,  
 J.B. De Vivie De Regie <sup>id60</sup>, D.V. Dedovich <sup>id38</sup>, J. Degens <sup>id114</sup>, A.M. Deiana <sup>id44</sup>, F. Del Corso <sup>id23b,23a</sup>,  
 J. Del Peso <sup>id99</sup>, F. Del Rio <sup>id63a</sup>, F. Deliot <sup>id135</sup>, C.M. Delitzsch <sup>id49</sup>, M. Della Pietra <sup>id72a,72b</sup>,  
 D. Della Volpe <sup>id56</sup>, A. Dell'Acqua <sup>id36</sup>, L. Dell'Asta <sup>id71a,71b</sup>, M. Delmastro <sup>id4</sup>, P.A. Delsart <sup>id60</sup>,  
 S. Demers <sup>id172</sup>, M. Demichev <sup>id38</sup>, S.P. Denisov <sup>id37</sup>, L. D'Eramo <sup>id40</sup>, D. Derendarz <sup>id87</sup>, F. Derue <sup>id127</sup>,  
 P. Dervan <sup>id92</sup>, K. Desch <sup>id24</sup>, C. Deutsch <sup>id24</sup>, F.A. Di Bello <sup>id57b,57a</sup>, A. Di Ciaccio <sup>id76a,76b</sup>,  
 L. Di Ciaccio <sup>id4</sup>, A. Di Domenico <sup>id75a,75b</sup>, C. Di Donato <sup>id72a,72b</sup>, A. Di Girolamo <sup>id36</sup>,  
 G. Di Gregorio <sup>id5</sup>, A. Di Luca <sup>id78a,78b</sup>, B. Di Micco <sup>id77a,77b</sup>, R. Di Nardo <sup>id77a,77b</sup>, C. Diaconu <sup>id102</sup>,  
 M. Diamantopoulou <sup>id34</sup>, F.A. Dias <sup>id114</sup>, T. Dias Do Vale <sup>id142</sup>, M.A. Diaz <sup>id137a,137b</sup>,  
 F.G. Diaz Capriles <sup>id24</sup>, M. Didenko <sup>id163</sup>, E.B. Diehl <sup>id106</sup>, L. Diehl <sup>id54</sup>, S. Díez Cornell <sup>id48</sup>,  
 C. Diez Pardos <sup>id141</sup>, C. Dimitriadi <sup>id161,24,161</sup>, A. Dimitrievska <sup>id17a</sup>, J. Dingfelder <sup>id24</sup>, I-M. Dinu <sup>id27b</sup>,  
 S.J. Dittmeier <sup>id63b</sup>, F. Dittus <sup>id36</sup>, F. Djama <sup>id102</sup>, T. Djobava <sup>id149b</sup>, J.I. Djuvsland <sup>id16</sup>,  
 C. Doglioni <sup>id101,98</sup>, A. Dohnalova <sup>id28a</sup>, J. Dolejsi <sup>id133</sup>, Z. Dolezal <sup>id133</sup>, K.M. Dona <sup>id39</sup>,  
 M. Donadelli <sup>id83c</sup>, B. Dong <sup>id107</sup>, J. Donini <sup>id40</sup>, A. D'Onofrio <sup>id77a,77b</sup>, M. D'Onofrio <sup>id92</sup>,  
 J. Dopke <sup>id134</sup>, A. Doria <sup>id72a</sup>, N. Dos Santos Fernandes <sup>id130a</sup>, P. Dougan <sup>id101</sup>, M.T. Dova <sup>id90</sup>,  
 A.T. Doyle <sup>id59</sup>, M.A. Dragnet <sup>id126</sup>, E. Dreyer <sup>id169</sup>, I. Drivas-koulouris <sup>id10</sup>, A.S. Drobac <sup>id158</sup>,  
 M. Drozdova <sup>id56</sup>, D. Du <sup>id62a</sup>, T.A. du Pree <sup>id114</sup>, F. Dubinin <sup>id37</sup>, M. Dubovsky <sup>id28a</sup>, E. Duchovni <sup>id169</sup>,  
 G. Duckeck <sup>id109</sup>, O.A. Ducu <sup>id27b</sup>, D. Duda <sup>id52</sup>, A. Dudarev <sup>id36</sup>, E.R. Duden <sup>id26</sup>, M. D'uffizi <sup>id101</sup>,  
 L. Duflot <sup>id66</sup>, M. Dührssen <sup>id36</sup>, C. Dülßen <sup>id171</sup>, A.E. Dumitriu <sup>id27b</sup>, M. Dunford <sup>id63a</sup>, S. Dungs <sup>id49</sup>,  
 K. Dunne <sup>id47a,47b</sup>, A. Duperrin <sup>id102</sup>, H. Duran Yildiz <sup>id3a</sup>, M. Düren <sup>id58</sup>, A. Durglishvili <sup>id149b</sup>,  
 B.L. Dwyer <sup>id115</sup>, G.I. Dyckes <sup>id17a</sup>, M. Dyndal <sup>id86a</sup>, S. Dysch <sup>id101</sup>, B.S. Dziedzic <sup>id87</sup>,  
 Z.O. Earnshaw <sup>id146</sup>, G.H. Eberwein <sup>id126</sup>, B. Eckerova <sup>id28a</sup>, S. Eggebrecht <sup>id55</sup>,  
 E. Egidio Purcino De Souza <sup>id127</sup>, L.F. Ehrke <sup>id56</sup>, G. Eigen <sup>id16</sup>, K. Einsweiler <sup>id17a</sup>, T. Ekelof <sup>id161</sup>,  
 P.A. Ekman <sup>id98</sup>, S. El Farkh <sup>id35b</sup>, Y. El Ghazali <sup>id35b</sup>, H. El Jarrari <sup>id35e,148</sup>, A. El Moussaouy <sup>id35a</sup>,  
 V. Ellajosyula <sup>id161</sup>, M. Ellert <sup>id161</sup>, F. Ellinghaus <sup>id171</sup>, A.A. Elliot <sup>id94</sup>, N. Ellis <sup>id36</sup>, J. Elmsheuser <sup>id29</sup>,  
 M. Elsing <sup>id36</sup>, D. Emelianov <sup>id134</sup>, Y. Enari <sup>id153</sup>, I. Ene <sup>id17a</sup>, S. Epari <sup>id13</sup>, J. Erdmann <sup>id49</sup>,

P.A. Erland [ID87](#), M. Errenst [ID171](#), M. Escalier [ID66](#), C. Escobar [ID163](#), E. Etzion [ID151](#), G. Evans [ID130a](#),  
 H. Evans [ID68](#), L.S. Evans [ID95](#), M.O. Evans [ID146](#), A. Ezhilov [ID37](#), S. Ezzarqtouni [ID35a](#), F. Fabbri [ID59](#),  
 L. Fabbri [ID23b,23a](#), G. Facini [ID96](#), V. Fadeyev [ID136](#), R.M. Fakhruddinov [ID37](#), S. Falciano [ID75a](#),  
 L.F. Falda Ulhoa Coelho [ID36](#), P.J. Falke [ID24](#), J. Faltova [ID133](#), C. Fan [ID162](#), Y. Fan [ID14a](#), Y. Fang [ID14a,14e](#),  
 M. Fanti [ID71a,71b](#), M. Faraj [ID69a,69b](#), Z. Farazpay [ID97](#), A. Farbin [ID8](#), A. Farilla [ID77a](#), T. Farooque [ID107](#),  
 S.M. Farrington [ID52](#), F. Fassi [ID35e](#), D. Fassouliotis [ID9](#), M. Faucci Giannelli [ID76a,76b](#), W.J. Fawcett [ID32](#),  
 L. Fayard [ID66](#), P. Federic [ID133](#), P. Federicova [ID131](#), O.L. Fedin [ID37,a](#), G. Fedotov [ID37](#), M. Feickert [ID170](#),  
 L. Feligioni [ID102](#), D.E. Fellers [ID123](#), C. Feng [ID62b](#), M. Feng [ID14b](#), Z. Feng [ID114](#), M.J. Fenton [ID160](#),  
 A.B. Fenyuk [ID37](#), L. Ferencz [ID48](#), R.A.M. Ferguson [ID91](#), S.I. Fernandez Luengo [ID137f](#), M.J.V. Fernoux [ID102](#),  
 J. Ferrando [ID48](#), A. Ferrari [ID161](#), P. Ferrari [ID114,113](#), R. Ferrari [ID73a](#), D. Ferrere [ID56](#), C. Ferretti [ID106](#),  
 F. Fiedler [ID100](#), A. Filipčič [ID93](#), E.K. Filmer [ID1](#), F. Filthaut [ID113](#), M.C.N. Fiolhais [ID130a,130c,c](#),  
 L. Fiorini [ID163](#), W.C. Fisher [ID107](#), T. Fitschen [ID101](#), P.M. Fitzhugh [ID135](#), I. Fleck [ID141](#), P. Fleischmann [ID106](#),  
 T. Flick [ID171](#), M. Flores [ID33d,ad](#), L.R. Flores Castillo [ID64a](#), L. Flores Sanz De Acedo [ID36](#),  
 F.M. Follega [ID78a,78b](#), N. Fomin [ID16](#), J.H. Foo [ID155](#), B.C. Forland [ID68](#), A. Formica [ID135](#), A.C. Forti [ID101](#),  
 E. Fortin [ID36](#), A.W. Fortman [ID61](#), M.G. Foti [ID17a](#), L. Fountas [ID9j](#), D. Fournier [ID66](#), H. Fox [ID91](#),  
 P. Francavilla [ID74a,74b](#), S. Francescato [ID61](#), S. Franchellucci [ID56](#), M. Franchini [ID23b,23a](#),  
 S. Franchino [ID63a](#), D. Francis [ID36](#), L. Franco [ID113](#), L. Franconi [ID48](#), M. Franklin [ID61](#), G. Frattari [ID26](#),  
 A.C. Freegard [ID94](#), W.S. Freund [ID83b](#), Y.Y. Frid [ID151](#), J. Friend [ID59](#), N. Fritzsche [ID50](#), A. Froch [ID54](#),  
 D. Froidevaux [ID36](#), J.A. Frost [ID126](#), Y. Fu [ID62a](#), M. Fujimoto [ID118,ae](#), E. Fullana Torregrosa [ID163,\\*](#),  
 K.Y. Fung [ID64a](#), E. Furtado De Simas Filho [ID83b](#), M. Furukawa [ID153](#), J. Fuster [ID163](#), A. Gabrielli [ID23b,23a](#),  
 A. Gabrielli [ID155](#), P. Gadow [ID36](#), G. Gagliardi [ID57b,57a](#), L.G. Gagnon [ID17a](#), E.J. Gallas [ID126](#),  
 B.J. Gallop [ID134](#), K.K. Gan [ID119](#), S. Ganguly [ID153](#), J. Gao [ID62a](#), Y. Gao [ID52](#), F.M. Garay Walls [ID137a,137b](#),  
 B. Garcia [ID29](#), C. García [ID163](#), A. Garcia Alonso [ID114](#), A.G. Garcia Caffaro [ID172](#), J.E. García Navarro [ID163](#),  
 M. Garcia-Sciveres [ID17a](#), G.L. Gardner [ID128](#), R.W. Gardner [ID39](#), N. Garelli [ID158](#), D. Garg [ID80](#),  
 R.B. Garg [ID143,o](#), J.M. Gargan [ID52](#), C.A. Garner [ID155](#), S.J. Gasiorowski [ID138](#), P. Gaspar [ID83b](#), G. Gaudio [ID73a](#),  
 V. Gautam [ID13](#), P. Gauzzi [ID75a,75b](#), I.L. Gavrilenko [ID37](#), A. Gavriluk [ID37](#), C. Gay [ID164](#), G. Gaycken [ID48](#),  
 E.N. Gazis [ID10](#), A.A. Geanta [ID27b](#), C.M. Gee [ID136](#), C. Gemme [ID57b](#), M.H. Genest [ID60](#),  
 S. Gentile [ID75a,75b](#), A.D. Gentry [ID112](#), S. George [ID95](#), W.F. George [ID20](#), T. Gerialis [ID46](#),  
 P. Gessinger-Befurt [ID36](#), M.E. Geyik [ID171](#), M. Ghani [ID167](#), M. Ghneimat [ID141](#), K. Ghorbanian [ID94](#),  
 A. Ghosal [ID141](#), A. Ghosh [ID160](#), A. Ghosh [ID7](#), B. Giacobbe [ID23b](#), S. Giagu [ID75a,75b](#), T. Giani [ID114](#),  
 P. Giannetti [ID74a](#), A. Giannini [ID62a](#), S.M. Gibson [ID95](#), M. Gignac [ID136](#), D.T. Gil [ID86b](#), A.K. Gilbert [ID86a](#),  
 B.J. Gilbert [ID41](#), D. Gillberg [ID34](#), G. Gilles [ID114](#), N.E.K. Gillwald [ID48](#), L. Ginabat [ID127](#),  
 D.M. Gingrich [ID2,ah](#), M.P. Giordani [ID69a,69c](#), P.F. Giraud [ID135](#), G. Giugliarelli [ID69a,69c](#), D. Giugni [ID71a](#),  
 F. Giuli [ID36](#), I. Gkialas [ID9j](#), L.K. Gladilin [ID37](#), C. Glasman [ID99](#), G.R. Gledhill [ID123](#), G. Glemža [ID48](#),  
 M. Glisic [ID123](#), I. Gnesi [ID43b,f](#), Y. Go [ID29,aj](#), M. Goblirsch-Kolb [ID36](#), B. Gocke [ID49](#), D. Godin [ID108](#),  
 B. Gokturk [ID21a](#), S. Goldfarb [ID105](#), T. Golling [ID56](#), M.G.D. Gololo [ID33g](#), D. Golubkov [ID37](#),  
 J.P. Gombas [ID107](#), A. Gomes [ID130a,130b](#), G. Gomes Da Silva [ID141](#), A.J. Gomez Delegido [ID163](#),  
 R. Gonçalves [ID130a,130c](#), G. Gonella [ID123](#), L. Gonella [ID20](#), A. Gongadze [ID149c](#), F. Gonnella [ID20](#),  
 J.L. Gonski [ID41](#), R.Y. González Andana [ID52](#), S. González de la Hoz [ID163](#), S. Gonzalez Fernandez [ID13](#),  
 R. Gonzalez Lopez [ID92](#), C. Gonzalez Renteria [ID17a](#), M.V. Gonzalez Rodrigues [ID48](#),  
 R. Gonzalez Suarez [ID161](#), S. Gonzalez-Sevilla [ID56](#), G.R. Gonzalvo Rodriguez [ID163](#), L. Goossens [ID36](#),  
 B. Gorini [ID36](#), E. Gorini [ID70a,70b](#), A. Gorišek [ID93](#), T.C. Gosart [ID128](#), A.T. Goshaw [ID51](#), M.I. Gostkin [ID38](#),  
 S. Goswami [ID121](#), C.A. Gottardo [ID36](#), S.A. Gotz [ID109](#), M. Gouighri [ID35b](#), V. Goumarre [ID48](#),  
 A.G. Goussiou [ID138](#), N. Govender [ID33c](#), I. Grabowska-Bold [ID86a](#), K. Graham [ID34](#), E. Gramstad [ID125](#),  
 S. Grancagnolo [ID70a,70b](#), M. Grandi [ID146](#), C.M. Grant [ID1,135](#), P.M. Gravila [ID27f](#), F.G. Gravili [ID70a,70b](#),  
 H.M. Gray [ID17a](#), M. Greco [ID70a,70b](#), C. Grefe [ID24](#), I.M. Gregor [ID48](#), P. Grenier [ID143](#), C. Grieco [ID13](#),  
 A.A. Grillo [ID136](#), K. Grimm [ID31](#), S. Grinstein [ID13,t](#), J.-F. Grivaz [ID66](#), E. Gross [ID169](#),

J. Grosse-Knetter <sup>55</sup>, C. Grud <sup>106</sup>, J.C. Grundy <sup>126</sup>, L. Guan <sup>106</sup>, W. Guan <sup>29</sup>, C. Gubbels <sup>164</sup>, J.G.R. Guerrero Rojas <sup>163</sup>, G. Guerrieri <sup>69a,69c</sup>, F. Guescini <sup>110</sup>, R. Gugel <sup>100</sup>, J.A.M. Guhit <sup>106</sup>, A. Guida <sup>18</sup>, T. Guillemain <sup>4</sup>, E. Guilloton <sup>167,134</sup>, S. Guindon <sup>36</sup>, F. Guo <sup>14a,14e</sup>, J. Guo <sup>62c</sup>, L. Guo <sup>48</sup>, Y. Guo <sup>106</sup>, R. Gupta <sup>48</sup>, S. Gurbuz <sup>24</sup>, S.S. Gurdasani <sup>54</sup>, G. Gustavino <sup>36</sup>, M. Guth <sup>56</sup>, P. Gutierrez <sup>120</sup>, L.F. Gutierrez Zagazeta <sup>128</sup>, C. Gutschow <sup>96</sup>, C. Gwenlan <sup>126</sup>, C.B. Gwilliam <sup>92</sup>, E.S. Haaland <sup>125</sup>, A. Haas <sup>117</sup>, M. Habedank <sup>48</sup>, C. Haber <sup>17a</sup>, H.K. Hadavand <sup>8</sup>, A. Hadeef <sup>100</sup>, S. Hadzic <sup>110</sup>, J.J. Hahn <sup>141</sup>, E.H. Haines <sup>96</sup>, M. Haleem <sup>166</sup>, J. Haley <sup>121</sup>, J.J. Hall <sup>139</sup>, G.D. Hallewell <sup>102</sup>, L. Halser <sup>19</sup>, K. Hamano <sup>165</sup>, M. Hamer <sup>24</sup>, G.N. Hamity <sup>52</sup>, E.J. Hampshire <sup>95</sup>, J. Han <sup>62b</sup>, K. Han <sup>62a</sup>, L. Han <sup>14c</sup>, L. Han <sup>62a</sup>, S. Han <sup>17a</sup>, Y.F. Han <sup>155</sup>, K. Hanagaki <sup>84</sup>, M. Hance <sup>136</sup>, D.A. Hangal <sup>41,ac</sup>, H. Hanif <sup>142</sup>, M.D. Hank <sup>128</sup>, R. Hankache <sup>101</sup>, J.B. Hansen <sup>42</sup>, J.D. Hansen <sup>42</sup>, P.H. Hansen <sup>42</sup>, K. Hara <sup>157</sup>, D. Harada <sup>56</sup>, T. Harenberg <sup>171</sup>, S. Harkusha <sup>37</sup>, M.L. Harris <sup>103</sup>, Y.T. Harris <sup>126</sup>, J. Harrison <sup>13</sup>, N.M. Harrison <sup>119</sup>, P.F. Harrison <sup>167</sup>, N.M. Hartman <sup>110</sup>, N.M. Hartmann <sup>109</sup>, Y. Hasegawa <sup>140</sup>, A. Hasib <sup>52</sup>, S. Haug <sup>19</sup>, R. Hauser <sup>107</sup>, C.M. Hawkes <sup>20</sup>, R.J. Hawkins <sup>36</sup>, Y. Hayashi <sup>153</sup>, S. Hayashida <sup>111</sup>, D. Hayden <sup>107</sup>, C. Hayes <sup>106</sup>, R.L. Hayes <sup>114</sup>, C.P. Hays <sup>126</sup>, J.M. Hays <sup>94</sup>, H.S. Hayward <sup>92</sup>, F. He <sup>62a</sup>, M. He <sup>14a,14e</sup>, Y. He <sup>154</sup>, Y. He <sup>48</sup>, N.B. Heatley <sup>94</sup>, V. Hedberg <sup>98</sup>, A.L. Heggelund <sup>125</sup>, N.D. Hehir <sup>94</sup>, C. Heidegger <sup>54</sup>, K.K. Heidegger <sup>54</sup>, W.D. Heidorn <sup>81</sup>, J. Heilman <sup>34</sup>, S. Heim <sup>48</sup>, T. Heim <sup>17a</sup>, J.G. Heinlein <sup>128</sup>, J.J. Heinrich <sup>123</sup>, L. Heinrich <sup>110,af</sup>, J. Hejbal <sup>131</sup>, L. Helary <sup>48</sup>, A. Held <sup>170</sup>, S. Hellesund <sup>16</sup>, C.M. Helling <sup>164</sup>, S. Hellman <sup>47a,47b</sup>, R.C.W. Henderson <sup>91</sup>, L. Henkelmann <sup>32</sup>, A.M. Henriques Correia <sup>36</sup>, H. Herde <sup>98</sup>, Y. Hernández Jiménez <sup>145</sup>, L.M. Herrmann <sup>24</sup>, T. Herrmann <sup>50</sup>, G. Herten <sup>54</sup>, R. Hertenberger <sup>109</sup>, L. Hervas <sup>36</sup>, M.E. Hespings <sup>100</sup>, N.P. Hessey <sup>156a</sup>, H. Hibi <sup>85</sup>, S.J. Hillier <sup>20</sup>, J.R. Hinds <sup>107</sup>, F. Hinterkeuser <sup>24</sup>, M. Hirose <sup>124</sup>, S. Hirose <sup>157</sup>, D. Hirschbuehl <sup>171</sup>, T.G. Hitchings <sup>101</sup>, B. Hiti <sup>93</sup>, J. Hobbs <sup>145</sup>, R. Hobincu <sup>27e</sup>, N. Hod <sup>169</sup>, M.C. Hodgkinson <sup>139</sup>, B.H. Hodgkinson <sup>32</sup>, A. Hoecker <sup>36</sup>, J. Hofer <sup>48</sup>, T. Holm <sup>24</sup>, M. Holzbock <sup>110</sup>, L.B.A.H. Hommels <sup>32</sup>, B.P. Honan <sup>101</sup>, J. Hong <sup>62c</sup>, T.M. Hong <sup>129</sup>, B.H. Hooberman <sup>162</sup>, W.H. Hopkins <sup>6</sup>, Y. Horii <sup>111</sup>, S. Hou <sup>148</sup>, A.S. Howard <sup>93</sup>, J. Howarth <sup>59</sup>, J. Hoya <sup>6</sup>, M. Hrabovsky <sup>122</sup>, A. Hrynevich <sup>48</sup>, T. Hryn'ova <sup>4</sup>, P.J. Hsu <sup>65</sup>, S.-C. Hsu <sup>138</sup>, Q. Hu <sup>62a</sup>, Y.F. Hu <sup>14a,14e</sup>, S. Huang <sup>64b</sup>, X. Huang <sup>14c</sup>, Y. Huang <sup>139</sup>, Y. Huang <sup>14a</sup>, Z. Huang <sup>101</sup>, Z. Hubacek <sup>132</sup>, M. Huebner <sup>24</sup>, F. Huegging <sup>24</sup>, T.B. Huffman <sup>126</sup>, C.A. Hugli <sup>48</sup>, M. Huhtinen <sup>36</sup>, S.K. Huiberts <sup>16</sup>, R. Hulsken <sup>104</sup>, N. Huseynov <sup>12,a</sup>, J. Huston <sup>107</sup>, J. Huth <sup>61</sup>, R. Hyneman <sup>143</sup>, G. Iacobucci <sup>56</sup>, G. Iakovidis <sup>29</sup>, I. Ibragimov <sup>141</sup>, L. Iconomidou-Fayard <sup>66</sup>, P. Iengo <sup>72a,72b</sup>, R. Iguchi <sup>153</sup>, T. Iizawa <sup>126</sup>, Y. Ikegami <sup>84</sup>, N. Ilic <sup>155</sup>, H. Imam <sup>35a</sup>, M. Ince Lezki <sup>56</sup>, T. Ingebretsen Carlson <sup>47a,47b</sup>, G. Introzzi <sup>73a,73b</sup>, M. Iodice <sup>77a</sup>, V. Ippolito <sup>75a,75b</sup>, R.K. Irwin <sup>92</sup>, M. Ishino <sup>153</sup>, W. Islam <sup>170</sup>, C. Issever <sup>18,48</sup>, S. Istin <sup>21a,al</sup>, H. Ito <sup>168</sup>, J.M. Iturbe Ponce <sup>64a</sup>, R. Iuppa <sup>78a,78b</sup>, A. Ivina <sup>169</sup>, J.M. Izen <sup>45</sup>, V. Izzo <sup>72a</sup>, P. Jacka <sup>131,132</sup>, P. Jackson <sup>1</sup>, R.M. Jacobs <sup>48</sup>, B.P. Jaeger <sup>142</sup>, C.S. Jagfeld <sup>109</sup>, G. Jain <sup>156a</sup>, P. Jain <sup>54</sup>, G. Jäkel <sup>171</sup>, K. Jakobs <sup>54</sup>, T. Jakoubek <sup>169</sup>, J. Jamieson <sup>59</sup>, K.W. Janas <sup>86a</sup>, M. Javurkova <sup>103</sup>, F. Jeanneau <sup>135</sup>, L. Jeanty <sup>123</sup>, J. Jejelava <sup>149a,aa</sup>, P. Jenni <sup>54,g</sup>, C.E. Jessiman <sup>34</sup>, S. Jézéquel <sup>4</sup>, C. Jia <sup>62b</sup>, J. Jia <sup>145</sup>, X. Jia <sup>61</sup>, X. Jia <sup>14a,14e</sup>, Z. Jia <sup>14c</sup>, Y. Jiang <sup>62a</sup>, S. Jiggins <sup>48</sup>, J. Jimenez Pena <sup>13</sup>, S. Jin <sup>14c</sup>, A. Jinaru <sup>27b</sup>, O. Jinnouchi <sup>154</sup>, P. Johansson <sup>139</sup>, K.A. Johns <sup>7</sup>, J.W. Johnson <sup>136</sup>, D.M. Jones <sup>32</sup>, E. Jones <sup>48</sup>, P. Jones <sup>32</sup>, R.W.L. Jones <sup>91</sup>, T.J. Jones <sup>92</sup>, H.L. Joos <sup>55,36</sup>, R. Joshi <sup>119</sup>, J. Jovicevic <sup>15</sup>, X. Ju <sup>17a</sup>, J.J. Junggeburth <sup>103</sup>, T. Junkermann <sup>63a</sup>, A. Juste Rozas <sup>13,t</sup>, M.K. Juzek <sup>87</sup>, S. Kabana <sup>137e</sup>, A. Kaczmarzka <sup>87</sup>, M. Kado <sup>110</sup>, H. Kagan <sup>119</sup>, M. Kagan <sup>143</sup>, A. Kahn <sup>41</sup>, A. Kahn <sup>128</sup>, C. Kahra <sup>100</sup>, T. Kaji <sup>153</sup>, E. Kajomovitz <sup>150</sup>, N. Kakati <sup>169</sup>, I. Kalaitzidou <sup>54</sup>, C.W. Calderon <sup>29</sup>, A. Kamenshchikov <sup>155</sup>, N.J. Kang <sup>136</sup>, D. Kar <sup>33g</sup>, K. Karava <sup>126</sup>, M.J. Kareem <sup>156b</sup>, E. Karentzos <sup>54</sup>, I. Karkanias <sup>152</sup>,

O. Karkout <sup>114</sup>, S.N. Karpov <sup>38</sup>, Z.M. Karpova <sup>38</sup>, V. Kartvelishvili <sup>91</sup>, A.N. Karyukhin <sup>37</sup>, E. Kasimi <sup>152</sup>, J. Katzy <sup>48</sup>, S. Kaur <sup>34</sup>, K. Kawade <sup>140</sup>, M.P. Kawale <sup>120</sup>, T. Kawamoto <sup>135</sup>, E.F. Kay <sup>36</sup>, F.I. Kaya <sup>158</sup>, S. Kazakos <sup>107</sup>, V.F. Kazanin <sup>37</sup>, Y. Ke <sup>145</sup>, J.M. Keaveney <sup>33a</sup>, R. Keeler <sup>165</sup>, G.V. Kehris <sup>61</sup>, J.S. Keller <sup>34</sup>, A.S. Kelly <sup>96</sup>, J.J. Kempster <sup>146</sup>, K.E. Kennedy <sup>41</sup>, P.D. Kennedy <sup>100</sup>, O. Kepka <sup>131</sup>, B.P. Kerridge <sup>167</sup>, S. Kersten <sup>171</sup>, B.P. Kerševan <sup>93</sup>, S. Keshri <sup>66</sup>, L. Keszeghova <sup>28a</sup>, S. Ketabchi Haghghat <sup>155</sup>, M. Khandoga <sup>127</sup>, A. Khanov <sup>121</sup>, A.G. Kharlamov <sup>37</sup>, T. Kharlamova <sup>37</sup>, E.E. Khoda <sup>138</sup>, T.J. Khoo <sup>18</sup>, G. Khoriauli <sup>166</sup>, J. Khubua <sup>149b</sup>, Y.A.R. Khwaira <sup>66</sup>, A. Kilgallon <sup>123</sup>, D.W. Kim <sup>47a,47b</sup>, Y.K. Kim <sup>39</sup>, N. Kimura <sup>96</sup>, M.K. Kingston <sup>55</sup>, A. Kirchhoff <sup>55</sup>, C. Kirfel <sup>24</sup>, F. Kirfel <sup>24</sup>, J. Kirk <sup>134</sup>, A.E. Kiryunin <sup>110</sup>, C. Kitsaki <sup>10</sup>, O. Kivernyk <sup>24</sup>, M. Klassen <sup>63a</sup>, C. Klein <sup>34</sup>, L. Klein <sup>166</sup>, M.H. Klein <sup>106</sup>, M. Klein <sup>92</sup>, S.B. Klein <sup>56</sup>, U. Klein <sup>92</sup>, P. Klimek <sup>36</sup>, A. Klimentov <sup>29</sup>, T. Klioutchnikova <sup>36</sup>, P. Kluit <sup>114</sup>, S. Kluth <sup>110</sup>, E. Kneringer <sup>79</sup>, T.M. Knight <sup>155</sup>, A. Knue <sup>49</sup>, R. Kobayashi <sup>88</sup>, D. Kobylanskii <sup>169</sup>, S.F. Koch <sup>126</sup>, M. Kocian <sup>143</sup>, P. Kodyš <sup>133</sup>, D.M. Koeck <sup>123</sup>, P.T. Koenig <sup>24</sup>, T. Koffas <sup>34</sup>, M. Kolb <sup>135</sup>, I. Koletsou <sup>4</sup>, T. Komarek <sup>122</sup>, K. Köneke <sup>54</sup>, A.X.Y. Kong <sup>1</sup>, T. Kono <sup>118</sup>, N. Konstantinidis <sup>96</sup>, B. Konya <sup>98</sup>, R. Kopeliansky <sup>68</sup>, S. Koperny <sup>86a</sup>, K. Korcyl <sup>87</sup>, K. Kordas <sup>152,e</sup>, G. Koren <sup>151</sup>, A. Korn <sup>96</sup>, S. Korn <sup>55</sup>, I. Korolkov <sup>13</sup>, N. Korotkova <sup>37</sup>, B. Kortman <sup>114</sup>, O. Kortner <sup>110</sup>, S. Kortner <sup>110</sup>, W.H. Kostecka <sup>115</sup>, V.V. Kostyukhin <sup>141</sup>, A. Kotsokechagia <sup>135</sup>, A. Kotwal <sup>51</sup>, A. Koulouris <sup>36</sup>, A. Kourkoumeli-Charalampidi <sup>73a,73b</sup>, C. Kourkoumelis <sup>9</sup>, E. Kourlitis <sup>110,af</sup>, O. Kovanda <sup>146</sup>, R. Kowalewski <sup>165</sup>, W. Kozanecki <sup>135</sup>, A.S. Kozhin <sup>37</sup>, V.A. Kramarenko <sup>37</sup>, G. Kramberger <sup>93</sup>, P. Kramer <sup>100</sup>, M.W. Krasny <sup>127</sup>, A. Krasznahorkay <sup>36</sup>, J.W. Kraus <sup>171</sup>, J.A. Kremer <sup>100</sup>, T. Kresse <sup>50</sup>, J. Kretschmar <sup>92</sup>, K. Kreul <sup>18</sup>, P. Krieger <sup>155</sup>, S. Krishnamurthy <sup>103</sup>, M. Krivos <sup>133</sup>, K. Krizka <sup>20</sup>, K. Kroeninger <sup>49</sup>, H. Kroha <sup>110</sup>, J. Kroll <sup>131</sup>, J. Kroll <sup>128</sup>, K.S. Krowpman <sup>107</sup>, U. Kruchonak <sup>38</sup>, H. Krüger <sup>24</sup>, N. Krumnack <sup>81</sup>, M.C. Kruse <sup>51</sup>, J.A. Krzysiak <sup>87</sup>, O. Kuchinskaia <sup>37</sup>, S. Kuday <sup>3a</sup>, S. Kuehn <sup>36</sup>, R. Kuesters <sup>54</sup>, T. Kuhl <sup>48</sup>, V. Kukhtin <sup>38</sup>, Y. Kulchitsky <sup>37,a</sup>, S. Kuleshov <sup>137d,137b</sup>, M. Kumar <sup>33g</sup>, N. Kumari <sup>48</sup>, A. Kupco <sup>131</sup>, T. Kupfer <sup>49</sup>, A. Kupich <sup>37</sup>, O. Kuprash <sup>54</sup>, H. Kurashige <sup>85</sup>, L.L. Kurchaninov <sup>156a</sup>, O. Kurdysh <sup>66</sup>, Y.A. Kurochkin <sup>37</sup>, A. Kurova <sup>37</sup>, M. Kuze <sup>154</sup>, A.K. Kvam <sup>103</sup>, J. Kvita <sup>122</sup>, T. Kwan <sup>104</sup>, N.G. Kyriacou <sup>106</sup>, L.A.O. Laatu <sup>102</sup>, C. Lacasta <sup>163</sup>, F. Lacava <sup>75a,75b</sup>, H. Lacker <sup>18</sup>, D. Lacour <sup>127</sup>, N.N. Lad <sup>96</sup>, E. Ladygin <sup>38</sup>, B. Laforge <sup>127</sup>, T. Lagouri <sup>137e</sup>, F.Z. Lahbabi <sup>35a</sup>, S. Lai <sup>55</sup>, I.K. Lakomicc <sup>86a</sup>, N. Lalloue <sup>60</sup>, J.E. Lambert <sup>165</sup>, S. Lammers <sup>68</sup>, W. Lampl <sup>7</sup>, C. Lampoudis <sup>152,e</sup>, A.N. Lancaster <sup>115</sup>, E. Lançon <sup>29</sup>, U. Landgraf <sup>54</sup>, M.P.J. Landon <sup>94</sup>, V.S. Lang <sup>54</sup>, R.J. Langenberg <sup>103</sup>, O.K.B. Langrekken <sup>125</sup>, A.J. Lankford <sup>160</sup>, F. Lanni <sup>36</sup>, K. Lantzsch <sup>24</sup>, A. Lanza <sup>73a</sup>, A. Lapertosa <sup>57b,57a</sup>, J.F. Laporte <sup>135</sup>, T. Lari <sup>71a</sup>, F. Lasagni Manghi <sup>23b</sup>, M. Lassnig <sup>36</sup>, V. Latonova <sup>131</sup>, A. Laudrain <sup>100</sup>, A. Laurier <sup>150</sup>, S.D. Lawlor <sup>95</sup>, Z. Lawrence <sup>101</sup>, M. Lazzaroni <sup>71a,71b</sup>, B. Le <sup>101</sup>, E.M. Le Boulicaut <sup>51</sup>, B. Leban <sup>93</sup>, A. Lebedev <sup>81</sup>, M. LeBlanc <sup>101</sup>, F. Ledroit-Guillon <sup>60</sup>, A.C.A. Lee <sup>96</sup>, S.C. Lee <sup>148</sup>, S. Lee <sup>47a,47b</sup>, T.F. Lee <sup>92</sup>, L.L. Leeuw <sup>33c</sup>, H.P. Lefebvre <sup>95</sup>, M. Lefebvre <sup>165</sup>, C. Leggett <sup>17a</sup>, G. Lehmann Miotto <sup>36</sup>, M. Leigh <sup>56</sup>, W.A. Leight <sup>103</sup>, W. Leinonen <sup>113</sup>, A. Leisos <sup>152,s</sup>, M.A.L. Leite <sup>83c</sup>, C.E. Leitgeb <sup>48</sup>, R. Leitner <sup>133</sup>, K.J.C. Leney <sup>44</sup>, T. Lenz <sup>24</sup>, S. Leone <sup>74a</sup>, C. Leonidopoulos <sup>52</sup>, A. Leopold <sup>144</sup>, C. Leroy <sup>108</sup>, R. Les <sup>107</sup>, C.G. Lester <sup>32</sup>, M. Levchenko <sup>37</sup>, J. Levêque <sup>4</sup>, D. Levin <sup>106</sup>, L.J. Levinson <sup>169</sup>, M.P. Lewicki <sup>87</sup>, D.J. Lewis <sup>4</sup>, A. Li <sup>5</sup>, B. Li <sup>62b</sup>, C. Li <sup>62a</sup>, C-Q. Li <sup>62c</sup>, H. Li <sup>62a</sup>, H. Li <sup>62b</sup>, H. Li <sup>14c</sup>, H. Li <sup>14b</sup>, H. Li <sup>62b</sup>, K. Li <sup>138</sup>, L. Li <sup>62c</sup>, M. Li <sup>14a,14e</sup>, Q.Y. Li <sup>62a</sup>, S. Li <sup>14a,14e</sup>, S. Li <sup>62d,62c,d</sup>, T. Li <sup>5</sup>, X. Li <sup>104</sup>, Z. Li <sup>126</sup>, Z. Li <sup>104</sup>, Z. Li <sup>92</sup>, Z. Li <sup>14a,14e</sup>, S. Liang <sup>14a,14e</sup>, Z. Liang <sup>14a</sup>, M. Liberatore <sup>135</sup>, B. Liberti <sup>76a</sup>, K. Lie <sup>64c</sup>, J. Lieber Marin <sup>83b</sup>, H. Lien <sup>68</sup>, K. Lin <sup>107</sup>, R.E. Lindley <sup>7</sup>, J.H. Lindon <sup>2</sup>, E. Lipeles <sup>128</sup>, A. Lipniacka <sup>16</sup>, A. Lister <sup>164</sup>, J.D. Little <sup>4</sup>, B. Liu <sup>14a</sup>,



B.X. Liu <sup>142</sup>, D. Liu <sup>62d,62c</sup>, J.B. Liu <sup>62a</sup>, J.K.K. Liu <sup>32</sup>, K. Liu <sup>62d,62c</sup>, M. Liu <sup>62a</sup>,  
 M.Y. Liu <sup>62a</sup>, P. Liu <sup>14a</sup>, Q. Liu <sup>62d,138,62c</sup>, X. Liu <sup>62a</sup>, Y. Liu <sup>14d,14e</sup>, Y.L. Liu <sup>62b</sup>, Y.W. Liu <sup>62a</sup>,  
 J. Llorente Merino <sup>142</sup>, S.L. Lloyd <sup>94</sup>, E.M. Lobodzinska <sup>48</sup>, P. Loch <sup>7</sup>, S. Loffredo <sup>76a,76b</sup>,  
 T. Lohse <sup>18</sup>, K. Lohwasser <sup>139</sup>, E. Loiacono <sup>48</sup>, M. Lokajicek <sup>131,\*</sup>, J.D. Lomas <sup>20</sup>,  
 J.D. Long <sup>162</sup>, I. Longarini <sup>160</sup>, L. Longo <sup>70a,70b</sup>, R. Longo <sup>162</sup>, I. Lopez Paz <sup>67</sup>,  
 A. Lopez Solis <sup>48</sup>, J. Lorenz <sup>109</sup>, N. Lorenzo Martinez <sup>4</sup>, A.M. Lory <sup>109</sup>,  
 G. Löschke Centeno <sup>146</sup>, O. Loseva <sup>37</sup>, X. Lou <sup>47a,47b</sup>, X. Lou <sup>14a,14e</sup>, A. Lounis <sup>66</sup>, J. Love <sup>6</sup>,  
 P.A. Love <sup>91</sup>, G. Lu <sup>14a,14e</sup>, M. Lu <sup>80</sup>, S. Lu <sup>128</sup>, Y.J. Lu <sup>65</sup>, H.J. Lubatti <sup>138</sup>, C. Luci <sup>75a,75b</sup>,  
 F.L. Lucio Alves <sup>14c</sup>, A. Lucotte <sup>60</sup>, F. Luehring <sup>68</sup>, I. Luise <sup>145</sup>, O. Lukianchuk <sup>66</sup>,  
 O. Lundberg <sup>144</sup>, B. Lund-Jensen <sup>144</sup>, N.A. Luongo <sup>123</sup>, M.S. Lutz <sup>151</sup>, D. Lynn <sup>29</sup>, H. Lyons <sup>92</sup>,  
 R. Lysak <sup>131</sup>, E. Lytken <sup>98</sup>, V. Lyubushkin <sup>38</sup>, T. Lyubushkina <sup>38</sup>, M.M. Lyukova <sup>145</sup>, H. Ma <sup>29</sup>,  
 K. Ma <sup>62a</sup>, L.L. Ma <sup>62b</sup>, Y. Ma <sup>121</sup>, D.M. Mac Donell <sup>165</sup>, G. Maccarrone <sup>53</sup>, J.C. MacDonald <sup>100</sup>,  
 P.C. Machado De Abreu Farias <sup>83b</sup>, R. Madar <sup>40</sup>, W.F. Mader <sup>50</sup>, T. Madula <sup>96</sup>, J. Maeda <sup>85</sup>,  
 T. Maeno <sup>29</sup>, M. Maerker <sup>50</sup>, H. Maguire <sup>139</sup>, V. Maiboroda <sup>135</sup>, A. Maio <sup>130a,130b,130d</sup>,  
 K. Maj <sup>86a</sup>, O. Majersky <sup>48</sup>, S. Majewski <sup>123</sup>, N. Makovec <sup>66</sup>, V. Maksimovic <sup>15</sup>,  
 B. Malaescu <sup>127</sup>, Pa. Malecki <sup>87</sup>, V.P. Maleev <sup>37</sup>, F. Malek <sup>60</sup>, M. Mali <sup>93</sup>, D. Malito <sup>95</sup>,  
 U. Mallik <sup>80</sup>, S. Maltezos <sup>10</sup>, S. Malyukov <sup>38</sup>, J. Mamuzic <sup>13</sup>, G. Mancini <sup>53</sup>, G. Manco <sup>73a,73b</sup>,  
 J.P. Mandalia <sup>94</sup>, I. Mandić <sup>93</sup>, L. Manhaes de Andrade Filho <sup>83a</sup>, I.M. Maniatis <sup>169</sup>,  
 J. Manjarres Ramos <sup>102,ab</sup>, D.C. Mankad <sup>169</sup>, A. Mann <sup>109</sup>, B. Mansoulie <sup>135</sup>, S. Manzoni <sup>36</sup>,  
 A. Marantis <sup>152,s</sup>, G. Marchiori <sup>5</sup>, M. Marcisovsky <sup>131</sup>, C. Marcon <sup>71a,71b</sup>, M. Marinescu <sup>20</sup>,  
 M. Marjanovic <sup>120</sup>, E.J. Marshall <sup>91</sup>, Z. Marshall <sup>17a</sup>, S. Marti-Garcia <sup>163</sup>, T.A. Martin <sup>167</sup>,  
 V.J. Martin <sup>52</sup>, B. Martin dit Latour <sup>16</sup>, L. Martinelli <sup>75a,75b</sup>, M. Martinez <sup>13,t</sup>,  
 P. Martinez Agullo <sup>163</sup>, V.I. Martinez Outschoorn <sup>103</sup>, P. Martinez Suarez <sup>13</sup>, S. Martin-Haugh <sup>134</sup>,  
 V.S. Martoiu <sup>27b</sup>, A.C. Martyniuk <sup>96</sup>, A. Marzin <sup>36</sup>, D. Mascione <sup>78a,78b</sup>, L. Masetti <sup>100</sup>,  
 T. Mashimo <sup>153</sup>, J. Masik <sup>101</sup>, A.L. Maslennikov <sup>37</sup>, L. Massa <sup>23b</sup>, P. Massarotti <sup>72a,72b</sup>,  
 P. Mastrandrea <sup>74a,74b</sup>, A. Mastroberardino <sup>43b,43a</sup>, T. Masubuchi <sup>153</sup>, T. Mathisen <sup>161</sup>,  
 J. Matousek <sup>133</sup>, N. Matsuzawa <sup>153</sup>, J. Maurer <sup>27b</sup>, B. Maček <sup>93</sup>, D.A. Maximov <sup>37</sup>, R. Mazini <sup>148</sup>,  
 I. Maznas <sup>152</sup>, M. Mazza <sup>107</sup>, S.M. Mazza <sup>136</sup>, E. Mazzeo <sup>71a,71b</sup>, C. Mc Ginn <sup>29</sup>,  
 J.P. Mc Gowan <sup>104</sup>, S.P. Mc Kee <sup>106</sup>, E.F. McDonald <sup>105</sup>, A.E. McDougall <sup>114</sup>, J.A. Mcfayden <sup>146</sup>,  
 R.P. McGovern <sup>128</sup>, G. Mchedlidze <sup>149b</sup>, R.P. Mckenzie <sup>33g</sup>, T.C. McLachlan <sup>48</sup>,  
 D.J. McLaughlin <sup>96</sup>, K.D. McLean <sup>165</sup>, S.J. McMahon <sup>134</sup>, P.C. McNamara <sup>105</sup>,  
 C.M. Mcpartland <sup>92</sup>, R.A. McPherson <sup>165,x</sup>, S. Mehlhase <sup>109</sup>, A. Mehta <sup>92</sup>, D. Melini <sup>150</sup>,  
 B.R. Mellado Garcia <sup>33g</sup>, A.H. Melo <sup>55</sup>, F. Meloni <sup>48</sup>, A.M. Mendes Jacques Da Costa <sup>101</sup>,  
 H.Y. Meng <sup>155</sup>, L. Meng <sup>91</sup>, S. Menke <sup>110</sup>, M. Mentink <sup>36</sup>, E. Meoni <sup>43b,43a</sup>, C. Merlassino <sup>126</sup>,  
 L. Merola <sup>72a,72b</sup>, C. Meroni <sup>71a,71b</sup>, G. Merz <sup>106</sup>, O. Meshkov <sup>37</sup>, J. Metcalfe <sup>6</sup>, A.S. Mete <sup>6</sup>,  
 C. Meyer <sup>68</sup>, J-P. Meyer <sup>135</sup>, R.P. Middleton <sup>134</sup>, L. Mijović <sup>52</sup>, G. Mikenberg <sup>169</sup>,  
 M. Mikestikova <sup>131</sup>, M. Mikuž <sup>93</sup>, H. Mildner <sup>100</sup>, A. Milic <sup>36</sup>, C.D. Milke <sup>44</sup>, D.W. Miller <sup>39</sup>,  
 L.S. Miller <sup>34</sup>, A. Milov <sup>169</sup>, D.A. Milstead <sup>47a,47b</sup>, T. Min <sup>14c</sup>, A.A. Minaenko <sup>37</sup>,  
 I.A. Minashvili <sup>149b</sup>, L. Mince <sup>59</sup>, A.I. Mincer <sup>117</sup>, B. Mindur <sup>86a</sup>, M. Mineev <sup>38</sup>, Y. Mino <sup>88</sup>,  
 L.M. Mir <sup>13</sup>, M. Miralles Lopez <sup>163</sup>, M. Mironova <sup>17a</sup>, A. Mishima <sup>153</sup>, M.C. Missio <sup>113</sup>,  
 A. Mitra <sup>167</sup>, V.A. Mitsou <sup>163</sup>, Y. Mitsumori <sup>111</sup>, O. Miu <sup>155</sup>, P.S. Miyagawa <sup>94</sup>,  
 T. Mkrtchyan <sup>63a</sup>, M. Mlinarevic <sup>96</sup>, T. Mlinarevic <sup>96</sup>, M. Mlynarikova <sup>36</sup>, S. Mobius <sup>19</sup>,  
 P. Moder <sup>48</sup>, P. Mogg <sup>109</sup>, A.F. Mohammed <sup>14a,14e</sup>, S. Mohapatra <sup>41</sup>, G. Mokgatitswane <sup>33g</sup>,  
 L. Moleri <sup>169</sup>, B. Mondal <sup>141</sup>, S. Mondal <sup>132</sup>, K. Mönig <sup>48</sup>, E. Monnier <sup>102</sup>,  
 L. Monsonis Romero <sup>163</sup>, J. Montejo Berlingen <sup>13</sup>, M. Montella <sup>119</sup>, F. Montekali <sup>77a,77b</sup>,  
 F. Monticelli <sup>90</sup>, S. Monzani <sup>69a,69c</sup>, N. Morange <sup>66</sup>, A.L. Moreira De Carvalho <sup>130a</sup>,  
 M. Moreno Llácer <sup>163</sup>, C. Moreno Martinez <sup>56</sup>, P. Moretini <sup>57b</sup>, S. Morgenstern <sup>36</sup>, M. Morii <sup>61</sup>,

M. Morinaga <sup>153</sup>, A.K. Morley <sup>36</sup>, F. Morodei <sup>75a,75b</sup>, L. Morvaj <sup>36</sup>, P. Moschovakos <sup>36</sup>,  
B. Moser <sup>36</sup>, M. Mosidze <sup>149b</sup>, T. Moskalets <sup>54</sup>, P. Moskvitina <sup>113</sup>, J. Moss <sup>31,m</sup>, E.J.W. Moyses <sup>103</sup>,  
O. Mtintsilana <sup>33g</sup>, S. Muanza <sup>102</sup>, J. Mueller <sup>129</sup>, D. Muenstermann <sup>91</sup>, R. Müller <sup>19</sup>,  
G.A. Mullier <sup>161</sup>, A.J. Mullin <sup>32</sup>, J.J. Mullin <sup>128</sup>, D.P. Mungo <sup>155</sup>, D. Munoz Perez <sup>163</sup>,  
F.J. Munoz Sanchez <sup>101</sup>, M. Murin <sup>101</sup>, W.J. Murray <sup>167,134</sup>, A. Murrone <sup>71a,71b</sup>, J.M. Muse <sup>120</sup>,  
M. Muškinja <sup>17a</sup>, C. Mwewa <sup>29</sup>, A.G. Myagkov <sup>37,a</sup>, A.J. Myers <sup>8</sup>, A.A. Myers <sup>129</sup>, G. Myers <sup>68</sup>,  
M. Myska <sup>132</sup>, B.P. Nachman <sup>17a</sup>, O. Nackenhorst <sup>49</sup>, A. Nag <sup>50</sup>, K. Nagai <sup>126</sup>, K. Nagano <sup>84</sup>,  
J.L. Nagle <sup>29,aj</sup>, E. Nagy <sup>102</sup>, A.M. Nairz <sup>36</sup>, Y. Nakahama <sup>84</sup>, K. Nakamura <sup>84</sup>, K. Nakkalil <sup>5</sup>,  
H. Nanjo <sup>124</sup>, R. Narayan <sup>44</sup>, E.A. Narayanan <sup>112</sup>, I. Naryshkin <sup>37</sup>, M. Naseri <sup>34</sup>, S. Nasri <sup>159</sup>,  
C. Nass <sup>24</sup>, G. Navarro <sup>22a</sup>, J. Navarro-Gonzalez <sup>163</sup>, R. Nayak <sup>151</sup>, A. Nayaz <sup>18</sup>,  
P.Y. Nechaeva <sup>37</sup>, F. Nechansky <sup>48</sup>, L. Nedic <sup>126</sup>, T.J. Neep <sup>20</sup>, A. Negri <sup>73a,73b</sup>, M. Negrini <sup>23b</sup>,  
C. Nellist <sup>114</sup>, C. Nelson <sup>104</sup>, K. Nelson <sup>106</sup>, S. Nemecek <sup>131</sup>, M. Nessi <sup>36,h</sup>, M.S. Neubauer <sup>162</sup>,  
F. Neuhaus <sup>100</sup>, J. Neundorff <sup>48</sup>, R. Newhouse <sup>164</sup>, P.R. Newman <sup>20</sup>, C.W. Ng <sup>129</sup>, Y.W.Y. Ng <sup>48</sup>,  
B. Ngair <sup>35e</sup>, H.D.N. Nguyen <sup>108</sup>, R.B. Nickerson <sup>126</sup>, R. Nicolaidou <sup>135</sup>, J. Nielsen <sup>136</sup>,  
M. Niemeyer <sup>55</sup>, J. Niermann <sup>55,36</sup>, N. Nikiforou <sup>36</sup>, V. Nikolaenko <sup>37,a</sup>, I. Nikolic-Audit <sup>127</sup>,  
K. Nikolopoulos <sup>20</sup>, P. Nilsson <sup>29</sup>, I. Ninca <sup>48</sup>, H.R. Nindhito <sup>56</sup>, G. Ninio <sup>151</sup>, A. Nisati <sup>75a</sup>,  
N. Nishu <sup>2</sup>, R. Nisius <sup>110</sup>, J-E. Nitschke <sup>50</sup>, E.K. Nkadimeng <sup>33g</sup>, T. Nobe <sup>153</sup>, D.L. Noel <sup>32</sup>,  
T. Nommensen <sup>147</sup>, M.B. Norfolk <sup>139</sup>, R.R.B. Norisam <sup>96</sup>, B.J. Norman <sup>34</sup>, J. Novak <sup>93</sup>,  
T. Novak <sup>48</sup>, L. Novotny <sup>132</sup>, R. Novotny <sup>112</sup>, L. Nozka <sup>122</sup>, K. Ntekas <sup>160</sup>,  
N.M.J. Nunes De Moura Junior <sup>83b</sup>, E. Nurse <sup>96</sup>, J. Ocariz <sup>127</sup>, A. Ochi <sup>85</sup>, I. Ochoa <sup>130a</sup>,  
S. Oerdek <sup>48</sup>, J.T. Offermann <sup>39</sup>, A. Ogrodnik <sup>133</sup>, A. Oh <sup>101</sup>, C.C. Ohm <sup>144</sup>, H. Oide <sup>84</sup>,  
R. Oishi <sup>153</sup>, M.L. Ojeda <sup>48</sup>, M.W. O'Keefe <sup>92</sup>, Y. Okumura <sup>153</sup>, L.F. Oleiro Seabra <sup>130a</sup>,  
S.A. Olivares Pino <sup>137d</sup>, D. Oliveira Damazio <sup>29</sup>, D. Oliveira Goncalves <sup>83a</sup>, J.L. Oliver <sup>160</sup>,  
A. Olszewski <sup>87</sup>, Ö.O. Öncel <sup>54</sup>, A.P. O'Neill <sup>19</sup>, A. Onofre <sup>130a,130e</sup>, P.U.E. Onyisi <sup>11</sup>,  
M.J. Oreglia <sup>39</sup>, G.E. Orellana <sup>90</sup>, D. Orestano <sup>77a,77b</sup>, N. Orlando <sup>13</sup>, R.S. Orr <sup>155</sup>,  
V. O'Shea <sup>59</sup>, L.M. Osojnak <sup>128</sup>, R. Ospanov <sup>62a</sup>, G. Otero y Garzon <sup>30</sup>, H. Otono <sup>89</sup>,  
P.S. Ott <sup>63a</sup>, G.J. Ottino <sup>17a</sup>, M. Ouchrif <sup>35d</sup>, J. Ouellette <sup>29</sup>, F. Ould-Saada <sup>125</sup>, M. Owen <sup>59</sup>,  
R.E. Owen <sup>134</sup>, K.Y. Oyulmaz <sup>21a</sup>, V.E. Ozcan <sup>21a</sup>, N. Ozturk <sup>8</sup>, S. Ozturk <sup>82</sup>, H.A. Pacey <sup>126</sup>,  
A. Pacheco Pages <sup>13</sup>, C. Padilla Aranda <sup>13</sup>, G. Padovano <sup>75a,75b</sup>, S. Pagan Griso <sup>17a</sup>,  
G. Palacino <sup>68</sup>, A. Palazzo <sup>70a,70b</sup>, S. Palestini <sup>36</sup>, J. Pan <sup>172</sup>, T. Pan <sup>64a</sup>, D.K. Panchal <sup>11</sup>,  
C.E. Pandini <sup>114</sup>, J.G. Panduro Vazquez <sup>95</sup>, H.D. Pandya <sup>1</sup>, H. Pang <sup>14b</sup>, P. Pani <sup>48</sup>,  
G. Panizzo <sup>69a,69c</sup>, L. Paolozzi <sup>56</sup>, C. Papadatos <sup>108</sup>, S. Parajuli <sup>44</sup>, A. Paramonov <sup>6</sup>,  
C. Paraskevopoulos <sup>10</sup>, D. Paredes Hernandez <sup>64b</sup>, T.H. Park <sup>155</sup>, M.A. Parker <sup>32</sup>, F. Parodi <sup>57b,57a</sup>,  
E.W. Parrish <sup>115</sup>, V.A. Parrish <sup>52</sup>, J.A. Parsons <sup>41</sup>, U. Parzefall <sup>54</sup>, B. Pascual Dias <sup>108</sup>,  
L. Pascual Dominguez <sup>151</sup>, E. Pasqualucci <sup>75a</sup>, S. Passaggio <sup>57b</sup>, F. Pastore <sup>95</sup>, P. Pasuwan <sup>47a,47b</sup>,  
P. Patel <sup>87</sup>, U.M. Patel <sup>51</sup>, J.R. Pater <sup>101</sup>, T. Pauly <sup>36</sup>, J. Parkes <sup>143</sup>, M. Pedersen <sup>125</sup>,  
R. Pedro <sup>130a</sup>, S.V. Peleganchuk <sup>37</sup>, O. Penc <sup>36</sup>, E.A. Pender <sup>52</sup>, H. Peng <sup>62a</sup>, K.E. Penski <sup>109</sup>,  
M. Penzin <sup>37</sup>, B.S. Peralva <sup>83d</sup>, A.P. Pereira Peixoto <sup>60</sup>, L. Pereira Sanchez <sup>47a,47b</sup>,  
D.V. Perepelitsa <sup>29,aj</sup>, E. Perez Codina <sup>156a</sup>, M. Perganti <sup>10</sup>, L. Perini <sup>71a,71b,\*</sup>, H. Pernegger <sup>36</sup>,  
O. Perrin <sup>40</sup>, K. Peters <sup>48</sup>, R.F.Y. Peters <sup>101</sup>, B.A. Petersen <sup>36</sup>, T.C. Petersen <sup>42</sup>, E. Petit <sup>102</sup>,  
V. Petousis <sup>132</sup>, C. Petridou <sup>152,e</sup>, A. Petrukhin <sup>141</sup>, M. Pettee <sup>17a</sup>, N.E. Pettersson <sup>36</sup>,  
A. Petukhov <sup>37</sup>, K. Petukhova <sup>133</sup>, R. Pezoa <sup>137f</sup>, L. Pezzotti <sup>36</sup>, G. Pezzullo <sup>172</sup>, T.M. Pham <sup>170</sup>,  
T. Pham <sup>105</sup>, P.W. Phillips <sup>134</sup>, G. Piacquadio <sup>145</sup>, E. Pianori <sup>17a</sup>, F. Piazza <sup>71a,71b</sup>, R. Piegai <sup>30</sup>,  
D. Pietreanu <sup>27b</sup>, A.D. Pilkington <sup>101</sup>, M. Pinamonti <sup>69a,69c</sup>, J.L. Pinfeld <sup>2</sup>,  
B.C. Pinheiro Pereira <sup>130a</sup>, A.E. Pinto Pinoargote <sup>100,135</sup>, L. Pintucci <sup>69a,69c</sup>, K.M. Piper <sup>146</sup>,  
A. Pirttikoski <sup>56</sup>, D.A. Pizzi <sup>34</sup>, L. Pizzimento <sup>64b</sup>, A. Pizzini <sup>114</sup>, M.-A. Pleier <sup>29</sup>, V. Plesanovs <sup>54</sup>,  
V. Pleskot <sup>133</sup>, E. Plotnikova <sup>38</sup>, G. Poddar <sup>4</sup>, R. Poettgen <sup>98</sup>, L. Poggioli <sup>127</sup>, I. Pokharel <sup>55</sup>,

S. Polacek <sup>133</sup>, G. Polesello <sup>73a</sup>, A. Poley <sup>142,156a</sup>, R. Polifka <sup>132</sup>, A. Polini <sup>23b</sup>, C.S. Pollard <sup>167</sup>,  
 Z.B. Pollock <sup>119</sup>, V. Polychronakos <sup>29</sup>, E. Pompa Pacchi <sup>75a,75b</sup>, D. Ponomarenko <sup>113</sup>,  
 L. Pontecorvo <sup>36</sup>, S. Popa <sup>27a</sup>, G.A. Popeneciu <sup>27d</sup>, A. Poreba <sup>36</sup>, D.M. Portillo Quintero <sup>156a</sup>,  
 S. Pospisil <sup>132</sup>, M.A. Postill <sup>139</sup>, P. Postolache <sup>27c</sup>, K. Potamianos <sup>167</sup>, P.A. Potepa <sup>86a</sup>,  
 I.N. Potrap <sup>38</sup>, C.J. Potter <sup>32</sup>, H. Potti <sup>1</sup>, T. Poulsen <sup>48</sup>, J. Poveda <sup>163</sup>, M.E. Pozo Astigarraga <sup>36</sup>,  
 A. Prades Ibanez <sup>163</sup>, J. Pretel <sup>54</sup>, D. Price <sup>101</sup>, M. Primavera <sup>70a</sup>, M.A. Principe Martin <sup>99</sup>,  
 R. Privara <sup>122</sup>, T. Procter <sup>59</sup>, M.L. Proffitt <sup>138</sup>, N. Proklova <sup>128</sup>, K. Prokofiev <sup>64c</sup>, G. Proto <sup>110</sup>,  
 S. Protopopescu <sup>29</sup>, J. Proudfoot <sup>6</sup>, M. Przybycien <sup>86a</sup>, W.W. Przygoda <sup>86b</sup>, J.E. Puddefoot <sup>139</sup>,  
 D. Pudzha <sup>37</sup>, D. Pyatiizbyantseva <sup>37</sup>, J. Qian <sup>106</sup>, D. Qichen <sup>101</sup>, Y. Qin <sup>101</sup>, T. Qiu <sup>52</sup>,  
 A. Quadt <sup>55</sup>, M. Queitsch-Maitland <sup>101</sup>, G. Quetant <sup>56</sup>, R.P. Quinn <sup>164</sup>, G. Rabanal Bolanos <sup>61</sup>,  
 D. Rafanoharana <sup>54</sup>, F. Ragusa <sup>71a,71b</sup>, J.L. Rainbolt <sup>39</sup>, J.A. Raine <sup>56</sup>, S. Rajagopalan <sup>29</sup>,  
 E. Ramakoti <sup>37</sup>, K. Ran <sup>48,14e</sup>, N.P. Rapheeha <sup>33g</sup>, H. Rasheed <sup>27b</sup>, V. Raskina <sup>127</sup>,  
 D.F. Rassloff <sup>63a</sup>, S. Rave <sup>100</sup>, B. Ravina <sup>55</sup>, I. Ravinovich <sup>169</sup>, M. Raymond <sup>36</sup>, A.L. Read <sup>125</sup>,  
 N.P. Readioff <sup>139</sup>, D.M. Rebuzzi <sup>73a,73b</sup>, G. Redlinger <sup>29</sup>, A.S. Reed <sup>110</sup>, K. Reeves <sup>26</sup>,  
 J.A. Reidelsturz <sup>171</sup>, D. Reikher <sup>151</sup>, A. Rej <sup>141</sup>, C. Rembser <sup>36</sup>, A. Renardi <sup>48</sup>, M. Renda <sup>27b</sup>,  
 M.B. Rendel <sup>110</sup>, F. Renner <sup>48</sup>, A.G. Rennie <sup>160</sup>, A.L. Rescia <sup>48</sup>, S. Resconi <sup>71a</sup>,  
 M. Ressegotti <sup>57b,57a</sup>, S. Rettie <sup>36</sup>, J.G. Reyes Rivera <sup>107</sup>, E. Reynolds <sup>17a</sup>, O.L. Rezanova <sup>37</sup>,  
 P. Reznicek <sup>133</sup>, N. Ribaric <sup>91</sup>, E. Ricci <sup>78a,78b</sup>, R. Richter <sup>110</sup>, S. Richter <sup>47a,47b</sup>,  
 E. Richter-Was <sup>86b</sup>, M. Ridel <sup>127</sup>, S. Ridouani <sup>35d</sup>, P. Rieck <sup>117</sup>, P. Riedler <sup>36</sup>, E.M. Riefel <sup>47a,47b</sup>,  
 M. Rijssenbeek <sup>145</sup>, A. Rimoldi <sup>73a,73b</sup>, M. Rimoldi <sup>48</sup>, L. Rinaldi <sup>23b,23a</sup>, T.T. Rinn <sup>29</sup>,  
 M.P. Rinnagel <sup>109</sup>, G. Ripellino <sup>161</sup>, I. Riu <sup>13</sup>, P. Rivadeneira <sup>48</sup>, J.C. Rivera Vergara <sup>165</sup>,  
 F. Rizatdinova <sup>121</sup>, E. Rizvi <sup>94</sup>, B.A. Roberts <sup>167</sup>, B.R. Roberts <sup>17a</sup>, S.H. Robertson <sup>104,x</sup>,  
 D. Robinson <sup>32</sup>, C.M. Robles Gajardo <sup>137f</sup>, M. Robles Manzano <sup>100</sup>, A. Robson <sup>59</sup>, A. Rocchi <sup>76a,76b</sup>,  
 C. Roda <sup>74a,74b</sup>, S. Rodriguez Bosca <sup>63a</sup>, Y. Rodriguez Garcia <sup>22a</sup>, A. Rodriguez Rodriguez <sup>54</sup>,  
 A.M. Rodríguez Vera <sup>156b</sup>, S. Roe <sup>36</sup>, J.T. Roemer <sup>160</sup>, A.R. Roepe-Gier <sup>136</sup>, J. Roggel <sup>171</sup>,  
 O. Røhne <sup>125</sup>, R.A. Rojas <sup>103</sup>, C.P.A. Roland <sup>68</sup>, J. Roloff <sup>29</sup>, A. Romaniouk <sup>37</sup>,  
 E. Romano <sup>73a,73b</sup>, M. Romano <sup>23b</sup>, A.C. Romero Hernandez <sup>162</sup>, N. Rompotis <sup>92</sup>, L. Roos <sup>127</sup>,  
 S. Rosati <sup>75a</sup>, B.J. Rosser <sup>39</sup>, E. Rossi <sup>126</sup>, E. Rossi <sup>72a,72b</sup>, L.P. Rossi <sup>57b</sup>, L. Rossini <sup>54</sup>,  
 R. Rosten <sup>119</sup>, M. Rotaru <sup>27b</sup>, B. Rottler <sup>54</sup>, C. Rougier <sup>102,ab</sup>, D. Rousseau <sup>66</sup>, D. Rousso <sup>32</sup>,  
 A. Roy <sup>162</sup>, S. Roy-Garand <sup>155</sup>, A. Rozanov <sup>102</sup>, Y. Rozen <sup>150</sup>, X. Ruan <sup>33g</sup>,  
 A. Rubio Jimenez <sup>163</sup>, A.J. Ruby <sup>92</sup>, V.H. Ruelas Rivera <sup>18</sup>, T.A. Ruggeri <sup>1</sup>, A. Ruggiero <sup>126</sup>,  
 A. Ruiz-Martinez <sup>163</sup>, A. Rummler <sup>36</sup>, Z. Rurikova <sup>54</sup>, N.A. Rusakovich <sup>38</sup>, H.L. Russell <sup>165</sup>,  
 G. Russo <sup>75a,75b</sup>, J.P. Rutherford <sup>7</sup>, S. Rutherford Colmenares <sup>32</sup>, K. Rybacki <sup>91</sup>, M. Rybar <sup>133</sup>,  
 E.B. Rye <sup>125</sup>, A. Ryzhov <sup>44</sup>, J.A. Sabater Iglesias <sup>56</sup>, P. Sabatini <sup>163</sup>, L. Sabetta <sup>75a,75b</sup>,  
 H.F.W. Sadrozinski <sup>136</sup>, F. Safai Tehrani <sup>75a</sup>, B. Safarzadeh Samani <sup>146</sup>, M. Safdari <sup>143</sup>,  
 S. Saha <sup>165</sup>, M. Sahinsoy <sup>110</sup>, M. Saimpert <sup>135</sup>, M. Saito <sup>153</sup>, T. Saito <sup>153</sup>, D. Salamani <sup>36</sup>,  
 A. Salnikov <sup>143</sup>, J. Salt <sup>163</sup>, A. Salvador Salas <sup>13</sup>, D. Salvatore <sup>43b,43a</sup>, F. Salvatore <sup>146</sup>,  
 A. Salzburger <sup>36</sup>, D. Sammel <sup>54</sup>, D. Sampsonidis <sup>152,e</sup>, D. Sampsonidou <sup>123</sup>, J. Sánchez <sup>163</sup>,  
 A. Sanchez Pineda <sup>4</sup>, V. Sanchez Sebastian <sup>163</sup>, H. Sandaker <sup>125</sup>, C.O. Sander <sup>48</sup>,  
 J.A. Sandesara <sup>103</sup>, M. Sandhoff <sup>171</sup>, C. Sandoval <sup>22b</sup>, D.P.C. Sankey <sup>134</sup>, T. Sano <sup>88</sup>,  
 A. Sansoni <sup>53</sup>, L. Santi <sup>75a,75b</sup>, C. Santoni <sup>40</sup>, H. Santos <sup>130a,130b</sup>, S.N. Santpur <sup>17a</sup>, A. Santra <sup>169</sup>,  
 K.A. Saoucha <sup>116b</sup>, J.G. Saraiva <sup>130a,130d</sup>, J. Sardain <sup>7</sup>, O. Sasaki <sup>84</sup>, K. Sato <sup>157</sup>, C. Sauer <sup>63b</sup>,  
 F. Sauerburger <sup>54</sup>, E. Sauvan <sup>4</sup>, P. Savard <sup>155,ah</sup>, R. Sawada <sup>153</sup>, C. Sawyer <sup>134</sup>, L. Sawyer <sup>97</sup>,  
 I. Sayago Galvan <sup>163</sup>, C. Sbarra <sup>23b</sup>, A. Sbrizzi <sup>23b,23a</sup>, T. Scanlon <sup>96</sup>, J. Schaarschmidt <sup>138</sup>,  
 P. Schacht <sup>110</sup>, D. Schaefer <sup>39</sup>, U. Schäfer <sup>100</sup>, A.C. Schaffer <sup>66,44</sup>, D. Schaile <sup>109</sup>,  
 R.D. Schamberger <sup>145</sup>, C. Scharf <sup>18</sup>, M.M. Schefer <sup>19</sup>, V.A. Schegelsky <sup>37</sup>, D. Scheirich <sup>133</sup>,  
 F. Schenck <sup>18</sup>, M. Schernau <sup>160</sup>, C. Scheulen <sup>55</sup>, C. Schiavi <sup>57b,57a</sup>, E.J. Schioppa <sup>70a,70b</sup>,

M. Schioppa [ID43b,43a](#), B. Schlag [ID143,o](#), K.E. Schleicher [ID54](#), S. Schlenker [ID36](#), J. Schmeing [ID171](#),  
M.A. Schmidt [ID171](#), K. Schmieden [ID100](#), C. Schmitt [ID100](#), S. Schmitt [ID48](#), L. Schoeffel [ID135](#),  
A. Schoening [ID63b](#), P.G. Scholer [ID54](#), E. Schopf [ID126](#), M. Schott [ID100](#), J. Schovancova [ID36](#),  
S. Schramm [ID56](#), F. Schroeder [ID171](#), T. Schroer [ID56](#), H-C. Schultz-Coulon [ID63a](#), M. Schumacher [ID54](#),  
B.A. Schumm [ID136](#), Ph. Schune [ID135](#), A.J. Schuy [ID138](#), H.R. Schwartz [ID136](#), A. Schwartzman [ID143](#),  
T.A. Schwarz [ID106](#), Ph. Schwemling [ID135](#), R. Schwienhorst [ID107](#), A. Sciandra [ID136](#), G. Sciolla [ID26](#),  
F. Scuri [ID74a](#), C.D. Sebastiani [ID92](#), K. Sedlaczek [ID115](#), P. Seema [ID18](#), S.C. Seidel [ID112](#), A. Seiden [ID136](#),  
B.D. Seidlitz [ID41](#), C. Seitz [ID48](#), J.M. Seixas [ID83b](#), G. Sekhniaidze [ID72a](#), S.J. Sekula [ID44](#), L. Selem [ID60](#),  
N. Semprini-Cesari [ID23b,23a](#), D. Sengupta [ID56](#), V. Senthilkumar [ID163](#), L. Serin [ID66](#), L. Serkin [ID69a,69b](#),  
M. Sessa [ID76a,76b](#), H. Severini [ID120](#), F. Sforza [ID57b,57a](#), A. Sfyrla [ID56](#), E. Shabalina [ID55](#), R. Shaheen [ID144](#),  
J.D. Shahinian [ID128](#), D. Shaked Renous [ID169](#), L.Y. Shan [ID14a](#), M. Shapiro [ID17a](#), A. Sharma [ID36](#),  
A.S. Sharma [ID164](#), P. Sharma [ID80](#), S. Sharma [ID48](#), P.B. Shatalov [ID37](#), K. Shaw [ID146](#), S.M. Shaw [ID101](#),  
A. Shcherbakova [ID37](#), Q. Shen [ID62c,5](#), P. Sherwood [ID96](#), L. Shi [ID96](#), X. Shi [ID14a](#), C.O. Shimmin [ID172](#),  
J.D. Shinner [ID95](#), I.P.J. Shipsey [ID126](#), S. Shirabe [ID56,h](#), M. Shiyakova [ID38,v](#), J. Shlomi [ID169](#),  
M.J. Shochet [ID39](#), J. Shojaii [ID105](#), D.R. Shope [ID125](#), B. Shrestha [ID120](#), S. Shrestha [ID119,ak](#),  
E.M. Shrif [ID33g](#), M.J. Shroff [ID165](#), P. Sicho [ID131](#), A.M. Sickles [ID162](#), E. Sideras Haddad [ID33g](#),  
A. Sidoti [ID23b](#), F. Siegert [ID50](#), Dj. Sijacki [ID15](#), R. Sikora [ID86a](#), F. Sili [ID90](#), J.M. Silva [ID20](#),  
M.V. Silva Oliveira [ID29](#), S.B. Silverstein [ID47a](#), S. Simion [ID66](#), R. Simoniello [ID36](#), E.L. Simpson [ID59](#),  
H. Simpson [ID146](#), L.R. Simpson [ID106](#), N.D. Simpson [ID98](#), S. Simsek [ID82](#), S. Sindhu [ID55](#), P. Sinervo [ID155](#),  
S. Singh [ID155](#), S. Sinha [ID48](#), S. Sinha [ID101](#), M. Sioli [ID23b,23a](#), I. Siral [ID36](#), E. Sitnikova [ID48](#),  
S.Yu. Sivoklov [ID37,\\*](#), J. Sjölin [ID47a,47b](#), A. Skaf [ID55](#), E. Skorda [ID20](#), P. Skubic [ID120](#), M. Slawinska [ID87](#),  
V. Smakhtin [ID169](#), B.H. Smart [ID134](#), J. Smiesko [ID36](#), S.Yu. Smirnov [ID37](#), Y. Smirnov [ID37](#),  
L.N. Smirnova [ID37,a](#), O. Smirnova [ID98](#), A.C. Smith [ID41](#), E.A. Smith [ID39](#), H.A. Smith [ID126](#),  
J.L. Smith [ID92](#), R. Smith [ID143](#), M. Smizanska [ID91](#), K. Smolek [ID132](#), A.A. Snesarev [ID37](#), S.R. Snider [ID155](#),  
H.L. Snoek [ID114](#), S. Snyder [ID29](#), R. Sobie [ID165,x](#), A. Soffer [ID151](#), C.A. Solans Sanchez [ID36](#),  
E.Yu. Soldatov [ID37](#), U. Soldevila [ID163](#), A.A. Solodkov [ID37](#), S. Solomon [ID26](#), A. Soloshenko [ID38](#),  
K. Solovieva [ID54](#), O.V. Solovyanov [ID40](#), V. Solovyev [ID37](#), P. Sommer [ID36](#), A. Sonay [ID13](#),  
W.Y. Song [ID156b](#), J.M. Sonneveld [ID114](#), A. Sopczak [ID132](#), A.L. Sopio [ID96](#), F. Sopkova [ID28b](#),  
V. Sothilingam [ID63a](#), S. Sottocornola [ID68](#), R. Soualah [ID116b](#), Z. Soumami [ID35e](#), D. South [ID48](#),  
N. Soybelman [ID169](#), S. Spagnolo [ID70a,70b](#), M. Spalla [ID110](#), D. Sperlich [ID54](#), G. Spigo [ID36](#), S. Spinali [ID91](#),  
D.P. Spiteri [ID59](#), M. Spousta [ID133](#), E.J. Staats [ID34](#), A. Stabile [ID71a,71b](#), R. Stamen [ID63a](#), A. Stampekis [ID20](#),  
M. Standke [ID24](#), E. Stanecka [ID87](#), M.V. Stange [ID50](#), B. Stanislaus [ID17a](#), M.M. Stanitzki [ID48](#), B. Stapf [ID48](#),  
E.A. Starchenko [ID37](#), G.H. Stark [ID136](#), J. Stark [ID102,ab](#), D.M. Starke [ID156b](#), P. Staroba [ID131](#),  
P. Starovoitov [ID63a](#), S. Stärz [ID104](#), R. Staszewski [ID87](#), G. Stavropoulos [ID46](#), J. Steentoft [ID161](#),  
P. Steinberg [ID29](#), B. Stelzer [ID142,156a](#), H.J. Stelzer [ID129](#), O. Stelzer-Chilton [ID156a](#), H. Stenzel [ID58](#),  
T.J. Stevenson [ID146](#), G.A. Stewart [ID36](#), J.R. Stewart [ID121](#), M.C. Stockton [ID36](#), G. Stoicea [ID27b](#),  
M. Stolarski [ID130a](#), S. Stonjek [ID110](#), A. Straessner [ID50](#), J. Strandberg [ID144](#), S. Strandberg [ID47a,47b](#),  
M. Stratmann [ID171](#), M. Strauss [ID120](#), T. Strebler [ID102](#), P. Strizenec [ID28b](#), R. Ströhmer [ID166](#),  
D.M. Strom [ID123](#), L.R. Strom [ID48](#), R. Stroynowski [ID44](#), A. Strubig [ID47a,47b](#), S.A. Stucci [ID29](#),  
B. Stugu [ID16](#), J. Stupak [ID120](#), N.A. Styles [ID48](#), D. Su [ID143](#), S. Su [ID62a](#), W. Su [ID62d](#), X. Su [ID62a,66](#),  
K. Sugizaki [ID153](#), V.V. Sulin [ID37](#), M.J. Sullivan [ID92](#), D.M.S. Sultan [ID78a,78b](#), L. Sultanaliyeva [ID37](#),  
S. Sultansoy [ID3b](#), T. Sumida [ID88](#), S. Sun [ID106](#), S. Sun [ID170](#), O. Sunneborn Gudnadottir [ID161](#), N. Sur [ID102](#),  
M.R. Sutton [ID146](#), H. Suzuki [ID157](#), M. Svatos [ID131](#), M. Swiatlowski [ID156a](#), T. Swirski [ID166](#),  
I. Sykora [ID28a](#), M. Sykora [ID133](#), T. Sykora [ID133](#), D. Ta [ID100](#), K. Tackmann [ID48,u](#), A. Taffard [ID160](#),  
R. Tafirout [ID156a](#), J.S. Tafoya Vargas [ID66](#), E.P. Takeva [ID52](#), Y. Takubo [ID84](#), M. Talby [ID102](#),  
A.A. Talyshv [ID37](#), K.C. Tam [ID64b](#), N.M. Tamir [ID151](#), A. Tanaka [ID153](#), J. Tanaka [ID153](#), R. Tanaka [ID66](#),  
M. Tanasini [ID57b,57a](#), Z. Tao [ID164](#), S. Tapia Araya [ID137f](#), S. Tapprogge [ID100](#),

A. Tarek Abouelfadl Mohamed [ID107](#), S. Tarem [ID150](#), K. Tariq [ID14a](#), G. Tarna [ID102,27b](#), G.F. Tartarelli [ID71a](#),  
 P. Tas [ID133](#), M. Tasevsky [ID131](#), E. Tassi [ID43b,43a](#), A.C. Tate [ID162](#), G. Tateno [ID153](#), Y. Tayalati [ID35e,w](#),  
 G.N. Taylor [ID105](#), W. Taylor [ID156b](#), H. Teagle<sup>92</sup>, A.S. Tee [ID170](#), R. Teixeira De Lima [ID143](#),  
 P. Teixeira-Dias [ID95](#), J.J. Teoh [ID155](#), K. Terashi [ID153](#), J. Terron [ID99](#), S. Terzo [ID13](#), M. Testa [ID53](#),  
 R.J. Teuscher [ID155,x](#), A. Thaler [ID79](#), O. Theiner [ID56](#), N. Themistokleous [ID52](#), T. Theveneaux-Pelzer [ID102](#),  
 O. Thielmann [ID171](#), D.W. Thomas<sup>95</sup>, J.P. Thomas [ID20](#), E.A. Thompson [ID17a](#), P.D. Thompson [ID20](#),  
 E. Thomson [ID128](#), Y. Tian [ID55](#), V. Tikhomirov [ID37,a](#), Yu.A. Tikhonov [ID37](#), S. Timoshenko<sup>37</sup>,  
 D. Timoshyn [ID133](#), E.X.L. Ting [ID1](#), P. Tipton [ID172](#), S.H. Tlou [ID33g](#), A. Tnourji [ID40](#), K. Todome [ID154](#),  
 S. Todorova-Nova [ID133](#), S. Todt<sup>50</sup>, M. Togawa [ID84](#), J. Tojo [ID89](#), S. Tokár [ID28a](#), K. Tokushuku [ID84](#),  
 O. Toldaiev [ID68](#), R. Tombs [ID32](#), M. Tomoto [ID84,111](#), L. Tompkins [ID143,o](#), K.W. Topolnicki [ID86b](#),  
 E. Torrence [ID123](#), H. Torres [ID102,ab](#), E. Torró Pastor [ID163](#), M. Toscani [ID30](#), C. Tosciri [ID39](#), M. Tost [ID11](#),  
 D.R. Tovey [ID139](#), A. Traeet<sup>16</sup>, I.S. Trandafir [ID27b](#), T. Trefzger [ID166](#), A. Tricoli [ID29](#), I.M. Trigger [ID156a](#),  
 S. Trincaz-Duvoid [ID127](#), D.A. Trischuk [ID26](#), B. Trocmé [ID60](#), C. Troncon [ID71a](#), L. Truong [ID33c](#),  
 M. Trzebinski [ID87](#), A. Trzupiek [ID87](#), F. Tsai [ID145](#), M. Tsai [ID106](#), A. Tsiamis [ID152,e](#), P.V. Tsiareshka<sup>37</sup>,  
 S. Tsigaridas [ID156a](#), A. Tsirigotis [ID152,s](#), V. Tsiskaridze [ID155](#), E.G. Tskhadadze [ID149a](#),  
 M. Tsopoulou [ID152,e](#), Y. Tsujikawa [ID88](#), I.I. Tsukerman [ID37](#), V. Tsulaia [ID17a](#), S. Tsuno [ID84](#), O. Tsur<sup>150</sup>,  
 K. Tsuru [ID118](#), D. Tsybychev [ID145](#), Y. Tu [ID64b](#), A. Tudorache [ID27b](#), V. Tudorache [ID27b](#), A.N. Tuna [ID36](#),  
 S. Turchikhin [ID57b,57a](#), I. Turk Cakir [ID3a](#), R. Turra [ID71a](#), T. Turtuvshin [ID38,y](#), P.M. Tuts [ID41](#),  
 S. Tzamarias [ID152,e](#), P. Tzanis [ID10](#), E. Tzovara [ID100](#), F. Ukegawa [ID157](#), P.A. Ulloa Poblete [ID137c,137b](#),  
 E.N. Umaka [ID29](#), G. Unal [ID36](#), M. Unal [ID11](#), A. Undrus [ID29](#), G. Unel [ID160](#), J. Urban [ID28b](#),  
 P. Urquijo [ID105](#), G. Usai [ID8](#), R. Ushioda [ID154](#), M. Usman [ID108](#), Z. Uysal [ID21b](#), L. Vacavant [ID102](#),  
 V. Vacek [ID132](#), B. Vachon [ID104](#), K.O.H. Vadla [ID125](#), T. Vafeiadis [ID36](#), A. Vaitkus [ID96](#), C. Valderanis [ID109](#),  
 E. Valdes Santurio [ID47a,47b](#), M. Valente [ID156a](#), S. Valentinetti [ID23b,23a](#), A. Valero [ID163](#),  
 E. Valiente Moreno [ID163](#), A. Vallier [ID102,ab](#), J.A. Valls Ferrer [ID163](#), D.R. Van Arneman [ID114](#),  
 T.R. Van Daalen [ID138](#), A. Van Der Graaf [ID49](#), P. Van Gemmeren [ID6](#), M. Van Rijnbach [ID125,36](#),  
 S. Van Stroud [ID96](#), I. Van Vulpen [ID114](#), M. Vanadia [ID76a,76b](#), W. Vandelli [ID36](#), M. Vandenbroucke [ID135](#),  
 E.R. Vandewall [ID121](#), D. Vannicola [ID151](#), L. Vannoli [ID57b,57a](#), R. Vari [ID75a](#), E.W. Varnes [ID7](#),  
 C. Varni [ID17b](#), T. Varol [ID148](#), D. Varouchas [ID66](#), L. Varriale [ID163](#), K.E. Varvell [ID147](#), M.E. Vasile [ID27b](#),  
 L. Vaslin<sup>40</sup>, G.A. Vasquez [ID165](#), A. Vasyukov [ID38](#), F. Vazeille [ID40](#), T. Vazquez Schroeder [ID36](#),  
 J. Veatch [ID31](#), V. Vecchio [ID101](#), M.J. Veen [ID103](#), I. Veliscek [ID126](#), L.M. Veloce [ID155](#), F. Veloso [ID130a,130c](#),  
 S. Veneziano [ID75a](#), A. Ventura [ID70a,70b](#), S. Ventura Gonzalez [ID135](#), A. Verbytskyi [ID110](#),  
 M. Verducci [ID74a,74b](#), C. Vergis [ID24](#), M. Verissimo De Araujo [ID83b](#), W. Verkerke [ID114](#),  
 J.C. Vermeulen [ID114](#), C. Vernieri [ID143](#), M. Vessella [ID103](#), M.C. Vetterli [ID142,ah](#), A. Vgenopoulos [ID152,e](#),  
 N. Viaux Maira [ID137f](#), T. Vickey [ID139](#), O.E. Vickey Boeriu [ID139](#), G.H.A. Viehhauser [ID126](#), L. Vignani [ID63b](#),  
 M. Villa [ID23b,23a](#), M. Villaplana Perez [ID163](#), E.M. Villhauer<sup>52</sup>, E. Vilucchi [ID53](#), M.G. Vincter [ID34](#),  
 G.S. Virdee [ID20](#), A. Vishwakarma [ID52](#), A. Visibile<sup>114</sup>, C. Vittori [ID36](#), I. Vivarelli [ID146](#), V. Vladimirov<sup>167</sup>,  
 E. Voevodina [ID110](#), F. Vogel [ID109](#), P. Vokac [ID132](#), Yu. Volkotrub [ID86a](#), J. Von Ahnen [ID48](#),  
 E. Von Toerne [ID24](#), B. Vormwald [ID36](#), V. Vorobel [ID133](#), K. Vorobev [ID37](#), M. Vos [ID163](#), K. Voss [ID141](#),  
 J.H. Vossebeld [ID92](#), M. Vozak [ID114](#), L. Vozdecky [ID94](#), N. Vranjes [ID15](#), M. Vranjes Milosavljevic [ID15](#),  
 M. Vreeswijk [ID114](#), R. Vuillermet [ID36](#), O. Vujinovic [ID100](#), I. Vukotic [ID39](#), S. Wada [ID157](#), C. Wagner<sup>103</sup>,  
 J.M. Wagner [ID17a](#), W. Wagner [ID171](#), S. Wahdan [ID171](#), H. Wahlberg [ID90](#), M. Wakida [ID111](#), J. Walder [ID134](#),  
 R. Walker [ID109](#), W. Walkowiak [ID141](#), A. Wall [ID128](#), T. Wamorkar [ID6](#), A.Z. Wang [ID170](#), C. Wang [ID100](#),  
 C. Wang [ID62c](#), H. Wang [ID17a](#), J. Wang [ID64a](#), R.-J. Wang [ID100](#), R. Wang [ID61](#), R. Wang [ID6](#),  
 S.M. Wang [ID148](#), S. Wang [ID62b](#), T. Wang [ID62a](#), W.T. Wang [ID80](#), W. Wang [ID14a](#), X. Wang [ID14c](#),  
 X. Wang [ID162](#), X. Wang [ID62c](#), Y. Wang [ID62d](#), Y. Wang [ID14c](#), Z. Wang [ID106](#), Z. Wang [ID62d,51,62c](#),  
 Z. Wang [ID106](#), A. Warburton [ID104](#), R.J. Ward [ID20](#), N. Warrack [ID59](#), A.T. Watson [ID20](#), H. Watson [ID59](#),  
 M.F. Watson [ID20](#), E. Watton [ID59,134](#), G. Watts [ID138](#), B.M. Waugh [ID96](#), C. Weber [ID29](#), H.A. Weber [ID18](#),

M.S. Weber <sup>19</sup>, S.M. Weber <sup>63a</sup>, C. Wei <sup>62a</sup>, Y. Wei <sup>126</sup>, A.R. Weidberg <sup>126</sup>, E.J. Weik <sup>117</sup>, J. Weingarten <sup>49</sup>, M. Weirich <sup>100</sup>, C. Weiser <sup>54</sup>, C.J. Wells <sup>48</sup>, T. Wenaus <sup>29</sup>, B. Wendland <sup>49</sup>, T. Wengler <sup>36</sup>, N.S. Wenke<sup>110</sup>, N. Vermes <sup>24</sup>, M. Wessels <sup>63a</sup>, A.M. Wharton <sup>91</sup>, A.S. White <sup>61</sup>, A. White <sup>8</sup>, M.J. White <sup>1</sup>, D. Whiteson <sup>160</sup>, L. Wickremasinghe <sup>124</sup>, W. Wiedenmann <sup>170</sup>, C. Wiel <sup>50</sup>, M. Wielers <sup>134</sup>, C. Wiglesworth <sup>42</sup>, D.J. Wilbern<sup>120</sup>, H.G. Wilkens <sup>36</sup>, D.M. Williams <sup>41</sup>, H.H. Williams<sup>128</sup>, S. Williams <sup>32</sup>, S. Willocq <sup>103</sup>, B.J. Wilson <sup>101</sup>, P.J. Windischhofer <sup>39</sup>, F.I. Winkel <sup>30</sup>, F. Winklmeier <sup>123</sup>, B.T. Winter <sup>54</sup>, J.K. Winter <sup>101</sup>, M. Wittgen<sup>143</sup>, M. Wobisch <sup>97</sup>, Z. Wolffs <sup>114</sup>, J. Wollrath<sup>160</sup>, M.W. Wolter <sup>87</sup>, H. Wolters <sup>130a,130c</sup>, A.F. Wongel <sup>48</sup>, S.D. Worm <sup>48</sup>, B.K. Wosiek <sup>87</sup>, K.W. Woźniak <sup>87</sup>, S. Wozniowski <sup>55</sup>, K. Wraight <sup>59</sup>, C. Wu <sup>20</sup>, J. Wu <sup>14a,14e</sup>, M. Wu <sup>64a</sup>, M. Wu <sup>113</sup>, S.L. Wu <sup>170</sup>, X. Wu <sup>56</sup>, Y. Wu <sup>62a</sup>, Z. Wu <sup>135</sup>, J. Wuerzinger <sup>110,af</sup>, T.R. Wyatt <sup>101</sup>, B.M. Wynne <sup>52</sup>, S. Xella <sup>42</sup>, L. Xia <sup>14c</sup>, M. Xia <sup>14b</sup>, J. Xiang <sup>64c</sup>, M. Xie <sup>62a</sup>, X. Xie <sup>62a</sup>, S. Xin <sup>14a,14e</sup>, J. Xiong <sup>17a</sup>, D. Xu <sup>14a</sup>, H. Xu <sup>62a</sup>, L. Xu <sup>62a</sup>, R. Xu <sup>128</sup>, T. Xu <sup>106</sup>, Y. Xu <sup>14b</sup>, Z. Xu <sup>52</sup>, Z. Xu <sup>14a</sup>, B. Yabsley <sup>147</sup>, S. Yacoub <sup>33a</sup>, Y. Yamaguchi <sup>154</sup>, E. Yamashita <sup>153</sup>, H. Yamauchi <sup>157</sup>, T. Yamazaki <sup>17a</sup>, Y. Yamazaki <sup>85</sup>, J. Yan <sup>62c</sup>, S. Yan <sup>126</sup>, Z. Yan <sup>25</sup>, H.J. Yang <sup>62c,62d</sup>, H.T. Yang <sup>62a</sup>, S. Yang <sup>62a</sup>, T. Yang <sup>64c</sup>, X. Yang <sup>62a</sup>, X. Yang <sup>14a</sup>, Y. Yang <sup>44</sup>, Y. Yang <sup>62a</sup>, Z. Yang <sup>62a</sup>, W-M. Yao <sup>17a</sup>, Y.C. Yap <sup>48</sup>, H. Ye <sup>14c</sup>, H. Ye <sup>55</sup>, J. Ye <sup>14a</sup>, S. Ye <sup>29</sup>, X. Ye <sup>62a</sup>, Y. Yeh <sup>96</sup>, I. Yeletsikh <sup>38</sup>, B.K. Yeo <sup>17b</sup>, M.R. Yexley <sup>96</sup>, P. Yin <sup>41</sup>, K. Yorita <sup>168</sup>, S. Younas <sup>27b</sup>, C.J.S. Young <sup>36</sup>, C. Young <sup>143</sup>, C. Yu <sup>14a,14e</sup>, Y. Yu <sup>62a</sup>, M. Yuan <sup>106</sup>, R. Yuan <sup>62b,k</sup>, L. Yue <sup>96</sup>, M. Zaazoua <sup>62a</sup>, B. Zabinski <sup>87</sup>, E. Zaid<sup>52</sup>, T. Zakareishvili <sup>149b</sup>, N. Zakharchuk <sup>34</sup>, S. Zambito <sup>56</sup>, J.A. Zamora Saa <sup>137d,137b</sup>, J. Zang <sup>153</sup>, D. Zanzi <sup>54</sup>, O. Zaplatilek <sup>132</sup>, C. Zeitnitz <sup>171</sup>, H. Zeng <sup>14a</sup>, J.C. Zeng <sup>162</sup>, D.T. Zenger Jr <sup>26</sup>, O. Zenin <sup>37</sup>, T. Ženiš <sup>28a</sup>, S. Zenz <sup>94</sup>, S. Zerradi <sup>35a</sup>, D. Zerwas <sup>66</sup>, M. Zhai <sup>14a,14e</sup>, B. Zhang <sup>14c</sup>, D.F. Zhang <sup>139</sup>, J. Zhang <sup>62b</sup>, J. Zhang <sup>6</sup>, K. Zhang <sup>14a,14e</sup>, L. Zhang <sup>14c</sup>, P. Zhang <sup>14a,14e</sup>, R. Zhang <sup>170</sup>, S. Zhang <sup>106</sup>, T. Zhang <sup>153</sup>, X. Zhang <sup>62c</sup>, X. Zhang <sup>62b</sup>, Y. Zhang <sup>62c,5</sup>, Y. Zhang <sup>96</sup>, Z. Zhang <sup>17a</sup>, Z. Zhang <sup>66</sup>, H. Zhao <sup>138</sup>, P. Zhao <sup>51</sup>, T. Zhao <sup>62b</sup>, Y. Zhao <sup>136</sup>, Z. Zhao <sup>62a</sup>, A. Zhemchugov <sup>38</sup>, J. Zheng <sup>14c</sup>, K. Zheng <sup>162</sup>, X. Zheng <sup>62a</sup>, Z. Zheng <sup>143</sup>, D. Zhong <sup>162</sup>, B. Zhou <sup>106</sup>, H. Zhou <sup>7</sup>, N. Zhou <sup>62c</sup>, Y. Zhou<sup>7</sup>, C.G. Zhu <sup>62b</sup>, J. Zhu <sup>106</sup>, Y. Zhu <sup>62c</sup>, Y. Zhu <sup>62a</sup>, X. Zhuang <sup>14a</sup>, K. Zhukov <sup>37</sup>, V. Zhulanov <sup>37</sup>, N.I. Zimine <sup>38</sup>, J. Zinsser <sup>63b</sup>, M. Ziolkowski <sup>141</sup>, L. Živković <sup>15</sup>, A. Zoccoli <sup>23b,23a</sup>, K. Zoch <sup>56</sup>, T.G. Zorbas <sup>139</sup>, O. Zormpa <sup>46</sup>, W. Zou <sup>41</sup>, L. Zwalinski <sup>36</sup>.

<sup>1</sup>Department of Physics, University of Adelaide, Adelaide; Australia.

<sup>2</sup>Department of Physics, University of Alberta, Edmonton AB; Canada.

<sup>3</sup>(<sup>a</sup>)Department of Physics, Ankara University, Ankara; (<sup>b</sup>)Division of Physics, TOBB University of Economics and Technology, Ankara; Türkiye.

<sup>4</sup>LAPP, Université Savoie Mont Blanc, CNRS/IN2P3, Annecy; France.

<sup>5</sup>APC, Université Paris Cité, CNRS/IN2P3, Paris; France.

<sup>6</sup>High Energy Physics Division, Argonne National Laboratory, Argonne IL; United States of America.

<sup>7</sup>Department of Physics, University of Arizona, Tucson AZ; United States of America.

<sup>8</sup>Department of Physics, University of Texas at Arlington, Arlington TX; United States of America.

<sup>9</sup>Physics Department, National and Kapodistrian University of Athens, Athens; Greece.

<sup>10</sup>Physics Department, National Technical University of Athens, Zografou; Greece.

<sup>11</sup>Department of Physics, University of Texas at Austin, Austin TX; United States of America.

<sup>12</sup>Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.

<sup>13</sup>Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona; Spain.

- <sup>14</sup>(<sup>a</sup>)Institute of High Energy Physics, Chinese Academy of Sciences, Beijing;<sup>(b)</sup>Physics Department, Tsinghua University, Beijing;<sup>(c)</sup>Department of Physics, Nanjing University, Nanjing;<sup>(d)</sup>School of Science, Shenzhen Campus of Sun Yat-sen University;<sup>(e)</sup>University of Chinese Academy of Science (UCAS), Beijing; China.
- <sup>15</sup>Institute of Physics, University of Belgrade, Belgrade; Serbia.
- <sup>16</sup>Department for Physics and Technology, University of Bergen, Bergen; Norway.
- <sup>17</sup>(<sup>a</sup>)Physics Division, Lawrence Berkeley National Laboratory, Berkeley CA;<sup>(b)</sup>University of California, Berkeley CA; United States of America.
- <sup>18</sup>Institut für Physik, Humboldt Universität zu Berlin, Berlin; Germany.
- <sup>19</sup>Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern; Switzerland.
- <sup>20</sup>School of Physics and Astronomy, University of Birmingham, Birmingham; United Kingdom.
- <sup>21</sup>(<sup>a</sup>)Department of Physics, Bogazici University, Istanbul;<sup>(b)</sup>Department of Physics Engineering, Gaziantep University, Gaziantep;<sup>(c)</sup>Department of Physics, Istanbul University, Istanbul; Türkiye.
- <sup>22</sup>(<sup>a</sup>)Facultad de Ciencias y Centro de Investigaciones, Universidad Antonio Nariño, Bogotá;<sup>(b)</sup>Departamento de Física, Universidad Nacional de Colombia, Bogotá; Colombia.
- <sup>23</sup>(<sup>a</sup>)Dipartimento di Fisica e Astronomia A. Righi, Università di Bologna, Bologna;<sup>(b)</sup>INFN Sezione di Bologna; Italy.
- <sup>24</sup>Physikalisches Institut, Universität Bonn, Bonn; Germany.
- <sup>25</sup>Department of Physics, Boston University, Boston MA; United States of America.
- <sup>26</sup>Department of Physics, Brandeis University, Waltham MA; United States of America.
- <sup>27</sup>(<sup>a</sup>)Transilvania University of Brasov, Brasov;<sup>(b)</sup>Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest;<sup>(c)</sup>Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi;<sup>(d)</sup>National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj-Napoca;<sup>(e)</sup>University Politehnica Bucharest, Bucharest;<sup>(f)</sup>West University in Timisoara, Timisoara;<sup>(g)</sup>Faculty of Physics, University of Bucharest, Bucharest; Romania.
- <sup>28</sup>(<sup>a</sup>)Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava;<sup>(b)</sup>Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice; Slovak Republic.
- <sup>29</sup>Physics Department, Brookhaven National Laboratory, Upton NY; United States of America.
- <sup>30</sup>Universidad de Buenos Aires, Facultad de Ciencias Exactas y Naturales, Departamento de Física, y CONICET, Instituto de Física de Buenos Aires (IFIBA), Buenos Aires; Argentina.
- <sup>31</sup>California State University, CA; United States of America.
- <sup>32</sup>Cavendish Laboratory, University of Cambridge, Cambridge; United Kingdom.
- <sup>33</sup>(<sup>a</sup>)Department of Physics, University of Cape Town, Cape Town;<sup>(b)</sup>iThemba Labs, Western Cape;<sup>(c)</sup>Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg;<sup>(d)</sup>National Institute of Physics, University of the Philippines Diliman (Philippines);<sup>(e)</sup>University of South Africa, Department of Physics, Pretoria;<sup>(f)</sup>University of Zululand, KwaDlangezwa;<sup>(g)</sup>School of Physics, University of the Witwatersrand, Johannesburg; South Africa.
- <sup>34</sup>Department of Physics, Carleton University, Ottawa ON; Canada.
- <sup>35</sup>(<sup>a</sup>)Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies - Université Hassan II, Casablanca;<sup>(b)</sup>Faculté des Sciences, Université Ibn-Tofail, Kénitra;<sup>(c)</sup>Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech;<sup>(d)</sup>LPMR, Faculté des Sciences, Université Mohamed Premier, Oujda;<sup>(e)</sup>Faculté des sciences, Université Mohammed V, Rabat;<sup>(f)</sup>Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco.
- <sup>36</sup>CERN, Geneva; Switzerland.
- <sup>37</sup>Affiliated with an institute covered by a cooperation agreement with CERN.

- <sup>38</sup>Affiliated with an international laboratory covered by a cooperation agreement with CERN.
- <sup>39</sup>Enrico Fermi Institute, University of Chicago, Chicago IL; United States of America.
- <sup>40</sup>LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand; France.
- <sup>41</sup>Nevis Laboratory, Columbia University, Irvington NY; United States of America.
- <sup>42</sup>Niels Bohr Institute, University of Copenhagen, Copenhagen; Denmark.
- <sup>43</sup>(<sup>a</sup>)Dipartimento di Fisica, Università della Calabria, Rende; (<sup>b</sup>)INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; Italy.
- <sup>44</sup>Physics Department, Southern Methodist University, Dallas TX; United States of America.
- <sup>45</sup>Physics Department, University of Texas at Dallas, Richardson TX; United States of America.
- <sup>46</sup>National Centre for Scientific Research "Demokritos", Agia Paraskevi; Greece.
- <sup>47</sup>(<sup>a</sup>)Department of Physics, Stockholm University; (<sup>b</sup>)Oskar Klein Centre, Stockholm; Sweden.
- <sup>48</sup>Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen; Germany.
- <sup>49</sup>Fakultät Physik, Technische Universität Dortmund, Dortmund; Germany.
- <sup>50</sup>Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden; Germany.
- <sup>51</sup>Department of Physics, Duke University, Durham NC; United States of America.
- <sup>52</sup>SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh; United Kingdom.
- <sup>53</sup>INFN e Laboratori Nazionali di Frascati, Frascati; Italy.
- <sup>54</sup>Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg; Germany.
- <sup>55</sup>II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen; Germany.
- <sup>56</sup>Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.
- <sup>57</sup>(<sup>a</sup>)Dipartimento di Fisica, Università di Genova, Genova; (<sup>b</sup>)INFN Sezione di Genova; Italy.
- <sup>58</sup>II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen; Germany.
- <sup>59</sup>SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow; United Kingdom.
- <sup>60</sup>LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble; France.
- <sup>61</sup>Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA; United States of America.
- <sup>62</sup>(<sup>a</sup>)Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei; (<sup>b</sup>)Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE), Shandong University, Qingdao; (<sup>c</sup>)School of Physics and Astronomy, Shanghai Jiao Tong University, Key Laboratory for Particle Astrophysics and Cosmology (MOE), SKLPPC, Shanghai; (<sup>d</sup>)Tsung-Dao Lee Institute, Shanghai; China.
- <sup>63</sup>(<sup>a</sup>)Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; (<sup>b</sup>)Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; Germany.
- <sup>64</sup>(<sup>a</sup>)Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong; (<sup>b</sup>)Department of Physics, University of Hong Kong, Hong Kong; (<sup>c</sup>)Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong; China.
- <sup>65</sup>Department of Physics, National Tsing Hua University, Hsinchu; Taiwan.
- <sup>66</sup>IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay; France.
- <sup>67</sup>Centro Nacional de Microelectrónica (IMB-CNM-CSIC), Barcelona; Spain.
- <sup>68</sup>Department of Physics, Indiana University, Bloomington IN; United States of America.
- <sup>69</sup>(<sup>a</sup>)INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; (<sup>b</sup>)ICTP, Trieste; (<sup>c</sup>)Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine; Italy.
- <sup>70</sup>(<sup>a</sup>)INFN Sezione di Lecce; (<sup>b</sup>)Dipartimento di Matematica e Fisica, Università del Salento, Lecce; Italy.
- <sup>71</sup>(<sup>a</sup>)INFN Sezione di Milano; (<sup>b</sup>)Dipartimento di Fisica, Università di Milano, Milano; Italy.
- <sup>72</sup>(<sup>a</sup>)INFN Sezione di Napoli; (<sup>b</sup>)Dipartimento di Fisica, Università di Napoli, Napoli; Italy.
- <sup>73</sup>(<sup>a</sup>)INFN Sezione di Pavia; (<sup>b</sup>)Dipartimento di Fisica, Università di Pavia, Pavia; Italy.
- <sup>74</sup>(<sup>a</sup>)INFN Sezione di Pisa; (<sup>b</sup>)Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa; Italy.



- <sup>75(a)</sup>INFN Sezione di Roma;<sup>(b)</sup>Dipartimento di Fisica, Sapienza Università di Roma, Roma; Italy.
- <sup>76(a)</sup>INFN Sezione di Roma Tor Vergata;<sup>(b)</sup>Dipartimento di Fisica, Università di Roma Tor Vergata, Roma; Italy.
- <sup>77(a)</sup>INFN Sezione di Roma Tre;<sup>(b)</sup>Dipartimento di Matematica e Fisica, Università Roma Tre, Roma; Italy.
- <sup>78(a)</sup>INFN-TIFPA;<sup>(b)</sup>Università degli Studi di Trento, Trento; Italy.
- <sup>79</sup>Universität Innsbruck, Department of Astro and Particle Physics, Innsbruck; Austria.
- <sup>80</sup>University of Iowa, Iowa City IA; United States of America.
- <sup>81</sup>Department of Physics and Astronomy, Iowa State University, Ames IA; United States of America.
- <sup>82</sup>Istinye University, Sariyer, Istanbul; Türkiye.
- <sup>83(a)</sup>Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora;<sup>(b)</sup>Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro;<sup>(c)</sup>Instituto de Física, Universidade de São Paulo, São Paulo;<sup>(d)</sup>Rio de Janeiro State University, Rio de Janeiro; Brazil.
- <sup>84</sup>KEK, High Energy Accelerator Research Organization, Tsukuba; Japan.
- <sup>85</sup>Graduate School of Science, Kobe University, Kobe; Japan.
- <sup>86(a)</sup>AGH University of Krakow, Faculty of Physics and Applied Computer Science, Krakow;<sup>(b)</sup>Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow; Poland.
- <sup>87</sup>Institute of Nuclear Physics Polish Academy of Sciences, Krakow; Poland.
- <sup>88</sup>Faculty of Science, Kyoto University, Kyoto; Japan.
- <sup>89</sup>Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka ; Japan.
- <sup>90</sup>Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata; Argentina.
- <sup>91</sup>Physics Department, Lancaster University, Lancaster; United Kingdom.
- <sup>92</sup>Oliver Lodge Laboratory, University of Liverpool, Liverpool; United Kingdom.
- <sup>93</sup>Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana; Slovenia.
- <sup>94</sup>School of Physics and Astronomy, Queen Mary University of London, London; United Kingdom.
- <sup>95</sup>Department of Physics, Royal Holloway University of London, Egham; United Kingdom.
- <sup>96</sup>Department of Physics and Astronomy, University College London, London; United Kingdom.
- <sup>97</sup>Louisiana Tech University, Ruston LA; United States of America.
- <sup>98</sup>Fysiska institutionen, Lunds universitet, Lund; Sweden.
- <sup>99</sup>Departamento de Física Teórica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid; Spain.
- <sup>100</sup>Institut für Physik, Universität Mainz, Mainz; Germany.
- <sup>101</sup>School of Physics and Astronomy, University of Manchester, Manchester; United Kingdom.
- <sup>102</sup>CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille; France.
- <sup>103</sup>Department of Physics, University of Massachusetts, Amherst MA; United States of America.
- <sup>104</sup>Department of Physics, McGill University, Montreal QC; Canada.
- <sup>105</sup>School of Physics, University of Melbourne, Victoria; Australia.
- <sup>106</sup>Department of Physics, University of Michigan, Ann Arbor MI; United States of America.
- <sup>107</sup>Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America.
- <sup>108</sup>Group of Particle Physics, University of Montreal, Montreal QC; Canada.
- <sup>109</sup>Fakultät für Physik, Ludwig-Maximilians-Universität München, München; Germany.
- <sup>110</sup>Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München; Germany.
- <sup>111</sup>Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya; Japan.
- <sup>112</sup>Department of Physics and Astronomy, University of New Mexico, Albuquerque NM; United States of America.

- <sup>113</sup>Institute for Mathematics, Astrophysics and Particle Physics, Radboud University/Nikhef, Nijmegen; Netherlands.
- <sup>114</sup>Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam; Netherlands.
- <sup>115</sup>Department of Physics, Northern Illinois University, DeKalb IL; United States of America.
- <sup>116</sup><sup>(a)</sup>New York University Abu Dhabi, Abu Dhabi;<sup>(b)</sup>University of Sharjah, Sharjah; United Arab Emirates.
- <sup>117</sup>Department of Physics, New York University, New York NY; United States of America.
- <sup>118</sup>Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo; Japan.
- <sup>119</sup>Ohio State University, Columbus OH; United States of America.
- <sup>120</sup>Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK; United States of America.
- <sup>121</sup>Department of Physics, Oklahoma State University, Stillwater OK; United States of America.
- <sup>122</sup>Palacký University, Joint Laboratory of Optics, Olomouc; Czech Republic.
- <sup>123</sup>Institute for Fundamental Science, University of Oregon, Eugene, OR; United States of America.
- <sup>124</sup>Graduate School of Science, Osaka University, Osaka; Japan.
- <sup>125</sup>Department of Physics, University of Oslo, Oslo; Norway.
- <sup>126</sup>Department of Physics, Oxford University, Oxford; United Kingdom.
- <sup>127</sup>LPNHE, Sorbonne Université, Université Paris Cité, CNRS/IN2P3, Paris; France.
- <sup>128</sup>Department of Physics, University of Pennsylvania, Philadelphia PA; United States of America.
- <sup>129</sup>Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA; United States of America.
- <sup>130</sup><sup>(a)</sup>Laboratório de Instrumentação e Física Experimental de Partículas - LIP, Lisboa;<sup>(b)</sup>Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa;<sup>(c)</sup>Departamento de Física, Universidade de Coimbra, Coimbra;<sup>(d)</sup>Centro de Física Nuclear da Universidade de Lisboa, Lisboa;<sup>(e)</sup>Departamento de Física, Universidade do Minho, Braga;<sup>(f)</sup>Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain);<sup>(g)</sup>Departamento de Física, Instituto Superior Técnico, Universidade de Lisboa, Lisboa; Portugal.
- <sup>131</sup>Institute of Physics of the Czech Academy of Sciences, Prague; Czech Republic.
- <sup>132</sup>Czech Technical University in Prague, Prague; Czech Republic.
- <sup>133</sup>Charles University, Faculty of Mathematics and Physics, Prague; Czech Republic.
- <sup>134</sup>Particle Physics Department, Rutherford Appleton Laboratory, Didcot; United Kingdom.
- <sup>135</sup>IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette; France.
- <sup>136</sup>Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA; United States of America.
- <sup>137</sup><sup>(a)</sup>Departamento de Física, Pontificia Universidad Católica de Chile, Santiago;<sup>(b)</sup>Millennium Institute for Subatomic physics at high energy frontier (SAPHIR), Santiago;<sup>(c)</sup>Instituto de Investigación Multidisciplinario en Ciencia y Tecnología, y Departamento de Física, Universidad de La Serena;<sup>(d)</sup>Universidad Andres Bello, Department of Physics, Santiago;<sup>(e)</sup>Instituto de Alta Investigación, Universidad de Tarapacá, Arica;<sup>(f)</sup>Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso; Chile.
- <sup>138</sup>Department of Physics, University of Washington, Seattle WA; United States of America.
- <sup>139</sup>Department of Physics and Astronomy, University of Sheffield, Sheffield; United Kingdom.
- <sup>140</sup>Department of Physics, Shinshu University, Nagano; Japan.
- <sup>141</sup>Department Physik, Universität Siegen, Siegen; Germany.
- <sup>142</sup>Department of Physics, Simon Fraser University, Burnaby BC; Canada.
- <sup>143</sup>SLAC National Accelerator Laboratory, Stanford CA; United States of America.

- <sup>144</sup>Department of Physics, Royal Institute of Technology, Stockholm; Sweden.
- <sup>145</sup>Departments of Physics and Astronomy, Stony Brook University, Stony Brook NY; United States of America.
- <sup>146</sup>Department of Physics and Astronomy, University of Sussex, Brighton; United Kingdom.
- <sup>147</sup>School of Physics, University of Sydney, Sydney; Australia.
- <sup>148</sup>Institute of Physics, Academia Sinica, Taipei; Taiwan.
- <sup>149</sup><sup>(a)</sup>E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi;<sup>(b)</sup>High Energy Physics Institute, Tbilisi State University, Tbilisi;<sup>(c)</sup>University of Georgia, Tbilisi; Georgia.
- <sup>150</sup>Department of Physics, Technion, Israel Institute of Technology, Haifa; Israel.
- <sup>151</sup>Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv; Israel.
- <sup>152</sup>Department of Physics, Aristotle University of Thessaloniki, Thessaloniki; Greece.
- <sup>153</sup>International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo; Japan.
- <sup>154</sup>Department of Physics, Tokyo Institute of Technology, Tokyo; Japan.
- <sup>155</sup>Department of Physics, University of Toronto, Toronto ON; Canada.
- <sup>156</sup><sup>(a)</sup>TRIUMF, Vancouver BC;<sup>(b)</sup>Department of Physics and Astronomy, York University, Toronto ON; Canada.
- <sup>157</sup>Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba; Japan.
- <sup>158</sup>Department of Physics and Astronomy, Tufts University, Medford MA; United States of America.
- <sup>159</sup>United Arab Emirates University, Al Ain; United Arab Emirates.
- <sup>160</sup>Department of Physics and Astronomy, University of California Irvine, Irvine CA; United States of America.
- <sup>161</sup>Department of Physics and Astronomy, University of Uppsala, Uppsala; Sweden.
- <sup>162</sup>Department of Physics, University of Illinois, Urbana IL; United States of America.
- <sup>163</sup>Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia - CSIC, Valencia; Spain.
- <sup>164</sup>Department of Physics, University of British Columbia, Vancouver BC; Canada.
- <sup>165</sup>Department of Physics and Astronomy, University of Victoria, Victoria BC; Canada.
- <sup>166</sup>Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg; Germany.
- <sup>167</sup>Department of Physics, University of Warwick, Coventry; United Kingdom.
- <sup>168</sup>Waseda University, Tokyo; Japan.
- <sup>169</sup>Department of Particle Physics and Astrophysics, Weizmann Institute of Science, Rehovot; Israel.
- <sup>170</sup>Department of Physics, University of Wisconsin, Madison WI; United States of America.
- <sup>171</sup>Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal; Germany.
- <sup>172</sup>Department of Physics, Yale University, New Haven CT; United States of America.
- <sup>a</sup> Also Affiliated with an institute covered by a cooperation agreement with CERN.
- <sup>b</sup> Also at An-Najah National University, Nablus; Palestine.
- <sup>c</sup> Also at Borough of Manhattan Community College, City University of New York, New York NY; United States of America.
- <sup>d</sup> Also at Center for High Energy Physics, Peking University; China.
- <sup>e</sup> Also at Center for Interdisciplinary Research and Innovation (CIRI-AUTH), Thessaloniki; Greece.
- <sup>f</sup> Also at Centro Studi e Ricerche Enrico Fermi; Italy.
- <sup>g</sup> Also at CERN, Geneva; Switzerland.
- <sup>h</sup> Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.
- <sup>i</sup> Also at Departament de Física de la Universitat Autònoma de Barcelona, Barcelona; Spain.

- j* Also at Department of Financial and Management Engineering, University of the Aegean, Chios; Greece.
- k* Also at Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America.
- l* Also at Department of Physics, Ben Gurion University of the Negev, Beer Sheva; Israel.
- m* Also at Department of Physics, California State University, Sacramento; United States of America.
- n* Also at Department of Physics, King's College London, London; United Kingdom.
- o* Also at Department of Physics, Stanford University, Stanford CA; United States of America.
- p* Also at Department of Physics, University of Fribourg, Fribourg; Switzerland.
- q* Also at Department of Physics, University of Thessaly; Greece.
- r* Also at Department of Physics, Westmont College, Santa Barbara; United States of America.
- s* Also at Hellenic Open University, Patras; Greece.
- t* Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona; Spain.
- u* Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg; Germany.
- v* Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia; Bulgaria.
- w* Also at Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco.
- x* Also at Institute of Particle Physics (IPP); Canada.
- y* Also at Institute of Physics and Technology, Ulaanbaatar; Mongolia.
- z* Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.
- aa* Also at Institute of Theoretical Physics, Ilia State University, Tbilisi; Georgia.
- ab* Also at L2IT, Université de Toulouse, CNRS/IN2P3, UPS, Toulouse; France.
- ac* Also at Lawrence Livermore National Laboratory, Livermore; United States of America.
- ad* Also at National Institute of Physics, University of the Philippines Diliman (Philippines); Philippines.
- ae* Also at Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo; Japan.
- af* Also at Technical University of Munich, Munich; Germany.
- ag* Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing; China.
- ah* Also at TRIUMF, Vancouver BC; Canada.
- ai* Also at Università di Napoli Parthenope, Napoli; Italy.
- aj* Also at University of Colorado Boulder, Department of Physics, Colorado; United States of America.
- ak* Also at Washington College, Chestertown, MD; United States of America.
- al* Also at Yeditepe University, Physics Department, Istanbul; Türkiye.
- \* Deceased