

PROCEEDINGS OF SPIE

SPIDigitalLibrary.org/conference-proceedings-of-spie

Front Matter: Volume 11852

, "Front Matter: Volume 11852," Proc. SPIE 11852, International Conference on Space Optics — ICSO 2020, 1185201 (11 June 2021); doi: 10.1117/12.2601252

SPIE.

Event: International Conference on Space Optics — ICSO 2021, 2021, Online Only

International Conference on Space Optics—ICSO 2020

Virtual Conference

30 March–2 April 2021

Edited by Bruno Cugny, Zoran Sodnik, and Nikos Karafolas



Table of Contents



International Conference on Space Optics — ICSO 2020, edited by Bruno Cugny, Zoran Sodnik, Nikos Karafolas, Proc. of SPIE Vol. 11852, 1185201 · © 2021 ESA and CNES
CCC code: 0277-786X/21/\$21 · doi: 10.1117/12.2601252

Proc. of SPIE Vol. 11852 1185201-1

Contents

PLENARY SESSION

- 11852 02 **Ongoing CNES space optics developments (Plenary Presentation)** [11852-1]
- 11852 04 **IASI-NG: when improving our understanding of the Earth atmosphere requires to multiply innovations in an operational meteorological programme (Plenary Presentation)** [11852-3]
- 11852 05 **LISA: Observing Universe with Gravitational Waves from space (Plenary Presentation)** [11852-4]

TELESCOPES

- 11852 06 **Optimization and additive manufacturing of a three-mirror-anastigmatic telescope** [11852-5]
- 11852 07 **Progress in ultra-lightweight glass ceramic space optics** [11852-6]
- 11852 08 **Optical design of six-mirror Anastigmat(6MA) off-axis freeform system** [11852-7]
- 11852 09 **Overview of PLATO's cameras on-ground and in-orbit calibration and characterisation** [11852-8]

IMAGER & RADIOMETER I

- 11852 0A **FCI PFM optical test results** [11852-9]
- 11852 0B **FCI instrument on-board MeteoSat Third Generation satellite: design and development status** [11852-10]
- 11852 0C **Design strategies of an unobscured three mirror telescope with freeform surfaces for infrared nanosatellite imagery** [11852-11]
- 11852 0D **CarbonHIGS** [11852-12]

INFRARED DETECTORS & MISCELLANEOUS TECHNOLOGIES

- 11852 0E **Meteosat Third Generation: presentation of the video detection chains** [11852-13]

11852 OF **HgCdTe APDs detector developments for high speed, low photon number and large dynamic range photo-detection** [11852-15]

SATELLITES QUANTUM COMMUNICATION I

11852 OG **Modular FSO optical system design for classical and quantum optical communication systems** [11852-16]

11852 OH **QKD terminal for Canada's Quantum Encryption and Science Satellite (QEYSSat)** [11852-17]

11852 OI **High performance optical free-space links for quantum communications** [11852-18]

11852 OJ **GEOQKD: quantum key distribution from a geostationary satellite** [11852-19]

SPECTROMETER COMPONENT I

11852 OK **The high precision double slit device of the slit assembly for the FLEX instrument** [11852-20]

11852 OL **Experimental validation of a 2D-slit homogenizer for space based imaging spectrometers** [11852-21]

11852 ON **Blazed gratings on convex substrates for high throughput spectrographs for Earth and Universe observation** [11852-23]

IMAGER & RADIOMETER II

11852 OO **Towards a next-generation Earth Radiation Budget radiometer by optimization of the cavity geometry and coating** [11852-24]

11852 OP **Optical design, challenges, and development of the METimage instrument** [11852-25]

11852 OQ **The TIR instrument on TRISHNA satellite: a precursor of high resolution observation missions in the thermal infrared domain** [11852-26]

11852 OR **The Multi Angle Polarimeter (MAP) on board ESA's Copernicus Carbon Dioxide Monitoring mission (CO2M)** [11852-27]

VISIBLE DETECTORS

11852 OS **Capella: CIS120 general purpose CMOS sensor for space applications** [11852-28]

- 11852 OT **Improved stability of black silicon detectors using aluminum oxide surface passivation** [11852-29]
- 11852 OV **High performance and high resolution CMOS camera for space applications (3DCM800)** [11852-31]
- 11852 OW **PolarCam micropolarizer cameras characterization and usage** [11852-32]

SATELLITES QUANTUM COMMUNICATION II

- 11852 OX **Modular adaptive optics solution for a QKD receiver on a fork mount telescope system** [11852-33]
- 11852 OY **QKD optical ground terminal developments** [11852-34]
- 11852 OZ **How to choose the best QKD network technology: three different satellite based scenarios compared** [11852-35]

IMAGER & RADIOMETER III

- 11852 10 **In-flight optical performance assessment for the Metis solar coronagraph** [11852-36]
- 11852 11 **First-light Science Observations of the Metis Solar Coronagraph** [11852-37]
- 11852 12 **First flight model optical performance test on the Flexible Combined Imager telescope assembly of Meteosat Third Generation** [11852-38]

VISIBLE & XRAY DETECTORS

- 11852 13 **Characterization and video chain development of the CMOS detector applied in the multi-angle spectro-polarimeter SPEXone** [11852-39]
- 11852 14 **The environmental test campaign of GMOD: a novel gamma-ray detector** [11852-40]
- 11852 15 **Design of a true HDR backside illuminated image sensor with charge domain binning** [11852-41]

OPTICAL FEEDER LINK TECHNOLOGY

- 11852 16 **System design of terabit-per-second capacity low earth orbit optical feeder links** [11852-42]
- 11852 17 **The H2020 VERTIGO project towards tbit/s optical feeder links** [11852-43]

- 11852 18 **Optical feeder-link between ESA's optical ground station and Alphasat** [11852-44]
- 11852 19 **Performance analysis of an adaptive optics based optical feeder link ground station** [11852-45]
- 11852 1A **CaNaPy: SatComm LGS-AO experimental platform with laser uplink pre-compensation** [11852-46]

COATING I

- 11852 1B **Non-linearly variable filters for spectro-imaging systems** [11852-47]
- 11852 1C **A breakthrough instrument for wide-range wavelength and angle resolved light scattering measurements of high performances optical coatings** [11852-48]
- 11852 1D **Mitigating damage precursors to improve the laser resistance of ion beam sputtered antireflective coatings** [11852-49]

SPECTROMETER I

- 11852 1E **The challenges of broadband performances within a compact imaging spectrometer: the ELOIS solution** [11852-50]
- 11852 1F **Meteosat third generation infrared sounder (MTG-IRS), interferometer and spectrometer test outcomes, demonstration of the new 3D metrology system efficiency** [11852-51]
- 11852 1G **Optimization of a compact static interferometer based on ImSPOC technology for a wide field polar lights monitoring** [11852-52]

ATM & LIBS LIDAR

- 11852 1H **Optical design and performance of the SuperCam instrument for the Perseverance rover** [11852-53]
- 11852 1I **Development of the VOILA LIBS instrument for volatiles scouting in polar regions of the Moon** [11852-54]
- 11852 1J **ESA Atmospheric LIDAR (ATLID) testing, qualification, and calibration** [11852-55]

LASER COMMUNICATION TECHNOLOGIES FOR CONSTELLATIONS

- 11852 1K **Miniaturized optical communications modules for space applications** [11852-56]

11852 1L **The H2020-SPACE-ORIONAS project: “Lasercom-on-chip” for high-speed satellite constellation interconnectivity** [11852-57]

OPTICAL AND QUANTUM COMMUNICATIONS

11852 1M **Adaptive optical satellite network architecture** [11852-58]

COATING II & BONDING

11852 1N **Improvement of molecular adhesion for spatial applications at Thales SESO over the past 20 years** [11852-59]

11852 1O **Sophisticated band pass filters by PARMS technology for the 3MI project** [11852-60]

11852 1P **UV bandpass filters based on Ta₂O₅ and ZrO₂ for solar observation** [11852-61]

11852 1Q **Au coatings for spaced based reflectors** [11852-62]

SPECTROMETER COMPONENT II

11852 1R **Manufacturing of microCarb critical optical components and their impact on the instrument's performances** [11852-63]

SPECTROMETER II

11852 1S **Progress in freeform mirror design for space applications** [11852-64]

11852 1T **Design, manufacturing, alignment, and testing of the Back Telescope assembly of the MeteoSat Third Generation InfraRed Sounder (MTG-IRS)** [11852-65]

GHG LIDAR

11852 1U **Design and pre-development of an airborne multi-species differential absorption Lidar system for water vapor and HDO isotope, carbon dioxide, and methane observation** [11852-66]

11852 1V **Recent advances on fiber-based laser and Lidar systems for future space-borne monitoring of greenhouse gas** [11852-67]

11852 1W **2- μ m hybrid laser emitter for future carbon dioxide space-borne lidar measurement** [11852-68]

DEEP SPACE & HP LASER TECHNOLOGY

- 11852 1X **A trade-off study of lunar-earth optical communication links** [11852-69]
- 11852 1Y **Space qualification of a 10W single-mode PM optical amplifiers in the 1.5- μ m region** [11852-70]

ATHENA

- 11852 1Z **X-ray mirror development and production for the Athena telescope** [11852-71]
- 11852 20 **The Athena x-ray optics development and accommodation** [11852-72]
- 11852 21 **Assembly integration and testing facility for the x-ray telescope of ATHENA** [11852-73]
- 11852 22 **X-ray facility for the characterization of the Athena mirror modules at the ALBA synchrotron** [11852-74]
- 11852 23 **Testing ATHENA optics: a new measurement standard at the PANTER x-ray test facility** [11852-163]

SPECTROMETER III

- 11852 24 **Far infrared Fourier transform spectrometer breadboard activities for the FORUM mission, ESA's 9th Earth Explorer** [11852-75]
- 11852 25 **FORUM payload study for phase A/B1 by a consortium led by OHB System AG and TAS-UK** [11852-76]
- 11852 26 **The JUICE ultraviolet spectrograph: a next-generation compact UVS for ESA's JUICE mission** [11852-77]
- 11852 27 **IASI NG instrument performance status** [11852-140]

WIND LIDAR

- 11852 28 **Correlation wind Lidar with an array detector and photon counting** [11852-78]
- 11852 29 **Ground-based general purpose Doppler-lidar: a technology for Doppler-aerosol measurements and beyond** [11852-79]

OPTICAL GROUND STATION

- 11852 2A **Adaptive optics upgrades for laser communications to the ESA optical ground station** [11852-80]
- 11852 2B **Optical bench development for laser communication OSIRIS mission at Grasse (France) station** [11852-81]
- 11852 2C **Accuracy of satellite orbit prediction and optical design of optical ground station beacons for satellite-to-ground optical communication** [11852-82]
- 11852 2D **CATS: continuous turbulence characterization station for both optical link and astronomical support** [11852-83]

MISCELLANEOUS OPTICAL TECHNOLOGY

- 11852 2E **Making compact and innovative dual-band thermal imagers using hybrid optical elements** [11852-84]
- 11852 2F **Cryogenic optics for space applications** [11852-85]
- 11852 2G **Experimental study of 3.6-meter segmented-aperture telescope for geostationary Earth observation satellite** [11852-86]
- 11852 2H **Active optics in deployable systems for future earth observation and science missions** [11852-87]
- 11852 2I **Correlation of subsurface damage and surface roughness on ZERODUR ground surfaces by using rotation table peripheral grinding process** [11852-88]

SPECTROMETER IV

- 11852 2J **Development of a space spectropolarimeter for full stokes parameters retrieval** [11852-89]
- 11852 2K **CHIME's hyperspectral imaging spectrometer design result from phase A/B1** [11852-90]
- 11852 2L **NanoCarb spaceborne miniaturized GHG sensor: first experimental results** [11852-91]
- 11852 2M **Sentinel 5 instrument and UV1 spectrometer subsystem optical design and development** [11852-92]

LASER TECHNOLOGY

- 11852 2N **Successful space qualification of DFB laser diodes at 1542 nm wavelength for METOP-SG IASI-NG LASE** [11852-93]

- 11852 2O **Design and space qualification of laser for laser altimeter** [11852-94]
- 11852 2P **New development for SuperCam Laser: UV conversion for spectroscopy and downsizing for compact LIBS instrument** [11852-95]
- 11852 2Q **Optical and optomechanical design of the MERLIN laser optical bench** [11852-96]
- 11852 2R **Flight laser module monitoring during ExoMars Raman laser spectrometer environmental testing** [11852-97]

SCIENTIFIC PAYLOAD & STV

- 11852 2S **Monitoring of JUICE optical fibers during thermal cycles keeping the optical connectors at different stable temperatures in 3-chambers setup** [11852-98]
- 11852 2T **Optical harness and receiver for future L-band radiometer** [11852-99]
- 11852 2U **Carbon epoxy composite curing process monitoring using high resolution optical fiber sensors** [11852-100]
- 11852 2V **High performance chirped microwave generator for space applications** [11852-101]
- 11852 2W **Advancement of photonic integration technology for space applications: a x-band scan-on-receive synthetic aperture radar receiver with electro-photonic beamforming and frequency down-conversion capability** [11852-302]

ACTIVE & ADAPTIVE OPTICS/AIT

- 11852 2X **Alignment turning and assembly of the Sentinel 4 optical modules** [11852-103]
- 11852 2Y **Full scale active telescope engineering model** [11852-104]
- 11852 2Z **EUCLID's very large telescope ALIGNMENT** [11852-105]
- 11852 30 **Alignment and integration off-axis mirrors for space applications** [11852-106]
- 11852 31 **Space-qualified Piezo Based Deformable Mirror for future Instruments with Active Optics** [11852-107]

SPECTROMETER V

- 11852 32 **Polarimetric calibration of a spectro-polarimeter for remote sensing and characterization of aerosols** [11852-108]

- 11852 33 **SENTINEL-4 combined optical assemblies** [11852-109]
- 11852 34 **Optical and system performance of SPEXone, a multi-angle channeled spectropolarimeter for the NASA PACE mission** [11852-110]
- 11852 35 **A stray light correction analysis framework for the calibration of Sentinel-4/UVN** [11852-111]

CALIBRATION & LASER TECHNOLOGY

- 11852 36 **Speckle reduction system by using spatial and temporal scrambler in integrating sphere** [11852-112]
- 11852 37 **Advanced laser sources for Sentinel-5/UVNS instrument calibration** [11852-113]
- 11852 39 **Novel optical frequency comb technology demonstrator for space** [11852-115]
- 11852 3A **Evaluation of the reliability of pump combiners** [11852-116]

CUBESAT TECHNOLOGY

- 11852 3B **Modeling of piezoelectric actuator's hysteresis and its effect on the control accuracy of a LEO-to-GEO laser-communication for a small satellite** [11852-117]
- 11852 3C **Optical front-end for a quantum key distribution cubesat** [11852-118]
- 11852 3D **CubeSat laser infrared crosslink mission status** [11852-119]

METROLOGY

- 11852 3E **Analysis of temperature-induced drift rate error in interferometric multi-core fiber optic gyroscope** [11852-120]
- 11852 3F **Digital Sun sensors, where there is no ease, in adding ten degrees** [11852-121]
- 11852 3G **Optical fiber sensor for atmospheric reentry experiments** [11852-122]
- 11852 3H **The fine guidance system of the PLATO mission** [11852-123]
- 11852 3I **Proof-of-concept demonstrator for the off-axis retroreflector interferometer configuration for NGGM** [11852-124]

SPECTROMETER VI

- 11852 3J **Compact hyperspectral instruments** [11852-125]
- 11852 3K **Instrumental design of the Solar Observing Satellite: solar-C_EUVST** [11852-126]
- 11852 3L **In-orbit characterization of the ISRF** [11852-127]
- 11852 3M **The Copernicus CO2M mission for monitoring anthropogenic carbon dioxide emissions from space** [11852-128]
- 11852 3N **MOEMS-based spectro-imagers for Earth and Universe Observation** [11852-129]

LISA I

- 11852 3O **Development of an all PM mode lock fiber laser for space borne frequency reference** [11852-130]
- 11852 3P **Towards the development of a compact-monolithic optical assembly for Telecom laser frequency stabilization for LISA ground tests and other applications** [11852-131]
- 11852 3Q **Effective cross sections for stray light calculations in laser interferometry: application to LISA science interferometer** [11852-132]

SATCOM I

- 11852 3R **Photonic integrated technology for space applications** [11852-133]
- 11852 3S **A photonic beamformer based on complex-valued filtering of wavelength-division multiplexed signals** [11852-134]
- 11852 3T **Final demonstration results of OPTIMA, photonic payload for telecommunication satellites** [11852-135]

SCIENTIFIC & FP I

- 11852 3U **Feasibility study of an interferometric Small-Sat to study exoplanets** [11852-136]
- 11852 3W **Design, performance, and potential scientific applications of the evanescent wave coronagraph with an adjustable inner working angle** [11852-138]
- 11852 3X **UV-BIOMarker Mapper Raman optical instrument for Venus atmosphere (UV-BIOMAP)** [11852-139]

SPECTROMETER VII

- 11852 3Y **IASI-NG development status** [11852-141]
- 11852 3Z **Instrumental development of NanoCarb, a new spectro-imaging sensor** [11852-142]

LISA II

- 11852 40 **Laser-based satellite positioning system for space gravitational wave detector DECIGO**
[11852-143]
- 11852 41 **Coherent detection of the light backscattered by an optical surface** [11852-144]
- 11852 42 **LISA optical metrology: tilt-to-pathlength coupling effects on the picometer scale** [11852-145]

SATCOM II

- 11852 43 **Microwave photonic frequency generation and conversion unit design for Ka-band satellite payloads** [11852-146]
- 11852 44 **Photonic components for spacecraft fiber optic datalinks and free-space optical communications terminals** [11852-147]
- 11852 45 **High-power photoreceivers for large dynamic range: high frequency photonic RF links**
[11852-148]
- 11852 46 **Photonics-based ultra-low phase noise X-band microwave generation** [11852-149]

SCIENTIFIC & FP II

- 11852 47 **Studies on the mid-term effects of the double-modulation CPT clock** [11852-150]
- 11852 48 **In-flight calibration of Metis coronagraph on board of Solar Orbiter** [11852-151]

C&C/OGSE

- 11852 4A **Space spectrograph design to calibration** [11852-153]
- 11852 4B **OGSE absolute radiometric calibration in VIS and NIR** [11852-154]

- 11852 4D **Optical alignment, characterization, and testing through image-based output beam analysis: application to Sentinel 5 OGSE** [11852-156]
- 11852 4E **Sentinel-5 OGSE: large aperture sun simulator** [11852-157]

ATMOSPHERIC TURBULENCE MITIGATION TECHNIQUES

- 11852 4G **Prediction of atmospheric turbulence by means of WRF model for optical communications** [11852-159]
- 11852 4H **Power and spectrum efficiencies of an optical satellite uplink with spatially diverse beams and incoherent combining** [11852-160]
- 11852 4I **System-level benefit of variable data rate in optical LEO direct-to-earth links** [11852-161]

POSTER SESSION: TELESCOPE & LARGE OPTICS

- 11852 4J **Towards the spatialization of ALPAO dms** [11852-162]
- 11852 4K **The full-SiC optics of MICROCARB** [11852-164]
- 11852 4L **Test of protected silver coating on aluminum samples of ARIEL main telescope mirror substrate material** [11852-165]
- 11852 4M **Thales SESO silver coatings for space programs** [11852-166]
- 11852 4N **Vibration and shock testing of a 50 mm aperture unimorph deformable mirror** [11852-167]
- 11852 4O **Application of TPA techniques to identify operational forces in optical payloads interfaces** [11852-168]
- 11852 4P **Development of low-density coatings for soft x-ray reflectivity enhancement for ATHENA and other missions** [11852-169]
- 11852 4Q **Material attributes that define performance and efficiency of spaceborne mirrors** [11852-170]
- 11852 4R **Better, faster, cheaper: Recent SCHOTT ZERODUR facilities are game-changing for high performance lightweight mirrors** [11852-171]
- 11852 4S **ZERODUR stability in space environments** [11852-172]
- 11852 4T **Silicon nitride for space optical applications** [11852-173]
- 11852 4U **An empirical approach for space-based mirrors to evaluate the extent of radiation compaction under expected environmental doses** [11852-174]

- 11852 4V **The fisheye of the comet interceptor's EnVisS camera** [11852-175]
- 11852 4W **Image processing for a formation flying synthetic aperture telescope** [11852-176]
- 11852 4Y **The unique field-of-view and focusing budgets of PLATO** [11852-178]
- 11852 4Z **Innovative aperture segmentations control image plane diffraction** [11852-179]
- 11852 50 **Methodology for the analysis of a thermo-mechanically deformed optical system** [11852-180]
- 11852 51 **Demonstrating the sub-nanometer sensitivity of a pyramid WaveFrontSensor for active space telescopes** [11852-181]

POSTER SESSION: FIBER OPTICS & MICROPHOTONICS

- 11852 52 **Microwave reference signal distribution on optical fibre within satellite payload** [11852-251]
- 11852 53 **Qualification of multi-fiber interconnect solutions for payload data processing** [11852-182]
- 11852 54 **The H2020-SPACE-SIPHODIAS project: space-grade opto-electronic interfaces for photonic digital and analogue very-high-throughput satellite payloads** [11852-183]
- 11852 55 **Miniaturised photonic front-end for the next generation of space SAR applications** [11852-184]

POSTER SESSION: IMAGER & RADIOMETER

- 11852 56 **Full-SiC derotator optics for METImage: detailed design and early model results** [11852-185]
- 11852 57 **The development and on-orbit calibration status of GOSAT-2 TANSO-CAI-2 instrument** [11852-186]
- 11852 58 **Design of a hyperspectral imager using COTS optics for small satellite applications** [11852-187]
- 11852 59 **A feasibility study for a compressive sensing imager in the medium infrared for hotspot detection** [11852-188]
- 11852 5A **Challenges during Metis-Solar Orbiter commissioning phase** [11852-189]
- 11852 5B **On-ground flat-field calibration of the Metis coronagraph onboard the Solar Orbiter ESA mission** [11852-190]

POSTER SESSION: DETECTORS & FP TECHNOLOGIES

- 11852 5C **CCD272-64 and GSENSE400BSI-GP CMOS quantum efficiency measurement in EUV and VUV** [11852-191]
- 11852 5D **WSO-UV mission WUVS instrument FUV-UV CCD detectors qualification campaign main results** [11852-192]
- 11852 5E **Radiation tests on the HAS2 image sensor with colour filter array for the JUICE Monitoring Cameras** [11852-193]
- 11852 5F **Proton-induced degradation of charge transfer efficiency on FLEX CCD detectors: measurement and impact on instrument performances** [11852-194]

POSTER SESSION: OPTICAL AND QUANTUM COMMUNICATIONS

- 11852 5G **The ESA project PIOTS: setting up a complete pilot line for the packaging of photonic integrated circuits for space applications** [11852-195]
- 11852 5H **A novel detection strategy for optical receivers with focal plane array** [11852-196]
- 11852 5I **Proton radiation assessment of COTS components of 100 Gb/s digital coherent transceiver for optical satellite communications** [11852-197]
- 11852 5J **Photon-efficient quantum key distribution using multiqubit time-bin encoding** [11852-198]
- 11852 5K **Performance analysis of polar-code transmission experiments over 7.8-km terrestrial free-space optical link using channel equalization** [11852-199]
- 11852 5L **Study on application of polar codes to information reconciliation in free-space quantum key distribution** [11852-200]
- 11852 5M **Dual wavelength optical system for multiple quantum communication transmitters in Cubesat platform** [11852-201]
- 11852 5N **Fine steering mirror based on piezo actuators: a point ahead mechanism (PAM30) for deep space optical communication module of the psyche mission** [11852-202]
- 11852 5O **Large stroke fast steering mirror for free-space optical communication** [11852-203]
- 11852 5P **Optimized power allocation strategies in hybrid optical satellite networks** [11852-204]
- 11852 5Q **Low-complexity optimization algorithm for ground network design in optical satellite networks** [11852-205]
- 11852 5R **A cost-effective ultra-high throughput space-based optical link** [11852-206]

- 11852 5S **Reaching GHz single photon detection rates with HgCdTe avalanche photodiodes detectors** [11852-207]
- 11852 5T **An optical wireless system replacing cabled connections for the data transmission in the AIT phase** [11852-208]
- 11852 5U **High-throughput optical wireless solutions for intra-satellite communications** [11852-209]
- 11852 5V **Free-space optical communication technologies will enable next generation of ultra high throughput satellite** [11852-210]
- 11852 5W **Characterisation of the optical channel GEO to ground: using five years of data from Alphasat TDP1 and T-AOGS for investigation of different conditions** [11852-211]
- 11852 5Y **Paving the way to daytime optical feeder links based on LGS assisted adaptive optics** [11852-213]

POSTER SESSION: PASSIVE OPTICAL COMPONENTS

- 11852 5Z **UV coatings by IAD and PARMS technology for Sentinel-5 mission** [11852-214]
- 11852 60 **Laser-induced damage and contamination testing for the next generation of LIDAR space optics** [11852-215]
- 11852 61 **Black coatings BSDF database** [11852-216]
- 11852 63 **Novel gratings for astronomical observations II** [11852-218]
- 11852 64 **Design and test of the optical fiber assemblies for the scalar magnetic field sensor aboard the JUICE mission** [11852-219]

POSTER SESSION: SPECTROMETER

- 11852 65 **Space optics instrument optimization and characterization with artificial intelligence** [11852-220]
- 11852 66 **FLEX low resolution spectrometer breadboard activities** [11852-221]
- 11852 67 **Sentinel-4: a geostationary imaging UVN spectrometer for air quality monitoring: integration and alignment of the instrument proto flight model** [11852-222]
- 11852 68 **Hyperspectral spectro-imager survey for state of art concept identification** [11852-223]
- 11852 69 **Hyperspectral innovation on instruments and technologies at the European Space Agency** [11852-224]

- 11852 6A **CUAVA InGaAs-based, Short Wavelength InfraRed (SWIR) instrument for atmospheric reconnaissance: preliminary design** [11852-225]
- 11852 6B **Setups for alignment and on-ground calibration and characterization of the EnMAP hyperspectral imager** [11852-226]

POSTER SESSION: LIDARS & LIBS

- 11852 6C **Imaging Lidar systems** [11852-227]
- 11852 6D **Frequency comb based absolute frequency reference design for future spaceborne multi species differential absorption lidar systems for green-house gases monitoring** [11852-228]
- 11852 6E **Characterization of liquid crystal on silicon-SLMs for in-situ laser beam steering to enable RAMAN imaging** [11852-229]
- 11852 6F **Development of a NIR-VIS-UV lidar echo emulator** [11852-330]
- 11852 6G **Combined coherent radar/lidar system on chip** [11852-231]

POSTER SESSION: METROLOGY + SCIENTIFIC & FP INSTRUMENTS

- 11852 6H **A calibration cover for multi-spectral space instruments** [11852-232]
- 11852 6I **Development of full-field deflectometry for characterization of free-form mirrors for space applications** [11852-233]
- 11852 6J **The STAR-CC-OGSE system for pre-flight sensor calibration** [11852-234]
- 11852 6L **Development of an efficient, highly uniform Sun Simulator for optical space instrument calibration** [11852-236]
- 11852 6M **Mission testing for improved reliability of CubeSats** [11852-237]
- 11852 6N **Differential common path interferometry for picometre surface metrology** [11852-238]
- 11852 6O **Main technical features and performance evaluation of a miniaturized test system for star trackers** [11852-239]
- 11852 6P **Formation flying performances simulator for the shadow position sensors of the ESA PROBA-3 mission** [11852-240]
- 11852 6Q **Laboratory testbed for the calibration and the validation of the shadow position sensor subsystem of the PROBA3 ESA mission** [11852-241]
- 11852 6R **Stable and precise optical bench for space applications** [11852-242]

POSTER SESSION: LASERS

- 11852 6S **GALACTIC: high performance Alexandrite crystals and coatings for high power space applications** [11852-243]
- 11852 6T **The MOONRISE: payload for mobile selective laser melting of lunar regolith** [11852-244]
- 11852 6U **Flight laser module characterization for the ExoMars Raman Laser Spectrometer under a potential depressurization** [11852-245]