

ARCHEOLOGIA E CALCOLATORI

34.1

2023

All'Insegna del Giglio

ARCHEOLOGIA E CALCOLATORI



CNR – DIPARTIMENTO SCIENZE UMANE E SOCIALI, PATRIMONIO CULTURALE

ISTITUTO DI SCIENZE DEL PATRIMONIO CULTURALE

Rivista annuale open access e peer reviewed
fondata da Mauro Cristofani e Riccardo Francovich
già diretta da Paola Moscati (1990-2022)

Comitato Scientifico: Paola Moscati (coordinatore), Giovanni Azzena, John Boardman, Robin B. Boast, Francisco Burillo Mozota, Alessandra Caravale, Christopher Carr, Martin O.H. Carver, Francesco D'Andria, François Djindjian, James E. Doran, Virginie Fromageot-Laniepce, Salvatore Garraffo, Filippo Giudice, Antonio Gottarelli, Maria Pia Guermandi, Anne-Marie Guimier-Sorbets, Ian Hodder, F. Roy Hodson, Stephen Kay, Donna C. Kurtz, Adriano Maggiani, Daniele Manacorda, Costanza Miliani, Tito Orlandi, Clive R. Orton, Maria Cecilia Parra, Alessandra Piergrossi, Xavier Rodier, Francesco Roncalli, Grazia Semeraro, Paolo Sommella, Gianluca Tagliamonte, Marco Valenti

Direttore responsabile: Alessandra Caravale

Redazione: Claudio Barchesi, Francesca Buscemi, Letizia Ceccarelli, Sara Di Marcello, Irene Rossi

Policy and Guidelines: <http://www.archcalc.cnr.it/pages/guidelines.php>

Autorizzazione del presidente del Tribunale di Firenze n. 3894 del 6/11/1989

Indirizzo Redazione: Rivista «Archeologia e Calcolatori», CNR – ISPC, Area della Ricerca di Roma 1, Via Salaria Km 29,300, 00015 Monterotondo Stazione (RM)
Tel. +39.06.90672670 – Fax +39.06.90672818
E-mail: redazioneac.ispc@ispc.cnr.it
<http://www.archcalc.cnr.it/>

Edizione e distribuzione: Edizioni ALL'INSEGNA DEL GIGLIO s.a.s.,
Via Arrigo Boito 50-52, 50019 Sesto Fiorentino (FI)
Tel. +39.055.6142675
E-mail: redazione@insegnadelgiglio.it – ordini@insegnadelgiglio.it
<https://www.insegnadelgiglio.it/>

ARCHEOLOGIA E CALCOLATORI

34.1

2023

All'Insegna del Giglio

Realizzazione grafica della sovracoperta di Marcello Bellisario
Rivista «Archeologia e Calcolatori» (ISSN 1120-6861, e-ISSN 2385-1953)
ISBN 978-88-9285-204-4, e-ISBN 978-88-9285-205-1
© 2023 – All’Insegna del Giglio s.a.s. – www.insegnadelgiglio.it
Sesto Fiorentino (FI), luglio 2023
Stampa, MDF print

Abbonamento 2023: 2 volumi, 34.1 e 34.2, € 60,00.
Spedizione: Italia, gratuita; estero, a carico del destinatario.
<https://www.insegnadelgiglio.it/categoria-prodotto/abbonamenti/>

INDICE

ARCHEOFOSS 2022. PROCEEDINGS OF THE 16TH INTERNATIONAL CONFERENCE ON OPEN SOFTWARE, HARDWARE, PROCESSES, DATA AND FORMATS IN ARCHAEOLOGICAL RESEARCH (ROME, 22-23 SEPTEMBER 2022), edited by JULIAN BOGDANI, STEFANO COSTA

JULIAN BOGDANI, STEFANO COSTA, <i>Introduction</i>	11
STEFANO COSTA, <i>The Harris Matrix Data Package specification and the new init command of the Python hmdp tool</i>	15
EMANUEL DEMETRESCU, CRISTINA GONZALEZ-ESTEBAN, FILIPPO SALA, <i>EMdb: yet another db for the stratigraphic record</i>	21
ANNALISA D'ONOFRIO, MARIA RAFFAELLA CIUCCARELLI, <i>Il contesto urbano del teatro romano e l'area dell'ex Filanda Bosone a Fano (PU)</i>	31
MARCO MODERATO, VASCO LA SALVIA, <i>pyArchInit at Castelseprio: progressive adoption of an integrated managing system for archaeological field data</i>	39
GUIDO ANTINORI, MARCO RAMAZZOTTI, FRANCESCO GENCHI, <i>MASPAG & pyArchInit, the newborn collaboration of Sapienza and adArte in the Sultanate of Oman</i>	49
ELEONORA MINUCCI, ANGELA BOSCO, DANIELE DE LUCA, <i>Virtual RTI application on 3D model for documentation of ancient graffiti: proposal of a methodology for complex archaeological sites</i>	59
LAURA CARPENTIERO, DORA D'AURIA, <i>Operative tools for BIM in archaeology: libraries of archaeological parametric IFC objects</i>	69
FEDERICA RINALDI, ALESSANDRO LUGARI, FRANCESCA SPOSITO, ASCANIO D'ANDREA, <i>Archeology and conservation. Digital tools as digital bridges between disciplines: the risk map of the in situ mosaic and marble floor surfaces of the Parco Archeologico del Colosseo</i>	77
SIMON HOHL, THOMAS KLEINKE, FABIAN RIEBSCHLÄGER, JULIANE WATSON, <i>iDAI.field: developing software for the documentation of archaeological fieldwork</i>	85
ELEONORA IACOPINI, <i>Punto Zero, una nuova web application per la gestione e l'informatizzazione dei dati di archivio. Il caso di Ancona</i>	95
FLORIAN THIERY, PETER THIERY, <i>Linked Open Ogham. How to publish and interlink various Ogham Data?</i>	105
GAËLLE COQUEUGNIOT, VIRGINIE FROMAGEOT-LANIEPCE, <i>On the road to open access: insights from French antiquity journals and databases</i>	115

ALAIN QUEFFELEC, BRUNO MAUREILLE, MARTA ARZARELLO, RUTH BLASCO, OTIS CRANDELL, LUC DOYON, SIÂN HALCROW, EMMA KAROUNE, AITOR RUIZ-REDONDO, PHILIP VAN PEER, <i>Peer Community In Archaeology: a community-driven free and transparent system for preprints peer-reviewing</i>	125
NICOLÒ PARACIANI, IRENE ROSSI, <i>IADI: an open Interactive Atlas of Digital Images for the journal «Archeologia e Calcolatori»</i>	135
FRANCESCA BUSCEMI, MARIANNA FIGUERA, GIOVANNI GALLO, ANGELICA LO DUCA, ANDREA MARCHETTI, <i>Sharing structured archaeological 3D data: open source tools for artificial intelligence applications and collaborative frameworks</i>	145
FLORIAN THIERY, ALLARD W. MEES, JOHN BRADY KIESLING, <i>Challenges in research community building: integrating Terra Sigillata (Samian) research into the Wikidata community</i>	157
MARIFLORA CARUSO, PAOLA LA TORRE, ROBERTA MANZOLLINO, <i>La valorizzazione dei musei locali attraverso Wikipedia: il progetto MedAniene</i>	165
MARIA CARINA DENG, <i>The road (not) taken. Reconstructing pre-modern roads in Viabundus. Methods and opportunities</i>	175
GABRIELE CICCONE, <i>From the Itinerarium Antonini and al-Idrisi to the movecost plugin: road network analysis in the Castronovo di Sicilia area</i>	183
PAOLO ROSATI, <i>“ArchaeoloGIS” a QGIS plugin for archaeological spatial analysis</i>	193
JULIAN BOGDANI, DOMIZIA D’ERASMO, <i>Backward engineering historical maps: the update of the open hydrography dataset of Napoleonic cartography</i>	201
 MODELLING THE LANDSCAPE. FROM PREDICTION TO POSTDICTION. PROCEEDINGS OF THE INTERNATIONAL SESSION AT 7 TH LANDSCAPE ARCHAEOLOGY CONFERENCE (IAȘI, 10-15 SEPTEMBER 2022), edited by CARLO CITTER, AGOSTINO SOTGIA	
AGOSTINO SOTGIA, CARLO CITTER, <i>Modelling the landscape. From prediction to postdiction</i>	213
ANOOSHE KAFASH, MASOUD YOUSEFI, ELHAM GHASIDIAN, SAMAN HEYDARI- GURAN, <i>Reconstruction of Epipaleolithic settlement and “climatic refugia” in the Zagros Mountains during the Last Glacial Maximum (LGM)</i>	217
GIACOMO BILOTTI, <i>Balancing between biases and interpretation. A predictive model of prehistoric Scania, Sweden</i>	225
GIOVANNA PIZZIOLLO, <i>From legacy data to survey planning? The relationship between landscape and waterscape in Southern Tuscany during the Upper Palaeolithic: towards a predictive-postdictive approach</i>	237

SANDRO CARACAUSI, SARA DAFFARA, GABRIELE L.F. BERRUTI, EUGENIO GAROGLIO, MARTA ARZARELLO, FRANCESCO RUBAT BOREL, <i>Lo studio di siti archeologici di alta quota: metodologia e risultati del modello predittivo in ambiente GIS applicato nelle Valli di Lanzo (Piemonte, Italia)</i>	247
LAURA BURIGANA, <i>Food, distance and power. Modeling a multi-factor proto- historic landscape in the Po plain</i>	257
AGOSTINO SOTGIA, <i>A predictive model to investigate the agro-pastoral exploitation of ancient landscapes</i>	267
MARCO CABRAS, CRISTINA CONCU, PAOLO FRONGIA, RICCARDO CICILLONI, <i>Testare sul campo la Least Cost Path Analysis: riflessioni intorno ai paesaggi dell'età del Bronzo della Sardegna centro-meridionale (Italia)</i>	279
ANDRÁS BÖDŐCS, <i>Roman land use and its impact on the Pannonian landscape</i>	289
VINCENZO RIA, RAFFAELE RIZZO, <i>The Roman limes in Germania Inferior: a GIS application for the reconstruction of landscape</i>	299
PEDRO TRAPERO FERNÁNDEZ, <i>Modelo predictivo de aprovechamientos vitivinícolas. La colonia romana de Hasta Regia, Hispania</i>	311
CARLO CITTER, YLENIA PACIOTTI, <i>Shaping a juridical district: a postdictive approach</i>	321
ANGELO CARDONE, <i>Spatial analysis as a tool for field research. Case-studies in progress for urban and landscape contexts</i>	329
CHIARA MASCARELLO, <i>How to reconstruct the human mobility in mountainous area. A case from North-Eastern Italy</i>	341

ARCHEOFOSS 2022
PROCEEDINGS OF THE 16TH INTERNATIONAL
CONFERENCE ON OPEN SOFTWARE, HARDWARE,
PROCESSES, DATA AND FORMATS
IN ARCHAEOLOGICAL RESEARCH
(ROME, 22-23 SEPTEMBER 2022)

edited by
Julian Bogdani, Stefano Costa

BACKWARD ENGINEERING HISTORICAL MAPS: THE UPDATE OF THE OPEN HYDROGRAPHY DATASET OF NAPOLEONIC CARTOGRAPHY

1. INTRODUCTION

This article is the natural continuation of other publications issued in the context of the research activities of the LAD: Laboratory of Digital Archaeology at Sapienza concerning the *Carte topographique de l'Égypte* edited by Pierre Jacotin (JACOTIN 1818; GODLEWSKA 1988), in the context of the French Campaign in Egypt and Syria under the command of Napoleon Bonaparte, at the turn of the 18th and 19th centuries. The LAD was established in 2021 at Sapienza University of Rome to collect several research projects sharing a strong interest in the application and development of digital tools and methods to the archaeological domain. A particular attention is paid to the application of network and web technologies to the management, analysis and dissemination of the archaeological data and processes in an open and collaborative way. Following the directions traced by the Open Science directives, LAD fosters the adoption of open software, hardware and methodologies in the daily archaeological practice, the creation and sharing and publication of open archaeological data. Specific software tools have been created and made available to the community to reach this end (BOGDANI 2022a) and a continuous effort is spent toward a greater awareness of younger scholars and colleagues through practical laboratories dedicated to Archaeological Information Systems and Databases, GIS platforms and new formats, standards, and technologies for the publication of the archaeological record.

One of the LAD's projects was the digitisation of the Napoleonic map of Egypt, an activity that started in 2019 and that was accelerated by the outbreak of the Covid pandemic that put a harsh stop to the other field activities. The methodological aspects of the georeferencing process have already been published in 2019 (D'ERASMO 2019, 1-9). More recently, the orthorectified map has been published as an open access tiled web map service (BOGDANI 2022b) and the same is true for rich vector datasets that have been acquired from the document with a very patient digitising work (BOGDANI *et al.* 2022). The resulting data set has been published as open access on the Zenodo repository (BOGDANI 2022c), and a demonstrative and interactive version has been made freely available online as vector web tiles (<https://lab-archeologia-digitale.github.io/jacotin-1828/>).

A special focus has been put on the hydrographic network, an element that has undergone many changes in the last two centuries determining, in

turn, thorough changes in the Egyptian landscape. The Nile and its branches have been the indispensable natural prerequisite for the birth of the Egyptian civilisation and have continued to determine its economic, population, and cultural landscape throughout the millennia. The digital documentation of the pre-modern situation documented in the Napoleonic map is of great interest to specialists of archaeology and history of different chronologies.

Tightly related to the river is the population and the settlement network, that was the second theme under study. Thanks to the renewed interest of scholarly research in historical gazetteers, it was possible to offer a major aperture towards the community by trying, through different methodologies, to link our digitised 18th century Egyptian places to other records of gazetteers, both historical and current. It is not an easy task to deal with anthropic landscapes that have undergone radical changes, and we have tried not to conceal the gaps produced by the missing data but to fully document our difficulties in the hope that others in the future will do better than we did. Finally, this short contribution is aimed at sharing our latest attempt to expand the hydrographic theme by trying to provide outbound links and to reproduce the LOD (Linked Open Data) approach experimented with the settlement network.

J.B.

2. EGYPT: AN EVER-CHANGING LANDSCAPE

The question about “how can an ancient landscape be reconstructed?” is increasingly being answered by Landscape Archaeology. By means of a wide range of tools such as the study of written sources, historical maps, archaeological evidence, geoarchaeological and paleoenvironmental studies, this branch of the discipline attempts to offer a broad overview of ancient landscapes regardless of their location. Among the various tools mentioned, one of the most widely used to work around the obstacles imposed by the changing landscape in times is the use of historical cartography. As far as Egypt is concerned, a valuable cartographic document that can provide a precious aid to the study of the ancient landscape is the *Carte topographique de l'Égypte*.

From the Prehistory through the Pharaonic era to Hellenistic, Roman, Medieval, and Modern times, the landscape of Egypt has changed a lot determining different topographical organisation of the country and significantly transforming settlement, road, and hydrographic networks (WILSON 2012; COOPER 2014; GHIRINGHELLI 2017, 2021). New villages and towns were founded from one age to the next which over time expanded, were either abandoned or relocated. The marshy areas that characterised large portions of the landscape were reclaimed, and canals were built or restored either to



Fig. 1 – Satellite images from Google Earth Engine of the Wādī al-Naṭrūn in 1984 (a), in 2004 (b) and in 2020 (c).

improve connections between places or to facilitate agricultural practices. There is little archaeological evidence left of the many interventions, and both written sources and historical cartography provide a fundamental source of information. As far as the country's hydrographic network is concerned, this continuous cycle of transformation peaked with the construction of the Aswān Dams, both the Low Dam, built at the end of 1800s, and the High Dam, active since 1970. This action allowed large portions of desert areas to be irrigated, and inevitably produced a major change in the landscape.

An example is the area of Wādī al-Naṭrūn, a desert depression located 90 km NW of Cairo that was the location of several monastic complexes since 360 CE, the time to which the foundation of the Monastery of St. Macarius dates (<https://atlas.paths-erc.eu/places/208>). The area is now surrounded by cultivations that effectively alter the understanding of the ancient landscape in which the archaeological evidence of the monastic complexes was framed (Fig. 1). Other examples can be added, originating from the construction of the Aswān Dam, such as coastal erosion and the flooding of the islands located along the course of the Nile (HILLIER *et al.* 2006; GRAHAM 2010; BADAWEY 2021). The case of the island of Philae is emblematic: its temples endangered by the construction of the Lower Dam were dismantled and reassembled on the nearby island of Agilkia. These are only a few famous events that have occurred in Egypt over the centuries and that have played a part in the evolution of an ever-changing landscape, heightening the demand for useful tools to study it.

D.D.E.

3. TOWARDS A LOD INFRASTRUCTURE FOR THE STUDY OF ANCIENT EGYPTIAN HYDROGRAPHY

The LAD team has been working on the digitisation of the Napoleonic map by georeferencing it and by vectorising the networks regarding



Fig. 2 – Screenshot showing 3D visualisation of the hydrography dataset of Napoleonic cartography v. 3.5. (from <https://lab-archeologia-digitale.github.io/jacotin-1828/>).

hydrography and settlements (D'ERASMO 2019; BOGDANI *et al.* 2022). However, an 18th century cartography is a static document, even if it has been digitised, and moreover not all the topographical units represented within it are to be considered ancient (Fig. 2). Indeed, several topographic and hydrographic elements represented in the *Carte topographique* existed in different periods of Egyptian history. For these reasons, although the Napoleonic map is a valuable document for observing the landscape of Egypt before the great changes of the modern and contemporary ages, it remains a snapshot. Behind the place names and hydronyms catalogued by French *savants* there are millennia of history bearing witness to geopolitical, commercial, and agricultural dynamics of past times. For these reasons, the LAD team decided to make an upgrade of the original dataset resulting from the digitisation of Napoleonic cartography, starting with the hydrographic network. This update aims to make a quite static dataset, documenting the late 1700s, queryable by linking it to online geographic databases taking a step toward a LOD infrastructure and adding new information that help in the study of the ancient Egyptian landscape.

3.1 A new dataset: the hydrographic network v. 4

The fourth version (v. 3.5) of the Napoleonic hydrographic network dataset developed by the LAD contains few attributes (BOGDANI *et al.* 2022, 83):

- unique numeric identifier (URI);
- name in French, as reported in the Napoleonic map, when available;

- type of the geographical feature, using the map of values;
- the assigned order of each element.

According to the typology of the watercourse, these attributes are linked to a specific geometry type: lines where rivers and canals are concerned, and polygons with special regard to lakes, marshlands, ponds, the branches of the Nile and the Nile itself. In version 4 of the dataset (v. 4), the aim is to link existing geometries to online databases mentioning the elements present in the Napoleonic map and expand the attribute table with information regarding the chronology of the watercourses and whether they can be navigated.

As regards the linkage of the dataset with existing online databases, it must be emphasised that in recent years, numerous international projects have created open geographical databases for the study of the ancient world. Most of these databases focus on the investigation of ancient toponymy, providing information on the evolution of place names over the centuries. More often, the entries of these databases are linked to geographical coordinates that give the precise or approximate location of places in the world. The coordinates refer to point elements or to areas, especially where the location of the place is uncertain (e.g. <https://pleiades.stoa.org/places/727068>). Currently, as far as Egypt is concerned, there are no open datasets that provide complex geometries related to ancient hydrography except that of the Ancient World Mapping Centre (<http://awmc.unc.edu/wordpress/>). However, this dataset focuses only on the Hellenistic and Roman times and is based on the vectorisation of the Barrington Atlas (TALBERT 2002; <http://awmc.unc.edu/wordpress/map-files/>).

V. 4 will mainly be linked to databases that contain information on the toponymy of the single watercourse and not geometries mapping its course. The databases selected are Pleiades (<https://pleiades.stoa.org/>), Trismegistos (<https://www.trismegistos.org/>), and ToposText (<https://topostext.org/>) and they were chosen because of geographical contents about many waterways depicted in Napoleonic cartography. Another fundamental attribute for v. 4 is the chronology. Considering that the final goal of this version is to provide a queryable dataset that also gives information about the existence in times of the digitised elements, it was decided to create two numeric fields, “*chrono_from*” and “*chrono_to*”, in which the chronological reference range for each vectorised element will be entered, if possible.

The hydrographic network was not only used to supply water to places but also as communication paths, and for this reason it was decided to include a last numerical field in v. 4. This information regarding the possibility of sailing or not sailing a watercourse using a numerical range from “0” to “3” where 0 equals non-navigable and 3 equals navigable. This data can



Fig. 3 – The Alexandria Canal vectorised from Napoleonic cartography.

be found from written sources or from geoarchaeological investigations, as will be seen below in paragraph §3.2 for the case of the Alexandria Canal.

To summarise, the following fields will be added to v. 4:

- the unique numeric identifier of Pleiades, when available;
- the unique numeric identifier of Trismegistos, when available;
- the unique numeric identifier of ToposText, when available;
- the date to which the watercourse is dated, when available;
- the date on which the watercourse stops flowing, when available;
- the navigability level of the waterway, when available.

3.2 The case of the Alexandria and Suez Canals

The development of v. 4 is still in progress. Nevertheless, in this paragraph specific reference will be made to two waterways of the Egyptian hydrographic network shown in Napoleonic cartography that have different histories and a different chronology and that can be good examples to describe the structure of the new dataset: the Alexandria Canal and the ancient Suez Canal. Following through the possibilities offered by these two watercourses,




Fig. 4 – The remains of the ancient Suez Canal vectorised from Napoleonic cartography.

the implementation process from v. 3.5 to v. 4 will be outlined. In the v. 3.5, the Alexandria Canal (Fig. 3) has three attributes:

- name: Canal d’Alexandrie;
- typology: canal;
- order: 8.

The Alexandria Canal (today al-Maḥmūdiyya Canal) was built around 331 BCE to supply water to the city of Alexandria and therefore did not exist in the earliest Prehistoric and Pharaonic times. This waterway initially extended as far as the village of al-Naṣḥ al-Baḥrī, ancient Schedia, where it connected to the Canopic branch of the Nile. However, the Canopic branch dried up before the Islamic conquest of Egypt (640/641 CE), since at that time the Alexandria Canal was connected to the Bolbitine branch that replaced the Canopic in the canal’s supply (LABIB 2012). In addition, written sources indicate that travellers often preferred to reach Alexandria through secondary waterways leading to the city by Mareotis Lake because the canal was subject to silting. However, contrary to this, recent geoarchaeological studies suggest that after the dissection of the Lake Mareotis in 9th century CE the Alexandria Canal was the preferred path to reach the West coast of the Delta (FLAUX *et al.* 2017, 678-680).

The goal of v. 4 will be to implement the Alexandria canal geometry record with fields containing the information outlined above and link it to databases that mention it:

- name: Canal d’Alexandrie;
- typology: canal;
- order: 8;
- pleiades_id: 727068;
- trismegistos_id: 60;

- topostext_id: 3073302WAga;
- chrono_from: -331;
- chrono_to: 2023;
- navigable: 2.

The other example is the ancient Suez Canal (Fig. 4). This waterway that connected the Egyptian delta to the Red Sea through the Wādī Ṭumilāt was probably inaugurated at the end of the 2nd millennium BCE by Sesostris III. At that time, it was named Pharaoh's Canal and continued to be used, despite periods of abandonment and reconstruction, until the mid-eighth century CE (KRAMERS 2012; REDMOUNT 1995). This channel testifies the existence of a waterway connecting Egypt and the Red Sea since the Pharaonic period. In the v. 3.5 the attributes associated with the ancient Suez Canal were:

- name: Vestiges du Canal de Suez;
- typology: canal;
- order: 11;

The v. 2.0 will report the following attributes:

- name: Vestiges du Canal de Suez;
- typology: canal;
- order: 11;
- pleiades_id: NULL;
- trismegistos_id: 54477;
- topostext_id: NULL;
- chrono_from: -1879;
- chrono_to: 760;
- navigable: 3.

Those of the Alexandria Canal and the Suez Canal are just two examples that testify to the informative potential of version 4 of the hydrographic dataset of Napoleonic cartography. Once completed, v. 4 will be an entirely innovative tool for the study of the ancient Egyptian landscape.

D.D.E.

JULIAN BOGDANI

Dipartimento di Storia Antropologia Religioni Arte Spettacolo
Sapienza Università di Roma
julian.bogdani@uniroma1.it

DOMIZIA D'ERASMO

Dipartimento di Scienze dell'Antichità
Sapienza Università di Roma
domizia.derasmo@uniroma1.it

REFERENCES

- BADAWY M. 2021, *Recent landscape changes at Damietta Promontory, Nile Delta - Egypt*, «The Egyptian Journal of Remote Sensing and Space Science», 24, 3.2, 525-535 (<https://doi.org/10.1016/j.ejrs.2021.07.002>).
- BOGDANI J. 2022a, *Archaeological documentation as a service. Archaeological Information Systems in the cloud era: The BraDypUS case-study*, «Archeologia e Calcolatori», 33.2, 115-134 (<https://doi.org/10.19282/ac.33.2.2022.07>)
- BOGDANI J. 2022b, *Carte topographique de l'Égypte et des pays environnants by Pierre Jacotin (1818, 1828). PAThs data Repository & Documentation* (<https://docs.paths-erc.eu/data/>).
- BOGDANI J. 2022c, *Digitizing Napoleonic Map of Egypt by LAD v. 0.0.1* (<https://dx.doi.org/10.5281/zenodo.6475339>).
- BOGDANI J., D'ERASMO D., DE LEONE C., GIORDANO A. 2022, *Digitising the Napoleonic map of Egypt. The creation and publication of an open data set for the reconstruction of the ancient Egyptian landscape*, «Vicino Oriente», 26, 77-97 (https://doi.org/10.53131/VO2724-587X2022_5).
- COOPER J. 2014, *The Medieval Nile: Route, Navigation, and Landscape in Islamic Egypt*, New York, American University in Cairo Press.
- D'ERASMO D. 2019, *Georeferencing Napoleonic cartography to reconstruct ancient Egypt landscapes: Methods in comparison and the case of the island of iw-rd in the 16th nomos of Upper Egypt*, «GROMA», 4, 1-18 (<https://doi.org/10.12977/groma22>).
- FLAUX C., EL-ASSAL M., SHAALAN C., MARRINER N., MORHANGE C., TORAB M., GOIRAN J.-P., EMPEREUR J.-Y. 2017, *Geoarchaeology of Portus Mareoticus: Ancient Alexandria's lake harbour (Nile Delta, Egypt)*, «Journal of Archaeological Science: Reports», 13, 669-681 (<https://doi.org/10.1016/j.jasrep.2017.05.012>).
- GHIRINGHELLI F. 2017, *Les branches du Nil dans le Delta à l'époque Pharaonique: état de la question*, «Égypte, Afrique et Orient», 88, 25-34.
- GHIRINGHELLI F. 2021, *The order of the nomes of Lower Egypt in geographical lists*, in D. ROBINSON, F. GODDIO (eds.), *Constructing, Remaking, and Dismantling Sacred Landscapes in Lower Egypt: Late Dynastic-Early Medieval Period*, Oxford, Oxford Centre for Maritime Archaeology, 187-201.
- GODLEWSKA A. 1988, *The Napoleonic survey of Egypt: A Masterpiece of Cartographic Compilation and Early Nineteenth-century Fieldwork*, Toronto, University of Toronto Press.
- GRAHAM A. 2010, *Islands in the Nile: A geoarchaeological approach to settlement location in the Egyptian Nile valley and the case of Karnak*, in M. BIETAK, E. CZERNY, I. FORSTNER-MÜLLER (eds.), *Cities and Urbanism in Ancient Egypt. Papers from a Workshop in November 2006 at the Austrian Academy of Sciences*, Wien, Verlag der Österreichischen Akademie der Wissenschaften, 125-143.
- HILLIER J.K., BUNBURY J.M., GRAHAM A. 2007, *Monuments on a migrating Nile*, «Journal of Archaeological Science», 34, 7, 1011-1015 (<https://doi.org/10.1016/j.jas.2006.09.011>).
- JACOTIN P. 1818, *Carte topographique de l'Égypte et de plusieurs parties des pays limitrophes*, in F.E. JOMARD (ed.), *Description de l'Égypte, ou Recueil des observations et des recherches qui ont été faites en Égypte pendant l'expédition de l'armée française, publié par ordre du gouvernement*, Paris, Imprimerie de la République.
- KRAMERS J.H. 2012, *al-Nīl*, in P. BEARMAN, T. BIANQUIS, C.E. BOSWORTH, E. VAN DOZEL, W.P. HEINRICHS (eds.), *Encyclopaedia of Islam*, Second Edition (http://dx.doi.org/10.1163/1573-3912_islam_SIM_5911).
- LABIB S.Y. 2012, *al-Iskandariyya*, in P. BEARMAN, T. BIANQUIS, C.E. BOSWORTH, E. VAN DOZEL, W.P. HEINRICHS (eds.), *Encyclopaedia of Islam*, Second Edition (http://dx.doi.org/10.1163/1573-3912_islam_SIM_3635).
- REDMOUNT C.A. 1995, *The Wadi Tumilat and the "Canal of the Pharaohs"*, «Journal of Near Eastern Studies», 54, 2, 127-135.


TALBERT R.J.A. (ed.) 2000, *Barrington Atlas of the Greek and Roman World*, Oxford, Princeton University Press.

WILSON P. 2012, *Waterways, settlements and shifting power in the north-western Nile Delta*, «Water History», 4, 1, 95-117 (<https://doi.org/10.1007/s12685-012-0053-z>).

ABSTRACT

Since 2019, the LAD team has been working on the digitisation of the Carte topographique de l'Égypte through a GIS platform. The data contained in this historical cartography, published in the early years 1800s, play a key role in research on the ancient Egyptian landscape, yet they show a still image from the late 1700s. Taking a step towards a Linked Open Data (LOD), this paper illustrates the work of updating the already published dataset of the hydrography of Napoleonic cartography by the LAD team, to which new information useful for the study of the Ancient Egyptian landscape will also be added.

34.1
2023



ARCHEOLOGIA E CALCOLATORI

34.1

2023

All'Insegna del Giglio

€ 40,00

ISSN 1120-6861

e-ISSN 2385-1953

ISBN 978-88-9285-204-4

e-ISSN 978-88-9285-205-1



AC-34-1

ARCHEOLOGIA
E CALCOLATORI