



Enhancing the quality and reproducibility of research: Preferred Evaluation of Cognitive and Neuropsychological Studies - The PECANS statement for human studies

C. Costa¹ · R. Pezzetta² · E. Toffalini¹ · M. Grassi¹ · G. Cona¹ · C. Miniussi³ · P. J. Bauer⁴ · S. Borgomaneri⁵ · M. Brysbaert⁶ · C. D. Chambers⁷ · N. Edelstyn⁸ · A. Eerland⁹ · S. J. Gilbert¹⁰ · M. A. Nitsche^{11,12,13} · R. A. Poldrack¹⁴ · A. Puce¹⁵ · K. R. Ridderinkhof¹⁶ · T. Y. Swaab¹⁷ · C. Umiltà¹ · M. Wiener¹⁸ · C. Scarpazza^{1,2} · on behalf of the PECANS Extended Working Group

Accepted: 2 May 2025 / Published online: 30 May 2025
© The Author(s) 2025, corrected publication 2025

Abstract

Are scientific papers providing all essential details necessary to ensure the replicability of study protocols? Are authors effectively conveying study design, data analysis, and the process of drawing inferences from their results? These represent only a fraction of the pressing questions that cognitive psychology and neuropsychology face in addressing the “crisis of confidence.” This crisis has highlighted numerous shortcomings in the journey from research to publication. To address these shortcomings, we introduce PECANS (Preferred Evaluation of Cognitive And Neuropsychological Studies), a comprehensive checklist tool designed to guide the planning, execution, evaluation, and reporting of experimental research. PECANS emerged from a rigorous consensus-building process through the Delphi method. We convened a panel of international experts specialized in cognitive psychology and neuropsychology research practices. Through two rounds of iterative voting and a proof-of-concept phase, PECANS evolved into its final form. The PECANS checklist is intended to serve various stakeholders in the fields of cognitive sciences and neuropsychology, including: (i) researchers seeking to ensure and enhance reproducibility and rigor in their research; (ii) journal editors and reviewers assessing the quality of reports; (iii) ethics committees and funding agencies; (iv) students approaching methodology and scientific writing. PECANS is a versatile tool intended not only to improve the quality and transparency of individual research projects but also to foster a broader culture of rigorous scientific inquiry across the academic and research community.

Keywords Open science · Reproducibility · Replicability · Guidelines · Transparency

Introduction

The prevalent structure of scientific papers follows the so-called IMRAD format: Introduction, Methods, Results, and Discussion. Originating from the report style of the microbiologist Louis Pasteur (Day, 1989) and later adopted by the entire scientific community (Council of National Library and Information Associations, 1979), IMRAD facilitates the writing, reading, and assessment of the scientific content of a research report. Standards like IMRAD are essential in ensuring that empirical studies can be replicated and reproduced. By providing a structured framework, these standards help authors and readers to locate the relevant information

in a research report. This makes it possible to repeat a study using the same methods and data to achieve similar results (reproducibility) or to obtain comparable results when conducting a study using different data but following the same procedures described in the original research (replicability).

Despite the extensive use of standards such as IMRAD, it is well established that contemporary research in psychology and neuroscience suffers a crisis of confidence (Nosek et al., 2022; Pashler & Wagenmakers, 2012). For instance, to provide empirical grounding to the debate on replicability, Nosek et al. (2022) summarized evidence regarding this topic within the field of psychological science. The results indicate varying degrees of success for both systematic and multi-site replications (Camerer et al., 2018; Open Science Collaboration, 2015; Soto, 2019). Among 307 replications considered, 64% reported statistically significant evidence in

Extended author information available on the last page of the article

the same direction, with effect sizes 68% as large as in the original studies. As concluded by the authors, replicability challenges are observed in almost all fields of research that have undergone systematic examination.

The origins of this crisis are diverse and include both endogenous and exogenous factors related to the behavior and environment of scientists (Wicherts et al., 2016; Smaldino & McElreath, 2016). Some of the roots of the crisis can be found in scientific articles themselves, which often lack essential information necessary to judge the scientific soundness of the report, particularly regarding the data (Simmons et al., 2011; see Anvari & Lakens, 2018 for a thorough discussion), as well as the minimum information required for replicating the protocol (Simmons et al., 2011).

Indeed, each section of a research article should contain appropriate information, and it may be convenient for both authors and readers to rapidly identify whether this information is included in the written paper. For example, the Introduction should present the specific problem under investigation and describe the type of research planned. In hypothesis-driven research, it is crucial to state the hypothesis and to identify which outcomes would disconfirm it, allowing for the study itself or future direct replications to potentially falsify the hypotheses (Nosek & Errington, 2020). The Methods section is particularly critical as it should list all relevant information necessary for a direct replication of the experiment (see Zwaan et al., 2018, for a discussion about direct and indirect replication, and Nosek & Errington, 2020, for a pragmatic definition of direct replication). Authors should explicitly describe which key elements of the study drive and modulate the effect under investigation (Grassi et al., 2021). The (lack of) statistical power of studies is often addressed as one of the major problems in contemporary research in cognitive psychology and neuropsychology (Button et al., 2013; Cohen, 1962; Sedlmeier & Gigerenzer, 1992; Szucs & Ioannidis, 2017, 2020). Authors should report whether a power analysis has been performed, provide details for third parties to assess its correctness, or explain any other decision that may lead to a specific sample size (Lakens, 2022). When reporting Results, if inferential statistics are planned, *p*-values should be reported in their exact values at least up to the third decimal point (therefore, unless it is $<.001$) (APA, 2024), rather than solely indicating if they fall below a significance threshold, and significance levels should be reported along with all the key elements necessary to understand the statistics, such as the value of the statistic itself and the degrees of freedom (see Greenland et al., 2016 for explanations of *p* values, confidence intervals and power misinterpretations). Contemporary papers should also provide other relevant information, such as whether the study and/or analysis plan was pre-registered and if there were any deviations from the pre-registered study design, conduction, and analysis plan,

which is often absent in papers (e.g., Claesen et al., 2021). Additionally, authors should indicate whether data and materials are openly available, and if so, provide information on how these materials can be accessed (Wicherts et al., 2006). Altogether, these key sources of information contribute to the trustworthiness of the study (e.g., Kidwell et al., 2016).

Given the substantial amount of relevant information that authors need to report, and readers should be aware of, we believe that a checklist could assist authors, readers, editors, and reviewers in ensuring that a research report includes all necessary information to guarantee clarity, rigor, accurate evaluation, interpretation and, if relevant, replication. Some instruments have already been developed (e.g., STROBE guidelines for observational studies in epidemiology (von Elm et al., 2007), CONSORT guidelines for randomized trials (Schulz et al. 2010), CARE guidelines for case reports (Riley et al. 2017), PRISMA guidelines for systematic reviews (Page et al., 2021)). All these guidelines are included in the EQUATOR network (<https://www.equator-network.org/>), a global organization focused on enhancing the quality of the scientific literature and promoting transparent reporting of health research studies to support and promote reproducibility and usefulness. Yet, the fields of cognitive psychology and neuropsychology lack a specialized checklist tailored to meet the unique demands of these disciplines. A step in this direction is undoubtedly represented by the work published by Aczel et al. (2020), who introduced a consensus-based instrument to improve the transparency of research reports in social and behavioral research, and by the APA Style Journal Article Reporting Standards (APA Style JARS; <https://apastyle.apa.org/jars>), a set of standards including information on what should be included in a quantitative, qualitative, or mixed-methods research report, designed for authors, reviewers, and editors to enhance rigor in peer-reviewed journal articles. Additionally, a checklist for assessing the transparency of methods in a scientific report was recently published (Zogmaister et al., 2024). However, given the increasing refinement and sophistication of cognitive manipulations in experimental designs, and the increasing significance of cognitive psychology and neuropsychology in healthcare research (Wallin et al. 2018), there is an urgent demand for guidelines tailored to address the unique characteristics of these disciplines. While existing instruments (e.g., Aczel et al., 2020; APA Style JARS) lay solid foundations for clearer and more transparent broad reporting practices, the planning and reporting of methodological aspects of cognitive and neuropsychological research protocols remain insufficiently addressed, and operational details crucial for the replicability of findings lack proper coverage. These studies require bespoke reporting standards due to their reliance on fine-tuned task designs (e.g., number of trials, task conditions), nuanced measurements (e.g., reaction times, error rates), technological setups (e.g., software, hardware), (neuro)psychological tests (e.g., cut-offs), and questionnaires

that need to be reported with precision to ensure reproducibility and comparability across studies. Without such detailed reporting, it becomes challenging to assess the validity of findings or replicate experimental protocols. Developing tailored guidelines that address these specific needs could bridge the existing gap, fostering greater reliability and transparency in cognitive and neuropsychological research.

Here we introduce the Preferred Evaluation of Cognitive And Neuropsychological Studies (PECANS), a comprehensive checklist designed to ensure that all relevant information is included in research reports within the broad fields of cognitive psychology and neuropsychology. Its purpose is to support robust scientific findings, reproducibility of results, and enhance replication accuracy by third-party scientists. The PECANS checklist assesses all sections of the IMRAD format, enabling authors to cover in great detail, and keep track of, the wide range of critical choices they have to make while preparing a research protocol and reporting results. However, to minimize overlap with valuable existing instruments and guidelines, the PECANS checklist places relatively less emphasis on the Introduction and Discussion sections while focusing more extensively on three widely used methodologies in cognitive psychology and neuropsychology research: experimental tasks, (neuro)psychological tests, and questionnaires. Additionally, the checklist maintains a balanced length by including skip-pable items tailored to the relevance of each specific project.

Developed by following Moher et al. (2010) guidelines and employing the Delphi method to conduct a consensus building process among international experts in the fields of cognitive psychology and neuropsychology, PECANS focuses on ensuring high-quality study planning and reporting, offering the scientific community a tool that guides the planning, design, reporting, and checking of experimental research, thereby enhancing the replicability, rigor and completeness of protocols and results. By generating a report through its dedicated application, PECANS allows researchers to indicate whether each recommendation has been addressed in their work, facilitating a quick assessment of the paper's quality in terms of research procedures and completeness. Additionally, PECANS will serve as a guideline to highlight best practices for research to consider when drafting and conducting a research protocol.

Methods

The Delphi method

The Delphi method is a structured group process that involves a series of rounds to survey expert opinion and reach a group response (Dalkey & Helmer, 1963). This approach is used to generate reliable, accurate, and insightful knowledge in situations where there is insufficient

information (Hasson et al., 2000). The method involves structured group communication among a panel of international experts using a series of recursive questionnaires (Adler & Ziglio, 1996; Moher et al., 2010).

A consensus-building process among international experts was carried out using the Delphi method to discuss the best practices in cognitive, behavioral, and neuropsychological research. The primary objective of this process was to develop a consensus-based tool and guidelines that can assist researchers in all stages of experimental research and manuscript drafting. In addition, the checklist was tested through a proof-of-concept phase, as described below. The ultimate aim was to enhance research quality and improve the replicability of results.

The Delphi process took place between 2021 and 2022, while the proof of concept through a “field usability” study took place in late 2024 and early 2025. The procedure will be described in the following paragraphs and is schematically represented in Fig. 1. All described materials have been anonymized and deposited in the associated OSF repository: <https://doi.org/10.17605/OSF.IO/JVZE5>

Working group creation

A group of six authors from the University of Padua and the IRCCS San Camillo Hospital in Venice formed the Proponent Group. The Proponent Group reached out to international experts in cognitive psychology and neuropsychology with established expertise in the relevant fields and who have an active interest in open science practices, inviting them to participate in the project. Sixteen experts agreed to participate, forming, together with the Proponent Group, the PECANS Working Group, resulting in a total of 22 members.

Item definition

The Delphi method typically commences with a brainstorming session, which serves to gather specific information about the topic under examination (Hsu & Sandford, 2007). Once the topic and its crucial aspects are framed, the technique involves creating a well-structured questionnaire or set of items to be submitted to panelists for voting.

To achieve this, the Proponent Group from the University of Padua and the IRCCS San Camillo Hospital in Venice generated several items during a brainhack initiative (Gau et al., 2021). These items were designed to gather “Yes”, “No”, or “Not applicable” responses from the checklist's final users. The preliminary items were then shared with the PECANS Working Group to solicit feedback and suggestions. A document was circulated among the Working Group with a request to edit the items, rephrase them if necessary, delete or add items, and provide feedback. Following this




Fig. 1 Flowchart illustrating the development process of the PECANS checklist

process, a final list of 107 items covering all aspects of a research protocol and manuscript drafting was created and unanimously approved by all authors. Items were divided into sections and subsections, as follows: *Introduction* (five items); *Methods – reproducibility* [Pre-registration (three

items); Study design (nine items); Participants (12 items); Ethical issues (eight items); Apparatus, Instrumentation, and Setting (four items)]; *Methods – experimental task* (11 items); *Methods – (neuro)psychological tests* (12 items); *Methods – questionnaires* (ten items); *Methods - Other*

(two items); *Statistical analyses* (eight items); *Results* (seven items); *Discussion* (four items); *Additional information* (two items); *Data availability* (11 items).

Selection of Delphi panelists

As explained above, the Delphi method requires the generated questionnaire or set of items to be submitted to panelists for voting. The selection of panelists can affect the quality of the results generated, and there is no clear definition of a “Delphi panelist” (Hsu & Sandford, 2007; Welty, 1972). To overcome this issue, panelists were chosen based on the relevance of their background and expertise to the project’s objectives (Belton et al., 2019; Hsu & Sandford, 2007). Particularly, the Proponent Group identified 1152 potential panelists by selecting all members of the editorial boards of leading scientific journals in behavioral and cognitive psychology and neuropsychology, as well as researchers from their personal networks, all of whom held at least a PhD.

Delphi recursive voting: First round

The items were presented in a Google form, and panelists were asked to answer whether they agree to include an item in the final checklist or not, using a multiple-choice answer format (“*Include*”, “*Do not include*”). In addition, the option “*Not sure*” was also provided to enable panelists to abstain from a binary decision for items that lacked clarity and proper construction. After the survey, panelists were allowed to provide additional comments and clarify their responses.

After the first round of voting, the Working Group analyzed the percentages of agreement and reviewed feedback. An a priori threshold of $\geq 80\%$ agreement toward inclusion, typically applied in Delphi studies (Moiola et al., 2021; Taylor 2020; Riva et al., 2021), was set for an item to be categorized as “included” (Belton et al., 2019; Hasson et al., 2000; Keeney et al., 2001).

Based on suggestions, feedback, and potential issues raised by panelists, it was decided to conduct a second round of Delphi voting to further refine the checklist.

Delphi recursive voting: Second round

To work on items that did not achieve a clear consensus or were deemed unclear and required rephrasing, a second round of voting was conducted. New items were also introduced, suggested by panelists following the first round.

Each panelist who participated in the first round was given a questionnaire containing 12 items, with the option to answer “*Include*” or “*Do not include*”. The option “*Not sure*” was omitted to gather a definitive agreement regarding inclusion or exclusion.

Among these 12 items, eight were already presented in the first round. These items did not reach consensus but met one of the following criteria: (i) received an “*Include*” score $\geq 75\%$ and $< 80\%$ AND a higher “*Not sure*” score than “*Do not include*”; (ii) were considered unclear by the panelists and required rephrasing. One of these eight items was split into three as suggested in the first round, resulting in a total of ten items. The remaining two items were newly suggested by more than one panelist.

The original items identified for rephrasing underwent modifications based on panelists’ requests and were presented alongside their original form. A brief explanation of the rationale for (re)submission and (where applicable) the percentage of agreement from the first round of voting was provided alongside each item.

Once again, panelists were given the possibility to provide further comments or clarifications of their responses. The level of agreement was set again at $\geq 80\%$ of consensus.

Proof of concept

The checklist obtained after the second round of the Delphi recursive voting was tested on both published papers and on manuscripts in preparation to evaluate its usability, clarity, and potential redundancies. Particularly, all members of the Working Group were asked to distribute the checklist within their laboratories, applying it to both a published paper and a manuscript in preparation. The distributed checklist was structured according to its intended use, allowing users to select “Yes”, “No”, or “Not applicable” for each item. Additionally, users could indicate whether an item was ambiguous or would benefit from explanatory text and provide comments to highlight specific concerns.

Results

Delphi panelists

A total of 206 experts took part in the first round of voting. This included the 22 members of the Working Group and 184 panelists. Out of these, 146 experts (22 members of the Working Group and 123 panelists) also participated in the second round of voting. The panelists had the option to either sign themselves or remain anonymous. The names of those who chose to disclose their identity and completed both rounds of voting can be found in the Acknowledgements section (the PECANS Extended Working Group), as communicated to them in the invitation e-mail.

Items

Two rounds of voting were conducted to finalize a checklist consisting of 51 items and 33 sub-items. The detailed breakdown of the voting percentage for each item in both rounds can be found in the associated OSF repository.

Proof of concept

A total of 35 responses were collected from the testing phase, including 17 evaluations of published papers and 18 of manuscripts in preparation. Feedback indicated the need to separate items that contained multiple questions, allowing users to respond more precisely to each component. Additionally, some items required further clarification, primarily through the inclusion of examples. One item (*Did you state the type of study? Whether the study is correlational (including epidemiological or quasi-experimental) or a true experiment? Longitudinal or cross-sectional?*) was removed, as it was deemed superfluous.

Use of the checklist on published papers revealed that information related to only 17 items was consistently reported. Specifically, an exploratory threshold of $\geq 80\%$ “Yes” responses for a given item was used to define consistent reporting. These items (1, 2, 3, 13, 18, 19, 20, 21, 29, 30, 36, 38, 39, 43, 45, 46, and 48; Table 1) pertain to rationale and hypothesis formulation, ethical considerations, demographic information reporting, analysis, and the discussion of results and limitations.

The final checklist

The final checklist, presented in Table 1, consists of 51 items and 42 sub-items. Each item must be answered with “Yes”, “No”, or “Not applicable”. Sub-items are displayed to users based on the answer provided to the corresponding main item.

The final checklist (and a short version for Registered Reports) can be accessed and compiled through the PECANS application by following this link: https://pecans.shinyapps.io/Pecans_Checklist/.

Discussion

In this paper, we present the PECANS checklist, a tool designed to enhance research rigor, completeness of reporting, and reproducibility. To create the PECANS checklist, we assembled a panel of international experts selected from the editorial boards of leading scientific journals specializing in the broad fields of cognitive psychology and neuropsychology. The final PECANS checklist comprises 51 primary items and an additional 42 sub-items that are conditional on

the primary ones. Although the present checklist may appear relatively lengthy, it offers researchers flexibility by allowing them to skip sections that do not apply to their studies. For instance, if a study does not relate to neuropsychology or if no questionnaires were administered, researchers can omit the secondary items that are conditional upon the primary ones. In our attempt to balance comprehensiveness and brevity, we prioritized completeness, given the critical nature of the matter. Furthermore, the strong consensus among panelists, as evidenced by their acceptance of 72% of all proposed items during the first round of voting, underscores the perceived importance of incorporating a wealth of information to enable rigorous, transparent reporting and reproducible methods.

Intriguingly, certain items garnered near-unanimous agreement, such as the questions concerning the clarity of hypothesis testing and the ease of extracting effect sizes and statistics for each hypothesis (97% consensus). In contrast, certain items relevant for assessing the strength of results in contemporary research (Button & Munafò, 2017; Lakens, 2013) hardly reached the predefined threshold for acceptance. For example, the item regarding the necessity of reporting an a priori power analysis to determine sample size reached only 80% consensus. Testing of the instrument on published papers (during the proof-of-concept phase) further revealed that this information is severely underreported, as 76% of the published papers assessed did not include a power analysis. Moreover, among the manuscripts that omitted this information, more than half (53%) did not justify their sample size in any other way. Other items initially fell short in the first round, but gained acceptance in the second round of voting, as for the item asking to provide a link to study materials (79% consensus in the first round, 91% in the second one), or the one asking to state the type of study, meaning correlational (e.g., epidemiological or quasi-experiment), experimental, longitudinal or cross-sectional (78% consensus in the first round, 86% in the second one). This last item, however, was removed after the proof-of-concept phase, as it was deemed superfluous given that the information could be easily inferred from the Methods section of a manuscript. Other items that are considered highly relevant for assessing the strength and reliability of results, such as effect size/uncertainty of effects (63% of consensus) (Lakens, 2013), were excluded from the checklist as they did not meet the threshold for acceptance.

It is crucial to acknowledge that the checklist we present reflects the consensus of 146 panelists. Although this number is indeed sufficient for a successful Delphi panel (Akins et al., 2005; Belton et al., 2019; Steurer, 2011), it is important to recognize that the overall community of scientists involved in research on cognitive psychology and neuropsychology may not be fully represented. As a result, some crucial items may have been omitted, or items covering

Table 1 The final checklist. Subitems are preceded by either “If yes” or “If not”, indicating the response they depend on. These labels are not included in the app implementation of the checklist but are provided here for clarity purposes

ITEMS

INTRODUCTION

1. Did you report the rationale of the study in light of available literature?
2. Did you report the aims of the study?
3. Did you report whether your study is exploratory, confirmatory, direct replication?
4. In the case of confirmatory studies, did you clarify the hypotheses or the expected results of the study by specifying the direction (e.g., positive/higher or negative/lower) of the expected relationships or differences?
- 4.1 If yes, did you make clear what outcomes would disconfirm the hypothesis?

METHODS***Pre-registration***

5. Did you pre-register the study?
- 5.1 If yes, did you report whether the study has been pre-registered before data collection and analyses?
- 5.2 If yes, did you provide the link to the pre-registration or pre-registration number?
- 5.3 If yes, did you describe deviations from pre-registration?

Study design

6. Did you report whether the study is a between-participants, within-participants, or a mixed study?
7. If a within-participants (or quasi-experimental) design was used, did you report, if appropriate, the control conditions and counterbalancing?
8. If a control group was present, did you report it?
- 8.1 If yes, did you specify whether participants have been randomly assigned to the experimental and control group?
- 8.2 If yes, did you specify how exactly the control group is comparable/different from the treatment group?
- 8.3 If yes, did you specify whether the control group is active or passive? (for instance, in a cognitive training experiment, is the control group doing another training, or doing anything?)
9. Where applicable, did you report if the experiment is single blind or double blind?

Participants

10. Did you perform an a priori power analysis to determine sample size?
- 10.1 If yes, did you report all details (including the a priori effect size, the power level, the type and total number of statistical tests performed, and any other relevant assumption)?
- 10.2 If not, did you justify your sample size in another way?
11. Did you report the population(s) from which you sampled (e.g., nationality, whether sampled from the general population or, for instance, from a specific university track or a particular hospital)?
12. If the data are not novel, did you specify whether they have been included in previously published articles and/or deposited in online repositories?
13. Did you report demographic information or other information for each group that may be relevant for your research? Example: gender (m, f, other), age (years, min/max, mean, *SD*), education, handedness, ethnicity, etc.?
14. Did you report how the participants of the study have been recruited?
15. Did you report the criteria of inclusion/exclusion?
- 15.1 If yes, did you report whether inclusion/exclusion criteria were established prior to data analysis?
16. If participants received any form of compensation, did you specify the type (e.g., money, exam credits, no reward)?
17. In case of clinical research, did you report the diagnostic criteria selected (e.g., DSM-5), the instruments used to corroborate diagnosis (e.g., SCID-PD) and specific characteristics of the participants included (e.g., pharmacotherapy, disease duration)?
18. Did you report how many participants have been tested, the number and reasons for any exclusions, and the final numbers included in each statistical analysis?

Ethical issues

19. Did you report if individual informed consent was obtained?
- 19.1 If yes, if deception was used in the study, did you explicitly report this?
20. Did you report if the study has been approved by an ethical committee?
- 20.1 If not, did you specify why ethical approval was not requested or not obtained?

Table 1 (continued)**ITEMS*****Apparatus, Instrumentation, and Study Setting***

- 21. Did you report if the data collection has been done online or in person?
- 22. Did you report the software and hardware (where relevant for the study) used for task presentation and response acquisition?
- 23. If you performed an experimental task and a neuropsychological test battery or questionnaires, did you report whether all evaluations were performed on the same day?
- 24. Did you describe those characteristics of the experimental setting that, if manipulated, might modulate the size of the effect(s) under investigation (e.g., type of screen, room illumination, distance from the monitor, if the experimenter stays in the room, if the experimenter is a peer or an authoritative person)?

METHODS - EXPERIMENTAL TASK

- 25. Did you administer any experimental task? If yes:
 - 25.1 Did you describe the task to perform (i.e., what the participants are asked to do in sufficient detail so that others could replicate the task)?
 - 25.2 Did you describe those characteristics of the stimuli that, if manipulated, might modulate the size of the effect(s) under investigation (e.g., size, colour, eccentricity of the visual angle, sound intensity in dB etc.)?
 - 25.3 Did you make explicit all experimental and control conditions and counterbalancing (if applicable)?
 - 25.4 In block designs, did you report the number of blocks?
 - 25.5 Did you report the number and length of breaks, if any?
 - 25.6 Did you report the total duration of the experiment?
 - 25.7 Did you report the number of practice trials (if any) and experimental trials?
 - 25.8 If applicable, did you report the number of trials per block?
 - 25.9 Did you describe the trial timeline (e.g., inter-stimulus interval; presentation of a black screen, stimulus duration) and if trial order was random, pseudo-random, or fixed?
 - 25.10 Did you report how the instructions before doing the task were given (i.e., written or orally; in a standardized way or not)?
 - 25.11 Did you report all variables collected (e.g., RT, accuracy, errors)?
 - 25.12 Did you report the response effector (e.g., verbal, feet, hand, left/right side, which fingers)?
 - 25.13 Did you report if there is response feedback or any response-contingent reward?

METHODS - (NEURO)PSYCHOLOGICAL TESTS

- 26. Did you administer any (neuro)psychological tests? If yes:
 - 26.1 Did you report the details of the neuropsychological evaluation (e.g., cut-off scores, reference papers, norm data)?
 - 26.2 Did you describe the test (i.e., what the participants were asked to do)?
 - 26.3 Did you report how the test was administered (e.g., on a lab computer, tablet, online)?
 - 26.4 Did you report the variables collected (e.g., RT, accuracy, type of errors)?
 - 26.5 Did you report the response effector (e.g., verbal, feet, hand, left/right side, which fingers)?
 - 26.6 Did you report the response modality (e.g., response keys, keyboard, mouse, touchscreen, clicking, swiping, joystick, dynamometer)?
 - 26.7 Did you report whether the tests were done on the same day?

METHODS - QUESTIONNAIRES

- 27. Did you administer any questionnaires? If yes:
 - 27.1 Did you describe the questionnaires (i.e., what the participants are asked to do)?
 - 27.2 Did you report how the questionnaire was administered (e.g., on a lab computer, tablet, online)?
 - 27.3 Did you report who answered the questionnaires (participant, parent, caregiver, other)?
 - 27.4 Did you report how the questionnaires were scored or provide a reference to the questionnaire manual?

STATISTICAL ANALYSIS

- 28. Did you describe the statistical method used for all analyses and the nature of inference (e.g., null hypothesis testing, interval estimation, Bayesian analysis, predictive modelling)?
- 29. Did you report the relevant information for each analysis (e.g., the structure of the models, the methods used for hypothesis testing, the nature of priors for Bayesian analysis, and the nature of any feature selection and cross-validation operations used for machine learning analyses)?
- 30. Did you state all dependent and independent variables (including covariates)?
- 31. For online studies, did you report all data cleaning procedures (e.g., removal or duplicate or automated bot responses)?

Table 1 (continued)**ITEMS**

32. If needed, did you report whether outlier analysis was performed of what type (e.g., multivariate outliers, influential cases), and at what level of the data?
33. Did you report if any data point (e.g., practice trials, errors outliers, too-fast or too-slow responses) were excluded from the analysis and why, and to what percentage the excluded data points amounted to?
34. Did you report how missing data (e.g., dropouts) were handled?
35. Did you report how many statistical tests were performed (including subgroups analyses)?
- 35.1 If yes, if more than one test was performed, did you specify whether indices of evidence (e.g., p-value, CIs) were adjusted for multiple comparisons and how (e.g., Bonferroni, False Discovery Rate correction)?

RESULTS

36. Did you report descriptive analyses of dependent variables, including demographics: mean and standard deviation (or median and range, etc.)?
37. Did you report appropriate summary statistics for all tested effects? (including confidence intervals or other uncertainty indices)?
- 37.1 If yes, did you report relevant measures of uncertainty?
38. Is it clear in your analysis how your main hypotheses were tested? Can readers easily extract summary statistics for each tested hypothesis (e.g., to include in a meta-analysis)?
39. Did you report all the exact (i.e., not just $p < .05$) main statistics (e.g., F-values for ANOVA, degrees of freedom, r for correlation, Bayes factor for Bayesian analysis) for all tested effects (including main effects, interactions, post hoc analyses)?
40. Did you also report the non-significant results?
41. For images and tables: did you plot or report the effects and the uncertainty indices (e.g., CI, or standard error)?
42. Did you clearly specify in the figure captions which measures of uncertainty are represented by the error bars?

DISCUSSION

43. Did you summarize and explain the results, also the ones in contrast with the hypotheses, in relation to the hypotheses and the aims of the study (irrespective of potential limitations)?
44. In the case of direct replication, did you make clear whether the original results were replicated or not, and which type of replication has been performed?
45. Did you discuss the results taking into consideration the evidence and literature in agreement and disagreement with the findings?
46. Did you discuss the limitations of the work (reporting potential bias, e.g., bias of inclusion/sex; limitations on generalizability of the results)?

ADDITIONAL INFORMATION

47. Did you mention the contributions of all collaborators (e.g., following the CRediT taxonomy)?
48. Did you disclose any conflict of interest (including relevant grants)?

DATA AVAILABILITY

49. Did you report whether the experimental material (e.g., task, participant instructions; stimuli; video of the experimental procedure) are freely available, available upon request, or not available?
- 49.1 If yes, did you provide the link to the material?
50. Did you report whether the data are freely available, available upon request, or not available?
- 50.1 If yes, if available, did you describe the variables included in the dataset and instructions on how the data are structured?
- 50.2 If yes, did you provide the link to the data?
- 50.3 If yes, did you make clear to whom requests for data/materials are to be directed?
51. Did you report whether the code/script to perform statistical analyses is freely available, available upon request, or not available?

information that is becoming increasingly important may not have been sufficiently addressed, given the continuous evolution of reporting standards. Although the PECANS checklist is designed to cover all sections of the IMRAD format, providing authors, researchers, and other stakeholders with comprehensive guidance in a single instrument, we recommend that end users supplement it with existing instruments (e.g., STROBE guidelines for observational studies in epidemiology (von Elm et al., 2007), CONSORT guidelines for randomized trials (Schulz et al. 2010), CARE guidelines for case reports (Riley et al. 2017), COBIDAS for best practices

in MRI data analysis (Nichols et al., 2017), ContES guidelines for tms-fMRI studies (Ekhtiari et al., 2022)) as needed, depending on the specific requirements of the study.

The PECANS checklist is intended to serve as a practical resource for various stakeholders in cognitive psychology and neuropsychology research. Ideally, PECANS could establish a standard for reporting research outputs in these fields, similar to how PRISMA has done for the reporting of systematic reviews (Moher et al., 2009). By enhancing the replicability, rigor, and completeness of protocols and results, PECANS addresses the growing need

for transparency and consistency in research practices. Researchers, in particular, can benefit from this instrument by having access to a structured framework that ensures best practices are followed throughout the study lifecycle. Through its dedicated application, PECANS enables researchers to quickly assess whether each recommendation has been addressed, facilitating a rapid evaluation of the paper's quality in terms of research procedures and completeness. This process not only helps identify gaps in methodology but also promotes transparent reporting, which increases the likelihood that findings will be reproducible and robust. Furthermore, PECANS serves as a valuable guideline for researchers when drafting research protocols, ensuring adherence to established standards from the outset.

Peer reviewers also benefit from PECANS, as it provides a clear checklist to assess the rigor and transparency of methods and results in submitted manuscripts. The structured evaluation process ensures that reviewers apply consistent criteria, helping them provide more focused and detailed feedback. Journal editors can similarly use PECANS as a standardized tool to assess the quality of submitted manuscripts. The checklist allows editors to quickly determine whether key methodological and reporting standards have been met, thereby making the peer review process more efficient and consistent.

Institutions and agencies can use PECANS to foster an environment where research quality is consistently prioritized, thus supporting the advancement of rigorous and reproducible science, whereas for early-career scholars, PECANS would be a particularly valuable learning tool, offering clear, practical guidance on the essential components of high-quality research.

In summary, PECANS – along with its shorter version for Registered Reports – is a versatile tool that not only improves the quality and transparency of individual research projects but also fosters a broader culture of rigorous scientific inquiry across the academic and research community, a critical goal in today's research landscape (Nosek et al., 2022).

Conclusion

We have developed a consensus-driven checklist comprising essential components required for enhancing rigor, quality, completeness, and reproducibility of studies, and study reports, in cognitive psychology and neuropsychology research. Users can readily access the agreed-upon, tested version (and the short version for Registered Reports) on the PECANS application by following this link: https://pecans.shinyapps.io/Pecans_Checklist/.

Acknowledgments **PECANS Extended Working Group:** **Aglioti, Salvatore M.**, Department of Psychology, Sapienza University of Rome, Rome, Italy; Center for Life, Nano-, and Neuroscience (CLN2S), Istituto Italiano di Tecnologia, Genova, Italy. **Alpers, Georg W.**, School of Social Sciences, University of Mannheim, Mannheim, Germany. **Ambrosini, Ettore**, Padova Neuroscience Center, University of Padova, Padova, Italy; Department of Neuroscience, University of Padova, Padova, Italy. **Arcara, Giorgio**, IRCCS San Camillo Hospital, Venice, Italy. **Avenanti, Alessio**, Centro studi e ricerche in Neuroscienze Cognitive, Dipartimento di Psicologia 'Renzo Canestrari', Alma Mater Studiorum Università di Bologna, Cesena, Italy; Centro de Investigación en Neuropsicología y Neurociencias Cognitivas, Universidad Católica Del Maule, Talca, Chile. **Bambini, Valentina**, Laboratory of Neurolinguistics and Experimental Pragmatics (NEP), Department of Humanities and Life Sciences, University School for Advanced Studies IUSS, Pavia, Italy. **Ball, Linden J.**, School of Psychology, University of Central Lancashire, Preston, UK. **Battista, Fabiana**, Faculty of Law and Criminology, Catholic University of Leuven, Leuven, Belgium; Department of Education, Psychology, and Communication, University of Bari Aldo Moro, Bari, Italy. **Benavides-Varela, Silvia**, Department of Neuroscience, University of Padova, Padua, Italy; Department of Developmental Psychology and Socialization, University of Padova, Padua, Italy. **Benjamin, Aaron S.**, Department of Psychology, University of Illinois Urbana-Champaign, Champaign, IL, USA; Beckman Institute for Advanced Science and Technology, Urbana, IL, USA. **Bellgrove, Mark A.**, Turner Institute for Brain and Mental Health and School of Psychological Sciences, Monash University, Clayton, VIC, Australia; Australian ADHD Professionals Association (AADPA), Australia. **Bolognini, Nadia**, Department of Psychology and NeuroMI-Milan Centre for Neuroscience, University of Milano-Bicocca, Milan, Italy; Laboratory of Neuropsychology, Department of Neurorehabilitation Sciences, IRCCS Istituto Auxologico Italiano, Milan, Italy. **Bonato, Mario**, Department of General Psychology, University of Padova, Padova, Italy. **Brigadoi, Sabrina**, Department of Developmental and Social Psychology, University of Padova, Padova, Italy. **Brown Nicholls, Louise A.**, Department of Psychological Sciences and Health, University of Strathclyde, Glasgow, UK. **Buchanan, Erin M.**, Analytics, Harrisburg University of Science and Technology, Harrisburg, PA, USA. **Burgio, Francesca**, IRCCS San Camillo Hospital, Venice, Italy. **Beste, Christian**, Cognitive Neurophysiology, Department of Child and Adolescent Psychiatry, Faculty of Medicine, TU Dresden, Germany; University Neuropsychology Center, Faculty of Medicine, TU Dresden, Germany; Shandong Normal University, Jinan, PR China. **Byers-Heinlein, Krista**, Department of Psychology, Concordia University, Montreal, QC, Canada. **Carrà, Giuseppe**, Department of Medicine and Surgery, University of Milano-Bicocca, Milan, Italy; Division of Psychiatry, University College London, London, UK. **Cavanagh, James F.**, Department of Psychology, University of New Mexico, Albuquerque, New Mexico, USA. **Christman, Stephen D.**, Department of Psychology, University of Toledo, Toledo, OH, USA. **D'Ausilio, Alessandro**, Center for Translational Neurophysiology of Speech and Communication, Italian Institute of Technology, Ferrara, Italy; Department of Neuroscience and Rehabilitation, University of Ferrara, Ferrara, Italy. **D'Argembeau, Arnaud**, Psychology and Neuroscience of Cognition Research Unit, Department of Psychology, University of Liège, Belgium. **D'Imperio, Daniela**, IRCCS San Camillo Hospital, Venice, Italy. **Desrochers, Theresa M.**, Department of Neuroscience, Brown University, Providence; Robert J. and Nancy D. Carney Institute for Brain Science, Brown University, Providence. **Elson, Malte**, Institute of Psychology, University of Bern, Switzerland. **Engelmann, Jan B.**, Center for Research in Experimental Economics and Political Decision Making (CREED), Amsterdam School of Economics, University of

Amsterdam, Amsterdam, The Netherlands. **Ettinger, Ulrich**, Department of Psychology, University of Bonn, Bonn, Germany. **Era, Vanessa**, Department of Psychology, Sapienza University of Rome, Rome, Italy; IRCCS Fondazione Santa Lucia, Rome, Italy. **Feraco, Tommaso**, Department of General Psychology, University of Padova, Padova, Italy. **Fink, Gereon R.**, Department of Neurology, Faculty of Medicine and University Hospital Cologne, University of Cologne, Cologne, Germany; Cognitive Neuroscience, Institute of Neuroscience and Medicine (INM-3), Research Centre Jülich, Jülich, Germany. **Fusaro, Martina**, IRCCS Fondazione Santa Lucia, Rome, Italy. **Fusco, Gabriele**, Department of Psychology, Istituto Italiano di Tecnologia, Sapienza University of Rome and CLN2S@SAPIENZA, Rome, Italy; IRCCS Fondazione Santa Lucia, Rome, Italy. **Gaskell, Gareth M.**, Department of Psychology, University of York, UK. **Gervain, Judit**, Department of Developmental Psychology, University of Padova, Padua, Italy; Padova Neuroscience Center, University of Padova, Padua, Italy. **Giustiniani, Andreina**, IRCCS Centro Neurolesi Bonino Pulejo, Messina, Italy. **Guida, Alessandro**, Department of Psychology, Université Rennes, Rennes, France. **Hariri, Ahmad R.**, Department of Psychology and Neuroscience, Duke University, Durham, USA. **Houston, Derek**, Department of Speech, Language, and Hearing Sciences, University of Connecticut, Storrs, USA. **Howe, Mark W.**, Department of Psychological and Brain Sciences, Boston University, Boston, USA. **Huetzel, Scott A.**, Center for Cognitive Neuroscience, Duke University, Durham, USA. **Huang, Yi**, Department of Psychology, Lingnan University, Hong Kong, China. **Itier, Roxane J.**, Department of Psychology, University of Waterloo, Waterloo, Canada. **Jobson, Laura**, Turner Institute for Brain and Mental Health and School of Psychological Sciences, Monash University, Melbourne, Australia. **Kanske, Philipp**, Department of Psychology, TUD Dresden Technical University, Dresden, Germany. **Kiran, Swathi**, Department of Speech, Language and Hearing Sciences, Boston University, MA, USA. **Lamm, Claus**, Department of Cognition, Emotion, and Methods in Psychology, Faculty of Psychology, University of Vienna, Vienna, Austria. **Lamme, Victor A. F.**, Brain and Cognition, Department of Psychology, University of Amsterdam, Amsterdam Brain and Cognition (ABC), The Netherlands. **Lakens, Daniel**, Department of Industrial Engineering & Innovation Sciences, Eindhoven University of Technology, The Netherlands. **Lanciano, Tiziana**, Department of Education, Psychology, and Communication, University of Bari Aldo Moro, Bari, Italy. **Madan, Christopher R.**, School of Psychology, University of Nottingham, Nottingham, UK. **Mangiulli, Ivan**, Department of Education, Psychology, and Communication, University of Bari Aldo Moro, Bari, Italy. **Mantini, Dante**, Research Center for Motor Control and Neuroplasticity, KU Leuven, Leuven, Belgium. **Massaro, Sebastiano**, Department of Management, Surrey Business School, University of Surrey, Guildford (UK); Organizational Neuroscience Ltd., London (UK). **Masina, Fabio**, Department of General Psychology, University of Padova, Padova, Italy. **Mattingley, Jason B.**, Queensland Brain Institute, The University of Queensland, Brisbane, Australia. **McCarthy, Randy J.**, Department of Psychology, Northern Illinois University, DeKalb, USA. **McIntosh, Robert D.**, Human Cognitive Neuroscience, Department of Psychology, The University of Edinburgh, UK. **Melis, Giulia**, Department of General Psychology, University of Padova, Padova, Italy. **Menghini, Luca**, Department of General Psychology, University of Padova, Padova, Italy. **Miskovic, Vladimir**, Google X Development LLC, The Moonshot Factory, Mountain View, CA, USA. **Migliore, Simone**, Fondazione IRCCS Casa Sollievo Della Sofferenza Hospital, San Giovanni Rotondo, Italy. **Montefinese, Maria**, Department of Developmental and Social Psychology, University of Padova, Padova, Italy. **Oberauer, Klaus**, Department of Psychology, University of Zurich, Zurich, Switzerland. **Oosterwijk, Suzanne**, Department of Social Psychology, University of Amsterdam, Amsterdam, The Netherlands; Amsterdam Brain and Cognition Centre, Amsterdam, The Netherlands. **Panasiti, Maria S.**, Department of Psychology, Sapienza University of Rome, Rome, Italy. **Però, Lorenzo**, Center for Studies

and Research in Cognitive Neuroscience, Department of Psychology “Renzo Canestrari”, Cesena Campus, Alma Mater Studiorum Università di Bologna, Cesena, Italy. **Peterson, Bradley S.**, Children’s Hospital of Los Angeles, University of South Carolina, USA. **Pinheiro, Ana P.**, Faculdade de Psicologia, Universidade de Lisboa, Lisboa, Portugal. **Ponsi, Giorgia**, Department of Psychology, Italian Institute of Technology, Sapienza University of Rome and CLN2S@Sapienza, Rome, Italy; IRCCS Fondazione Santa Lucia, Rome, Italy. **Porciello, Giuseppina**, Department of Psychology, Sapienza University of Rome, Rome, Italy; IRCCS Fondazione Santa Lucia, Rome, Italy. **Protopapas, Athanassios**, Department of Special Needs Education, University of Oslo, Oslo, Norway. **Pyasik, Maria**, SAMBA Research Group, Department of Psychology, University of Turin, Turin, Italy. **Reid, Vincent M.**, School of Psychology, University of Waikato, Hamilton, New Zealand. **Schaeken, Walter**, Faculty of Psychology and Educational Sciences, KU Leuven, Belgium. **Schepisi, Michael**, Department of Psychology, Sapienza University of Rome Center for Life Nano&Neuroscience, Fondazione Istituto Italiano di Tecnologia (IIT), Rome, Italy. **Scherer, Laura D.**, University of Colorado, School of Medicine, Aurora, CO, USA. **Scandola, Michele**, Department of Human Sciences, University of Verona, Verona, Italy. **Shackman, Alexander J.**, Department of Psychology, Neuroscience and Cognitive Science Program and Maryland Neuroimaging Center, University of Maryland, MD, USA. **Simner, Julia**, University of Sussex, Brighton, UK. **Snow, Jacqueline C.**, Department of Psychology, University of Nevada Reno, Reno, NV, USA. **Souza, Alessandra S.**, Department of Cognitive Psychology, University of Zurich, Zurich, Switzerland; Faculty of Psychology and Education Sciences, University of Porto, Porto, Portugal. **Snyder, Joel S.**, Department of Psychology, University of Nevada, Las Vegas, NV, USA. **Szucs, Denes**, Department of Psychology, University of Cambridge, Cambridge, UK. **Tabak, Benjamin A.**, Department of Psychology, Southern Methodist University, Dallas, TX, USA. **Tecwyn, Emma C.**, School of Social Sciences, Birmingham City University, Birmingham, UK. **Thompson, Cynthia K.**, Department of Communication Sciences and Disorders, School of Communication, Northwestern University, Evanston, IL, USA; Department of Neurology, Northwestern University, Chicago, IL, USA. **Toffoli, Lisa**, NeuroDev lab, Department of General Psychology, University of Padova, Padova, Italy. **Tops, Mattie**, Developmental and Educational Psychology Unit, Leiden University, Leiden, The Netherlands. **Toussaint, Loren L.**, Department of Psychology, Luther College, Decorah, Iowa, USA. **Twamley, Elizabeth W.**, Department of Psychiatry, UC San Diego, La Jolla, CA, USA; Center of Excellence for Stress and Mental Health, VA San Diego Healthcare System, USA. **Uddin, Lucina Q.**, Department of Psychiatry and Biobehavioral Science, University of California Los Angeles David Geffen School of Medicine, Los Angeles, CA, USA. **Ullsperger, Markus**, Institute of Psychology, Otto von Guericke University Magdeburg, Magdeburg, Germany; Center for Behavioral Brain Sciences, Magdeburg, Germany. **Vallesi, Antonino**, Department of Neuroscience, University of Padova, Padova, Italy; Padova Neuroscience Center, University of Padova, Padova, Italy. **Van ’t Veer, Anna E.**, Methodology and Statistics unit, Institute of Psychology, Leiden University, Leiden, The Netherlands. **Van Ravenzwaaij, Don**, University of Groningen, Groningen, The Netherlands. **Vázquez, Carmelo**, Department of Clinical Psychology, Complutense University of Madrid, Madrid, Spain. **Vazire, Simine**, Melbourne School of Psychological Sciences, The University of Melbourne, Melbourne, Australia. **Viding, Essi**, Division of Psychology and Language Sciences, University College London, London, UK. **Wassermann, Eric M.**, Behavioral Neurology Unit, NINDS, Bethesda, MD, USA. **Weigelt, Sarah**, Department of Vision, Visual Impairments & Blindness, Faculty of Rehabilitation Science, Technical University Dortmund, Dortmund, Germany. **Wierenga, Christina E.**, Department of Psychiatry, University of California, California, USA. **Wiseheart, Melody**, Department of Psychology, York University, Toronto, ON, Canada. **Wokke, Martijn E.**, Department of Psychology, The University of

Cambridge, Cambridge, UK; The Graduate Center of the City University of New York, New York, USA. **Woods, Steven P.**, Department of Psychology, University of Houston, Houston, TX, USA. **Yamamoto, Naohide**, Queensland University of Technology, School of Psychology and Counselling, Australia; Queensland University of Technology, Centre for Vision and Eye Research, Australia. **Zacks, Jeffrey M.**, Department of Psychological & Brain Sciences, Washington University in St. Louis, MO, USA. **Zapparoli, Laura**, Psychology Department and NeuroMi, Milan Centre for Neuroscience, University of Milano-Bicocca, Milan, Italy; IRCCS Orthopedic Institute Galeazzi, Milan, Italy. **Zogmaister, Cristina**, Department of Psychology, University of Milano-Bicocca, Milan, Italy. All the other Delphi panelists opted to remain anonymous.

Authors' contribution CC, RP, ET, MG, GC, CS conceptualized the project and conducted the survey; all authors revised the items of the checklist; CC and RP analyzed the data; CC, RP, ET, MG, GC, CS drafted the initial version of the manuscript; all authors revised the final version of the manuscript.

Funding This work was supported by the Italian Ministry of Health (Ricerca Corrente).

Availability of data and materials Anonymized raw and preprocessed data from both voting rounds and the proof-of-concept phase are publicly available on the project's Open Science Framework page, as well as all survey materials: invitation and follow-up e-mails, preliminary items with anonymized co-authors' comments, Google Forms from both voting rounds, and anonymized comments from panelists (Delphi panels) and testers (proof-of-concept phase). OSF: <https://doi.org/10.17605/OSF.IO/JVZE5>

Code availability Not applicable.

Declarations

Conflicts of interest/Competing interests The authors declare that there were no conflicts of interest with respect to the authorship or the publication of this article.

Ethics approval Not applicable.

Consent to participate Not applicable.

Consent for publication Not applicable.

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

References

Aczel, B., Szaszi, B., Sarafoglou, A., Kekecs, Z., Kucharský, Š., Benjamin, D., ..., & Wagenmakers, E. J. (2020). A consensus-based

- transparency checklist. *Nature Human Behaviour*, 4(1), 4–6. <https://doi.org/10.1038/s41562-019-0772-6>
- Adler, M., & Ziglio, E. (1996). *Gazing into the oracle: The Delphi method and its application to social policy and public health*. Jessica Kingsley Publishers.
- Akins, R. B., Tolson, H., & Cole, B. R. (2005). Stability of response characteristics of a Delphi panel: Application of bootstrap data expansion. *BMC Medical Research Methodology*, 5, 1–12. <https://doi.org/10.1186/1471-2288-5-37>
- American Psychological Association. (2024). APA Style numbers and statistics guide. Retrieved February, 2024, from <https://apastyle.apa.org/instructional-aids/numbers-statistics-guide.pdf>
- Anvari, F., & Lakens, D. (2018). The replicability crisis and public trust in psychological science. *Comprehensive Results in Social Psychology*, 3(3), 266–286. <https://doi.org/10.1080/23743603.2019.1684822>
- Belton, I., MacDonald, A., Wright, G., & Hamlin, I. (2019). Improving the practical application of the Delphi method in group-based judgment: A six-step prescription for a well-founded and defensible process. *Technological Forecasting and Social Change*, 147, 72–82. <https://doi.org/10.1016/j.techfore.2019.07.002>
- Button, K. S., & Munafò, M. R. (2017). Powering reproducible research. In S. O. Lilienfeld & I. D. Waldman (Eds.), *Psychological science under scrutiny: Recent challenges and proposed solutions* (pp. 22–33). Wiley Blackwell. <https://doi.org/10.1002/9781119095910.ch2>
- Button, K. S., Ioannidis, J. P., Mokrysz, C., Nosek, B. A., Flint, J., Robinson, E. S., & Munafò, M. R. (2013). Power failure: Why small sample size undermines the reliability of neuroscience. *Nature Reviews Neuroscience*, 14(5), 365–376. <https://doi.org/10.1038/nrn3475>
- Camerer, C. F., Dreber, A., Holzmeister, F., Ho, T. H., Huber, J., Johannesson, M., ..., & Wu, H. (2018). Evaluating the replicability of social science experiments in *Nature* and *Science* between 2010 and 2015. *Nature Human Behaviour*, 2(9), 637–644. <https://doi.org/10.1038/s41562-018-0399-z>
- Claesen, A., Gomes, S., Tuerlinckx, F., & Vanpaemel, W. (2021). Comparing dream to reality: An assessment of adherence of the first generation of preregistered studies. *Royal Society Open Science*, 8(10), 211037. <https://doi.org/10.1098/rsos.211037>
- Cohen, J. (1962). The statistical power of abnormal-social psychological research: A review. *The Journal of Abnormal and Social Psychology*, 65(3), 145. <https://doi.org/10.1037/h0045186>
- Council of National Library and Information Associations (US). (1979). *American National Standard for the Preparation of Scientific Papers for Written or Oral Presentation*. New York: American National Standards Institute.
- Dalkey, N., & Helmer, O. (1963). An experimental application of the Delphi method to the use of experts. *Management Science*, 9(3), 458–467. <https://doi.org/10.1287/mnsc.9.3.458>
- Day, R. A. (1989). The origins of the scientific paper: The IMRaD format. *Journal of the American Medical Writers Association*, 4(2), 16–18.
- Ekhtiari, H., Ghobadi-Azbari, P., Thielscher, A., Antal, A., Li, L. M., Shereen, A. D., ..., & Bikson, M. (2022). A checklist for assessing the methodological quality of concurrent tES-fMRI studies (ConTeS checklist): A consensus study and statement. *Nature Protocols*, 17(3), 596–617. <https://doi.org/10.1038/s41596-021-00664-5>
- Gau, R., Noble, S., Heuer, K., Bottenhorn, K. L., Bilgin, I. P., Yang, Y. F., ..., & Marinazzo, D. (2021). Brainhack: Developing a culture of open, inclusive, community-driven neuroscience. *Neuron*, 109(11), 1769–1775. <https://doi.org/10.1016/j.neuron.2021.04.001>
- Grassi, M., Crotti, C., Giofrè, D., Boedker, I., & Toffalini, E. (2021). Two replications of Raymond, Shapiro, and Arnell (1992), the attentional blink. *Behavior Research Methods*, 53, 656–668. <https://doi.org/10.3758/s13428-020-01457-6>
- Greenland, S., Senn, S. J., Rothman, K. J., Carlin, J. B., Poole, C., Goodman, S. N., & Altman, D. G. (2016). Statistical tests, P

- values, confidence intervals, and power: A guide to misinterpretations. *European Journal of Epidemiology*, 31(4), 337–350. <https://doi.org/10.1007/s10654-016-0149-3>
- Hasson, F., Keeney, S., & McKenna, H. (2000). Research guidelines for the Delphi survey technique. *Journal of Advanced Nursing*, 32(4), 1008–1015. <https://doi.org/10.1046/j.1365-2648.2000.t01-1-01567.x>
- Hsu, C. C., & Sandford, B. A. (2007). The Delphi technique: Making sense of consensus. *Practical Assessment, Research, and Evaluation*, 12(1). <https://doi.org/10.7275/pdz9-th90>
- Keeney, S., Hasson, F., & McKenna, H. P. (2001). A critical review of the Delphi technique as a research methodology for nursing. *International Journal of Nursing Studies*, 38(2), 195–200. [https://doi.org/10.1016/S0020-7489\(00\)00044-4](https://doi.org/10.1016/S0020-7489(00)00044-4)
- Kidwell, M. C., Lazarević, L. B., Baranski, E., Hardwicke, T. E., Piechowski, S., Falkenberg, L. S., ..., & Nosek, B. A. (2016). Badges to acknowledge open practices: A simple, low-cost, effective method for increasing transparency. *PLoS Biology*, 14(5), e1002456. <https://doi.org/10.1371/journal.pbio.1002456>
- Lakens, D. (2013). Calculating and reporting effect sizes to facilitate cumulative science: A practical primer for *t*-tests and ANOVAs. *Frontiers in Psychology*, 4, 863. <https://doi.org/10.3389/fpsyg.2013.00863>
- Lakens, D. (2022). Sample size justification. *Collabra: Psychology*, 8(1), 33267. <https://doi.org/10.1525/collabra.33267>
- Moher, D., Liberati, A., Tetzlaff, J., & Altman, D. G. (2009). Preferred reporting items for systematic reviews and meta-analyses: The PRISMA statement. *Bmj*, 339. <https://doi.org/10.1136/bmj.b2535>
- Moher, D., Schulz, K. F., Simera, I., & Altman, D. G. (2010). Guidance for developers of health research reporting guidelines. *PLoS Medicine*, 7(2), e1000217. <https://doi.org/10.1371/journal.pmed.1000217>
- Moiola, L., Barcella, V., Benatti, S., Capobianco, M., Capra, R., Cinque, P., ..., & Riva, A. (2021). The risk of infection in patients with multiple sclerosis treated with disease-modifying therapies: a Delphi consensus statement. *Multiple Sclerosis Journal*, 27(3), 331–346. <https://doi.org/10.1177/1352458520952311>
- Nichols, T. E., Das, S., Eickhoff, S. B., Evans, A. C., Glatard, T., Hanke, M., ..., & Yeo, B. T. (2017). Best practices in data analysis and sharing in neuroimaging using MRI. *Nature Neuroscience*, 20(3), 299–303. <https://doi.org/10.1038/nn.4500>
- Nosek, B. A., & Errington, T. M. (2020). What is replication? *PLoS Biology*, 18(3), e3000691. <https://doi.org/10.1371/journal.pbio.3000691>
- Nosek, B. A., Hardwicke, T. E., Moshontz, H., Allard, A., Corker, K. S., Dreber, A., ... & Vazire, S. (2022). Replicability, robustness, and reproducibility in psychological science. *Annual Review of Psychology*, 73(1), 719–748. <https://doi.org/10.1146/annurev-psych-020821-114157>
- Open Science Collaboration. (2015). Estimating the reproducibility of psychological science. *Science*, 349(6251), 4716. <https://doi.org/10.1126/science.aac4716>
- Page, M. J., McKenzie, J. E., Bossuyt, P. M., Boutron, I., Hoffmann, T. C., Mulrow, C. D., ..., & Moher, D. (2021). The PRISMA 2020 statement: An updated guideline for reporting systematic reviews. *BMJ*, 372. <https://doi.org/10.1136/bmj.n71>
- Pashler, H., & Wagenmakers, E. J. (2012). Editors' introduction to the special section on replicability in psychological science: A crisis of confidence? *Perspectives on Psychological Science*, 7(6), 528–530. <https://doi.org/10.1177/1745691612465253>
- Riley, D. S., Barber, M. S., Kienle, G. S., Aronson, J. K., von Schoen-Angerer, T., Tugwell, P., ..., & Gagnier, J. J. (2017). CARE guidelines for case reports: Explanation and elaboration document. *Journal of Clinical Epidemiology*, 89, 218–235. <https://doi.org/10.1016/j.jclinepi.2017.04.026>
- Riva, A., Barcella, V., Benatti, S. V., Capobianco, M., Capra, R., Cinque, P., ..., & Moiola, L. (2021). Vaccinations in patients with multiple sclerosis: A Delphi consensus statement. *Multiple Sclerosis Journal*, 27(3), 347–359. <https://doi.org/10.1177/1352458520952310>
- Schulz, K. F., Altman, D. G., & Moher, D. (2010). CONSORT 2010 statement: Updated guidelines for reporting parallel group randomised trials. *Journal of Pharmacology and Pharmacotherapeutics*, 1(2), 100–107. <https://doi.org/10.4103/0976-500X.72352>
- Sedlmeier, P., & Gigerenzer, G. (1992). Do studies of statistical power have an effect on the power of studies? In A. E. Kazdin (Ed.), *Methodological issues & strategies in clinical research* (pp. 389–406). American Psychological Association. <https://doi.org/10.1037/10109-032>
- Simmons, J. P., Nelson, L. D., & Simonsohn, U. (2011). False-positive psychology: Undisclosed flexibility in data collection and analysis allows presenting anything as significant. *Psychological Science*, 22(11), 1359–1366. <https://doi.org/10.1177/0956797611417632>
- Smaldino, P. E., & McElreath, R. (2016). The natural selection of bad science. *Royal Society Open Science*, 3(9), 160384. <https://doi.org/10.1098/rsos.160384>
- Soto, C. J. (2019). How replicable are links between personality traits and consequential life outcomes? The life outcomes of personality replication project. *Psychological Science*, 30(5), 711–727. <https://doi.org/10.1177/0956797619831612>
- Steurer, J. (2011). The Delphi method: An efficient procedure to generate knowledge. *Skeletal Radiology*, 40, 959–961. <https://doi.org/10.1007/s00256-011-1145-z>
- Szucs, D., & Ioannidis, J. P. (2017). Empirical assessment of published effect sizes and power in the recent cognitive neuroscience and psychology literature. *PLoS Biology*, 15(3), e2000797. <https://doi.org/10.1371/journal.pbio.2000797>
- Szucs, D., & Ioannidis, J. P. (2020). Sample size evolution in neuroimaging research: An evaluation of highly-cited studies (1990–2012) and of latest practices (2017–2018) in high-impact journals. *NeuroImage*, 221, 117164. <https://doi.org/10.1016/j.neuroimage.2020.117164>
- Taylor, E. (2020). We agree, don't we? The Delphi method for health environments research. *HERD: Health Environments Research & Design Journal*, 13(1), 11–23. <https://doi.org/10.1177/1937586719887709>
- Von Elm, E., Altman, D. G., Egger, M., Pocock, S. J., Gøtzsche, P. C., & Vandenbroucke, J. P. (2007). The Strengthening of Reporting of Observational Studies in Epidemiology (STROBE) statement: Guidelines for reporting observational studies. *The Lancet*, 370(9596), 1453–1457. [https://doi.org/10.1016/S0140-6736\(07\)61602-X](https://doi.org/10.1016/S0140-6736(07)61602-X)
- Wallin, A., Kettunen, P., Johansson, P. M., Jonsdottir, I. H., Nilsson, C., Nilsson, M., ..., & Georg Kuhn, H. (2018). Cognitive medicine—a new approach in health care science. *BMC Psychiatry*, 18, 1–5. <https://doi.org/10.1186/s12888-018-1615-0>
- Welty, G. (1972). Problems of selecting experts for Delphi exercises. *Academy of Management Journal*, 15(1), 121–124. <https://doi.org/10.5465/254805>
- Wicherts, J. M., Borsboom, D., Kats, J., & Molenaar, D. (2006). The poor availability of psychological research data for reanalysis. *American Psychologist*, 61(7), 726. <https://doi.org/10.1037/0003-066X.61.7.726>
- Wicherts, J. M., Veldkamp, C. L., Augusteijn, H. E., Bakker, M., Van Aert, R. C., & Van Assen, M. A. (2016). Degrees of freedom in planning, running, analyzing, and reporting psychological studies: A checklist to avoid p-hacking. *Frontiers in Psychology*, 7, 1832. <https://doi.org/10.3389/fpsyg.2016.01832>
- Zogmaister, C., Vezzoli, M., Facchin, A., Conte, F. P., Rizzi, E., Giaquinto, F., ..., & Simioni, M. (2024). Assessing the Transparency of Methods in Scientific Reporting. *Collabra: Psychology*, 10(1). <https://doi.org/10.1525/collabra.121243>
- Zwaan, R. A., Etz, A., Lucas, R. E., & Donnellan, M. B. (2018). Making replication mainstream. *Behavioral and Brain Sciences*, 41, e120. <https://doi.org/10.1017/S0140525X17001972>

Authors and Affiliations

C. Costa¹  · R. Pezzetta² · E. Toffalini¹ · M. Grassi¹ · G. Cona¹ · C. Miniussi³ · P. J. Bauer⁴ · S. Borgomaneri⁵ · M. Brysbaert⁶ · C. D. Chambers⁷ · N. Edelstyn⁸ · A. Eerland⁹ · S. J. Gilbert¹⁰ · M. A. Nitsche^{11,12,13} · R. A. Poldrack¹⁴ · A. Puce¹⁵ · K. R. Ridderinkhof¹⁶ · T. Y. Swaab¹⁷ · C. Umiltà¹ · M. Wiener¹⁸ · C. Scarpazza^{1,2} · on behalf of the PECANS Extended Working Group

✉ R. Pezzetta
rachele.pezzetta@hsancamillo.it

¹ Department of General Psychology, University of Padua, Padua, Italy

² IRCCS San Camillo Hospital, Via Alberoni 70, Venice, Italy

³ Center for Mind/Brain Sciences CIMEC, University of Trento, Rovereto, Italy

⁴ Department of Psychology, Emory University, Atlanta, GA, USA

⁵ Centro studi e ricerche in Neuroscienze Cognitive, Dipartimento di Psicologia “Renzo Canestrari”, Alma Mater Studiorum Università di Bologna, Cesena Campus, Cesena, Italy

⁶ Department of Experimental Psychology, Ghent University, Ghent, Belgium

⁷ Cardiff University Brain Research Imaging Centre, Cardiff CF24 4HQ, UK

⁸ School of Sciences, Bath SPA University, Bath, UK

⁹ Behavioural Science Institute, Radboud University, Nijmegen, The Netherlands

¹⁰ Institute of Cognitive Neuroscience, University College London, London, UK

¹¹ Department Psychology and Neurosciences, Leibniz Research Centre for Working Environment and Human Factors, Dortmund, Germany

¹² Bielefeld University, University Hospital OWL, Protestant Hospital of Bethel Foundation, University Clinic of Psychiatry and Psychotherapy and University Clinic, Bielefeld, Germany

¹³ German Center for Mental Health (DZPG), Bochum, Germany

¹⁴ Department of Psychology, Stanford University, Stanford, CA, USA

¹⁵ Department of Psychological and Brain Sciences, Indiana University, Bloomington, IN, USA

¹⁶ Department of Psychology, University of Amsterdam, Amsterdam, the Netherlands

¹⁷ Department of Psychology, University of California, Davis, CA, USA

¹⁸ Department of Psychology, George Mason University, Fairfax, VA, USA