

Search for heavy scalar resonances decaying to Lorentz-boosted Higgs and Higgs-like bosons in the $b\bar{b}4q$ final state at $\sqrt{s} = 13$ TeV



The CMS collaboration

Full author list at the end of the paper

E-mail: cms-publication-committee-chair@cern.ch

ABSTRACT: A search is performed for a heavy scalar resonance X decaying to a Higgs boson (H) and a Higgs-like scalar boson (Y) in the two bottom quark ($H \rightarrow b\bar{b}$) and four quark ($Y \rightarrow VV \rightarrow 4q$) final state, where V denotes a W or Z boson. Masses of the X between 900 and 4000 GeV and the Y between 60 and 2800 GeV are considered. The search is performed in data collected by the CMS experiment at the CERN LHC from proton-proton collisions at 13 TeV center-of-mass energy, with a data set corresponding to a total integrated luminosity of 138 fb^{-1} . It targets the Lorentz-boosted regime, in which the products of the $H \rightarrow b\bar{b}$ decay can be reconstructed as a single large-area jet, and those from the $Y \rightarrow VV \rightarrow 4q$ decay as either one $Y \rightarrow 4q$ or two $V \rightarrow q\bar{q}$ jets. Jet identification and mass reconstruction exploit machine-learning tools, including a novel attention-based “particle transformer” for $Y \rightarrow 4q$ identification. No significant excess is observed in the data above the standard model background expectation. Upper limits on the product of production cross section and branching fraction as low as 0.2 fb are derived at 95% confidence level for various mass hypotheses. This is the first search at the LHC for scalar resonances in the all-hadronic $b\bar{b}VV$ decay channel.

KEYWORDS: Beyond Standard Model, Hadron-Hadron Scattering, Higgs Physics

ARXIV EPRINT: [2602.00273](https://arxiv.org/abs/2602.00273)

Contents

1	Introduction	1
2	The CMS detector	3
3	Event simulation	3
4	Event reconstruction	4
5	Event selection	4
5.1	Fully merged category	5
5.2	Semimerged category	7
6	Background estimation	8
6.1	Fully merged category	8
6.2	Semimerged category	8
6.3	Validation	9
7	Systematic uncertainties	11
8	Results	12
9	Summary	14
	The CMS collaboration	23

1 Introduction

Many theoretical models predict a richer scalar sector than that of the standard model to address its foundational and observational inconsistencies, such as the Higgs boson (H) mass hierarchy problem and the baryon asymmetry in the universe. These include two-Higgs-doublet models [1] that add a scalar doublet to the standard model, such as the minimal supersymmetric extension of the standard model (MSSM) [2]. The MSSM predicts two neutral CP -even scalars (H_0, h), one neutral CP -odd scalar (A), and two charged scalars ($H^\pm$), where one of the neutral CP -even scalars may be the state observed at 125 GeV. The next-to-MSSM [3] adds to this a complex scalar singlet, predicting additional CP -even and CP -odd neutral scalars. Finally, the two-real-singlet model [4] predicts two additional CP -even scalar fields. Depending on the masses of the additional scalar particles, all of these models allow the decays of a heavier scalar to symmetric and asymmetric pairs of light scalars, such as HH and hH , respectively.

Motivated by these theoretical models, we search for decays of the form $X \rightarrow HY$, where X is the heavier and Y the lighter new scalar resonance, with H decaying to a bottom quark-antiquark pair, $b\bar{b}$, and Y to four quarks via $VV \rightarrow 4q$, where V denotes a W or Z boson. Many models, such as the two-real-singlet model, predict that the branching fractions of the lighter scalar boson to different standard model particles are similar to or the same as those of the standard model Higgs boson. Assuming the same mass-dependent branching fractions as the standard model Higgs boson [5], the WW and ZZ decay modes are dominant




Figure 1. Schematic diagrams of the $X \rightarrow HY$ decay in the $H \rightarrow b\bar{b}$ and $Y \rightarrow VV \rightarrow 4q$ all-hadronic final state, with $V = W$ or Z . Left: The fully merged regime ($m_Y \lesssim 0.1m_X$) in which Y is highly boosted, with its decay products merged and reconstructed as a single large-area jet. Right: The semimerged regime ($0.1m_X \lesssim m_Y < m_X - m_H$) in which Y is not as boosted, and each daughter V boson is instead reconstructed individually as a large-area jet.

for masses of the Y boson $m_Y > 140 \text{ GeV}$ and, hence, the $H \rightarrow b\bar{b}$ and $Y \rightarrow VV$ decays will be the dominant signatures for the $X \rightarrow HY$ signal.

We target the high X mass (m_X) regime, in which the Higgs boson is highly Lorentz-boosted, with the $H \rightarrow b\bar{b}$ system reconstructed as a large-area jet. Two regimes are considered for the $Y \rightarrow VV$ decay: one where $m_Y \lesssim 0.1m_X$, resulting in a highly boosted Y with its $VV \rightarrow 4q$ decay products merged and reconstructed as a single large-area jet (“fully merged”); and the second where $0.1m_X \lesssim m_Y < m_X - m_H$, in which Y is not as boosted, and each daughter V is instead reconstructed individually as a large-area jet (“semimerged”). Schematic diagrams of the decays targeted in the two regimes are depicted in figure 1.

There have been several searches for $X \rightarrow HY$ production in a variety of kinematic regimes and final states with the data collected by the CMS experiment at the CERN LHC between 2016–2018, such as the merged $4b$ final state [6] and the resolved $b\bar{b}\gamma\gamma$ [7] and $b\bar{b}\tau\tau$ [8] final states. Similarly, ATLAS has searched for this process in the $\gamma\gamma b\bar{b}$ [9] final state, along with the $\gamma\gamma VV$ [10] and $\tau\tau VV$ [11] final states. Previous searches at CMS in the $b\bar{b}VV$ final state have only been conducted in symmetric decays of the form $X \rightarrow HH$ [12], and only in the semileptonic channel.

In this paper, we present the first search for asymmetric cascade decays of the form $X \rightarrow HY$ in the all-hadronic $b\bar{b}VV$ final state. The analysis is performed using data collected by CMS from proton-proton (pp) collisions at $\sqrt{s} = 13 \text{ TeV}$ in 2016–2018, with a data set corresponding to a total integrated luminosity of 138 fb^{-1} [13, 14].

The paper is organized as follows. Section 2 provides a brief overview of the CMS detector. Section 3 describes the simulated samples used in this analysis, followed by a description of the event reconstruction and techniques used to improve the jet mass resolution in section 4. The event selection and object identification criteria for the fully merged and semimerged categories are outlined in section 5. A description of the background estimation method and its validation is provided in section 6. Section 7 summarizes the sources of systematic

uncertainty in the analysis. Finally, the results are presented in section 8 and summarized in section 9. Tabulated results are presented in the HEPData record for this analysis [15].

2 The CMS detector

The central feature of the CMS apparatus is a superconducting solenoid of 6 m internal diameter, providing a magnetic field of 3.8 T. Within the solenoid volume are a silicon pixel and strip tracker, a lead tungstate crystal electromagnetic calorimeter (ECAL), and a brass and scintillator hadron calorimeter (HCAL), each composed of a barrel and two endcap sections. Forward calorimeters extend the pseudorapidity (η) coverage provided by the barrel and endcap detectors. Muons are reconstructed using gas-ionization detectors interleaved with the layers of the steel flux-return yoke outside the solenoid. More detailed descriptions of the CMS detector, together with a definition of the coordinate system used and the relevant kinematic variables, can be found in refs. [16, 17].

Events of interest are selected using a two-tiered trigger system. The first level, composed of custom hardware processors, uses information from the calorimeters and muon detectors to select events at a rate of around 100 kHz within a fixed latency of $4\,\mu\text{s}$ [18]. The second level, known as the high-level trigger, consists of a farm of processors running a version of the full event reconstruction software optimized for fast processing, and reduces the event rate to a few kHz before data storage [19, 20].

3 Event simulation

The $X \rightarrow HY$ signal samples are simulated via gluon fusion at leading order in the 900–4000 GeV m_X range and 60–2800 GeV m_Y range, with widths of 1 MeV each, using the MADGRAPH5_aMC@NLO 2.6.5 [21] event generator. The $H \rightarrow b\bar{b}$ and $Y \rightarrow WW \rightarrow 4q$ decays are simulated with PYTHIA (v8.205) [22]. Signal samples are produced in the next-to-MSSM with the narrow-width approximation, which allows for the interpretation of the results in the context of other scenarios beyond the standard model under the same approximation. The simulation of parton showering, underlying event interactions, and hadronization is performed with PYTHIA (v8.205), including parameters from the CP5 tune [23].

The primary background is composed of jets produced through the strong interaction, referred to as quantum chromodynamics (QCD) multijet events. It is simulated with two to four jets in the final state and at leading order with MADGRAPH5_aMC@NLO 2.2.2, though it is estimated primarily via control samples in data. Minor backgrounds include top quark (t) events, such as $t\bar{t}$ +jets and single t+jets, which are simulated with POWHEG 2.0 [24–28] and PYTHIA 8; V+jets and diboson events, simulated with MADGRAPH5_aMC@NLO and PYTHIA 8; and standard model H events, dominated by associated production with a V boson and simulated with POWHEG 2.0 and PYTHIA 8. All simulated samples are generated with the NNPDF 3.0 [29] or 3.1 [30] parton distribution functions (PDFs). The response of the CMS detector is modeled with the GEANT4 [31] package, with additional simulated pp interactions superimposed on the hard interactions in simulated events to model pileup effects. The distribution of the number of pileup interactions in the simulation is reweighted

to match the corresponding distribution in data, which is obtained using the measured instantaneous luminosity per bunch crossing.

4 Event reconstruction

A particle-flow algorithm [32] aims to reconstruct and identify each individual particle in an event, with an optimized combination of information from the various elements of the CMS detector. The energy of photons is obtained from the ECAL measurement. The energy of electrons is determined from a combination of the electron momentum at the primary interaction vertex as determined by the tracker, the energy of the corresponding ECAL cluster, and the energy sum of all bremsstrahlung photons spatially compatible with originating from the electron track. The energy of muons is obtained from the curvature of the corresponding track. The energy of charged hadrons is determined from a combination of their momentum measured in the tracker and the matching ECAL and HCAL energy deposits, corrected for the response function of the calorimeters to hadronic showers. Finally, the energy of neutral hadrons is obtained from the corresponding corrected ECAL and HCAL energies. The primary vertex is taken to be the vertex corresponding to the hardest scattering in the event, evaluated using tracking information alone, as described in section 9.4.1 of ref. [33].

For each event, hadronic jets are clustered from these reconstructed particles using the infrared- and collinear-safe anti- k_T algorithm [34, 35] with a distance parameter of 0.8 (AK8 jets). Jet momentum is determined as the vectorial sum of all particle momenta in the jet, and is found from simulation to be, on average, within 5 to 10% of the generator jet momentum over the entire transverse momentum (p_T) spectrum and detector acceptance [36]. Additional pp interactions within the same or nearby bunch crossings (pileup) can contribute additional tracks and calorimetric energy depositions to the jet momentum. The pileup-per-particle identification algorithm [37] is used to mitigate the effect of pileup at the reconstructed particle level, making use of local shape information, event pileup properties, and tracking information. Additional selection criteria are applied to each jet to remove those potentially dominated by instrumental effects or reconstruction failures. A comprehensive description of these criteria and the full jet momentum calibration procedure is provided in ref. [38].

Jet mass is reconstructed by different algorithms, depending on the type of jet and context. In the high-level trigger, the “trimmed mass” is defined as the invariant mass of the jet constituents after a jet trimming procedure [39] to remove soft and wide-angle radiation, using a subjet size parameter of 0.3 and a subjet to AK8 jet p_T fraction of 0.1. Offline, a mass regression algorithm is employed, which uses the PARTICLENET architecture [40, 41], leveraging particle-flow candidate and secondary vertex information in a graph neural network to predict the “regressed jet mass” (m_{reg}) [42]. The PARTICLENET model has demonstrated improved mass resolution for AK8 jets by up to 10% compared to alternative algorithms [42].

5 Event selection

The online selection consists of triggers requiring events with a scalar sum of jet transverse momenta, H_T , of at least 800, 900, or 1050 GeV, depending on the data-taking period. Further trigger selection records events with at least one AK8 jet with a $p_T \geq 400$ or 500 GeV, where

in the case of the former, an additional requirement that the jet has a trimmed mass of at least 40 GeV is imposed. Finally, triggers requiring an H_T of 750 or 800 GeV with all jets having trimmed masses of at least 50 GeV are also used to target the boosted, fully hadronic nature of the final state. The efficiency for the combined set of triggers is measured in data in a sample composed primarily of AK8 jets originating from hadronically decaying top quarks, as a function of jet p_T and mass, and is applied to simulated background and signal processes. The signal efficiency of the online selection ranges from 90% for low $m_X \approx 1000$ GeV to close to 100% for higher $m_X \gtrsim 1500$ GeV.

The $H \rightarrow b\bar{b}$ decay is targeted through an offline selection for a single AK8 jet, while the $Y \rightarrow VV$ decay is selected as either one or two AK8 jets, in the fully merged and semimerged categories, respectively. In both cases, PARTICLENET is used to discriminate signal $H \rightarrow b\bar{b}$ jets from QCD background using a discriminant T_{Xbb} derived from its outputs. These outputs have been decorrelated from the jet masses by enforcing a uniform distribution in jet mass and p_T in the training samples [43]. Three T_{Xbb} working points (WPs, adjusted for each data-taking year [41]) are considered in the analysis: “low”, “medium”, and “high” purity (LP, MP, and HP), corresponding to signal (QCD background) efficiencies of approximately 80 (0.8), 60 (0.3), and 40 (0.1)%, respectively. An overview of the training, mass decorrelation, and calibration of the PARTICLENET $H \rightarrow b\bar{b}$ tagger can be found in ref. [41]. As jet mass resolution is crucial to the sensitivity of the search, the regressed mass observable m_{reg} is used for all AK8 jets.

The V bosons in the simulated $Y \rightarrow VV$ samples, used to train the jet classification algorithms for both the fully merged and semimerged categories of events, are W bosons that decay hadronically. As a result, the sensitivity to the $Y \rightarrow ZZ$ decay mode is less than that for $Y \rightarrow WW$. The selection efficiency for signals with the $Y \rightarrow ZZ$ decay is measured in a subset of signal samples to be a factor of 0.73 and 0.78 times that of WW decays in the fully merged and semimerged categories, respectively.

For both categories, a “signal pass” (SP) region is optimized for performing the search. An independent “signal fail” (SF) region with the tagger selections inverted is also used as a control region to estimate the QCD multijet background, as described in section 6. Along with these signal regions (SRs), which require the $b\bar{b}$ candidate m_{reg} ($m_{\text{reg}}^{\text{bb}}$) to be within a window around m_H , we define validation pass (VP) and validation fail (VF) regions by the sidebands of this mass window to validate the background estimation method before observing data in the SRs. These validation regions (VRs) are used purely to confirm the agreement of the background model with data and are not used in the final search. Signal contamination in the VRs and the SF region is <1% for both the fully merged and semimerged categories, assuming signal cross sections corresponding approximately to those obtained from scans of the next-to-MSSM benchmark planes across the range of m_X and m_Y considered in ref. [44]. Detailed selections for all four regions for both categories are defined below with a schematic of the event categorization provided in figure 2.

5.1 Fully merged category

For $m_Y \lesssim 0.1m_X$, the fraction of signal $Y \rightarrow VV$ AK8 jets containing four quarks is approximately 80–90%, and decreases to around 40% in the region $0.1m_X \lesssim m_Y \lesssim 0.16m_X$

before rapidly dropping off. Thus, in the case where $m_Y \lesssim 0.1m_X$, both V bosons and at least three out of four of their combined quark decay products are assumed to be reconstructed as a single AK8 jet. Hence, selected events are required to have at least two AK8 jets with $|\eta| < 2.4$, corresponding to the Higgs and Y boson candidates. The leading and subleading (in p_T) jets are required to have $p_T > 400$ and 350 GeV, respectively. Out of all AK8 jets in the event passing these requirements, the one with the highest T_{Xbb} score is then considered as the $H \rightarrow b\bar{b}$ candidate jet, and is required to pass the HP WP of the tagger. This $b\bar{b}$ candidate jet is also required to have a jet mass close to m_H : $110 < m_{\text{reg}} < 145$ GeV.

To identify the $Y \rightarrow VV \rightarrow 4q$ jet, we employ an attention-based neural network, referred to as “particle transformer” (PART) [45], which is trained on jets originating from scalar H-like resonances decaying to WW, with at least one W boson decaying hadronically [46].

The PART algorithm is decorrelated with the jet mass by enforcing a uniform distribution in jet mass, and by varying the masses of the daughter V bosons such that the ratio of V and Y boson masses at each m_Y point is equal to the ratio of V and Higgs boson masses in the standard model [46]. Because the mass of the scalar resonance in the training samples only varies between 15–250 GeV, the selection efficiency for signal jets with m_Y exceeding this range is lower by a factor of three compared to those with m_Y within this range. A detailed description of the training, mass decorrelation, and performance of this network is provided in ref. [46].

The outputs of PART are used to derive the T_{YWW} discriminant, isolating the $Y \rightarrow VV$ signal from QCD and t background jets, defined as:

$$T_{YWW} = \frac{P_{HWW4q} + P_{HWW3q}}{P_{\text{QCD}} + P_{\text{top}} + P_{HWW4q} + P_{HWW3q}}, \quad (5.1)$$

where P_{HWW4q} , P_{HWW3q} , P_{QCD} , and P_{top} are the predicted probabilities of the jet being a four-pronged VV-jet, three-pronged VV-jet, QCD jet, or t jet, respectively. The AK8 jet with the highest T_{YWW} score that also passes the above p_T and η kinematic selections is considered the VV candidate jet. It is required to have $T_{YWW} > 0.6$, corresponding to an approximately 60 (1)% signal (background) efficiency for jets with $m_Y < 250$ GeV, which is the boundary of the training mass range. The performance of the tagger at this working point is similar for all m_Y beneath this threshold, as shown in ref. [46]. If the same AK8 jet has both the highest T_{Xbb} and T_{YWW} score in the event, it is classified as the $b\bar{b}$ candidate and the next-highest T_{YWW} scoring jet is considered the VV candidate, where the T_{Xbb} score of the $b\bar{b}$ candidate and the T_{YWW} score of the VV candidate are denoted T_{Xbb}^{bb} and T_{YWW}^{VV} , respectively. The fraction of signal events in which this occurs and that pass our offline selections is found to be less than 1%. All the p_T and tagger selections are jointly optimized for the most stringent expected exclusion limits for a range of m_X and m_Y points.

The search is performed in events passing these selections, referred to as the SP region, binned in the two-dimensional (2D) plane of the VV candidate jet’s regressed mass (m_{reg}^{VV}) and the invariant mass of the system composed of the $b\bar{b}$ and VV candidate jets, representing the reconstructed m_Y and m_X (m_Y^{rec} and m_X^{rec}), respectively. The SF region, used to estimate the QCD multijet background, is defined by inverting the tagger selections for both jets. Finally, separate VP and VF regions, defined using the m_{reg}^{bb} sidebands, are used to validate the background estimation technique.




Figure 2. Schematic of the event categorization into the signal pass (SP), signal fail (SF), validation pass (VP), and validation fail (VF) regions for the fully merged (left) and semimerged (right) categories. The pass and fail tagging regions of the fully merged and semimerged categories are determined by application of the high purity (HP) working point (WP) of the T_{Xbb} tagger to the $b\bar{b}$ candidate jet (T_{Xbb}^{bb}). In the fully merged category, the pass and fail tagging regions are additionally defined by application of the T_{YWW} tagger to the $Y \rightarrow VV \rightarrow 4q$ candidate jet (T_{YWW}^{VV}).

5.2 Semimerged category

The semimerged search targets the $0.1m_X \lesssim m_Y < m_X$ mass range where the hadronic decays of the two V bosons produce two distinct AK8 jets, as opposed to a single jet like in the fully merged category. Therefore, the semimerged category selects events containing at least three AK8 jets — each with $p_T > 200$ GeV, $|\eta| < 2.4$, and $m_{\text{reg}} > 50$ GeV — including an AK8 jet from the $H \rightarrow b\bar{b}$ decay and two AK8 jets from the V bosons. The PARTICLENET model is used to target the $H \rightarrow b\bar{b}$ jet, as well as the two $V \rightarrow q\bar{q}$ jets from the Y decay using a discriminant T_{Wqq} derived from its outputs.

Of the three highest p_T AK8 jets that pass the above selection, the jet with the highest PARTICLENET T_{Xbb} score is considered the $b\bar{b}$ candidate jet, and is required to have $100 < m_{\text{reg}} < 150$ GeV ($75 < m_{\text{reg}} < 100$ GeV or $150 < m_{\text{reg}} < 175$ GeV) in the SR (VR). The two remaining AK8 jets are considered $V \rightarrow q\bar{q}$ candidates, and must have $70 < m_{\text{reg}} < 100$ GeV and pass a loose working point of the T_{Wqq} discriminant yielding a signal efficiency that ranges from 60 to 95% for jet p_T between 200 and 800 GeV.

The SP region of the semimerged category is then defined by requiring that the T_{Xbb} score of the $b\bar{b}$ candidate jet (T_{Xbb}^{bb}) be greater than the HP WP. As in fully merged category, events are binned in the 2D m_Y^{rec} and m_X^{rec} plane, defined as the invariant masses of the systems of the two $V \rightarrow q\bar{q}$ candidate jets and of all three AK8 jets, respectively. The SF region is formed by inverting the T_{Xbb}^{bb} score requirement, while the VRs are defined using the m_{reg}^{bb} sidebands. In order to ensure orthogonality of the two categories, events passing the fully merged selections are additionally rejected if they contain two AK8 jets with masses between 60–110 GeV that pass working points of the T_{Wqq} discriminant corresponding to a signal efficiency of 60%.

6 Background estimation

The search is performed in the SP regions of the two categories using a 2D binned likelihood model in m_X^{rec} and m_Y^{rec} . The background in these regions is dominated by QCD multijet events, whose yield is estimated using the product of data in the fail regions and polynomial “transfer functions” [47–49], as described below. Minor backgrounds include t and V backgrounds, which are modeled using the Monte Carlo (MC) simulations described in section 3. The corresponding systematic and statistical uncertainties are incorporated in the final statistical analysis through nuisance parameters in the likelihood model.

6.1 Fully merged category

In the fully merged category, both the T_{Xbb}^{bb} and T_{YWW}^{VV} selections are inverted to increase the sample size in the fail region. Although PART has also been trained to be decorrelated with the jet mass, there remains a high likelihood that the T_{YWW}^{VV} selection may affect the shape of the m_Y^{rec} , i.e., $m_{\text{reg}}^{\text{VV}}$, observable. To model the expected effect, we first determine a 2D fail-to-pass transfer function from QCD simulation alone, $R^{\text{sim}}(m_X, m_Y)$, which is used in conjunction with a second $R^{\text{data}}(m_X, m_Y)$ transfer function to correct for any residual differences in data. The product $R(m_X, m_Y)$ is the overall fail-to-pass transfer function:

$$R(m_X, m_Y) = R^{\text{sim}}(m_X, m_Y) R^{\text{data}}(m_X, m_Y), \quad (6.1)$$

where $R^{\text{sim}}(m_X, m_Y)$ and $R^{\text{data}}(m_X, m_Y)$ are both chosen to be 2D Bernstein polynomials in m_X and m_Y [50]:

$$R(m_X, m_Y) = \sum_{k=0}^{n_{m_X}} \sum_{l=0}^{n_{m_Y}} a_{k,l} [b_{k,n_{m_X}}(m_X) b_{l,n_{m_Y}}(m_Y)], \quad (6.2)$$

where n_{m_X} and n_{m_Y} are the orders of the polynomial in m_X and m_Y , respectively; and $b_{k,n_{m_X}}(m_X)$ and $b_{l,n_{m_Y}}(m_Y)$ are the k^{th} and l^{th} Bernstein basis functions of order n_{m_X} and n_{m_Y} , respectively. The coefficients of the polynomial, $a_{k,l}$, are determined through a simultaneous maximum likelihood fit to the data in the fail and pass regions.

The $R^{\text{sim}}(m_X, m_Y)$ function is obtained by a dedicated maximum likelihood fit to QCD simulations in the fail and pass regions, with its order in both m_X^{rec} and m_Y^{rec} determined to be 1 by Fisher F-tests [51] for background-only fits to the data in the signal region. The $R^{\text{data}}(m_X, m_Y)$ is determined through a fit to data in the signal fail and pass regions using the predetermined $R^{\text{sim}}(m_X, m_Y)$; its orders are determined to be 2 and 1 in m_X^{rec} and m_Y^{rec} , respectively. The measured $R^{\text{sim}}(m_X, m_Y)$ and total $R(m_X, m_Y)$ transfer functions, as measured in the signal region, are shown in figure 3, with the same binning in (m_X, m_Y) as used in the maximum likelihood fit to data. To achieve an adequate sample size in each bin, the bin widths along the m_X axis are gradually increased at higher masses.

6.2 Semimerged category

To estimate the QCD multijet background in the pass regions, the data in the respective fail regions are used as independent control regions to model its shape. In the semimerged




Figure 3. Measured transfer functions $R^{\text{sim}}(m_X, m_Y)$ (left) and $R(m_X, m_Y)$ (right) between the signal pass (SP) and signal fail (SF) regions of the fully merged category used to estimate the QCD multijet background contribution.

category, the SF region is defined by inverting the $T_{\text{Xbb}}^{\text{bb}}$ selection alone such that the shape of the multijet background regions is obtained directly from the shape in the fail region.

Explicitly, the QCD multijet yield in the i^{th} m_X^{rec} and j^{th} m_Y^{rec} bin in the fail regions (binned identically to the pass region) is represented by a floating parameter in the likelihood, $N_{\text{QCD fail}}^{ij}$. The initial value of $N_{\text{QCD fail}}^{ij}$ is set as the difference between the data and the total simulated backgrounds in that bin. The QCD yield estimate in the corresponding bin of the pass region, $N_{\text{QCD pass}}^{ij}$, is then determined by the product of $N_{\text{QCD fail}}^{ij}$ and a 2D pass-to-fail transfer function, $R(m_X, m_Y)$, evaluated at that bin:

$$N_{\text{QCD pass}}^{ij} = R(m_X^i, m_Y^j) N_{\text{QCD fail}}^{ij}. \quad (6.3)$$

The function R serves to model any potential differences in the shape of the multijet background in the fail and pass regions, with its form chosen to be a 2D Bernstein polynomial in m_X and m_Y as in eq. (6.2). Its order in both m_X^{rec} and m_Y^{rec} is determined by Fisher F-tests to be 0, i.e., a constant R . This indicates that the shapes of the QCD multijet background in both regions are indeed consistent, which is not unexpected since the PARTICLENET tagger has been shown to be successfully decorrelated with the jet mass [43]. The fitted value is $R(m_X, m_Y) = 0.024 \pm 0.002$.

6.3 Validation

This background estimation procedure is first validated for both categories in dedicated, background-dominated VRs, defined in section 5 and shown in figures 4 and 5. The lower panels show the pull per bin, defined as the difference between the data and predicted event yields divided by the statistical uncertainty associated with the data assuming a Poisson distribution, σ_{stat} . Also shown in the lower panels is a gray band indicating the systematic uncertainty in the pulls, estimated by dividing the corresponding systematic uncertainty




Figure 4. Projected distributions of the m_X^{rec} (left) and m_Y^{rec} (right) observables in the validation pass (VP) region of the fully merged (FM) category, after a background-only maximum likelihood fit to the data. The upper panels show the data and fitted background estimates, as well as the ± 1 standard deviation uncertainty in the total background estimate (σ_{syst}) per bin, divided by the respective bin widths, in gray. The vertical error bars for the data represent the statistical uncertainty, while the horizontal bars represent the bin widths. The lower panels show the pull per bin, defined as $(\text{data} - \text{Bkg.}) / \sigma_{\text{stat}}$, as well as a gray band indicating the systematic uncertainty in the pulls, estimated by dividing the corresponding systematic uncertainty in the main panel by σ_{stat} .

in the main panel by σ_{stat} . The agreement between the data and background model in the VRs is quantified via two-sample goodness of fit tests using the saturated model test statistic [52]. This yields p -values [53] of 0.85 and 0.11 for the semimerged and fully merged categories, respectively, indicating no significant discrepancies. The goodness of fit tests are then repeated for the data and the background models in the SRs, yielding p -values of 0.76 and 0.27, respectively. In both categories, bias tests were performed in pseudodata by injecting various signal mass hypotheses at cross sections corresponding to their respective expected limits. The injected signal cross sections were successfully recovered in all such tests, indicating no significant bias in the signal extraction process.

To avoid biasing the analysis, genuine data in the SR pass regions are not observed during their optimization. Instead, the expected R functions are derived through fits to the data in the VRs, and are then used in conjunction with the data in the SF regions to estimate the SP region background yields. The VRs are used only to finalize the selections and validate the background estimation strategy. They are not used in the search and do not affect the results presented in this paper.




Figure 5. Projected distributions of the m_X^{rec} (left) and m_Y^{rec} (right) observables in the validation pass (VP) region of the semimerged (SM) category, after a background-only maximum likelihood fit to the data. The upper panels show the data and fitted background estimates, as well as the ± 1 standard deviation uncertainty in the total background estimate (σ_{syst}) per bin, divided by the respective bin widths, in gray. The vertical error bars for the data represent the statistical uncertainty, while the horizontal bars represent the bin widths. The lower panels show the pull per bin, defined as $(\text{data} - \text{Bkg.}) / \sigma_{\text{stat}}$, as well as a gray band indicating the systematic uncertainty in the pulls, estimated by dividing the corresponding systematic uncertainty in the main panel by σ_{stat} .

7 Systematic uncertainties

Several sources of systematic uncertainties in the signal and background estimation are considered and summarized in table 1. The dominant source of uncertainty for both the fully merged and semimerged categories is the statistical uncertainty in the QCD multijet background estimate. The impact of a nuisance parameter on a parameter of interest is defined as the shift in the parameter of interest when the nuisance parameter is shifted from its best-fit value by its uncertainty, while profiling all other parameters [54]. The largest relative impact for a single transfer factor parameter, defined as the ratio of its impact on the best-fit signal strength to the total post-fit uncertainty in the signal strength, is 46% and 28% for the fully merged and semimerged categories, respectively, evaluated for the signal mass points with the largest global significances in each category.

In the fully merged category, this is followed by uncertainties in the signal efficiencies of the PARTICLENET T_{Xbb} and PART T_{YWW} selections, with relative impacts of 17 and 20%, respectively. The T_{Xbb} selection efficiency scale factors are measured by comparing data and simulation in a data sample dominated by $g \rightarrow b\bar{b}$ jets, obtained using the “sfBDT” method [41], which uses a boosted decision tree to select $g \rightarrow b\bar{b}$ jets that are similar to the resonant $H \rightarrow b\bar{b}$ signal. The resulting scale factors range from 0.9 to 1.2 for the HP

WP with uncertainties ranging from 4 to 10%, depending on the jet p_T and data-taking era. The dominant uncertainties in the scale factor include the effects of applying different assumptions for reweighting simulation to data as well as statistical uncertainties. The T_{YWW} selection efficiency scale factors are evaluated using a new technique based on the ratio of the primary Lund jet plane [46, 55, 56] densities of each individual subjet between data and simulation. The scale factors for the latter range from 0.9 to 1.2 with uncertainties of $\approx 10\%$ for highly boosted jets, i.e., from signals with a high m_X/m_Y ratio, and range from 20 to 50% for less boosted jets. The dominant uncertainties in this method include an uncertainty stemming from corrections to simulations used to measure the Lund jet plane densities, as well as an uncertainty in the quark-to-subjet association.

In the semimerged category, the uncertainties in the T_{Xbb} and T_{Wqq} tagging efficiency have impacts of 13 and 9%, respectively. The same T_{Xbb} selection efficiency scale factors are applied, while for the T_{Wqq} selection, the efficiency is calibrated by comparing the efficiencies in data and simulation in a lepton plus jets data sample dominated by $t\bar{t}$ events. The scale factors for the T_{Wqq} tagger WP used in the semimerged category range from 0.8 to 0.9 with uncertainties in the 5–10% range depending on the jet p_T .

Other significant sources of experimental uncertainty include the scale and resolution of the regressed jet mass and reconstructed jet energy [57] in data versus simulation. Jet mass corrections and uncertainties are measured in a data sample enriched in $t\bar{t}$ events, using AK8 jets originating from hadronic W boson decays [58], with impacts of 26 and 6% in the fully merged and semimerged categories, respectively. Jet energy corrections and uncertainties constitute 2 and 3%, respectively, for the two categories. Finally, there are large statistical uncertainties related to the MC simulations of the signal and less important t and V backgrounds, reaching 30% in some bins of the SRs.

Less important sources of uncertainty include those related to the renormalization and factorization scales, PDFs, Higgs boson branching fractions, integrated luminosity [13, 14], pileup effects, and trigger efficiencies, all of which have sub-percent-level impacts.

8 Results

For both search categories, a 2D binned maximum likelihood fit is performed to the observed m_X^{rec} and m_Y^{rec} distributions, simultaneously in the fail and pass regions, for a wide range of potential X and Y mass points. The m_X and m_Y points are separated per category based on which one yields a lower expected exclusion limit; hence, the two categories themselves are not fit simultaneously. The following results have been determined using the CMS statistical analysis tool COMBINE [54], based on the ROOFIT [59] and ROOSTATS [60] frameworks.

The data and fitted estimates for backgrounds and the signal hypotheses with the largest statistical significances for the fully merged and semimerged categories are shown in figures 6 and 7, respectively, projected onto the m_X^{rec} and m_Y^{rec} observables. Figure 8 shows the 2D pull plots for both categories. The largest deviation from the background-only hypothesis is observed in the fully merged category for $m_X = 900$ GeV and $m_Y = 80$ GeV with a local (global) significance of 3.3 (below 1.0) standard deviations. In the semimerged category, the largest deviation is observed for $m_X = 1200$ GeV and $m_Y = 900$ GeV with a local (global) significance of 1.7 (below 1.0) standard deviations.

Source	Processes affected	Uncertainty (FM)	Uncertainty (SM)
T_{YWW} signal efficiency	Signal	6–50%	—
T_{Xbb} signal efficiency	Signal	—	4–10%
T_{Wqq} signal efficiency	Signal	—	9%
$H \rightarrow b\bar{b}$ branching fraction	Signal, $H \rightarrow b\bar{b}$	—	1.25%
R function parameters	QCD multijet	8–20%	6%
Parton showering	All simulations	—	1–9%
Jet energy scale and resolution	All simulations	—	1–3%
Jet mass scale and resolution	All simulations	—	1–4%
MC statistical uncertainty	Signal	—	1–10%
MC statistical uncertainty	$t\bar{t}$	—	1–30%
Renorm. and fact. scales	All simulations	—	7–10%
PDF	All simulations	—	1%
Integrated luminosity	All simulations	—	2%
Pileup	All simulations	—	1%
Trigger efficiencies	All simulations	<1%	1–2%

Table 1. Sources of systematic uncertainties and the range of variations in the yields of the specified processes in the fully merged (FM) and semimerged (SM) categories.

Expected and observed exclusion limits at 95% confidence level (CL) are derived on the $X \rightarrow HY$ production cross section assuming a 100% branching fraction for the $Y \rightarrow WW$ decays and standard model branching fractions for the subsequent $VV \rightarrow 4q$ decays. They are shown in the 2D m_X vs. m_Y plane in figure 9 as well as in one dimension for different m_X points in figure 10. The results can be interpreted in the context of $Y \rightarrow ZZ$ decays by dividing the upper limits by a factor of 0.73 (0.78) in the fully merged (semimerged) category, to account for the lower selection efficiency of $Y \rightarrow ZZ$ with respect to $Y \rightarrow WW$, as explained in section 5. The separation between the fully merged and semimerged categories is governed by the fraction of signal $Y \rightarrow VV$ jets containing four quarks and is depicted by a dashed line in figure 9 and a separation between sets of points in figure 10. The loss of sensitivity at higher m_Y in figure 10 corresponds to points where the decay products of the Higgs boson are no longer captured entirely within an AK8 jet and is similarly reflected by the increase in the limits along the boundary denoting kinematically allowed masses in figure 9.

The limits are calculated using asymptotic approximations for the profile likelihood ratio test statistic [53, 61] and the CL_s [62, 63] criterion. The validity of the asymptotic approximation was tested for a subset of signals whose distributions lie predominantly in bins with less than ten expected events. For all such signals, the limits calculated using the asymptotic approximation agreed within 15% with those calculated using the distribution of test statistics obtained from pseudodata, motivating the use of the asymptotic approximation for the full range of signal mass points.

The results were further interpreted in the context of asymmetric cascade decays in a two-real-scalar-singlet model [4], which introduces two real singlet fields S and X to the standard model Higgs sector. Scans of the vacuum expectation values of these new scalars, v_S and v_X , and the mixing angles between the Higgs field and the new fields as well as among




Figure 6. Projected distributions of the m_X^{rec} (left) and m_Y^{rec} (right) observables in the signal pass (SP) region of the fully merged (FM) category, after a maximum likelihood fit to the data with an $X \rightarrow HY \rightarrow b\bar{b}WW$ signal with $m_X = 900$ GeV and $m_Y = 80$ GeV and product of best-fit production cross section and branching fraction of 15 fb. The signal distribution has been scaled by a factor of two in the upper panels to help distinguish it from the background distributions. The lower panels show the pull per bin, defined as $(\text{data} - \text{Bkg.}) / \sigma_{\text{stat}}$, as well as a gray band indicating the systematic uncertainty in the pulls, estimated by dividing the corresponding systematic uncertainty in the main panel by σ_{stat} .

themselves, θ_{HS} , θ_{HX} , and θ_{SX} , are performed to obtain the maximally allowed product of cross section and branching fraction to $b\bar{b}VV$ for all mass points under consideration. These scans employ the narrow width approximation to factorize production cross sections and branching fractions, consistent with the signal samples used in this analysis. No mass exclusions can be made for any masses of the X and Y bosons under this model, although for $m_X < 1.4$ and $m_Y < 0.6$ TeV, the observed limits are about a factor of 10 higher than the maximum prediction of this model.

9 Summary

A search has been performed for a heavy scalar resonance X decaying to a Higgs boson (H) and Higgs-like scalar boson (Y) in the two bottom quark ($H \rightarrow b\bar{b}$) and four quark ($Y \rightarrow VV \rightarrow 4q$) final state, where V denotes a W or Z boson. The search targets Lorentz-boosted $X \rightarrow HY$ production where the daughter quarks from the Higgs and Y bosons are merged within large-area jets. A mass-decorrelated graph neural network tagger, known as PARTICLENET, was used to select $H \rightarrow b\bar{b}$ and $V \rightarrow q\bar{q}$ jets while the new “particle transformer” is used for fully merged $Y \rightarrow VV$ jets. The signal is extracted from a two-




Figure 7. Projected distributions of the m_X^{rec} (left) and m_Y^{rec} (right) observables in the signal pass (SP) region of the semimerged (SM) category, after a maximum likelihood fit to the data with an $X \rightarrow HY \rightarrow b\bar{b}WW$ signal with $m_X = 1200$ GeV and $m_Y = 900$ GeV and product of best-fit production cross section and branching fraction of 250 fb. The lower panels show the pull per bin, defined as $(\text{data} - \text{Bkg.})/\sigma_{\text{stat}}$, as well as a gray band indicating the systematic uncertainty in the pulls, estimated by dividing the corresponding systematic uncertainty in the main panel by σ_{stat} .




Figure 8. The 2D pulls in the m_X^{rec} and m_Y^{rec} observables in the signal pass (SP) regions of the fully merged (FM, left) and semimerged (SM, right) categories, after a maximum likelihood fit to the data with an $X \rightarrow HY \rightarrow b\bar{b}WW$ signal with $m_X = 900$ GeV and $m_Y = 80$ GeV, and $m_X = 1200$ GeV and $m_Y = 900$ GeV, respectively. Pulls are defined as $(\text{data} - \text{Bkg.})/\sigma$, where σ is the sum in quadrature of the background uncertainty and the statistical uncertainty associated with the data assuming a Poisson distribution.




Figure 9. Median expected (left) and observed (right) upper limits at 95% CL on the product of production cross section and branching fraction for $X \rightarrow HY \rightarrow b\bar{b}WW$ on the 2D m_X and m_Y plane. The dashed line separates the mass points considered in the fully merged (FM) and semimerged (SM) categories.

dimensional maximum likelihood fit to data binned in the reconstructed Y and X masses. The dominant quantum chromodynamics multijet background is estimated using control regions in data with the tagger score selections inverted. Other minor backgrounds including top quark and V plus jets are estimated using Monte Carlo simulations. No significant excess is observed in the data above the standard model background expectation. Upper limits at 95% confidence level as low as 0.2 fb are set for the product of resonant $X \rightarrow HY \rightarrow b\bar{b}VV$ production cross section and branching fraction for various X and Y masses. This is the first search for scalar resonances in the all-hadronic $b\bar{b}VV$ final state at the LHC.

Acknowledgments

We congratulate our colleagues in the CERN accelerator departments for the excellent performance of the LHC and thank the technical and administrative staffs at CERN and at other CMS institutes for their contributions to the success of the CMS effort. In addition, we gratefully acknowledge the computing centers and personnel of the Worldwide LHC Computing Grid and other centers for delivering so effectively the computing infrastructure essential to our analyses. Finally, we acknowledge the enduring support for the construction and operation of the LHC, the CMS detector, and the supporting computing infrastructure provided by the following funding agencies: SC (Armenia), BMBWF and FWF (Austria); FNRS and FWO (Belgium); CNPq, CAPES, FAPERJ, FAPERGS, and FAPESP (Brazil); MES and BNSF (Bulgaria); CERN; CAS, MoST, and NSFC (China); MINCIENCIAS (Colombia); MSES and CSF (Croatia); RIF (Cyprus); SENESCYT (Ecuador); ERC PRG, TARISTU24-TK10 and MoER TK202 (Estonia); Academy of Finland, MEC, and HIP (Finland); CEA and CNRS/IN2P3 (France); SRNSF (Georgia); BMFTR, DFG, and HGF (Germany); GSRI (Greece); NKFIH (Hungary); DAE and DST (India); IPM (Iran); SFI (Ireland); INFN (Italy); MSIT and NRF (Republic of Korea); MES (Latvia); LMTLT (Lithuania); MOE and UM (Malaysia); BUAP, CINVESTAV, CONACYT, LNS, SEP, and UASLP-FAI (Mexico); MOS (Montenegro); MBIE (New Zealand); PAEC (Pakistan); MES, NSC, and NAWA (Poland);




Figure 10. Expected and observed upper limits at 95% CL on the product of production cross section and branching fraction for $X \rightarrow HY \rightarrow b\bar{b}WW$ signals. The dashed and solid black lines represent median expected and observed limits, respectively. The inner (green) and outer (yellow) bands represent the ± 1 and ± 2 standard deviations for the expected limits, respectively. The left and right set of points in each panel correspond to those considered in the fully merged (FM) and semimerged (SM) categories, respectively.

FCT (Portugal); MESTD (Serbia); MICIU/AEI and PCTI (Spain); MOSTR (Sri Lanka); Swiss Funding Agencies (Switzerland); MST (Taipei); MHESI (Thailand); TUBITAK and TENMAK (Türkiye); NASU (Ukraine); STFC (United Kingdom); DOE and NSF (U.S.A.).

Individuals have received support from the Marie-Curie program and the European Research Council and Horizon 2020 Grant, contract Nos. 675440, 724704, 752730, 758316, 765710, 824093, 101115353, 101002207, 101001205, and COST Action CA16108 (European Union); the Leventis Foundation; the Alfred P. Sloan Foundation; the Alexander von Humboldt Foundation; the Science Committee, project no. 22rl-037 (Armenia); the Fonds pour la Formation à la Recherche dans l'Industrie et dans l'Agriculture (FRIA) and Fonds voor

Wetenschappelijk Onderzoek contract No. 1228724N (Belgium); the Beijing Municipal Science & Technology Commission, No. Z191100007219010, the Fundamental Research Funds for the Central Universities, the Ministry of Science and Technology of China under Grant No. 2023YFA1605804, the Natural Science Foundation of China under Grant No. 12535004, and USTC Research Funds of the Double First-Class Initiative No. YD2030002017 (China); the Ministry of Education, Youth and Sports (MEYS) of the Czech Republic; the Shota Rustaveli National Science Foundation, grant FR-22-985 (Georgia); the Deutsche Forschungsgemeinschaft (DFG), among others, under Germany’s Excellence Strategy – EXC 2121 “Quantum Universe” – 390833306, and under project number 400140256 – GRK2497; the Hellenic Foundation for Research and Innovation (HFRI), Project Number 2288 (Greece); the Hungarian Academy of Sciences, the New National Excellence Program – ÚNKP, the NKFIH research grants K 131991, K 133046, K 138136, K 143460, K 143477, K 146913, K 146914, K 147048, 2020-2.2.1-ED-2021-00181, TKP2021-NKTA-64, and 2025-1.1.5-NEMZ_KI-2025-00004 (Hungary); the Council of Science and Industrial Research, India; ICSC – National Research Center for High Performance Computing, Big Data and Quantum Computing, FAIR – Future Artificial Intelligence Research, and CUP I53D23001070006 (Mission 4 Component 1), funded by the NextGenerationEU program (Italy); the Latvian Council of Science; the Ministry of Education and Science, project no. 2022/WK/14, and the National Science Center, contracts Opus 2021/41/B/ST2/01369, 2021/43/B/ST2/01552, 2023/49/B/ST2/03273, and the NAWA contract BPN/PPO/2021/1/00011 (Poland); the Fundação para a Ciência e a Tecnologia, grant CEECIND/01334/2018 (Portugal); the National Priorities Research Program by Qatar National Research Fund; MICIU/AEI/10.13039/501100011033, ERDF/EU, “European Union NextGenerationEU/PRTR”, and Programa Severo Ochoa del Principado de Asturias (Spain); the Chulalongkorn Academic into Its 2nd Century Project Advancement Project, the National Science, Research and Innovation Fund program IND_FF_68_369_2300_097, and the Program Management Unit for Human Resources & Institutional Development, Research and Innovation, grant B39G680009 (Thailand); the Kavli Foundation; the Nvidia Corporation; the SuperMicro Corporation; the Welch Foundation, contract C-1845; and the Weston Havens Foundation (U.S.A.).

Data Availability Statement. Release and preservation of data used by the CMS Collaboration as the basis for publications is guided by the [CMS data preservation, re-use and open access policy](#).

Code Availability Statement. The CMS core software is publicly available on [GitHub](#).

Open Access. This article is distributed under the terms of the Creative Commons Attribution License ([CC-BY4.0](#)), which permits any use, distribution and reproduction in any medium, provided the original author(s) and source are credited.

References

- [1] G.C. Branco et al., *Theory and phenomenology of two-Higgs-doublet models*, *Phys. Rept.* **516** (2012) 1 [[arXiv:1106.0034](#)] [[INSPIRE](#)].
- [2] N. Craig, J. Galloway and S. Thomas, *Searching for Signs of the Second Higgs Doublet*, [arXiv:1305.2424](#) [[INSPIRE](#)].

- [3] F. Domingo and S. Paßehr, *About the bosonic decays of heavy Higgs states in the (N)MSSM*, *Eur. Phys. J. C* **82** (2022) 962 [[arXiv:2207.05776](#)] [[INSPIRE](#)].
- [4] T. Robens, T. Stefaniak and J. Wittbrodt, *Two-real-scalar-singlet extension of the SM: LHC phenomenology and benchmark scenarios*, *Eur. Phys. J. C* **80** (2020) 151 [[arXiv:1908.08554](#)] [[INSPIRE](#)].
- [5] LHC HIGGS CROSS SECTION WORKING GROUP collaboration, *Handbook of LHC Higgs Cross Sections: 4. Deciphering the Nature of the Higgs Sector*, *CERN Yellow Rep. Monogr.* **2** (2017) 1 [[arXiv:1610.07922](#)] [[INSPIRE](#)].
- [6] CMS collaboration, *Search for a massive scalar resonance decaying to a light scalar and a Higgs boson in the four b quarks final state with boosted topology*, *Phys. Lett. B* **842** (2023) 137392 [[arXiv:2204.12413](#)] [[INSPIRE](#)].
- [7] CMS collaboration, *Search for a new resonance decaying into two spin-0 bosons in a final state with two photons and two bottom quarks in proton-proton collisions at $\sqrt{s} = 13$ TeV*, *JHEP* **05** (2024) 316 [[arXiv:2310.01643](#)] [[INSPIRE](#)].
- [8] CMS collaboration, *Search for a heavy Higgs boson decaying into two lighter Higgs bosons in the $\tau\tau b\bar{b}$ final state at 13 TeV*, *JHEP* **11** (2021) 057 [[arXiv:2106.10361](#)] [[INSPIRE](#)].
- [9] ATLAS collaboration, *Search for a resonance decaying into a scalar particle and a Higgs boson in the final state with two bottom quarks and two photons with 199 fb^{-1} of data collected at $\sqrt{s} = 13$ and 13.6 TeV with the ATLAS detector*, *Phys. Lett. B* **877** (2026) 140425 [[arXiv:2510.02857](#)] [[INSPIRE](#)].
- [10] ATLAS collaboration, *Search for a resonance decaying into a scalar particle and a Higgs boson in final states with leptons and two photons in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *JHEP* **10** (2024) 104 [[arXiv:2405.20926](#)] [[INSPIRE](#)].
- [11] ATLAS collaboration, *Search for a new heavy scalar particle decaying into a Higgs boson and a new scalar singlet in final states with one or two light leptons and a pair of τ -leptons with the ATLAS detector*, *JHEP* **10** (2023) 009 [[arXiv:2307.11120](#)] [[INSPIRE](#)].
- [12] CMS collaboration, *Search for Higgs boson pair production in the $b\bar{b}W^+W^-$ decay mode in proton-proton collisions at $\sqrt{s} = 13$ TeV*, *JHEP* **07** (2024) 293 [[arXiv:2403.09430](#)] [[INSPIRE](#)].
- [13] CMS collaboration, *Precision luminosity measurement in proton-proton collisions at $\sqrt{s} = 13$ TeV in 2015 and 2016 at CMS*, *Eur. Phys. J. C* **81** (2021) 800 [[arXiv:2104.01927](#)] [[INSPIRE](#)].
- [14] CMS collaboration, *Precision luminosity measurement in proton-proton collisions at $\sqrt{s} = 13$ TeV with the CMS detector*, *CMS-PAS-LUM-20-001* (2025).
- [15] HEPData record for this analysis, (2026) [DOI:10.17182/hepdata.167732](#).
- [16] CMS collaboration, *The CMS Experiment at the CERN LHC*, 2008 *JINST* **3** S08004 [[INSPIRE](#)].
- [17] CMS collaboration, *Development of the CMS detector for the CERN LHC Run 3*, 2024 *JINST* **19** P05064 [[arXiv:2309.05466](#)] [[INSPIRE](#)].
- [18] CMS collaboration, *Performance of the CMS Level-1 trigger in proton-proton collisions at $\sqrt{s} = 13$ TeV*, 2020 *JINST* **15** P10017 [[arXiv:2006.10165](#)] [[INSPIRE](#)].
- [19] CMS collaboration, *The CMS trigger system*, 2017 *JINST* **12** P01020 [[arXiv:1609.02366](#)] [[INSPIRE](#)].
- [20] CMS collaboration, *Performance of the CMS high-level trigger during LHC Run 2*, 2024 *JINST* **19** P11021 [[arXiv:2410.17038](#)] [[INSPIRE](#)].

- [21] J. Alwall et al., *The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations*, *JHEP* **07** (2014) 079 [[arXiv:1405.0301](#)] [[INSPIRE](#)].
- [22] T. Sjöstrand et al., *An introduction to PYTHIA 8.2*, *Comput. Phys. Commun.* **191** (2015) 159 [[arXiv:1410.3012](#)] [[INSPIRE](#)].
- [23] CMS collaboration, *Extraction and validation of a new set of CMS PYTHIA8 tunes from underlying-event measurements*, *Eur. Phys. J. C* **80** (2020) 4 [[arXiv:1903.12179](#)] [[INSPIRE](#)].
- [24] P. Nason, *A new method for combining NLO QCD with shower Monte Carlo algorithms*, *JHEP* **11** (2004) 040 [[hep-ph/0409146](#)] [[INSPIRE](#)].
- [25] S. Frixione, P. Nason and G. Ridolfi, *A positive-weight next-to-leading-order Monte Carlo for heavy flavour hadroproduction*, *JHEP* **09** (2007) 126 [[arXiv:0707.3088](#)] [[INSPIRE](#)].
- [26] S. Frixione, P. Nason and C. Oleari, *Matching NLO QCD computations with Parton Shower simulations: the POWHEG method*, *JHEP* **11** (2007) 070 [[arXiv:0709.2092](#)] [[INSPIRE](#)].
- [27] S. Alioli, P. Nason, C. Oleari and E. Re, *A general framework for implementing NLO calculations in shower Monte Carlo programs: the POWHEG BOX*, *JHEP* **06** (2010) 043 [[arXiv:1002.2581](#)] [[INSPIRE](#)].
- [28] T. Ježo et al., *An NLO+PS generator for $t\bar{t}$ and Wt production and decay including non-resonant and interference effects*, *Eur. Phys. J. C* **76** (2016) 691 [[arXiv:1607.04538](#)] [[INSPIRE](#)].
- [29] NNPDF collaboration, *Parton distributions for the LHC Run II*, *JHEP* **04** (2015) 040 [[arXiv:1410.8849](#)] [[INSPIRE](#)].
- [30] NNPDF collaboration, *Parton distributions from high-precision collider data*, *Eur. Phys. J. C* **77** (2017) 663 [[arXiv:1706.00428](#)] [[INSPIRE](#)].
- [31] GEANT4 collaboration, *GEANT4 — A Simulation Toolkit*, *Nucl. Instrum. Meth. A* **506** (2003) 250 [[INSPIRE](#)].
- [32] CMS collaboration, *Particle-flow reconstruction and global event description with the CMS detector*, *2017 JINST* **12** P10003 [[arXiv:1706.04965](#)] [[INSPIRE](#)].
- [33] CMS collaboration, *Technical proposal for the Phase-II upgrade of the Compact Muon Solenoid*, *CMS-TDR-15-02* (2015).
- [34] M. Cacciari, G.P. Salam and G. Soyez, *The anti- k_t jet clustering algorithm*, *JHEP* **04** (2008) 063 [[arXiv:0802.1189](#)] [[INSPIRE](#)].
- [35] M. Cacciari, G.P. Salam and G. Soyez, *FastJet User Manual*, *Eur. Phys. J. C* **72** (2012) 1896 [[arXiv:1111.6097](#)] [[INSPIRE](#)].
- [36] CMS collaboration, *Jet energy scale and resolution in the CMS experiment in pp collisions at 8 TeV*, *2017 JINST* **12** P02014 [[arXiv:1607.03663](#)] [[INSPIRE](#)].
- [37] D. Bertolini, P. Harris, M. Low and N. Tran, *Pileup Per Particle Identification*, *JHEP* **10** (2014) 059 [[arXiv:1407.6013](#)] [[INSPIRE](#)].
- [38] CMS collaboration, *Pileup mitigation at CMS in 13 TeV data*, *2020 JINST* **15** P09018 [[arXiv:2003.00503](#)] [[INSPIRE](#)].
- [39] D. Krohn, J. Thaler and L.-T. Wang, *Jet Trimming*, *JHEP* **02** (2010) 084 [[arXiv:0912.1342](#)] [[INSPIRE](#)].
- [40] H. Qu and L. Gouskos, *ParticleNet: Jet Tagging via Particle Clouds*, *Phys. Rev. D* **101** (2020) 056019 [[arXiv:1902.08570](#)] [[INSPIRE](#)].

- [41] CMS collaboration, *Performance of heavy-flavour jet identification in Lorentz-boosted topologies in proton-proton collisions at $\sqrt{s} = 13$ TeV*, **2025 JINST** **20** P11006 [[arXiv:2510.10228](#)] [[INSPIRE](#)].
- [42] CMS collaboration, *Mass regression of highly-boosted jets using graph neural networks*, **CMS-DP-2021-017** (2021) [[INSPIRE](#)].
- [43] CMS collaboration, *Identification of highly Lorentz-boosted heavy particles using graph neural networks and new mass decorrelation techniques*, **CMS-DP-2020-002** (2020).
- [44] U. Ellwanger and C. Hugonie, *Benchmark planes for Higgs-to-Higgs decays in the NMSSM*, *Eur. Phys. J. C* **82** (2022) 406 [[arXiv:2203.05049](#)] [[INSPIRE](#)].
- [45] H. Qu, C. Li and S. Qian, *Particle Transformer for Jet Tagging*, [arXiv:2202.03772](#) [[INSPIRE](#)].
- [46] CMS collaboration, *Particle transformers for identifying Lorentz-boosted Higgs bosons decaying to a pair of W bosons*, **CMS-PAS-JME-25-001** (2025) [[INSPIRE](#)].
- [47] CMS collaboration, *Search for a massive resonance decaying to a pair of Higgs bosons in the four b quark final state in proton-proton collisions at $\sqrt{s} = 13$ TeV*, *Phys. Lett. B* **781** (2018) 244 [[arXiv:1710.04960](#)] [[INSPIRE](#)].
- [48] CMS collaboration, *Search for production of Higgs boson pairs in the four b quark final state using large-area jets in proton-proton collisions at $\sqrt{s} = 13$ TeV*, *JHEP* **01** (2019) 040 [[arXiv:1808.01473](#)] [[INSPIRE](#)].
- [49] CMS collaboration, *Inclusive search for highly boosted Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV*, *JHEP* **12** (2020) 085 [[arXiv:2006.13251](#)] [[INSPIRE](#)].
- [50] S.N. Bernstein, *Démonstration du théorème de Weierstrass fondée sur le calcul des probabilités*, *Comm. Soc. Math. de Kharkov* **13** (1912) 1.
- [51] R.A. Fisher, *On the Interpretation of χ^2 from Contingency Tables, and the Calculation of P*, *J. Roy. Statist. Soc.* **85** (1922) 87.
- [52] S. Baker and R.D. Cousins, *Clarification of the Use of Chi Square and Likelihood Functions in Fits to Histograms*, *Nucl. Instrum. Meth.* **221** (1984) 437 [[INSPIRE](#)].
- [53] G. Cowan, K. Cranmer, E. Gross and O. Vitells, *Asymptotic formulae for likelihood-based tests of new physics*, *Eur. Phys. J. C* **71** (2011) 1554 [Erratum *ibid.* **73** (2013) 2501] [[arXiv:1007.1727](#)] [[INSPIRE](#)].
- [54] CMS collaboration, *The CMS Statistical Analysis and Combination Tool: Combine*, *Comput. Softw. Big Sci.* **8** (2024) 19 [[arXiv:2404.06614](#)] [[INSPIRE](#)].
- [55] F.A. Dreyer, G.P. Salam and G. Soyez, *The Lund Jet Plane*, *JHEP* **12** (2018) 064 [[arXiv:1807.04758](#)] [[INSPIRE](#)].
- [56] CMS collaboration, *A method for correcting the substructure of multiprong jets using the Lund jet plane*, *JHEP* **11** (2025) 038 [[arXiv:2507.07775](#)] [[INSPIRE](#)].
- [57] CMS collaboration, *Jet energy scale and resolution measurement with Run 2 Legacy Data Collected by CMS at 13 TeV*, **CMS-DP-2021-033** (2021).
- [58] CMS collaboration, *Search for Nonresonant Pair Production of Highly Energetic Higgs Bosons Decaying to Bottom Quarks*, *Phys. Rev. Lett.* **131** (2023) 041803 [[arXiv:2205.06667](#)] [[INSPIRE](#)].
- [59] W. Verkerke and D.P. Kirkby, *The RooFit toolkit for data modeling*, *eConf C* **0303241** (2003) MOLT007 [[physics/0306116](#)] [[INSPIRE](#)].

- [60] L. Moneta et al., *The RooStats Project*, *PoS ACAT2010* (2010) 057 [[arXiv:1009.1003](#)] [[INSPIRE](#)].
- [61] ATLAS et al. collaborations, *Procedure for the LHC Higgs boson search combination in Summer 2011*, *CMS-NOTE-2011-005* (2011) [[INSPIRE](#)].
- [62] T. Junk, *Confidence level computation for combining searches with small statistics*, *Nucl. Instrum. Meth. A* **434** (1999) 435 [[hep-ex/9902006](#)] [[INSPIRE](#)].
- [63] A.L. Read, *Presentation of search results: The CL_s technique*, *J. Phys. G* **28** (2002) 2693 [[INSPIRE](#)].

The CMS collaboration

A. Hayrapetyan¹, V. Makarenko¹, A. Tumasyan^{1,a}, W. Adam², J.W. Andrejkovic²,
 L. Benato², T. Bergauer², M. Dragicevic², C. Giordano², P.S. Hussain², M. Jeitler^{2,b},
 N. Krammer², A. Li², D. Liko², M. Matthewman², I. Mikulec², J. Schieck^{2,b},
 R. Schöffbeck^{2,b}, D. Schwarz², M. Shooshtari², M. Sonawane², W. Waltenberger²,
 C.-E. Wulz^{2,b}, T. Janssen³, H. Kwon³, D. Ocampo Henao³, T. Van Laer³,
 P. Van Mechelen³, J. Bierkens⁴, N. Breugelmans⁴, J. D'Hondt⁴, S. Dansana⁴,
 A. De Moor⁴, M. Delcourt⁴, F. Heyen⁴, Y. Hong⁴, P. Kashko⁴, S. Lowette⁴,
 I. Makarenko⁴, D. Müller⁴, J. Song⁴, S. Tavernier⁴, M. Tytgat^{4,c}, G.P. Van Onsem⁴,
 S. Van Putte⁴, D. Vannerom⁴, B. Bilin⁵, B. Clerbaux⁵, A.K. Das⁵, I. De Bruyn⁵,
 G. De Lentdecker⁵, H. Evard⁵, L. Favart⁵, P. Gianneios⁵, A. Khalilzadeh⁵, F.A. Khan⁵,
 A. Malara⁵, M.A. Shahzad⁵, L. Thomas⁵, M. Vanden Bemden⁵, C. Vander Velde⁵,
 P. Vanlaer⁵, F. Zhang⁵, M. De Coen⁶, D. Dobur⁶, G. Gokbulut⁶, J. Knolle⁶,
 D. Marckx⁶, K. Skovpen⁶, A.M. Tomaru⁶, N. Van Den Bossche⁶, J. van der Linden⁶,
 J. Vandenbroeck⁶, L. Wezenbeek⁶, S. Bein⁷, A. Benecke⁷, A. Bethani⁷, G. Bruno⁷,
 A. Cappati⁷, J. De Favereau De Jeneret⁷, C. Delaere⁷, F. Gameiro Casalinho⁷,
 A. Giammanco⁷, A.O. Guzel⁷, V. Lemaître⁷, J. Lidrych⁷, P. Malek⁷, P. Mastrapasqua⁷,
 S. Turckcapar⁷, G.A. Alves⁸, M. Barroso Ferreira Filho⁸, E. Coelho⁸, C. Hensel⁸,
 T. Menezes De Oliveira⁸, C. Mora Herrera⁸, P. Rebello Teles⁸, M. Soeiro⁸,
 E.J. Tonelli Manganote^{8,d}, A. Vilela Pereira^{8,e}, W.L. Aldá Júnior⁹,
 H. Brandao Malbouisson⁹, W. Carvalho⁹, J. Chinellato^{9,f}, M. Costa Reis⁹,
 E.M. Da Costa⁹, G.G. Da Silveira^{9,g}, D. De Jesus Damiao⁹, S. Fonseca De Souza⁹,
 R. Gomes De Souza⁹, S. S. Jesus⁹, T. Laux Kuhn^{9,g}, M. Macedo⁹, K. Mota Amarilo⁹,
 L. Mundim⁹, H. Nogima⁹, J.P. Pinheiro⁹, A. Santoro⁹, A. Sznajder⁹, M. Thiel⁹,
 F. Torres Da Silva De Araujo^{9,h}, C.A. Bernardes^{10,g}, F. Damas¹⁰,
 T.R. Fernandez Perez Tomei¹⁰, E.M. Gregores¹⁰, B. Lopes Da Costa¹⁰, I. Maietto Silverio¹⁰,
 P.G. Mercadante¹⁰, S.F. Novaes¹⁰, B. Orzari¹⁰, Sandra S. Padula¹⁰, V. Scheurer¹⁰,
 A. Aleksandrov¹¹, G. Antchev¹¹, P. Danev¹¹, R. Hadjiiska¹¹, P. Iaydjiev¹¹, M. Shopova¹¹,
 G. Sultanov¹¹, A. Dimitrov¹², L. Litov¹², B. Pavlov¹², P. Petkov¹², A. Petrov¹²,
 S. Keshri¹³, D. Laroze¹³, S. Thakur¹³, W. Brooks¹⁴, T. Cheng¹⁵, T. Javaid¹⁵,
 L. Wang¹⁵, L. Yuan¹⁵, Z. Hu¹⁶, Z. Liang¹⁶, J. Liu¹⁶, X. Wang¹⁶, H. Yang¹⁶,
 G.M. Chen^{17,i}, H.S. Chen^{17,i}, M. Chen^{17,i}, Y. Chen¹⁷, Q. Hou¹⁷, X. Hou¹⁷, F. Iemmi¹⁷,
 C.H. Jiang¹⁷, A. Kapoor^{17,j}, H. Liao¹⁷, G. Liu¹⁷, Z.-A. Liu^{17,k}, J.N. Song^{17,k}, S. Song¹⁷,
 J. Tao¹⁷, C. Wang^{17,i}, J. Wang¹⁷, H. Zhang¹⁷, J. Zhao¹⁷, A. Agapitos¹⁸, Y. Ban¹⁸,
 A. Carvalho Antunes De Oliveira¹⁸, S. Deng¹⁸, B. Guo¹⁸, Q. Guo¹⁸, C. Jiang¹⁸, A. Levin¹⁸,
 C. Li¹⁸, Q. Li¹⁸, Y. Mao¹⁸, S. Qian¹⁸, S.J. Qian¹⁸, X. Qin¹⁸, C. Quaranta¹⁸, X. Sun¹⁸,
 D. Wang¹⁸, J. Wang¹⁸, M. Zhang¹⁸, Y. Zhao¹⁸, C. Zhou¹⁸, S. Yang¹⁹, Z. You²⁰,
 K. Jaffel²¹, N. Lu²¹, G. Bauer^{22,l,m}, Z. Cui^{22,m}, B. Li^{22,n}, H. Wang²², K. Yi^{22,o},
 J. Zhang²², Y. Li²³, Z. Lin²⁴, C. Lu²⁴, M. Xiao^{24,p}, C. Avila²⁵, D.A. Barbosa Trujillo²⁵,
 A. Cabrera²⁵, C. Florez²⁵, J. Fraga²⁵, J.A. Reyes Vega²⁵, C. Rendón²⁶, M. Rodriguez²⁶,
 A.A. Ruales Barbosa²⁶, J.D. Ruiz Alvarez²⁶, N. Godinovic²⁷, D. Lelas²⁷, A. Sculac²⁷,
 M. Kovac²⁸, A. Petkovic²⁸, T. Sculac²⁸, P. Bargassa²⁹, V. Brigljevic²⁹, B.K. Chitroda²⁹,
 D. Ferencek²⁹, K. Jakovcic²⁹, A. Starodumov²⁹, T. Susa²⁹, A. Attikis³⁰, K. Christoforou³⁰,

C. Leonidou³⁰, C. Nicolaou³⁰, L. Paizanos³⁰, F. Ptochos³⁰, P.A. Razis³⁰, H. Rykaczewski³⁰, H. Saka³⁰, A. Stepennov³⁰, M. Finger^{31,†}, M. Finger Jr.³¹, E. Ayala³², E. Carrera Jarrin³³, S. Khalil^{34,q}, E. Salama^{34,r,s}, A. Hussein³⁵, H. Mohammed³⁵, K. Ehataht³⁶, M. Kadastik³⁶, T. Lange³⁶, C. Nielsen³⁶, J. Pata³⁶, M. Raidal³⁶, N. Seeba³⁶, L. Tani³⁶, E. Brücken³⁷, A. Milieva³⁷, K. Osterberg³⁷, M. Voutilainen³⁷, F. Garcia³⁸, P. Inkaew³⁸, K.T.S. Kallonen³⁸, R. Kumar Verma³⁸, T. Lampén³⁸, K. Lassila-Perini³⁸, B. Lehtela³⁸, S. Lehti³⁸, T. Lindén³⁸, N.R. Mancilla Xinto³⁸, M. Myllymäki³⁸, M.m. Rantanen³⁸, S. Saariokari³⁸, N.T. Toikka³⁸, J. Tuominiemi³⁸, N. Bin Norjoharuddeen³⁹, H. Kirschenmann³⁹, P. Luukka³⁹, H. Petrow³⁹, M. Besancon⁴⁰, F. Couderc⁴⁰, M. Dejardin⁴⁰, D. Denegri⁴⁰, P. Devoue⁴⁰, J.L. Faure⁴⁰, F. Ferri⁴⁰, P. Gaigne⁴⁰, S. Ganjour⁴⁰, P. Gras⁴⁰, G. Hamel de Monchenault⁴⁰, M. Kumar⁴⁰, V. Lohezic⁴⁰, Y. Maidannyk⁴⁰, J. Malcles⁴⁰, F. Orlandi⁴⁰, L. Portales⁴⁰, S. Ronchi⁴⁰, M.Ö. Sahin⁴⁰, A. Savoy-Navarro^{40,t}, P. Simkina⁴⁰, M. Titov⁴⁰, M. Tornago⁴⁰, R. Amella Ranz⁴¹, F. Beaudette⁴¹, G. Boldrini⁴¹, P. Busson⁴¹, C. Charlot⁴¹, M. Chiusi⁴¹, T.D. Cuisset⁴¹, O. Davignon⁴¹, A. De Wit⁴¹, T. Debnath⁴¹, I.T. Ehle⁴¹, S. Ghosh⁴¹, A. Gilbert⁴¹, R. Granier de Cassagnac⁴¹, L. Kalipoliti⁴¹, M. Manoni⁴¹, M. Nguyen⁴¹, S. Obraztsov⁴¹, C. Ochando⁴¹, R. Salerno⁴¹, J.B. Sauvan⁴¹, Y. Sirois⁴¹, G. Sokmen⁴¹, L. Urda Gómez⁴¹, A. Zabi⁴¹, A. Zghiche⁴¹, J.-L. Agram^{42,u}, J. Andrea⁴², D. Bloch⁴², J.-M. Brom⁴², E.C. Chabert⁴², C. Collard⁴², G. Coulon⁴², S. Falke⁴², U. Goerlach⁴², R. Haeblerle⁴², A.-C. Le Bihan⁴², M. Meena⁴², O. Poncet⁴², G. Saha⁴², P. Vaucelle⁴², A. Di Florio⁴³, D. Amram⁴⁴, S. Beauceron⁴⁴, B. Blancon⁴⁴, G. Boudoul⁴⁴, N. Chanon⁴⁴, D. Contardo⁴⁴, P. Depasse⁴⁴, H. El Mamouni⁴⁴, J. Fay⁴⁴, S. Gascon⁴⁴, M. Gouzevitch⁴⁴, C. Greenberg⁴⁴, G. Grenier⁴⁴, B. Ille⁴⁴, E. Jourd'Huy⁴⁴, M. Lethuillier⁴⁴, B. Massoteau⁴⁴, L. Mirabito⁴⁴, A. Purohit⁴⁴, M. Vander Donckt⁴⁴, J. Xiao⁴⁴, I. Bagaturia^{45,v}, I. Lomidze⁴⁵, Z. Tsamalaidze^{45,w}, V. Botta⁴⁶, S. Consuegra Rodríguez⁴⁶, L. Feld⁴⁶, K. Klein⁴⁶, M. Lipinski⁴⁶, D. Meuser⁴⁶, P. Nattland⁴⁶, V. Oppenländer⁴⁶, A. Pauls⁴⁶, D. Pérez Adán⁴⁶, N. Röwert⁴⁶, M. Teroerde⁴⁶, C. Daumann⁴⁷, S. Diekmann⁴⁷, A. Dodonova⁴⁷, N. Eich⁴⁷, D. Eliseev⁴⁷, F. Engelke⁴⁷, J. Erdmann⁴⁷, M. Erdmann⁴⁷, B. Fischer⁴⁷, T. Hebbeker⁴⁷, K. Hoepfner⁴⁷, F. Ivone⁴⁷, A. Jung⁴⁷, N. Kumar⁴⁷, M.y. Lee⁴⁷, F. Mausolf⁴⁷, M. Merschmeyer⁴⁷, A. Meyer⁴⁷, F. Nowotny⁴⁷, A. Pozdnyakov⁴⁷, W. Redjeb⁴⁷, H. Reithler⁴⁷, U. Sarkar⁴⁷, V. Sarkisovi⁴⁷, A. Schmidt⁴⁷, C. Seth⁴⁷, A. Sharma⁴⁷, J.L. Spah⁴⁷, V. Vaulin⁴⁷, S. Zaleski⁴⁷, M.R. Beckers⁴⁸, C. Dziwok⁴⁸, G. Flügge⁴⁸, N. Hoeflich⁴⁸, T. Kress⁴⁸, A. Nowack⁴⁸, O. Pooth⁴⁸, A. Stahl⁴⁸, A. Zotz⁴⁸, H. Aarup Petersen⁴⁹, A. Abel⁴⁹, M. Aldaya Martin⁴⁹, J. Alimena⁴⁹, S. Amoroso⁴⁹, Y. An⁴⁹, I. Andreev⁴⁹, J. Bach⁴⁹, S. Baxter⁴⁹, M. Bayatmakou⁴⁹, H. Becerril Gonzalez⁴⁹, O. Behnke⁴⁹, A. Belvedere⁴⁹, F. Blekman^{49,x}, K. Borrás^{49,y}, A. Campbell⁴⁹, S. Chatterjee⁴⁹, L.X. Coll Saravia⁴⁹, G. Eckerlin⁴⁹, D. Eckstein⁴⁹, E. Gallo^{49,x}, A. Geiser⁴⁹, V. Guglielmi⁴⁹, M. Guthoff⁴⁹, A. Hinzmann⁴⁹, L. Jeppe⁴⁹, M. Kasemann⁴⁹, C. Kleinwort⁴⁹, R. Kogler⁴⁹, M. Komm⁴⁹, D. Krücker⁴⁹, W. Lange⁴⁹, D. Leyva Pernia⁴⁹, K.-Y. Lin⁴⁹, K. Lipka^{49,z}, W. Lohmann^{49,aa}, J. Malvaso⁴⁹, R. Mankel⁴⁹, I.-A. Melzer-Pellmann⁴⁹, M. Mendizabal Morentin⁴⁹, A.B. Meyer⁴⁹, G. Milella⁴⁹, K. Moral Figueroa⁴⁹, A. Mussgiller⁴⁹, L.P. Nair⁴⁹, J. Niedziela⁴⁹, A. Nürnberg⁴⁹, J. Park⁴⁹, E. Ranken⁴⁹, A. Raspereza⁴⁹, D. Rastorguev⁴⁹, L. Rygaard⁴⁹,

M. Scham^{49,ab,ac}, S. Schnake^{49,y}, P. Schütze⁴⁹, C. Schwanenberger^{49,x}, D. Selivanova⁴⁹, K. Sharko⁴⁹, M. Shchedrolosiev⁴⁹, D. Stafford⁴⁹, M. Torkian⁴⁹, F. Vazzoler⁴⁹, A. Ventura Barroso⁴⁹, R. Walsh⁴⁹, D. Wang⁴⁹, Q. Wang⁴⁹, K. Wichmann⁴⁹, L. Wiens^{49,y}, C. Wissing⁴⁹, Y. Yang⁴⁹, S. Zakharov⁴⁹, A. Zimmermann Castro Santos⁴⁹, A.R. Alves Andrade⁵⁰, M. Antonello⁵⁰, S. Bollweg⁵⁰, M. Bonanomi⁵⁰, K. El Morabit⁵⁰, Y. Fischer⁵⁰, M. Frahm⁵⁰, E. Garutti⁵⁰, A. Grohsjean⁵⁰, A.A. Guvenli⁵⁰, J. Haller⁵⁰, D. Hundhausen⁵⁰, G. Kasieczka⁵⁰, P. Keicher⁵⁰, R. Klanner⁵⁰, W. Korcari⁵⁰, T. Kramer⁵⁰, C.c. Kuo⁵⁰, F. Labe⁵⁰, J. Lange⁵⁰, A. Lobanov⁵⁰, L. Moureaux⁵⁰, A. Nigamova⁵⁰, K. Nikolopoulos⁵⁰, A. Paasch⁵⁰, K.J. Pena Rodriguez⁵⁰, N. Prouvost⁵⁰, B. Raciti⁵⁰, M. Rieger⁵⁰, D. Savoie⁵⁰, P. Schleper⁵⁰, M. Schröder⁵⁰, J. Schwandt⁵⁰, M. Sommerhalder⁵⁰, H. Stadie⁵⁰, G. Steinbrück⁵⁰, R. Ward⁵⁰, B. Wiederspan⁵⁰, M. Wolf⁵⁰, S. Brommer⁵¹, E. Butz⁵¹, Y.M. Chen⁵¹, T. Chwalek⁵¹, A. Dierlamm⁵¹, G.G. Dincer⁵¹, U. Elicabuk⁵¹, N. Faltermann⁵¹, M. Giffels⁵¹, A. Gottmann⁵¹, F. Hartmann^{51,ad}, M. Horzela⁵¹, F. Hummer⁵¹, U. Husemann⁵¹, J. Kieseler⁵¹, M. Klute⁵¹, R. Kunnilan Muhammed Rafeek⁵¹, O. Lavoryk⁵¹, J.M. Lawhorn⁵¹, A. Lintuluoto⁵¹, S. Maier⁵¹, M. Mormile⁵¹, Th. Müller⁵¹, E. Pfeffer⁵¹, M. Presilla⁵¹, G. Quast⁵¹, K. Rabbertz⁵¹, B. Regnery⁵¹, R. Schmieder⁵¹, N. Shadskiy⁵¹, I. Shvetsov⁵¹, H.J. Simonis⁵¹, L. Sowa⁵¹, L. Stockmeier⁵¹, K. Tauqeer⁵¹, M. Toms⁵¹, B. Topko⁵¹, N. Trevisani⁵¹, C. Verstege⁵¹, T. Voigtländer⁵¹, R.F. Von Cube⁵¹, J. Von Den Driesch⁵¹, M. Wassmer⁵¹, R. Wolf⁵¹, W.D. Zeuner⁵¹, X. Zuo⁵¹, G. Anagnostou⁵², G. Daskalakis⁵², A. Kyriakis⁵², G. Melachroinos⁵³, Z. Painesis⁵³, I. Paraskevas⁵³, N. Saoulidou⁵³, K. Theofilatos⁵³, E. Tziaferi⁵³, E. Tzovara⁵³, K. Vellidis⁵³, I. Zisopoulos⁵³, T. Chatzistavrou⁵⁴, G. Karapostoli⁵⁴, K. Kousouris⁵⁴, E. Siamarkou⁵⁴, G. Tsipolitis⁵⁴, I. Bestintzanos⁵⁵, I. Evangelou⁵⁵, C. Foudas⁵⁵, P. Katsoulis⁵⁵, P. Kokkas⁵⁵, P.G. Kosmoglou Kioseoglou⁵⁵, N. Manthos⁵⁵, I. Papadopoulos⁵⁵, J. Strologas⁵⁵, D. Druzhkin⁵⁶, C. Hajdu⁵⁶, D. Horvath^{56,ae,af}, K. Márton⁵⁶, A.J. Rádl^{56,ag}, F. Sikler⁵⁶, V. Veszpremi⁵⁶, M. Csanád⁵⁷, K. Farkas⁵⁷, A. Fehérkuti^{57,ah}, M.M.A. Gadallah^{57,ai}, Á. Kadlecik⁵⁷, M. León Coello⁵⁷, G. Pásztor⁵⁷, G.I. Veres⁵⁷, B. Ujvari⁵⁸, G. Zilizi⁵⁸, G. Bencze⁵⁹, S. Czellar⁵⁹, J. Molnar⁵⁹, Z. Szillasi⁵⁹, T. Csorgo^{60,ah}, F. Nemes^{60,ah}, T. Novak⁶⁰, I. Szanyi^{60,aj}, S. Bansal⁶¹, S.B. Beri⁶¹, V. Bhatnagar⁶¹, G. Chaudhary⁶¹, S. Chauhan⁶¹, N. Dhingra^{61,ak}, A. Kaur⁶¹, A. Kaur⁶¹, H. Kaur⁶¹, M. Kaur⁶¹, S. Kumar⁶¹, T. Sheokand⁶¹, J.B. Singh⁶¹, A. Singla⁶¹, A. Bhardwaj⁶², A. Chhetri⁶², B.C. Choudhary⁶², A. Kumar⁶², A. Kumar⁶², M. Naimuddin⁶², S. Phor⁶², K. Ranjan⁶², M.K. Saini⁶², P. Palni⁶³, S. Acharya^{64,al}, B. Gomber⁶⁴, S. Mukherjee⁶⁵, S. Bhattacharya⁶⁶, S. Das Gupta⁶⁶, S. Dutta⁶⁶, S. Dutta⁶⁶, S. Sarkar⁶⁶, M.M. Ameen⁶⁷, P.K. Behera⁶⁷, S. Chatterjee⁶⁷, G. Dash⁶⁷, A. Dattamunsi⁶⁷, P. Jana⁶⁷, P. Kalbhor⁶⁷, S. Kamble⁶⁷, J.R. Komaragiri^{67,am}, T. Mishra⁶⁷, P.R. Pujahari⁶⁷, A.K. Sikdar⁶⁷, R.K. Singh⁶⁷, P. Verma⁶⁷, S. Verma⁶⁷, A. Vijay⁶⁷, B.K. Sirasva⁶⁸, L. Bhatt⁶⁹, S. Dugad⁶⁹, G.B. Mohanty⁶⁹, M. Shelake⁶⁹, P. Suryadevara⁶⁹, A. Bala⁷⁰, S. Banerjee⁷⁰, S. Barman^{70,an}, R.M. Chatterjee⁷⁰, M. Guchait⁷⁰, Sh. Jain⁷⁰, A. Jaiswal⁷⁰, B.M. Joshi⁷⁰, S. Kumar⁷⁰, M. Maity^{70,an}, G. Majumder⁷⁰, K. Mazumdar⁷⁰, S. Parolia⁷⁰, R. Saxena⁷⁰, A. Thachayath⁷⁰, S. Bahinipati^{71,ao}, D. Maity^{71,ap}, P. Mal⁷¹, K. Naskar^{71,ap}, A. Nayak^{71,ap}, S. Nayak⁷¹, K. Pal⁷¹, R. Raturi⁷¹, P. Sadangi⁷¹, S.K. Swain⁷¹,

S. Varghese ^{71,ap}, D. Vats ^{71,ap}, A. Alpana ⁷², S. Dube ⁷², P. Hazarika ⁷², B. Kansal ⁷²,
 A. Laha ⁷², R. Sharma ⁷², S. Sharma ⁷², K.Y. Vaish ⁷², S. Ghosh ⁷³, H. Bakhshiansohi ^{74,aq},
 A. Jafari ^{74,ar}, V. Sedighzadeh Dalavi ⁷⁴, M. Zeinali ^{74,as}, S. Bashiri ⁷⁵, S. Chenarani ^{75,at},
 S.M. Etesami ⁷⁵, Y. Hosseini ⁷⁵, M. Khakzad ⁷⁵, E. Khazaie ⁷⁵, M. Mohammadi Najafabadi ⁷⁵,
 S. Tizchang ^{75,au}, M. Felcini ⁷⁶, M. Grunewald ⁷⁶, M. Abbrescia ^{77a,77b}, M. Barbieri ^{77a,77b},
 M. Buonsante ^{77a,77b}, A. Colaleo ^{77a,77b}, D. Creanza ^{77a,77c}, N. De Filippis ^{77a,77c},
 M. De Palma ^{77a,77b}, W. Elmetenawee ^{77a,77b,av}, N. Ferrara ^{77a,77c}, L. Fiore ^{77a}, L. Longo ^{77a},
 M. Louka ^{77a,77b}, G. Maggi ^{77a,77c}, M. Maggi ^{77a}, I. Margjeka ^{77a}, V. Mastrapasqua ^{77a,77b},
 S. My ^{77a,77b}, F. Nenna ^{77a,77b}, S. Nuzzo ^{77a,77b}, A. Pellecchia ^{77a,77b}, A. Pompili ^{77a,77b},
 G. Pugliese ^{77a,77c}, R. Radogna ^{77a,77b}, D. Ramos ^{77a}, A. Ranieri ^{77a}, L. Silvestris ^{77a},
 F.M. Simone ^{77a,77c}, Ü. Sözbilir ^{77a}, A. Stamerra ^{77a,77b}, D. Troiano ^{77a,77b},
 R. Venditti ^{77a,77b}, P. Verwilligen ^{77a}, A. Zaza ^{77a,77b}, G. Abbiendi ^{78a}, C. Battilana ^{78a,78b},
 D. Bonacorsi ^{78a,78b}, P. Capiluppi ^{78a,78b}, F.R. Cavallo ^{78a}, M. Cuffiani ^{78a,78b},
 T. Diotallevi ^{78a,78b}, F. Fabbri ^{78a}, A. Fanfani ^{78a,78b}, D. Fasanella ^{78a}, P. Giacomelli ^{78a},
 L. Giommi ^{78a,78b}, L. Guiducci ^{78a,78b}, S. Lo Meo ^{78a,aw}, M. Lorusso ^{78a,78b}, L. Lunerti ^{78a},
 S. Marcellini ^{78a}, G. Masetti ^{78a}, F.L. Navarra ^{78a,78b}, G. Paggi ^{78a,78b}, A. Perrotta ^{78a},
 F. Primavera ^{78a,78b}, A.M. Rossi ^{78a,78b}, S. Rossi Tisbeni ^{78a,78b}, T. Rovelli ^{78a,78b},
 G.P. Siroli ^{78a,78b}, S. Costa ^{79a,79b,ax}, A. Di Mattia ^{79a}, A. Lapertosa ^{79a}, R. Potenza ^{79a,79b},
 A. Tricomi ^{79a,79b,ax}, J. Altork ^{80a,80b}, P. Assiouras ^{80a}, G. Barbagli ^{80a}, G. Bardelli ^{80a},
 M. Bartolini ^{80a,80b}, A. Calandri ^{80a,80b}, B. Camaiani ^{80a,80b}, A. Cassese ^{80a}, R. Ceccarelli ^{80a},
 V. Ciulli ^{80a,80b}, C. Civinini ^{80a}, R. D'Alessandro ^{80a,80b}, L. Damenti ^{80a,80b}, E. Focardi ^{80a,80b},
 T. Kello ^{80a}, G. Latino ^{80a,80b}, P. Lenzi ^{80a,80b}, M. Lizzo ^{80a}, M. Meschini ^{80a}, S. Paoletti ^{80a},
 A. Papanastassiou ^{80a,80b}, G. Sguazzoni ^{80a}, L. Viliani ^{80a}, L. Benussi ⁸¹, S. Bianco ⁸¹,
 S. Meola ^{81,ay}, D. Piccolo ⁸¹, M. Alves Gallo Pereira ^{82a}, F. Ferro ^{82a}, E. Robutti ^{82a},
 S. Tosi ^{82a,82b}, A. Benaglia ^{83a}, F. Brivio ^{83a}, V. Camagni ^{83a,83b}, F. Cetorelli ^{83a,83b},
 F. De Guio ^{83a,83b}, M.E. Dinardo ^{83a,83b}, P. Dini ^{83a}, S. Gennai ^{83a}, R. Gerosa ^{83a,83b},
 A. Ghezzi ^{83a,83b}, P. Govoni ^{83a,83b}, L. Guzzi ^{83a}, M.R. Kim ^{83a}, G. Lavizzari ^{83a,83b},
 M.T. Lucchini ^{83a,83b}, M. Malberti ^{83a}, S. Malvezzi ^{83a}, A. Massironi ^{83a}, D. Menasce ^{83a},
 L. Moroni ^{83a}, M. Paganoni ^{83a,83b}, S. Palluotto ^{83a,83b}, D. Pedrini ^{83a}, A. Perego ^{83a,83b},
 G. Pizzati ^{83a,83b}, T. Tabarelli de Fatis ^{83a,83b}, S. Buontempo ^{84a}, C. Di Fraia ^{84a,84b},
 F. Fabozzi ^{84a,84c}, L. Favilla ^{84a,84d}, A.O.M. Iorio ^{84a,84b}, L. Lista ^{84a,84b,az}, P. Paolucci ^{84a,ad},
 B. Rossi ^{84a}, P. Azzi ^{85a}, N. Bacchetta ^{85a,ba}, P. Bortignon ^{85a,85c}, G. Bortolato ^{85a,85b},
 A.C.M. Bulla ^{85a,85c}, R. Carlin ^{85a,85b}, P. Checchia ^{85a}, T. Dorigo ^{85a,bb}, F. Gasparini ^{85a,85b},
 U. Gasparini ^{85a,85b}, S. Giorgetti ^{85a}, F. Gonella ^{85a}, E. Lusiani ^{85a}, M. Margoni ^{85a,85b},
 A.T. Meneguzzo ^{85a,85b}, J. Pazzini ^{85a,85b}, P. Ronchese ^{85a,85b}, R. Rossin ^{85a,85b},
 M. Tosi ^{85a,85b}, A. Triossi ^{85a,85b}, S. Ventura ^{85a}, M. Zanetti ^{85a,85b}, P. Zotto ^{85a,85b},
 A. Zucchetta ^{85a,85b}, G. Zumerle ^{85a,85b}, A. Braghieri ^{86a}, S. Calzaferri ^{86a},
 P. Montagna ^{86a,86b}, M. Pelliccioni ^{86a}, V. Re ^{86a}, C. Riccardi ^{86a,86b}, P. Salvini ^{86a},
 I. Vai ^{86a,86b}, P. Vitulo ^{86a,86b}, S. Ajmal ^{87a,87b}, M.E. Ascoti ^{87a,87b}, G.M. Bilei ^{87a,†},
 C. Carrivale ^{87a,87b}, D. Ciangottini ^{87a,87b}, L. Della Penna ^{87a,87b}, L. Fanò ^{87a,87b},
 V. Mariani ^{87a,87b}, M. Menichelli ^{87a}, F. Moscatelli ^{87a,bc}, A. Rossi ^{87a,87b},
 A. Santocchia ^{87a,87b}, D. Spiga ^{87a}, T. Tedeschi ^{87a,87b}, C. Aimè ^{88a,88b}, C.A. Alexe ^{88a,88c},
 P. Asenov ^{88a,88b}, P. Azzurri ^{88a}, G. Bagliesi ^{88a}, L. Bianchini ^{88a,88b}, T. Boccali ^{88a},

E. Bossini^{88a}, D. Bruschini^{88a,88c}, L. Calligaris^{88a,88b}, R. Castaldi^{88a}, F. Cattafesta^{88a,88c},
 M.A. Ciocci^{88a,88d}, M. Cipriani^{88a,88b}, R. Dell’Orso^{88a}, S. Donato^{88a,88b}, R. Forti^{88a,88b},
 A. Giassi^{88a}, F. Ligabue^{88a,88c}, A.C. Marini^{88a,88b}, D. Matos Figueiredo^{88a},
 A. Messineo^{88a,88b}, S. Mishra^{88a}, V.K. Muraleedharan Nair Bindhu^{88a,88b}, S. Nandan^{88a},
 F. Palla^{88a}, M. Riggirello^{88a,88c}, A. Rizzi^{88a,88b}, G. Rolandi^{88a,88c},
 S. Roy Chowdhury^{88a,bd}, T. Sarkar^{88a}, A. Scribano^{88a}, P. Solanki^{88a,88b}, P. Spagnolo^{88a},
 F. Tenchini^{88a,88b}, R. Tenchini^{88a}, G. Tonelli^{88a,88b}, N. Turini^{88a,88d}, F. Vaselli^{88a,88c},
 A. Venturi^{88a}, P.G. Verdini^{88a}, P. Akrap^{89a,89b}, C. Basile^{89a,89b}, S.C. Behera^{89a},
 F. Cavallari^{89a}, L. Cunqueiro Mendez^{89a,89b}, F. De Raggi^{89a,89b}, D. Del Re^{89a,89b},
 E. Di Marco^{89a}, M. Diemoz^{89a}, F. Errico^{89a}, L. Frosina^{89a,89b}, R. Gargiulo^{89a,89b},
 B. Harikrishnan^{89a,89b}, F. Lombardi^{89a,89b}, E. Longo^{89a,89b}, L. Martikainen^{89a,89b},
 J. Mijuskovic^{89a,89b}, G. Organtini^{89a,89b}, N. Palmeri^{89a,89b}, R. Paramatti^{89a,89b},
 S. Rahatlou^{89a,89b}, C. Rovelli^{89a}, F. Santanastasio^{89a,89b}, L. Soffi^{89a}, V. Vladimirov^{89a,89b},
 N. Amapane^{90a,90b}, R. Arcidiacono^{90a,90c}, S. Argiro^{90a,90b}, M. Arneodo^{90a,90c},
 N. Bartosik^{90a,90c}, R. Bellan^{90a,90b}, A. Bellora^{90a,90b}, C. Biino^{90a}, C. Borca^{90a,90b},
 N. Cartiglia^{90a}, M. Costa^{90a,90b}, R. Covarelli^{90a,90b}, N. Demaria^{90a}, L. Finco^{90a},
 M. Grippo^{90a,90b}, B. Kiani^{90a,90b}, L. Lanteri^{90a,90b}, F. Legger^{90a}, F. Luongo^{90a,90b},
 C. Mariotti^{90a}, S. Maselli^{90a}, A. Mecca^{90a,90b}, L. Menzio^{90a,90b}, P. Meridiani^{90a},
 E. Migliore^{90a,90b}, M. Monteno^{90a}, M.M. Obertino^{90a,90b}, G. Ortona^{90a}, L. Pacher^{90a,90b},
 N. Pastrone^{90a}, M. Ruspa^{90a,90c}, F. Siviero^{90a,90b}, V. Sola^{90a,90b}, A. Solano^{90a,90b},
 A. Staiano^{90a}, C. Tarricone^{90a,90b}, D. Trocino^{90a}, G. Umoret^{90a,90b}, E. Vlasov^{90a,90b},
 R. White^{90a,90b}, J. Babbar^{91a,91b}, S. Belforte^{91a}, V. Candelise^{91a,91b}, M. Casarsa^{91a},
 F. Cossutti^{91a}, K. De Leo^{91a}, G. Della Ricca^{91a,91b}, R. Delli Gatti^{91a,91b}, S. Dogra⁹²,
 J. Hong⁹², J. Kim⁹², T. Kim⁹², D. Lee⁹², H. Lee⁹², J. Lee⁹², S.W. Lee⁹², C.S. Moon⁹²,
 Y.D. Oh⁹², S. Sekmen⁹², B. Tae⁹², Y.C. Yang⁹², M.S. Kim⁹³, G. Bak⁹⁴, P. Gwak⁹⁴,
 H. Kim⁹⁴, D.H. Moon⁹⁴, J. Seo⁹⁴, E. Asilar⁹⁵, F. Carnevali⁹⁵, J. Choi^{95,be},
 T.J. Kim⁹⁵, Y. Ryou⁹⁵, S. Ha⁹⁶, S. Han⁹⁶, B. Hong⁹⁶, J. Kim⁹⁶, K. Lee⁹⁶, K.S. Lee⁹⁶,
 S. Lee⁹⁶, J. Yoo⁹⁶, J. Goh⁹⁷, J. Shin⁹⁷, S. Yang⁹⁷, Y. Kang⁹⁸, H. S. Kim⁹⁸,
 Y. Kim⁹⁸, S. Lee⁹⁸, J. Almond⁹⁹, J.H. Bhyun⁹⁹, J. Choi⁹⁹, J. Choi⁹⁹, W. Jun⁹⁹, H. Kim⁹⁹,
 J. Kim⁹⁹, T. Kim⁹⁹, Y. Kim⁹⁹, Y.W. Kim⁹⁹, S. Ko⁹⁹, H. Lee⁹⁹, J. Lee⁹⁹, J. Lee⁹⁹,
 B.H. Oh⁹⁹, S.B. Oh⁹⁹, J. Shin⁹⁹, U.K. Yang⁹⁹, I. Yoon⁹⁹, W. Jang¹⁰⁰, D.Y. Kang¹⁰⁰,
 D. Kim¹⁰⁰, S. Kim¹⁰⁰, B. Ko¹⁰⁰, J.S.H. Lee¹⁰⁰, Y. Lee¹⁰⁰, I.C. Park¹⁰⁰, Y. Roh¹⁰⁰,
 I.J. Watson¹⁰⁰, G. Cho¹⁰¹, K. Hwang¹⁰¹, B. Kim¹⁰¹, S. Kim¹⁰¹, K. Lee¹⁰¹, H.D. Yoo¹⁰¹,
 Y. Lee¹⁰², I. Yu¹⁰², T. Beyrouthy¹⁰³, Y. Gharbia¹⁰³, F. Alazemi¹⁰⁴, K. Dreimanis¹⁰⁵,
 O.M. Eberlins¹⁰⁵, A. Gaile¹⁰⁵, C. Munoz Diaz¹⁰⁵, D. Osite¹⁰⁵, G. Pikurs¹⁰⁵, R. Plese¹⁰⁵,
 A. Potrebko¹⁰⁵, M. Seidel¹⁰⁵, D. Sidiropoulos Kontos¹⁰⁵, N.R. Strautnieks¹⁰⁶,
 M. Ambrozias¹⁰⁷, A. Juodagalvis¹⁰⁷, S. Nargelas¹⁰⁷, A. Rinkevicius¹⁰⁷, G. Tamulaitis¹⁰⁷,
 I. Yusuff^{108,bf}, Z. Zolkapli¹⁰⁸, J.F. Benitez¹⁰⁹, A. Castaneda Hernandez¹⁰⁹,
 A. Cota Rodriguez¹⁰⁹, L.E. Cuevas Picos¹⁰⁹, H.A. Encinas Acosta¹⁰⁹, L.G. Gallegos Maríñez¹⁰⁹,
 J.A. Murillo Quijada¹⁰⁹, L. Valencia Palomo¹⁰⁹, G. Ayala¹¹⁰, H. Castilla-Valdez¹¹⁰,
 H. Crotte Ledesma¹¹⁰, R. Lopez-Fernandez¹¹⁰, J. Mejia Guisao¹¹⁰, R. Reyes-Almanza¹¹⁰,
 A. Sánchez Hernández¹¹⁰, C. Oropeza Barrera¹¹¹, M. Ramírez García¹¹¹,
 D.L. Ramirez Guadarrama¹¹¹, I. Bautista¹¹², F.E. Neri Huerta¹¹², I. Pedraza¹¹²,

H.A. Salazar Ibarguen¹¹², C. Uribe Estrada¹¹², I. Bujanja¹¹³, N. Raicevic¹¹³,
P.H. Butler¹¹⁴, A. Ahmad¹¹⁵, M.I. Asghar¹¹⁵, A. Awais¹¹⁵, M.I.M. Awan¹¹⁵,
W.A. Khan¹¹⁵, V. Avati¹¹⁶, L. Forthomme¹¹⁶, L. Grzanka¹¹⁶, M. Malawski¹¹⁶,
K. Piotrkowski¹¹⁶, M. Bluj¹¹⁷, M. Górski¹¹⁷, M. Kazana¹¹⁷, M. Szleper¹¹⁷,
P. Zalewski¹¹⁷, K. Bunkowski¹¹⁸, K. Doroba¹¹⁸, A. Kalinowski¹¹⁸, M. Konecki¹¹⁸,
J. Krolikowski¹¹⁸, A. Muhammad¹¹⁸, P. Fokow¹¹⁹, K. Pozniak¹¹⁹, W. Zabolotny¹¹⁹,
M. Araujo¹²⁰, D. Bastos¹²⁰, C. Beirão Da Cruz E Silva¹²⁰, A. Boletti¹²⁰, M. Bozzo¹²⁰,
T. Camporesi¹²⁰, G. Da Molin¹²⁰, M. Gallinaro¹²⁰, J. Hollar¹²⁰, N. Leonardo¹²⁰,
G.B. Marozzo¹²⁰, A. Petrilli¹²⁰, M. Pisano¹²⁰, J. Seixas¹²⁰, J. Varela¹²⁰, J.W. Wulff¹²⁰,
P. Adzic¹²¹, L. Markovic¹²¹, P. Milenovic¹²¹, V. Milosevic¹²¹, D. Devetak¹²²,
M. Dordevic¹²², J. Milosevic¹²², L. Nadder¹²², V. Rekovic¹²², M. Stojanovic¹²²,
M. Alcalde Martinez¹²³, J. Alcaraz Maestre¹²³, Cristina F. Bedoya¹²³,
J.A. Brochero Cifuentes¹²³, Oliver M. Carretero¹²³, M. Cepeda¹²³, M. Cerrada¹²³,
N. Colino¹²³, B. De La Cruz¹²³, A. Delgado Peris¹²³, A. Escalante Del Valle¹²³,
D. Fernández Del Val¹²³, J.P. Fernández Ramos¹²³, J. Flix¹²³, M.C. Fouz¹²³,
M. Gonzalez Hernandez¹²³, O. Gonzalez Lopez¹²³, S. Goy Lopez¹²³, J.M. Hernandez¹²³,
M.I. Josa¹²³, J. Llorente Merino¹²³, C. Martin Perez¹²³, E. Martin Viscasillas¹²³,
D. Moran¹²³, C. M. Morcillo Perez¹²³, Á. Navarro Tobar¹²³, R. Paz Herrera¹²³,
C. Perez Dengra¹²³, A. Pérez-Calero Yzquierdo¹²³, J. Puerta Pelayo¹²³, I. Redondo¹²³,
J. Vazquez Escobar¹²³, J.F. de Trocóniz¹²⁴, B. Alvarez Gonzalez¹²⁵, J. Ayllon Torresano¹²⁵,
A. Cardini¹²⁵, J. Cuevas¹²⁵, J. Del Riego Badas¹²⁵, D. Estrada Acevedo¹²⁵,
J. Fernandez Menendez¹²⁵, S. Folgueras¹²⁵, I. Gonzalez Caballero¹²⁵, P. Leguina¹²⁵,
M. Obeso Menendez¹²⁵, E. Palencia Cortezon¹²⁵, J. Prado Pico¹²⁵, A. Soto Rodríguez¹²⁵,
C. Vico Villalba¹²⁵, P. Vischia¹²⁵, S. Blanco Fernández¹²⁶, I.J. Cabrillo¹²⁶, A. Calderon¹²⁶,
J. Duarte Campderros¹²⁶, M. Fernandez¹²⁶, G. Gomez¹²⁶, C. Lasasoa García¹²⁶,
R. Lopez Ruiz¹²⁶, C. Martinez Rivero¹²⁶, P. Martinez Ruiz del Arbol¹²⁶, F. Matorras¹²⁶,
P. Matorras Cuevas¹²⁶, E. Navarrete Ramos¹²⁶, J. Piedra Gomez¹²⁶,
C. Quintana San Emeterio¹²⁶, L. Scodellaro¹²⁶, I. Vila¹²⁶, R. Vilar Cortabitarte¹²⁶,
J.M. Vizán García¹²⁶, B. Kailasapathy^{127,bg}, D.D.C. Wickramarathna¹²⁷,
W.G.D. Dharmaratna^{128,bh}, K. Liyanage¹²⁸, N. Perera¹²⁸, D. Abbaneo¹²⁹, C. Amendola¹²⁹,
R. Ardino¹²⁹, E. Auffray¹²⁹, J. Baechler¹²⁹, D. Barney¹²⁹, J. Bendavid¹²⁹, M. Bianco¹²⁹,
A. Bocci¹²⁹, L. Borgonovi¹²⁹, C. Botta¹²⁹, A. Bragagnolo¹²⁹, C.E. Brown¹²⁹,
C. Caillol¹²⁹, G. Cerminara¹²⁹, P. Connor¹²⁹, D. d’Enterria¹²⁹, A. Dabrowski¹²⁹,
A. David¹²⁹, A. De Roeck¹²⁹, M.M. Defranchis¹²⁹, M. Deile¹²⁹, M. Dobson¹²⁹,
P.J. Fernández Manteca¹²⁹, B.A. Fontana Santos Alves¹²⁹, E. Fontanesi¹²⁹, W. Funk¹²⁹,
A. Gaddi¹²⁹, S. Giani¹²⁹, D. Gigi¹²⁹, K. Gill¹²⁹, F. Glege¹²⁹, M. Glowacki¹²⁹, A. Gruber¹²⁹,
J. Hegeman¹²⁹, J.K. Heikkilä¹²⁹, R. Hofsaess¹²⁹, B. Huber¹²⁹, T. James¹²⁹, P. Janot¹²⁹,
O. Kaluzinska¹²⁹, O. Karacheban^{129,aa}, G. Karathanasis¹²⁹, S. Laurila¹²⁹, P. Lecoq¹²⁹,
E. Leutgeb¹²⁹, C. Lourenço¹²⁹, A.-M. Lyon¹²⁹, M. Magherini¹²⁹, L. Malgeri¹²⁹,
M. Mannelli¹²⁹, A. Mehta¹²⁹, F. Meijers¹²⁹, J.A. Merlin¹²⁹, S. Mersi¹²⁹, E. Meschi¹²⁹,
M. Migliorini¹²⁹, F. Monti¹²⁹, F. Moortgat¹²⁹, M. Mulders¹²⁹, M. Musich¹²⁹,
I. Neutelings¹²⁹, S. Orfanelli¹²⁹, F. Pantaleo¹²⁹, M. Pari¹²⁹, G. Petrucciani¹²⁹,
A. Pfeiffer¹²⁹, M. Pierini¹²⁹, M. Pitt¹²⁹, H. Qu¹²⁹, D. Rabady¹²⁹, A. Reimers¹²⁹,

B. Ribeiro Lopes ¹²⁹, F. Riti ¹²⁹, P. Rosado ¹²⁹, M. Rovere ¹²⁹, H. Sakulin ¹²⁹,
 R. Salvatico ¹²⁹, S. Sanchez Cruz ¹²⁹, S. Scarfi ¹²⁹, M. Selvaggi ¹²⁹, A. Sharma ¹²⁹,
 K. Shchelina ¹²⁹, P. Silva ¹²⁹, P. Sphicas ^{129,bi}, A.G. Stahl Leiton ¹²⁹, A. Steen ¹²⁹,
 S. Summers ¹²⁹, D. Treille ¹²⁹, P. Tropea ¹²⁹, E. Vernazza ¹²⁹, J. Wanczyk ^{129,bj},
 S. Wuchterl ¹²⁹, M. Zarucki ¹²⁹, P. Zehetner ¹²⁹, P. Zejdl ¹²⁹, G. Zevi Della Porta ¹²⁹,
 T. Bevilacqua ^{130,bk}, L. Caminada ^{130,bk}, W. Erdmann ¹³⁰, R. Horisberger ¹³⁰, Q. Ingram ¹³⁰,
 H.C. Kaestli ¹³⁰, D. Kotlinski ¹³⁰, C. Lange ¹³⁰, U. Langenegger ¹³⁰, L. Nochte ^{130,bk},
 T. Rohe ¹³⁰, A. Samalan ¹³⁰, T.K. Aarrestad ¹³¹, M. Backhaus ¹³¹, G. Bonomelli ¹³¹,
 C. Cazzaniga ¹³¹, K. Datta ¹³¹, P. De Bryas Dexmiers D'Archiacchiac ^{131,bj}, A. De Cosa ¹³¹,
 G. Dissertori ¹³¹, M. Dittmar ¹³¹, M. Donegà ¹³¹, F. Eble ¹³¹, K. Gedia ¹³¹, F. Glessgen ¹³¹,
 C. Grab ¹³¹, N. Härringer ¹³¹, T.G. Harte ¹³¹, W. Lustermann ¹³¹, M. Malucchi ¹³¹,
 R.A. Manzoni ¹³¹, L. Marchese ¹³¹, A. Mascellani ^{131,bj}, F. Nessi-Tedaldi ¹³¹, F. Pauss ¹³¹,
 V. Perovic ¹³¹, B. Ristic ¹³¹, R. Seidita ¹³¹, J. Steggemann ^{131,bj}, A. Tarabini ¹³¹,
 D. Valsecchi ¹³¹, R. Wallny ¹³¹, C. Amsler ^{132,bl}, P. Bärtschi ¹³², F. Bilandzija ¹³²,
 M.F. Canelli ¹³², G. Celotto ¹³², K. Cormier ¹³², M. Huwiler ¹³², W. Jin ¹³², A. Jofrehei ¹³²,
 B. Kilminster ¹³², T.H. Kwok ¹³², S. Leontsinis ¹³², V. Lukashenko ¹³², A. Macchiolo ¹³²,
 F. Meng ¹³², M. Missiroli ¹³², J. Motta ¹³², P. Robmann ¹³², M. Senger ¹³², E. Shokr ¹³²,
 F. Stäger ¹³², R. Tramontano ¹³², P. Viscone ¹³², D. Bhowmik ¹³³, C.M. Kuo ¹³³, P.K. Rout ¹³³,
 S. Taj ¹³³, P.C. Tiwari ^{133,am}, L. Ceard ¹³⁴, K.F. Chen ¹³⁴, Z.g. Chen ¹³⁴, A. De Iorio ¹³⁴,
 W.-S. Hou ¹³⁴, T.h. Hsu ¹³⁴, Y.w. Kao ¹³⁴, S. Karmakar ¹³⁴, G. Kole ¹³⁴, Y.y. Li ¹³⁴,
 R.-S. Lu ¹³⁴, E. Paganis ¹³⁴, X.f. Su ¹³⁴, J. Thomas-Wilsker ¹³⁴, L.s. Tsai ¹³⁴, D. Tsionou ¹³⁴,
 H.y. Wu ¹³⁴, E. Yazgan ¹³⁴, C. Asawatangtrakuldee ¹³⁵, N. Srimanobhas ¹³⁵, Y. Maghrbi ¹³⁶,
 D. Agyel ¹³⁷, F. Dolek ¹³⁷, I. Dumanoglu ^{137,bm}, Y. Guler ^{137,bn}, E. Gurpinar Guler ^{137,bn},
 C. Isik ¹³⁷, O. Kara ¹³⁷, A. Kayis Topaksu ¹³⁷, Y. Komurcu ¹³⁷, G. Onengut ¹³⁷,
 K. Ozdemir ^{137,bo}, B. Tali ^{137,bp}, U.G. Tok ¹³⁷, E. Uslan ¹³⁷, I.S. Zorbakir ¹³⁷, S. Sen ¹³⁸,
 M. Yalvac ^{139,bq}, B. Akgun ¹⁴⁰, I.O. Atakisi ^{140,br}, E. Gülmez ¹⁴⁰, M. Kaya ^{140,bs},
 O. Kaya ^{140,bt}, M.A. Sarkisla ^{140,bu}, S. Tekten ^{140,bv}, D. Boncukcu ¹⁴¹, A. Cakir ¹⁴¹,
 K. Cankocak ^{141,bm,bw}, B. Haciasahinoglu ¹⁴², I. Hos ^{142,bx}, B. Kaynak ¹⁴², S. Ozkorucuklu ¹⁴²,
 O. Potok ¹⁴², H. Sert ¹⁴², C. Simsek ¹⁴², C. Zorbilmez ¹⁴², S. Cerci ¹⁴³, C. Dozen ^{143,by},
 B. Isildak ^{143,bz}, E. Simsek ¹⁴³, D. Sunar Cerci ¹⁴³, T. Yetkin ^{143,by}, A. Boyaryntsev ¹⁴⁴,
 O. Dadazhanova ¹⁴⁴, B. Grynyov ¹⁴⁴, L. Levchuk ¹⁴⁵, J.J. Brooke ¹⁴⁶, A. Bundock ¹⁴⁶,
 F. Bury ¹⁴⁶, E. Clement ¹⁴⁶, D. Cussans ¹⁴⁶, D. Dharmender ¹⁴⁶, H. Flacher ¹⁴⁶,
 J. Goldstein ¹⁴⁶, H.F. Heath ¹⁴⁶, M.-L. Holmberg ¹⁴⁶, L. Kreczko ¹⁴⁶, S. Paramesvaran ¹⁴⁶,
 L. Robertshaw ¹⁴⁶, M.S. Sanjrani ^{146,aq}, J. Segal ¹⁴⁶, V.J. Smith ¹⁴⁶, A.H. Ball ¹⁴⁷, K.W. Bell ¹⁴⁷,
 A. Belyaev ^{147,ca}, C. Brew ¹⁴⁷, R.M. Brown ¹⁴⁷, D.J.A. Cockerill ¹⁴⁷, A. Elliot ¹⁴⁷,
 K.V. Ellis ¹⁴⁷, J. Gajownik ¹⁴⁷, K. Harder ¹⁴⁷, S. Harper ¹⁴⁷, J. Linacre ¹⁴⁷, K. Manolopoulos ¹⁴⁷,
 M. Moallemi ¹⁴⁷, D.M. Newbold ¹⁴⁷, E. Olaiya ¹⁴⁷, D. Petyt ¹⁴⁷, T. Reis ¹⁴⁷,
 A.R. Sahasransu ¹⁴⁷, G. Salvi ¹⁴⁷, T. Schuh ¹⁴⁷, C.H. Shepherd-Themistocleous ¹⁴⁷,
 I.R. Tomalin ¹⁴⁷, K.C. Whalen ¹⁴⁷, T. Williams ¹⁴⁷, I. Andreou ¹⁴⁸, R. Bainbridge ¹⁴⁸,
 P. Bloch ¹⁴⁸, O. Buchmuller ¹⁴⁸, C.A. Carrillo Montoya ¹⁴⁸, D. Colling ¹⁴⁸, I. Das ¹⁴⁸,
 P. Dauncey ¹⁴⁸, G. Davies ¹⁴⁸, M. Della Negra ¹⁴⁸, S. Fayer ¹⁴⁸, G. Fedi ¹⁴⁸, G. Hall ¹⁴⁸,
 H.R. Hoorani ¹⁴⁸, A. Howard ¹⁴⁸, G. Iles ¹⁴⁸, C.R. Knight ¹⁴⁸, P. Krueper ¹⁴⁸, J. Langford ¹⁴⁸,
 K.H. Law ¹⁴⁸, J. León Holgado ¹⁴⁸, L. Lyons ¹⁴⁸, A.-M. Magnan ¹⁴⁸, B. Maier ¹⁴⁸,

S. Mallios¹⁴⁸, A. Mastronikolis¹⁴⁸, M. Mieskolainen¹⁴⁸, J. Nash^{148,cb}, M. Pesaresi¹⁴⁸,
 P.B. Pradeep¹⁴⁸, B.C. Radburn-Smith¹⁴⁸, A. Richards¹⁴⁸, A. Rose¹⁴⁸, L. Russell¹⁴⁸,
 K. Savva¹⁴⁸, C. Seez¹⁴⁸, R. Shukla¹⁴⁸, A. Tapper¹⁴⁸, K. Uchida¹⁴⁸, G.P. Uttley¹⁴⁸,
 T. Virdee^{148,ad}, M. Vojinovic¹⁴⁸, N. Wardle¹⁴⁸, D. Winterbottom¹⁴⁸, J.E. Cole¹⁴⁹,
 A. Khan¹⁴⁹, P. Kyberd¹⁴⁹, I.D. Reid¹⁴⁹, S. Abdullin¹⁵⁰, A. Brinkerhoff¹⁵⁰, E. Collins¹⁵⁰,
 M.R. Darwish¹⁵⁰, J. Dittmann¹⁵⁰, K. Hatakeyama¹⁵⁰, V. Hegde¹⁵⁰, J. Hiltbrand¹⁵⁰,
 B. McMaster¹⁵⁰, J. Samudio¹⁵⁰, S. Sawant¹⁵⁰, C. Sutantawibul¹⁵⁰, J. Wilson¹⁵⁰,
 J.M. Hogan¹⁵¹, R. Bartek¹⁵², A. Dominguez¹⁵², S. Raj¹⁵², B. Sahu^{152,al}, A.E. Simsek¹⁵²,
 S.S. Yu¹⁵², B. Bam¹⁵³, A. Buchot Perraguin¹⁵³, S. Campbell¹⁵³, R. Chudasama¹⁵³,
 S.I. Cooper¹⁵³, C. Crovella¹⁵³, G. Fidalgo¹⁵³, S.V. Gleyzer¹⁵³, A. Khukhunaishvili¹⁵³,
 K. Matchev¹⁵³, E. Pearson¹⁵³, C.U. Perez¹⁵³, P. Rumerio^{153,cc}, E. Usai¹⁵³, R. Yi¹⁵³,
 S. Cholak¹⁵⁴, G. De Castro¹⁵⁴, Z. Demiragli¹⁵⁴, C. Erice¹⁵⁴, C. Fangmeier¹⁵⁴,
 C. Fernandez Madrazo¹⁵⁴, J. Fulcher¹⁵⁴, F. Golf¹⁵⁴, S. Jeon¹⁵⁴, J. O’Cain¹⁵⁴, I. Reed¹⁵⁴,
 J. Rohlf¹⁵⁴, K. Salyer¹⁵⁴, D. Sperka¹⁵⁴, D. Spitzbart¹⁵⁴, I. Suarez¹⁵⁴, A. Tsatsos¹⁵⁴,
 E. Wurtz¹⁵⁴, A.G. Zecchinelli¹⁵⁴, G. Barone¹⁵⁵, G. Benelli¹⁵⁵, D. Cutts¹⁵⁵, S. Ellis¹⁵⁵,
 L. Gouskos¹⁵⁵, M. Hadley¹⁵⁵, U. Heintz¹⁵⁵, K.W. Ho¹⁵⁵, T. Kwon¹⁵⁵, L. Lambrecht¹⁵⁵,
 G. Landsberg¹⁵⁵, K.T. Lau¹⁵⁵, J. Luo¹⁵⁵, S. Mondal¹⁵⁵, J. Roloff¹⁵⁵, T. Russell¹⁵⁵,
 S. Sagir^{155,cd}, X. Shen¹⁵⁵, M. Stamenkovic¹⁵⁵, N. Venkatasubramanian¹⁵⁵, S. Abbott¹⁵⁶,
 S. Baradia¹⁵⁶, B. Barton¹⁵⁶, R. Breedon¹⁵⁶, H. Cai¹⁵⁶,
 M. Calderon De La Barca Sanchez¹⁵⁶, E. Cannaert¹⁵⁶, M. Chertok¹⁵⁶, M. Citron¹⁵⁶,
 J. Conway¹⁵⁶, P.T. Cox¹⁵⁶, R. Erbacher¹⁵⁶, O. Kukral¹⁵⁶, G. Mocellin¹⁵⁶, S. Ostrom¹⁵⁶,
 I. Salazar Segovia¹⁵⁶, J.S. Tafoya Vargas¹⁵⁶, W. Wei¹⁵⁶, S. Yoo¹⁵⁶, K. Adamidis¹⁵⁷,
 M. Bachtis¹⁵⁷, D. Campos¹⁵⁷, R. Cousins¹⁵⁷, A. Datta¹⁵⁷, G. Flores Avila¹⁵⁷, J. Hauser¹⁵⁷,
 M. Ignatenko¹⁵⁷, M.A. Iqbal¹⁵⁷, T. Lam¹⁵⁷, Y.f. Lo¹⁵⁷, E. Manca¹⁵⁷,
 A. Nunez Del Prado¹⁵⁷, D. Saltzberg¹⁵⁷, V. Valuev¹⁵⁷, R. Clare¹⁵⁸, J.W. Gary¹⁵⁸,
 G. Hanson¹⁵⁸, A. Aportela¹⁵⁹, A. Arora¹⁵⁹, J.G. Branson¹⁵⁹, S. Cittolin¹⁵⁹,
 S. Cooperstein¹⁵⁹, B. D’Anzi¹⁵⁹, D. Diaz¹⁵⁹, J. Duarte¹⁵⁹, L. Giannini¹⁵⁹, Y. Gu¹⁵⁹,
 J. Guiang¹⁵⁹, V. Krutelyov¹⁵⁹, R. Lee¹⁵⁹, J. Letts¹⁵⁹, H. Li¹⁵⁹, M. Masciovecchio¹⁵⁹,
 F. Mokhtar¹⁵⁹, S. Mukherjee¹⁵⁹, M. Pieri¹⁵⁹, D. Primosch¹⁵⁹, M. Quinnan¹⁵⁹,
 V. Sharma¹⁵⁹, M. Tadel¹⁵⁹, E. Vourliotis¹⁵⁹, F. Würthwein¹⁵⁹, A. Yagil¹⁵⁹, Z. Zhao¹⁵⁹,
 A. Barzdukas¹⁶⁰, L. Brennan¹⁶⁰, C. Campagnari¹⁶⁰, S. Carron Montero^{160,ce},
 K. Downham¹⁶⁰, C. Grieco¹⁶⁰, M.M. Hussain¹⁶⁰, J. Incandela¹⁶⁰, M.W.K. Lai¹⁶⁰, A.J. Li¹⁶⁰,
 P. Masterson¹⁶⁰, J. Richman¹⁶⁰, S.N. Santpur¹⁶⁰, U. Sarica¹⁶⁰, R. Schmitz¹⁶⁰,
 F. Setti¹⁶⁰, J. Shephlock¹⁶⁰, D. Stuart¹⁶⁰, T.Á. Vámi¹⁶⁰, X. Yan¹⁶⁰, D. Zhang¹⁶⁰,
 A. Albert¹⁶¹, S. Bhattacharya¹⁶¹, A. Bornheim¹⁶¹, O. Cerri¹⁶¹, R. Kansal¹⁶¹, J. Mao¹⁶¹,
 H.B. Newman¹⁶¹, G. Reales Gutiérrez¹⁶¹, T. Sievert¹⁶¹, M. Spiropulu¹⁶¹, J.R. Vlimant¹⁶¹,
 R.A. Wynne¹⁶¹, S. Xie¹⁶¹, J. Alison¹⁶², S. An¹⁶², M. Cremonesi¹⁶², V. Dutta¹⁶²,
 E.Y. Ertorer¹⁶², T. Ferguson¹⁶², T.A. Gómez Espinosa¹⁶², A. Harilal¹⁶²,
 A. Kallil Tharayil¹⁶², M. Kanemura¹⁶², C. Liu¹⁶², M. Marchegiani¹⁶², P. Meiring¹⁶²,
 T. Mudholkar¹⁶², S. Murthy¹⁶², P. Palit¹⁶², K. Park¹⁶², M. Paulini¹⁶², A. Roberts¹⁶²,
 A. Sanchez¹⁶², W. Terrill¹⁶², J.P. Cumalat¹⁶³, W.T. Ford¹⁶³, A. Hart¹⁶³, S. Kwan¹⁶³,
 J. Pearkes¹⁶³, C. Savard¹⁶³, N. Schonbeck¹⁶³, K. Stenson¹⁶³, K.A. Ulmer¹⁶³,
 S.R. Wagner¹⁶³, N. Zipper¹⁶³, D. Zuolo¹⁶³, J. Alexander¹⁶⁴, X. Chen¹⁶⁴, J. Dickinson¹⁶⁴,

A. Duquette¹⁶⁴, J. Fan¹⁶⁴, X. Fan¹⁶⁴, J. Grassi¹⁶⁴, S. Hogan¹⁶⁴, P. Kotamnives¹⁶⁴,
 J. Monroy¹⁶⁴, G. Niendorf¹⁶⁴, M. Oshiro¹⁶⁴, J.R. Patterson¹⁶⁴, A. Ryd¹⁶⁴, J. Thom¹⁶⁴,
 P. Wittich¹⁶⁴, R. Zou¹⁶⁴, L. Zygala¹⁶⁴, M. Albrow¹⁶⁵, M. Alyari¹⁶⁵, O. Amram¹⁶⁵,
 G. Apollinari¹⁶⁵, A. Apresyan¹⁶⁵, L.A.T. Bauerdick¹⁶⁵, D. Berry¹⁶⁵, J. Berryhill¹⁶⁵,
 P.C. Bhat¹⁶⁵, K. Burkett¹⁶⁵, J.N. Butler¹⁶⁵, A. Canepa¹⁶⁵, G.B. Cerati¹⁶⁵,
 H.W.K. Cheung¹⁶⁵, F. Chlebana¹⁶⁵, C. Cosby¹⁶⁵, G. Cummings¹⁶⁵, I. Dutta¹⁶⁵,
 V.D. Elvira¹⁶⁵, J. Freeman¹⁶⁵, A. Gandrakota¹⁶⁵, Z. Gecse¹⁶⁵, L. Gray¹⁶⁵, D. Green¹⁶⁵,
 A. Grummer¹⁶⁵, S. Grünendahl¹⁶⁵, D. Guerrero¹⁶⁵, O. Gutsche¹⁶⁵, R.M. Harris¹⁶⁵,
 T.C. Herwig¹⁶⁵, J. Hirschauer¹⁶⁵, V. Innocente¹⁶⁵, B. Jayatilaka¹⁶⁵, S. Jindariani¹⁶⁵,
 M. Johnson¹⁶⁵, U. Joshi¹⁶⁵, B. Klima¹⁶⁵, K.H.M. Kwok¹⁶⁵, S. Lammel¹⁶⁵, C. Lee¹⁶⁵,
 D. Lincoln¹⁶⁵, R. Lipton¹⁶⁵, T. Liu¹⁶⁵, K. Maeshima¹⁶⁵, D. Mason¹⁶⁵, P. McBride¹⁶⁵,
 P. Merkel¹⁶⁵, S. Mrenna¹⁶⁵, S. Nahn¹⁶⁵, J. Ngadiuba¹⁶⁵, D. Noonan¹⁶⁵, S. Norberg¹⁶⁵,
 V. Papadimitriou¹⁶⁵, N. Pastika¹⁶⁵, K. Pedro¹⁶⁵, C. Pena^{165,cf}, C.E. Perez Lara¹⁶⁵,
 F. Ravera¹⁶⁵, A. Reinsvold Hall^{165,cg}, L. Ristori¹⁶⁵, M. Safdari¹⁶⁵, E. Sexton-Kennedy¹⁶⁵,
 N. Smith¹⁶⁵, A. Soha¹⁶⁵, L. Spiegel¹⁶⁵, S. Stoynev¹⁶⁵, J. Strait¹⁶⁵, L. Taylor¹⁶⁵,
 S. Tkaczyk¹⁶⁵, N.V. Tran¹⁶⁵, L. Uplegger¹⁶⁵, E.W. Vaandering¹⁶⁵, C. Wang¹⁶⁵, I. Zoi¹⁶⁵,
 C. Aruta¹⁶⁶, P. Avery¹⁶⁶, D. Bourilov¹⁶⁶, P. Chang¹⁶⁶, V. Cherepanov¹⁶⁶, R.D. Field¹⁶⁶,
 C. Huh¹⁶⁶, E. Koenig¹⁶⁶, M. Kolosova¹⁶⁶, J. Konigsberg¹⁶⁶, A. Korytov¹⁶⁶,
 G. Mitselmakher¹⁶⁶, K. Mohrman¹⁶⁶, A. Muthirakalayil Madhu¹⁶⁶, N. Rawal¹⁶⁶,
 S. Rosenzweig¹⁶⁶, V. Sulimov¹⁶⁶, Y. Takahashi¹⁶⁶, J. Wang¹⁶⁶, T. Adams¹⁶⁷,
 A. Al Kadhimi¹⁶⁷, A. Askew¹⁶⁷, S. Bower¹⁶⁷, R. Goff¹⁶⁷, R. Hashmi¹⁶⁷, A. Hassani¹⁶⁷,
 R.S. Kim¹⁶⁷, T. Kolberg¹⁶⁷, G. Martinez¹⁶⁷, M. Mazza¹⁶⁷, H. Prosper¹⁶⁷, P.R. Prova¹⁶⁷,
 R. Yohay¹⁶⁷, B. Alsufyani¹⁶⁸, S. Butalla¹⁶⁸, S. Das¹⁶⁸, M. Hohlmann¹⁶⁸, M. Lavinsky¹⁶⁸,
 E. Yanes¹⁶⁸, M.R. Adams¹⁶⁹, N. Barnett¹⁶⁹, A. Baty¹⁶⁹, C. Bennett¹⁶⁹, R. Cavanaugh¹⁶⁹,
 R. Escobar Franco¹⁶⁹, O. Evdokimov¹⁶⁹, C.E. Gerber¹⁶⁹, H. Gupta¹⁶⁹, M. Hawksworth¹⁶⁹,
 A. Hingrajiya¹⁶⁹, D.J. Hofman¹⁶⁹, Z. Huang¹⁶⁹, J.h. Lee¹⁶⁹, C. Mills¹⁶⁹, S. Nanda¹⁶⁹,
 G. Nigmatkulov¹⁶⁹, B. Ozek¹⁶⁹, T. Phan¹⁶⁹, D. Pilipovic¹⁶⁹, R. Pradhan¹⁶⁹, E. Prifti¹⁶⁹,
 P. Roy¹⁶⁹, T. Roy¹⁶⁹, N. Singh¹⁶⁹, M.B. Tonjes¹⁶⁹, N. Varelas¹⁶⁹, M.A. Wadud¹⁶⁹,
 J. Yoo¹⁶⁹, M. Alhusseini¹⁷⁰, D. Blend¹⁷⁰, K. Dilsiz^{170,ch}, O.K. Köseyan¹⁷⁰,
 A. Mestvirishvili^{170,ci}, O. Neogi¹⁷⁰, H. Ogul^{170,cj}, Y. Onel¹⁷⁰, A. Penzo¹⁷⁰, C. Snyder¹⁷⁰,
 E. Tiras^{170,ck}, B. Blumenfeld¹⁷¹, J. Davis¹⁷¹, A.V. Gritsan¹⁷¹, L. Kang¹⁷¹,
 S. Kyriacou¹⁷¹, P. Maksimovic¹⁷¹, A. Mitra¹⁷¹, M. Roguljic¹⁷¹, S. Sekhar¹⁷¹,
 M.V. Srivastav¹⁷¹, M. Swartz¹⁷¹, A. Abreu¹⁷², L.F. Alcerro Alcerro¹⁷², J. Anguiano¹⁷²,
 S. Arteaga Escatel¹⁷², P. Baringer¹⁷², A. Bean¹⁷², R. Bhattacharya¹⁷², Z. Flowers¹⁷²,
 D. Grove¹⁷², J. King¹⁷², G. Krintiras¹⁷², M. Lazarovits¹⁷², C. Le Mahieu¹⁷²,
 J. Marquez¹⁷², M. Murray¹⁷², M. Nickel¹⁷², S. Popescu^{172,cl}, C. Rogan¹⁷², C. Royon¹⁷²,
 S. Rudrabhatla¹⁷², S. Sanders¹⁷², C. Smith¹⁷², G. Wilson¹⁷², B. Allmond¹⁷³, N. Islam¹⁷³,
 A. Ivanov¹⁷³, K. Kaadze¹⁷³, Y. Maravin¹⁷³, J. Natoli¹⁷³, G.G. Reddy¹⁷³, D. Roy¹⁷³,
 G. Sorrentino¹⁷³, A. Baden¹⁷⁴, A. Belloni¹⁷⁴, J. Bistany-riebman¹⁷⁴, S.C. Eno¹⁷⁴,
 N.J. Hadley¹⁷⁴, S. Jabeen¹⁷⁴, R.G. Kellogg¹⁷⁴, T. Koeth¹⁷⁴, B. Kronheim¹⁷⁴, S. Lascio¹⁷⁴,
 P. Major¹⁷⁴, A.C. Mignerey¹⁷⁴, C. Palmer¹⁷⁴, C. Papageorgakis¹⁷⁴, M.M. Paranjpe¹⁷⁴,
 E. Popova^{174,cm}, A. Shevelev¹⁷⁴, L. Zhang¹⁷⁴, C. Baldenegro Barrera¹⁷⁵, H. Bossi¹⁷⁵,
 S. Bright-Thonney¹⁷⁵, I.A. Cali¹⁷⁵, Y.c. Chen¹⁷⁵, P.c. Chou¹⁷⁵, M. D'Alfonso¹⁷⁵,

J. Eysermans¹⁷⁵, C. Freer¹⁷⁵, G. Gomez-Ceballos¹⁷⁵, M. Goncharov¹⁷⁵, G. Grosso¹⁷⁵,
 P. Harris¹⁷⁵, D. Hoang¹⁷⁵, G.M. Innocenti¹⁷⁵, K. Ivanov¹⁷⁵, D. Kovalskyi¹⁷⁵, J. Krupa¹⁷⁵,
 L. Lavezzo¹⁷⁵, Y.-J. Lee¹⁷⁵, K. Long¹⁷⁵, C. McGinn¹⁷⁵, A. Novak¹⁷⁵, M.I. Park¹⁷⁵,
 C. Paus¹⁷⁵, C. Reissel¹⁷⁵, C. Roland¹⁷⁵, G. Roland¹⁷⁵, S. Rothman¹⁷⁵, T.a. Sheng¹⁷⁵,
 G.S.F. Stephans¹⁷⁵, D. Walter¹⁷⁵, J. Wang¹⁷⁵, Z. Wang¹⁷⁵, B. Wyslouch¹⁷⁵, T. J. Yang¹⁷⁵,
 B. Crossman¹⁷⁶, W.J. Jackson¹⁷⁶, C. Kapsiak¹⁷⁶, M. Krohn¹⁷⁶, D. Mahon¹⁷⁶, J. Mans¹⁷⁶,
 B. Marzocchi¹⁷⁶, R. Rusack¹⁷⁶, O. Sancar¹⁷⁶, R. Saradhy¹⁷⁶, N. Strobbe¹⁷⁶,
 K. Bloom¹⁷⁷, D.R. Claes¹⁷⁷, G. Haza¹⁷⁷, J. Hossain¹⁷⁷, C. Joo¹⁷⁷, I. Kravchenko¹⁷⁷,
 A. Rohilla¹⁷⁷, J.E. Siado¹⁷⁷, W. Tabb¹⁷⁷, A. Vagnerini¹⁷⁷, A. Wightman¹⁷⁷, F. Yan¹⁷⁷,
 H. Bandyopadhyay¹⁷⁸, L. Hay¹⁷⁸, H.w. Hsia¹⁷⁸, I. Iashvili¹⁷⁸, A. Kalogeropoulos¹⁷⁸,
 A. Kharchilava¹⁷⁸, A. Mandal¹⁷⁸, M. Morris¹⁷⁸, D. Nguyen¹⁷⁸, S. Rappoccio¹⁷⁸,
 H. Rejeb Sfar¹⁷⁸, A. Williams¹⁷⁸, P. Young¹⁷⁸, D. Yu¹⁷⁸, G. Alverson¹⁷⁹, E. Barberis¹⁷⁹,
 J. Bonilla¹⁷⁹, B. Bylsma¹⁷⁹, M. Campana¹⁷⁹, J. Dervan¹⁷⁹, Y. Haddad¹⁷⁹, Y. Han¹⁷⁹,
 I. Israr¹⁷⁹, A. Krishna¹⁷⁹, M. Lu¹⁷⁹, N. Manganelli¹⁷⁹, R. McCarthy¹⁷⁹, D.M. Morse¹⁷⁹,
 T. Orimoto¹⁷⁹, L. Skinnari¹⁷⁹, C.S. Thoreson¹⁷⁹, E. Tsai¹⁷⁹, D. Wood¹⁷⁹, S. Dittmer¹⁸⁰,
 K.A. Hahn¹⁸⁰, M. McGinnis¹⁸⁰, Y. Miao¹⁸⁰, D.G. Monk¹⁸⁰, M.H. Schmitt¹⁸⁰,
 A. Taliencio¹⁸⁰, M. Velasco¹⁸⁰, J. Wang¹⁸⁰, G. Agarwal¹⁸¹, R. Band¹⁸¹, R. Bucci¹⁸¹,
 S. Castells¹⁸¹, A. Das¹⁸¹, A. Ehnis¹⁸¹, R. Goldouzian¹⁸¹, M. Hildreth¹⁸¹,
 K. Hurtado Anampa¹⁸¹, T. Ivanov¹⁸¹, C. Jessop¹⁸¹, A. Karneyeu¹⁸¹, K. Lannon¹⁸¹,
 J. Lawrence¹⁸¹, N. Loukas¹⁸¹, L. Lutton¹⁸¹, J. Mariano¹⁸¹, N. Marinelli¹⁸¹, I. Mcalister¹⁸¹,
 T. McCauley¹⁸¹, C. Mcgrady¹⁸¹, C. Moore¹⁸¹, Y. Musienko^{181,cn}, H. Nelson¹⁸¹,
 M. Osherson¹⁸¹, A. Piccinelli¹⁸¹, R. Ruchti¹⁸¹, A. Townsend¹⁸¹, Y. Wan¹⁸¹, M. Wayne¹⁸¹,
 H. Yockey¹⁸¹, A. Basnet¹⁸², M. Carrigan¹⁸², R. De Los Santos¹⁸², L.S. Durkin¹⁸²,
 C. Hill¹⁸², M. Joyce¹⁸², M. Nunez Ornelas¹⁸², D.A. Wenzl¹⁸², B.L. Winer¹⁸²,
 B. R. Yates¹⁸², H. Bouchamaoui¹⁸³, G. Dezoort¹⁸³, P. Elmer¹⁸³, A. Frankenthal¹⁸³,
 M. Galli¹⁸³, B. Greenberg¹⁸³, N. Haubrich¹⁸³, K. Kennedy¹⁸³, G. Kopp¹⁸³, Y. Lai¹⁸³,
 D. Lange¹⁸³, A. Loeliger¹⁸³, D. Marlow¹⁸³, I. Ojalvo¹⁸³, J. Olsen¹⁸³, F. Simpson¹⁸³,
 D. Stickland¹⁸³, C. Tully¹⁸³, S. Malik¹⁸⁴, R. Sharma¹⁸⁴, S. Chandra¹⁸⁵, R. Chawla¹⁸⁵,
 A. Gu¹⁸⁵, L. Gutay¹⁸⁵, M. Jones¹⁸⁵, A.W. Jung¹⁸⁵, D. Kondratyev¹⁸⁵, M. Liu¹⁸⁵,
 G. Negro¹⁸⁵, N. Neumeister¹⁸⁵, G. Paspalaki¹⁸⁵, S. Piperov¹⁸⁵, N.R. Saha¹⁸⁵,
 J.F. Schulte¹⁸⁵, F. Wang¹⁸⁵, A. Wildridge¹⁸⁵, W. Xie¹⁸⁵, Y. Yao¹⁸⁵, Y. Zhong¹⁸⁵,
 N. Parashar¹⁸⁶, A. Pathak¹⁸⁶, E. Shumka¹⁸⁶, D. Acosta¹⁸⁷, A. Agrawal¹⁸⁷,
 C. Arbour¹⁸⁷, T. Carnahan¹⁸⁷, P. Das¹⁸⁷, K.M. Ecklund¹⁸⁷, S. Freed¹⁸⁷, F.J.M. Geurts¹⁸⁷,
 T. Huang¹⁸⁷, I. Krommydas¹⁸⁷, N. Lewis¹⁸⁷, W. Li¹⁸⁷, J. Lin¹⁸⁷, O. Miguel Colin¹⁸⁷,
 B.P. Padley¹⁸⁷, R. Redjimi¹⁸⁷, J. Rotter¹⁸⁷, M. Wulansatiti¹⁸⁷, E. Yigitbasi¹⁸⁷,
 Y. Zhang¹⁸⁷, O. Bessidskaia Bylund¹⁸⁸, A. Bodek¹⁸⁸, P. de Barbaro^{188,†}, R. Demina¹⁸⁸,
 A. Garcia-Bellido¹⁸⁸, H.S. Hare¹⁸⁸, O. Hindrichs¹⁸⁸, N. Parmar¹⁸⁸, P. Parygin^{188,cn},
 H. Seo¹⁸⁸, R. Taus¹⁸⁸, B. Chiarito¹⁸⁹, J.P. Chou¹⁸⁹, S.V. Clark¹⁸⁹, S. Donnelly¹⁸⁹,
 D. Gadkari¹⁸⁹, Y. Gershtein¹⁸⁹, E. Halkiadakis¹⁸⁹, C. Houghton¹⁸⁹, D. Jaroslawski¹⁸⁹,
 A. Kobert¹⁸⁹, S. Konstantinou¹⁸⁹, I. Laflotte¹⁸⁹, A. Lath¹⁸⁹, J. Martins¹⁸⁹,
 M. Perez Prada¹⁸⁹, B. Rand¹⁸⁹, J. Reichert¹⁸⁹, P. Saha¹⁸⁹, S. Salur¹⁸⁹, S. Schnetzer¹⁸⁹,
 S. Somalwar¹⁸⁹, R. Stone¹⁸⁹, S.A. Thayil¹⁸⁹, S. Thomas¹⁸⁹, J. Vora¹⁸⁹, D. Ally¹⁹⁰,
 A.G. Delannoy¹⁹⁰, S. Fiorendi¹⁹⁰, J. Harris¹⁹⁰, T. Holmes¹⁹⁰, A.R. Kanuganti¹⁹⁰,

N. Karunaratna¹⁹⁰, J. Lawless¹⁹⁰, L. Lee¹⁹⁰, E. Nibigira¹⁹⁰, B. Skipworth¹⁹⁰, S. Spanier¹⁹⁰, D. Aebi¹⁹¹, M. Ahmad¹⁹¹, T. Akhter¹⁹¹, K. Androsov¹⁹¹, A. Bolshov¹⁹¹, O. Bouhali^{191,co}, A. Cagnotta¹⁹¹, V. D'Amante¹⁹¹, R. Eusebi¹⁹¹, P. Flanagan¹⁹¹, J. Gilmore¹⁹¹, Y. Guo¹⁹¹, T. Kamon¹⁹¹, S. Luo¹⁹¹, R. Mueller¹⁹¹, A. Safonov¹⁹¹, N. Akchurin¹⁹², J. Damgov¹⁹², Y. Feng¹⁹², N. Gogate¹⁹², Y. Kazhykarim¹⁹², K. Lamichhane¹⁹², S.W. Lee¹⁹², C. Madrid¹⁹², A. Mankel¹⁹², T. Peltola¹⁹², I. Volobouev¹⁹², E. Appelt¹⁹³, Y. Chen¹⁹³, S. Greene¹⁹³, A. Gurrola¹⁹³, W. Johns¹⁹³, R. Kunnawalkam Elayavalli¹⁹³, A. Melo¹⁹³, D. Rathjens¹⁹³, F. Romeo¹⁹³, P. Sheldon¹⁹³, S. Tuo¹⁹³, J. Velkovska¹⁹³, J. Viinikainen¹⁹³, J. Zhang¹⁹³, B. Cardwell¹⁹⁴, H. Chung¹⁹⁴, B. Cox¹⁹⁴, J. Hakala¹⁹⁴, G. Hamilton Ilha Machado¹⁹⁴, R. Hirosky¹⁹⁴, M. Jose¹⁹⁴, A. Ledovsky¹⁹⁴, C. Mantilla¹⁹⁴, C. Neu¹⁹⁴, C. Ramón Álvarez¹⁹⁴, Z. Wu¹⁹⁴, S. Bhattacharya¹⁹⁵, P.E. Karchin¹⁹⁵, A. Aravind¹⁹⁶, S. Banerjee¹⁹⁶, K. Black¹⁹⁶, T. Bose¹⁹⁶, E. Chavez¹⁹⁶, S. Dasu¹⁹⁶, P. Everaerts¹⁹⁶, C. Galloni¹⁹⁶, H. He¹⁹⁶, M. Herndon¹⁹⁶, A. Herve¹⁹⁶, C.K. Koraka¹⁹⁶, S. Lomte¹⁹⁶, R. Loveless¹⁹⁶, A. Mallampalli¹⁹⁶, A. Mohammadi¹⁹⁶, S. Mondal¹⁹⁶, T. Nelson¹⁹⁶, G. Parida¹⁹⁶, L. Pétré¹⁹⁶, D. Pinna¹⁹⁶, A. Savin¹⁹⁶, V. Shang¹⁹⁶, V. Sharma¹⁹⁶, W.H. Smith¹⁹⁶, D. Teague¹⁹⁶, H.F. Tsoi¹⁹⁶, W. Vetens¹⁹⁶, A. Warden¹⁹⁶, S. Afanasiev¹⁹⁷, V. Alexakhin¹⁹⁷, Yu. Andreev¹⁹⁷, T. Aushev¹⁹⁷, D. Budkouski¹⁹⁷, R. Chistov¹⁹⁷, M. Danilov¹⁹⁷, T. Dimova¹⁹⁷, A. Ershov¹⁹⁷, S. Gninenko¹⁹⁷, I. Gorbunov¹⁹⁷, A. Gribushin¹⁹⁷, A. Kamenev¹⁹⁷, V. Karjavine¹⁹⁷, M. Kirsanov¹⁹⁷, V. Klyukhin¹⁹⁷, O. Kodolova^{197,cp}, V. Korenkov¹⁹⁷, I. Korsakov¹⁹⁷, A. Kozyrev¹⁹⁷, N. Krasnikov¹⁹⁷, A. Lanev¹⁹⁷, A. Malakhov¹⁹⁷, V. Matveev¹⁹⁷, A. Nikitenko^{197,cq,cr}, V. Palichik¹⁹⁷, V. Perelygin¹⁹⁷, S. Petrushanko¹⁹⁷, S. Polikarpov¹⁹⁷, O. Radchenko¹⁹⁷, M. Savina¹⁹⁷, V. Shalaev¹⁹⁷, S. Shmatov¹⁹⁷, S. Shulha¹⁹⁷, Y. Skovpen¹⁹⁷, K. Slizhevskiy¹⁹⁷, V. Smirnov¹⁹⁷, O. Teryaev¹⁹⁷, I. Tlisoa¹⁹⁷, A. Toropin¹⁹⁷, N. Voytishin¹⁹⁷, A. Zarubin¹⁹⁷, I. Zhizhin¹⁹⁷, E. Boos¹⁹⁸, V. Bunichev¹⁹⁸, M. Dubinin^{198,cf}, L. Dudko¹⁹⁸, V. Kim^{198,cn}, V. Murzin¹⁹⁸, V. Oreshkin¹⁹⁸, V. Savrin¹⁹⁸, A. Snigirev¹⁹⁸, D. Sosnov¹⁹⁸

¹ Yerevan Physics Institute, Yerevan, Armenia

² Institut für Hochenergiephysik, Vienna, Austria

³ Universiteit Antwerpen, Antwerpen, Belgium

⁴ Vrije Universiteit Brussel, Brussel, Belgium

⁵ Université Libre de Bruxelles, Bruxelles, Belgium

⁶ Ghent University, Ghent, Belgium

⁷ Université Catholique de Louvain, Louvain-la-Neuve, Belgium

⁸ Centro Brasileiro de Pesquisas Físicas, Rio de Janeiro, Brazil

⁹ Universidade do Estado do Rio de Janeiro, Rio de Janeiro, Brazil

¹⁰ Universidade Estadual Paulista, Universidade Federal do ABC, São Paulo, Brazil

¹¹ Institute for Nuclear Research and Nuclear Energy, Bulgarian Academy of Sciences, Sofia, Bulgaria

¹² University of Sofia, Sofia, Bulgaria

¹³ Instituto De Alta Investigación, Universidad de Tarapacá, Casilla 7 D, Arica, Chile

¹⁴ Universidad Técnica Federico Santa María, Valparaíso, Chile

¹⁵ Beihang University, Beijing, China

¹⁶ Department of Physics, Tsinghua University, Beijing, China

¹⁷ Institute of High Energy Physics, Beijing, China

¹⁸ State Key Laboratory of Nuclear Physics and Technology, Peking University, Beijing, China

- ¹⁹ *State Key Laboratory of Nuclear Physics and Technology, Institute of Quantum Matter, South China Normal University, Guangzhou, China*
- ²⁰ *Sun Yat-Sen University, Guangzhou, China*
- ²¹ *University of Science and Technology of China, Hefei, China*
- ²² *Nanjing Normal University, Nanjing, China*
- ²³ *Institute of Modern Physics and Key Laboratory of Nuclear Physics and Ion-beam Application (MOE) - Fudan University, Shanghai, China*
- ²⁴ *Zhejiang University, Hangzhou, Zhejiang, China*
- ²⁵ *Universidad de Los Andes, Bogota, Colombia*
- ²⁶ *Universidad de Antioquia, Medellin, Colombia*
- ²⁷ *University of Split, Faculty of Electrical Engineering, Mechanical Engineering and Naval Architecture, Split, Croatia*
- ²⁸ *University of Split, Faculty of Science, Split, Croatia*
- ²⁹ *Institute Rudjer Boskovic, Zagreb, Croatia*
- ³⁰ *University of Cyprus, Nicosia, Cyprus*
- ³¹ *Charles University, Prague, Czech Republic*
- ³² *Escuela Politecnica Nacional, Quito, Ecuador*
- ³³ *Universidad San Francisco de Quito, Quito, Ecuador*
- ³⁴ *Academy of Scientific Research and Technology of the Arab Republic of Egypt, Egyptian Network of High Energy Physics, Cairo, Egypt*
- ³⁵ *Center for High Energy Physics (CHEP-FU), Fayoum University, El-Fayoum, Egypt*
- ³⁶ *National Institute of Chemical Physics and Biophysics, Tallinn, Estonia*
- ³⁷ *Department of Physics, University of Helsinki, Helsinki, Finland*
- ³⁸ *Helsinki Institute of Physics, Helsinki, Finland*
- ³⁹ *Lappeenranta-Lahti University of Technology, Lappeenranta, Finland*
- ⁴⁰ *IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette, France*
- ⁴¹ *Laboratoire Leprince-Ringuet, CNRS/IN2P3, Ecole Polytechnique, Institut Polytechnique de Paris, Palaiseau, France*
- ⁴² *Université de Strasbourg, CNRS, IPHC UMR 7178, Strasbourg, France*
- ⁴³ *Centre de Calcul de l'Institut National de Physique Nucleaire et de Physique des Particules, CNRS/IN2P3, Villeurbanne, France*
- ⁴⁴ *Institut de Physique des 2 Infinis de Lyon (IP2I), Villeurbanne, France*
- ⁴⁵ *Georgian Technical University, Tbilisi, Georgia*
- ⁴⁶ *RWTH Aachen University, I. Physikalisches Institut, Aachen, Germany*
- ⁴⁷ *RWTH Aachen University, III. Physikalisches Institut A, Aachen, Germany*
- ⁴⁸ *RWTH Aachen University, III. Physikalisches Institut B, Aachen, Germany*
- ⁴⁹ *Deutsches Elektronen-Synchrotron, Hamburg, Germany*
- ⁵⁰ *University of Hamburg, Hamburg, Germany*
- ⁵¹ *Karlsruher Institut fuer Technologie, Karlsruhe, Germany*
- ⁵² *Institute of Nuclear and Particle Physics (INPP), NCSR Demokritos, Aghia Paraskevi, Greece*
- ⁵³ *National and Kapodistrian University of Athens, Athens, Greece*
- ⁵⁴ *National Technical University of Athens, Athens, Greece*
- ⁵⁵ *University of Ioánnina, Ioánnina, Greece*
- ⁵⁶ *HUN-REN Wigner Research Centre for Physics, Budapest, Hungary*
- ⁵⁷ *MTA-ELTE Lendület CMS Particle and Nuclear Physics Group, Eötvös Loránd University, Budapest, Hungary*
- ⁵⁸ *Faculty of Informatics, University of Debrecen, Debrecen, Hungary*
- ⁵⁹ *HUN-REN ATOMKI - Institute of Nuclear Research, Debrecen, Hungary*
- ⁶⁰ *Karoly Robert Campus, MATE Institute of Technology, Gyongyos, Hungary*
- ⁶¹ *Panjab University, Chandigarh, India*
- ⁶² *University of Delhi, Delhi, India*
- ⁶³ *Indian Institute of Technology Mandi (IIT-Mandi), Himachal Pradesh, India*
- ⁶⁴ *University of Hyderabad, Hyderabad, India*

- ⁶⁵ *Indian Institute of Technology Kanpur, Kanpur, India*
- ⁶⁶ *Saha Institute of Nuclear Physics, HBNI, Kolkata, India*
- ⁶⁷ *Indian Institute of Technology Madras, Madras, India*
- ⁶⁸ *IISER Mohali, India, Mohali, India*
- ⁶⁹ *Tata Institute of Fundamental Research-A, Mumbai, India*
- ⁷⁰ *Tata Institute of Fundamental Research-B, Mumbai, India*
- ⁷¹ *National Institute of Science Education and Research, An OCC of Homi Bhabha National Institute, Bhubaneswar, Odisha, India*
- ⁷² *Indian Institute of Science Education and Research (IISER), Pune, India*
- ⁷³ *Indian Institute of Technology Hyderabad, Telangana, India*
- ⁷⁴ *Isfahan University of Technology, Isfahan, Iran*
- ⁷⁵ *Institute for Research in Fundamental Sciences (IPM), Tehran, Iran*
- ⁷⁶ *University College Dublin, Dublin, Ireland*
- ^{77a} *INFN Sezione di Bari, Bari, Italy*
- ^{77b} *Università di Bari, Bari, Italy*
- ^{77c} *Politecnico di Bari, Bari, Italy*
- ^{78a} *INFN Sezione di Bologna, Bologna, Italy*
- ^{78b} *Università di Bologna, Bologna, Italy*
- ^{79a} *INFN Sezione di Catania, Catania, Italy*
- ^{79b} *Università di Catania, Catania, Italy*
- ^{80a} *INFN Sezione di Firenze, Firenze, Italy*
- ^{80b} *Università di Firenze, Firenze, Italy*
- ⁸¹ *INFN Laboratori Nazionali di Frascati, Frascati, Italy*
- ^{82a} *INFN Sezione di Genova, Genova, Italy*
- ^{82b} *Università di Genova, Genova, Italy*
- ^{83a} *INFN Sezione di Milano-Bicocca, Milano, Italy*
- ^{83b} *Università di Milano-Bicocca, Milano, Italy*
- ^{84a} *INFN Sezione di Napoli, Napoli, Italy*
- ^{84b} *Università di Napoli 'Federico II', Napoli, Italy*
- ^{84c} *Università della Basilicata, Potenza, Italy*
- ^{84d} *Scuola Superiore Meridionale (SSM), Napoli, Italy*
- ^{85a} *INFN Sezione di Padova, Padova, Italy*
- ^{85b} *Università di Padova, Padova, Italy*
- ^{85c} *Università degli Studi di Cagliari, Cagliari, Italy*
- ^{86a} *INFN Sezione di Pavia, Pavia, Italy*
- ^{86b} *Università di Pavia, Pavia, Italy*
- ^{87a} *INFN Sezione di Perugia, Perugia, Italy*
- ^{87b} *Università di Perugia, Perugia, Italy*
- ^{88a} *INFN Sezione di Pisa, Pisa, Italy*
- ^{88b} *Università di Pisa, Pisa, Italy*
- ^{88c} *Scuola Normale Superiore di Pisa, Pisa, Italy*
- ^{88d} *Università di Siena, Siena, Italy*
- ^{89a} *INFN Sezione di Roma, Roma, Italy*
- ^{89b} *Sapienza Università di Roma, Roma, Italy*
- ^{90a} *INFN Sezione di Torino, Torino, Italy*
- ^{90b} *Università di Torino, Torino, Italy*
- ^{90c} *Università del Piemonte Orientale, Novara, Italy*
- ^{91a} *INFN Sezione di Trieste, Trieste, Italy*
- ^{91b} *Università di Trieste, Trieste, Italy*
- ⁹² *Kyungpook National University, Daegu, Korea*
- ⁹³ *Department of Mathematics and Physics - GWNu, Gangneung, Korea*
- ⁹⁴ *Chonnam National University, Institute for Universe and Elementary Particles, Kwangju, Korea*
- ⁹⁵ *Hanyang University, Seoul, Korea*

- ⁹⁶ *Korea University, Seoul, Korea*
- ⁹⁷ *Kyung Hee University, Department of Physics, Seoul, Korea*
- ⁹⁸ *Sejong University, Seoul, Korea*
- ⁹⁹ *Seoul National University, Seoul, Korea*
- ¹⁰⁰ *University of Seoul, Seoul, Korea*
- ¹⁰¹ *Yonsei University, Department of Physics, Seoul, Korea*
- ¹⁰² *Sungkyunkwan University, Suwon, Korea*
- ¹⁰³ *College of Engineering and Technology, American University of the Middle East (AUM), Dasman, Kuwait*
- ¹⁰⁴ *Kuwait University - College of Science - Department of Physics, Safat, Kuwait*
- ¹⁰⁵ *Riga Technical University, Riga, Latvia*
- ¹⁰⁶ *University of Latvia (LU), Riga, Latvia*
- ¹⁰⁷ *Vilnius University, Vilnius, Lithuania*
- ¹⁰⁸ *National Centre for Particle Physics, Universiti Malaya, Kuala Lumpur, Malaysia*
- ¹⁰⁹ *Universidad de Sonora (UNISON), Hermosillo, Mexico*
- ¹¹⁰ *Centro de Investigacion y de Estudios Avanzados del IPN, Mexico City, Mexico*
- ¹¹¹ *Universidad Iberoamericana, Mexico City, Mexico*
- ¹¹² *Benemerita Universidad Autonoma de Puebla, Puebla, Mexico*
- ¹¹³ *University of Montenegro, Podgorica, Montenegro*
- ¹¹⁴ *University of Canterbury, Christchurch, New Zealand*
- ¹¹⁵ *National Centre for Physics, Quaid-I-Azam University, Islamabad, Pakistan*
- ¹¹⁶ *AGH University of Krakow, Krakow, Poland*
- ¹¹⁷ *National Centre for Nuclear Research, Swierk, Poland*
- ¹¹⁸ *Institute of Experimental Physics, Faculty of Physics, University of Warsaw, Warsaw, Poland*
- ¹¹⁹ *Warsaw University of Technology, Warsaw, Poland*
- ¹²⁰ *Laboratório de Instrumentação e Física Experimental de Partículas, Lisboa, Portugal*
- ¹²¹ *Faculty of Physics, University of Belgrade, Belgrade, Serbia*
- ¹²² *VINCA Institute of Nuclear Sciences, University of Belgrade, Belgrade, Serbia*
- ¹²³ *Centro de Investigaciones Energéticas Medioambientales y Tecnológicas (CIEMAT), Madrid, Spain*
- ¹²⁴ *Universidad Autónoma de Madrid, Madrid, Spain*
- ¹²⁵ *Universidad de Oviedo, Instituto Universitario de Ciencias y Tecnologías Espaciales de Asturias (ICTEA), Oviedo, Spain*
- ¹²⁶ *Instituto de Física de Cantabria (IFCA), CSIC-Universidad de Cantabria, Santander, Spain*
- ¹²⁷ *University of Colombo, Colombo, Sri Lanka*
- ¹²⁸ *University of Ruhuna, Department of Physics, Matara, Sri Lanka*
- ¹²⁹ *CERN, European Organization for Nuclear Research, Geneva, Switzerland*
- ¹³⁰ *PSI Center for Neutron and Muon Sciences, Villigen, Switzerland*
- ¹³¹ *ETH Zurich - Institute for Particle Physics and Astrophysics (IPA), Zurich, Switzerland*
- ¹³² *Universität Zürich, Zurich, Switzerland*
- ¹³³ *National Central University, Chung-Li, Taiwan*
- ¹³⁴ *National Taiwan University (NTU), Taipei, Taiwan*
- ¹³⁵ *High Energy Physics Research Unit, Department of Physics, Faculty of Science, Chulalongkorn University, Bangkok, Thailand*
- ¹³⁶ *Tunis El Manar University, Tunis, Tunisia*
- ¹³⁷ *Çukurova University, Physics Department, Science and Art Faculty, Adana, Turkey*
- ¹³⁸ *Hacettepe University, Ankara, Turkey*
- ¹³⁹ *Middle East Technical University, Physics Department, Ankara, Turkey*
- ¹⁴⁰ *Bogazici University, Istanbul, Turkey*
- ¹⁴¹ *Istanbul Technical University, Istanbul, Turkey*
- ¹⁴² *Istanbul University, Istanbul, Turkey*
- ¹⁴³ *Yildiz Technical University, Istanbul, Turkey*
- ¹⁴⁴ *Institute for Scintillation Materials of National Academy of Science of Ukraine, Kharkiv, Ukraine*
- ¹⁴⁵ *National Science Centre, Kharkiv Institute of Physics and Technology, Kharkiv, Ukraine*
- ¹⁴⁶ *University of Bristol, Bristol, U.K.*

- 147 *Rutherford Appleton Laboratory, Didcot, U.K.*
- 148 *Imperial College, London, U.K.*
- 149 *Brunel University, Uxbridge, U.K.*
- 150 *Baylor University, Waco, Texas, U.S.A.*
- 151 *Bethel University, St. Paul, Minnesota, U.S.A.*
- 152 *Catholic University of America, Washington, DC, U.S.A.*
- 153 *The University of Alabama, Tuscaloosa, Alabama, U.S.A.*
- 154 *Boston University, Boston, Massachusetts, U.S.A.*
- 155 *Brown University, Providence, Rhode Island, U.S.A.*
- 156 *University of California, Davis, Davis, California, U.S.A.*
- 157 *University of California, Los Angeles, California, U.S.A.*
- 158 *University of California, Riverside, Riverside, California, U.S.A.*
- 159 *University of California, San Diego, La Jolla, California, U.S.A.*
- 160 *University of California, Santa Barbara - Department of Physics, Santa Barbara, California, U.S.A.*
- 161 *California Institute of Technology, Pasadena, California, U.S.A.*
- 162 *Carnegie Mellon University, Pittsburgh, Pennsylvania, U.S.A.*
- 163 *University of Colorado Boulder, Boulder, Colorado, U.S.A.*
- 164 *Cornell University, Ithaca, New York, U.S.A.*
- 165 *Fermi National Accelerator Laboratory, Batavia, Illinois, U.S.A.*
- 166 *University of Florida, Gainesville, Florida, U.S.A.*
- 167 *Florida State University, Tallahassee, Florida, U.S.A.*
- 168 *Florida Institute of Technology, Melbourne, Florida, U.S.A.*
- 169 *University of Illinois Chicago, Chicago, Illinois, U.S.A.*
- 170 *The University of Iowa, Iowa City, Iowa, U.S.A.*
- 171 *Johns Hopkins University, Baltimore, Maryland, U.S.A.*
- 172 *The University of Kansas, Lawrence, Kansas, U.S.A.*
- 173 *Kansas State University, Manhattan, Kansas, U.S.A.*
- 174 *University of Maryland, College Park, Maryland, U.S.A.*
- 175 *Massachusetts Institute of Technology, Cambridge, Massachusetts, U.S.A.*
- 176 *University of Minnesota, Minneapolis, Minnesota, U.S.A.*
- 177 *University of Nebraska-Lincoln, Lincoln, Nebraska, U.S.A.*
- 178 *State University of New York at Buffalo, Buffalo, New York, U.S.A.*
- 179 *Northeastern University, Boston, Massachusetts, U.S.A.*
- 180 *Northwestern University, Evanston, Illinois, U.S.A.*
- 181 *University of Notre Dame, Notre Dame, Indiana, U.S.A.*
- 182 *The Ohio State University, Columbus, Ohio, U.S.A.*
- 183 *Princeton University, Princeton, New Jersey, U.S.A.*
- 184 *University of Puerto Rico, Mayaguez, Puerto Rico, U.S.A.*
- 185 *Purdue University, West Lafayette, Indiana, U.S.A.*
- 186 *Purdue University Northwest, Hammond, Indiana, U.S.A.*
- 187 *Rice University, Houston, Texas, U.S.A.*
- 188 *University of Rochester, Rochester, New York, U.S.A.*
- 189 *Rutgers, The State University of New Jersey, Piscataway, New Jersey, U.S.A.*
- 190 *University of Tennessee, Knoxville, Tennessee, U.S.A.*
- 191 *Texas A&M University, College Station, Texas, U.S.A.*
- 192 *Texas Tech University, Lubbock, Texas, U.S.A.*
- 193 *Vanderbilt University, Nashville, Tennessee, U.S.A.*
- 194 *University of Virginia, Charlottesville, Virginia, U.S.A.*
- 195 *Wayne State University, Detroit, Michigan, U.S.A.*
- 196 *University of Wisconsin - Madison, Madison, Wisconsin, U.S.A.*
- 197 *An institute or international laboratory covered by a cooperation agreement with CERN*
- 198 *An institute formerly covered by a cooperation agreement with CERN*

- ^a Also at Yerevan State University, Yerevan, Armenia
- ^b Also at TU Wien, Vienna, Austria
- ^c Also at Ghent University, Ghent, Belgium
- ^d Also at FACAMP - Faculdades de Campinas, Sao Paulo, Brazil
- ^e Also at Universidade do Estado do Rio de Janeiro, Rio de Janeiro, Brazil
- ^f Also at Universidade Estadual de Campinas, Campinas, Brazil
- ^g Also at Federal University of Rio Grande do Sul, Porto Alegre, Brazil
- ^h Also at The University of the State of Amazonas, Manaus, Brazil
- ⁱ Also at University of Chinese Academy of Sciences, Beijing, China
- ^j Also at China Center of Advanced Science and Technology, Beijing, China
- ^k Also at University of Chinese Academy of Sciences, Beijing, China
- ^l Also at School of Physics, Zhengzhou University, Zhengzhou, China
- ^m Now at Henan Normal University, Xinxiang, China
- ⁿ Also at University of Shanghai for Science and Technology, Shanghai, China
- ^o Now at The University of Iowa, Iowa City, Iowa, U.S.A.
- ^p Also at Center for High Energy Physics, Peking University, Beijing, China
- ^q Also at Zewail City of Science and Technology, Zewail, Egypt
- ^r Also at British University in Egypt, Cairo, Egypt
- ^s Now at Ain Shams University, Cairo, Egypt
- ^t Also at Purdue University, West Lafayette, Indiana, U.S.A.
- ^u Also at Université de Haute Alsace, Mulhouse, France
- ^v Also at Ilia State University, Tbilisi, Georgia
- ^w Also at Another institute or international laboratory covered by a cooperation agreement with CERN
- ^x Also at University of Hamburg, Hamburg, Germany
- ^y Also at RWTH Aachen University, III. Physikalisches Institut A, Aachen, Germany
- ^z Also at Bergische University Wuppertal (BUW), Wuppertal, Germany
- ^{aa} Also at Brandenburg University of Technology, Cottbus, Germany
- ^{ab} Also at Forschungszentrum Jülich, Jülich, Germany
- ^{ac} Now at RWTH Aachen University, III. Physikalisches Institut A, Aachen, Germany
- ^{ad} Also at CERN, European Organization for Nuclear Research, Geneva, Switzerland
- ^{ae} Also at HUN-REN ATOMKI - Institute of Nuclear Research, Debrecen, Hungary
- ^{af} Now at Universitatea Babes-Bolyai - Facultatea de Fizica, Cluj-Napoca, Romania
- ^{ag} Also at MTA-ELTE Lendület CMS Particle and Nuclear Physics Group, Eötvös Loránd University, Budapest, Hungary
- ^{ah} Also at HUN-REN Wigner Research Centre for Physics, Budapest, Hungary
- ^{ai} Also at Physics Department, Faculty of Science, Assiut University, Assiut, Egypt
- ^{aj} Also at The University of Kansas, Lawrence, Kansas, U.S.A.
- ^{ak} Also at Punjab Agricultural University, Ludhiana, India
- ^{al} Also at University of Hyderabad, Hyderabad, India
- ^{am} Also at Indian Institute of Science (IISc), Bangalore, India
- ^{an} Also at University of Visva-Bharati, Santiniketan, India
- ^{ao} Also at IIT Bhubaneswar, Bhubaneswar, India
- ^{ap} Also at Institute of Physics, Bhubaneswar, India
- ^{aq} Also at Deutsches Elektronen-Synchrotron, Hamburg, Germany
- ^{ar} Also at Isfahan University of Technology, Isfahan, Iran
- ^{as} Also at Sharif University of Technology, Tehran, Iran
- ^{at} Also at Department of Physics, University of Science and Technology of Mazandaran, Behshahr, Iran
- ^{au} Also at Department of Physics, Faculty of Science, Arak University, ARAK, Iran
- ^{av} Also at Helwan University, Cairo, Egypt
- ^{aw} Also at Italian National Agency for New Technologies, Energy and Sustainable Economic Development, Bologna, Italy
- ^{ax} Also at Centro Siciliano di Fisica Nucleare e di Struttura Della Materia, Catania, Italy
- ^{ay} Also at Università degli Studi Guglielmo Marconi, Roma, Italy

- ^{az} Also at Scuola Superiore Meridionale, Università di Napoli 'Federico II', Napoli, Italy
- ^{ba} Also at Fermi National Accelerator Laboratory, Batavia, Illinois, U.S.A.
- ^{bb} Also at Lulea University of Technology, Lulea, Sweden
- ^{bc} Also at Consiglio Nazionale delle Ricerche - Istituto Officina dei Materiali, Perugia, Italy
- ^{bd} Also at UPES - University of Petroleum and Energy Studies, Dehradun, India
- ^{be} Also at Institut de Physique des 2 Infinis de Lyon (IP2I), Villeurbanne, France
- ^{bf} Also at Department of Applied Physics, Faculty of Science and Technology, Universiti Kebangsaan Malaysia, Bangi, Malaysia
- ^{bg} Also at Trincomalee Campus, Eastern University, Sri Lanka, Nilaveli, Sri Lanka
- ^{bh} Also at Saegis Campus, Nugegoda, Sri Lanka
- ^{bi} Also at National and Kapodistrian University of Athens, Athens, Greece
- ^{bj} Also at Ecole Polytechnique Fédérale Lausanne, Lausanne, Switzerland
- ^{bk} Also at Universität Zürich, Zurich, Switzerland
- ^{bl} Also at Stefan Meyer Institute for Subatomic Physics, Vienna, Austria
- ^{bm} Also at Near East University, Research Center of Experimental Health Science, Mersin, Turkey
- ^{bn} Also at Konya Technical University, Konya, Turkey
- ^{bo} Also at Izmir Bakircay University, Izmir, Turkey
- ^{bp} Also at Adiyaman University, Adiyaman, Turkey
- ^{bq} Also at Bozok Universitetsi Rektörlüğü, Yozgat, Turkey
- ^{br} Also at Istanbul Sabahattin Zaim University, Istanbul, Turkey
- ^{bs} Also at Marmara University, Istanbul, Turkey
- ^{bt} Also at Milli Savunma University, Istanbul, Turkey
- ^{bu} Also at Informatics and Information Security Research Center, Gebze/Kocaeli, Turkey
- ^{bv} Also at Kafkas University, Kars, Turkey
- ^{bw} Now at Istanbul Okan University, Istanbul, Turkey
- ^{bx} Also at Istanbul University - Cerrahpasa, Faculty of Engineering, Istanbul, Turkey
- ^{by} Also at Istinye University, Istanbul, Turkey
- ^{bz} Also at Yildiz Technical University, Istanbul, Turkey
- ^{ca} Also at School of Physics and Astronomy, University of Southampton, Southampton, U.K.
- ^{cb} Also at Monash University, Faculty of Science, Clayton, Australia
- ^{cc} Also at Università di Torino, Torino, Italy
- ^{cd} Also at Karamanoğlu Mehmetbey University, Karaman, Turkey
- ^{ce} Also at California Lutheran University, Thousand Oaks, California, U.S.A.
- ^{cf} Also at California Institute of Technology, Pasadena, California, U.S.A.
- ^{cg} Also at United States Naval Academy, Annapolis, Maryland, U.S.A.
- ^{ch} Also at Bingol University, Bingol, Turkey
- ^{ci} Also at Georgian Technical University, Tbilisi, Georgia
- ^{cj} Also at Sinop University, Sinop, Turkey
- ^{ck} Also at Erciyes University, Kayseri, Turkey
- ^{cl} Also at Horia Hulubei National Institute of Physics and Nuclear Engineering (IFIN-HH), Bucharest, Romania
- ^{cm} Now at Another institute formerly covered by a cooperation agreement with CERN
- ^{cn} Also at Another institute formerly covered by a cooperation agreement with CERN
- ^{co} Also at Hamad Bin Khalifa University (HBKU), Doha, Qatar
- ^{cp} Also at Yerevan Physics Institute, Yerevan, Armenia
- ^{cq} Also at Imperial College, London, U.K.
- ^{cr} Now at Yerevan Physics Institute, Yerevan, Armenia
- [†] Deceased