Representation of the surface in architecture: from the Western solutions to the Eastern case studies of solid development.

Federico Rebecchini*, DSDRA - Dipartimento di Storia, Disegno e Restauro dell'Architettura, Sovieti de

Università di Roma, Roma (Italy) federico.rebecchini@uniroma1.it

Emanuela Chiavoni, DSDRA - Dipartimento di Storia, Disegno e Restauro dell'Architet ra, Si vienza

Università di Roma, Roma (Italy) emanuela.chiavoni@uniromal

Alekos Diacodimitri, DSDRA - Dipartimento di Storia, Disegno e Restauro della 1rchi Sapienza

Università di Roma, Roma (Italy) <u>alekos.diacodimitri@___mal.it</u>

Maria Belen Trivi, DSDRA - Dipartimento di Storia, Disegno e Res uro del Architettura, Sapienza

Università di Roma, Roma (Italy) mariabele riviale romal.it

Abstract

Architecture is usually represented in two dimensions through codiced representation methods, such as plan, elevation, and section. An elevation and its represented façade refer solely to the framed side of the building, preventing an overall understanding of it if decontextualized from the other elevations. To cope with this problem, various architects have developed methods of representation that would allow a total development of the architecture's exterior (or interior) and represented. The focus is on drawings that, with different assumptions and represented in the same intent: a total representation, developed in the plan and the interior or exterior façades of a given architecture. The desterminants resulting from Robin Evans' studies, which he called *Developed Surface*, introduce us to a kind of representation that would later be employed. It is similar or less or intentions, by numerous Japanese architects of the 1970s and 1980s, each architect depicted architecture's interior or exterior surface for different and any substitute starting reference was often a traditional Japanese paper model can all Oke hi-ex.

The paper aims to expand the knowledge of the *Developed Surface* drawings through the analysis of call straines of geometrical applications and by investigating the implication of type of representation that allows for a novel perspective on the façades that make up are decture.


Keywords: Face, Solid development, Facade, Okoshi-ezu, Continuity

1.1 troduction

Are meetural drawings cannot give an overall picture of a project, as they are tied to the architect's choice. Some aspects manifest themselves more clearly than others that are inevitably suppressed. Therefore, it is interesting to a plyze how various movements, both Western and Eastern, wanted to represent as much information as possible in relation to the architectural surface in a single drawing, trying to generate a total image of it.

Examples of this tendency are some mid-eighteenth-century drawings developed in Europe, which began to adapt existing techniques of the orthogonal projections by Gaspard Monge. The objective was to achieve a new way of representing residential architecture, giving greater emphasis to the interior. Architect Robin Evans analyzes this particular drawing technique. He defines it as a "revealed interior surface", finding strong interactions between the visual and social spheres. In his essay "The Developed Surface - An Enquiry into the Brief Life and Death of an

Eighteenth-Century Drawing Technique" [1] Evans identifies several variants within this typology, citing some examples such as the case of Thomas Lightoler: in his drawing of the staircase hallway, published in "The Modern Builder's Assistant", it is possible to perceive the idea of four faces that seem to have been folded from their vertical position with the purpose of manifesting in a single image the inner surface of the architecture (Fig. 1, left). This technique emphasized the inner room as the sole object of the scene, with a heightened focus on the entire surface, clearly expressing each of the interior faces. Evans also refers to the Adam brothers, who produced many drawings in which the developed interior surface expressed their domestic architectural designs (Fig. 1, right).






Fig. 1. Graphic elaboration combining two images from K. in Eva s' "The Developed Surface: An Enquiry into the Brief Life of an Eighteenth-Century Drawing Technique" essay. E. Thomas Lightoler, Section of a stair hall from The Modern Builder's Assistant, 1757. Right: Robert Adam, Section of the Great Hall at Syon House, 1761. Despite being more modern than Lightholer's, Adam's cawing employs a drawing grammar that is extremely *Beaux-Arts*: the elevations are not hinged to the plan. In Light bler's arawing, the elevations are directly hinged to the plan, and we could almost build a tiny model out of it

Analysis of these examples shows nat it is accurant that this technique was used to represent a specific type of architecture in the last decades of the control indeed, the interior design of the developed surface was perfectly suited to these villas, characted by a sequence of rooms that were intimately related to each other, seeking to differentiate themselves the high to gibbe aspects such as decoration. This drawing technique made it possible to accentuate the differences by representing each room almost autonomously while at the same time blurring the connection between the incrior and its curroundings.

In this sense, I can up that and distributing information in a certain way that is not neutral. For this reason, this technique had little relevance in the Western world, as its rigid y die not at with to represent how architecture evolved. Its limitations were to interrupt the continuity of space by making cuts between adjacent walls so that they remained flat.

However, similar type of representation called *okoshi-ezu* had been previously developed in Japan, different from the Western case in the fact that it manifested itself in a paper model. This method is said to have originated in the Edo Period, mainly for the construction of a house for the tea ceremony (*Chashitsu* 茶室). The Japanese nobility found in the teaceremony masters a way of conceiving architecture beyond modularity. At the height of the Edo period, the so-canceremoly style came forward, a way of conceiving space and architecture strongly indebted to the tea room, marked by rustic simplicity and honesty of materials. Buildings ascribable to the *Sukiya* style are thus composed of particularly controlled spaces to take the user on a real journey of awakening the senses through specific heights, materials, and lighting.

It was necessary to develop a type of representation that would better enable the design of the details needed by this kind of architecture. Thus *okoshi-ezu*, or *tate-ezu*, were born [2]. These are drawings that today we would call *paper models*, where parts carefully glued onto the plan, once folded, went to shape an accurate three-dimensional model of the building. Details and annotations useful for construction were then drawn on these folding walls, as well as the arrangement of stones in the plan and whatever else needed to appear within the finished design. In addition, creating

an enclosed space also allowed for an understanding of the entry of light and the general appearance of the finished object [3-4].

However, such a design control tool still leaves some doubt about its actual use. Andrew Barrie says there is still no certainty that *okoshi-ezu* was only used in the preliminary stages of the project [5]. There is also the possibility that such drawings were made only upon completion, almost for the owners' amusement. In fact, several *okoshi-ezu* depict famous buildings, suitable for recording them in detail. Although a Western counterpart can be identified in the paper model of the late 1700s (such as the playful *Images d'Épinal*), the *okoshi-ezu* embodies in so many ways the Japanese way of conceiving space, making it inextricably linked to the land of the Rising Sun.

2. Aims of the research and methods

This research aims to broaden the topic of architectural representations that employ the *Developed Staface* solution. This technique is a niche in the field of architectural drawing, addressed in a very comprehensive way by Robin Evals, especially relating to a specific historical period. Recently, Anna Katrine Hougaard [6] has taken a vanisher or as starting point by extending them through application experiments that see surface development as a guerative tool.

Within the scope of this research, there is room for practical application, but the primary goal is a like up the threads of Evans' discourse in the hope of adding case studies to the theories already enunciated. Leafically, the references considered in this paper have a particular location: Japan. While Evans dwelt on the great western swigestions, we have seen that, in Japan, there is a different starting point. The *okoshi-ezu* can lead who different representations and results ascribable to the theme recounted by Evans.

The research thus starts from Western references and then moves to lastern cases, idies in order to investigate their similarities and contrasts. The ultimate goal is to define the strengt, and eaknesses of an unconventional type of representation.

It is useful to specify that, within this research, the term *surface* is never and to describe the material connotations that a façade might have. The concept of *surface* is seen from *Vanda rian* perspective, or rather within the framework of descriptive geometry, thus a geometric form without thickness have only two dimensions. Either way, it is a surface that is allowed to move in three-dimensional structural hinge movements, with the possibility of developing an eventual architectural solid.

3. Case studies

As the introduction shows, the *okos t-ezu* is a type the presentation in which flat development is only one of its two conformations. The main goal was to a tain three dimensional paper model. The production of *okoshi-ezu* was limited to the Edo period only, reaching modern times as a curious object of the tradition. Although we speak of a niche of tradition-related objects, the mave returned center stage among postwar Japanese architects. Intending to preserve and popularize traditions in specific to an increasing Westernization of the country, some architects have recovered this type of representation by a chalizing at.

Among the first odevice attention to *okoshi-ezu*, and thus to a representation involving a flat development of the façade, we have Stoppi horigues. Horiguchi can be regarded as one of the first modern architects. He was one of the founders of the coup of Japanese secessionists known as *Bunri Ha Kenchiku Kai*, and over the years, he took up the forms of Wester architecture in an extremely modern way [7]. He was also an architectural historian and designed much in the Stoppa style. His interest in this particular style led him, in the latter part of his career, to produce a 12-volume series known as the "Tea Ceremony Illustrated Collection" (茶室おこし絵図集), published from 1963 to 1967 v Bokust Shop (Fig. 2). Stored inside hardback boxes were *okoshi-ezu* reproductions of famous Japanese tea rooms (to Chashitsu mentioned above). Through a representation of the past, Horiguchi brought attention back to the perfect spatial control of tea rooms.





Fig. 2. One of the *okoshi-ezu* by Sutemi Horiguchi developed and burn. Retrieved from https://www.bunsei.co.jp/old-book/ctg-08/japanese-tea-room/. Accessed on January 2015.

After him, Arata Isozaki also gave space to *okoshi-ezu* within an chibition not made him mainly well-known internationally: "MA - Space-time in Japan", first mounted at the Fe aval D' atomne a Paris in 1978 [7]. Within the exhibition, Isozaki sought to clarify to Western visitors how Japanese as ce-time induces active participation in the viewer. Among the elements of traditional architecture, such as the himo. (a) (a poly place for the summoning of the Shintoist Kami) or the *kaiyu-shiki* (the strolling through the garden, a med *tercal*), he introduced the *okoshi-ezu* as well. He dedicates an entire drawing to it, which employs a six-part divation (to recall a *byōbu*, the folding wind wall) characteristics of the other works in the exhibition. He framed the paper model in its plan conformation, thus open with all the inner sides flipped flat (Fig. 3).



1. 3. Arata Isozaki, *Okoshi-Ezu* of the Teigyokuken Tea House from the Exhibition "MA Space-Time in Japan", trieved from Stewart, 1987 [7].

Within the text, Isozaki explains how the three-dimensionality of the "Tea House" emerges from the combination of the elements placed in relation to each other and not from a Western-style volumetric spatial conception. He also uses a dashed line, Monge-derived, to represent the connection of the different parts. The rhythmic division of the vertical lines often gives space to those leading to the explanatory texts.

The two architects used *okoshi-ezu* as a means of popularizing Japanese tradition in order to preserve it. The case studies presented in this paper recover instead the solutions of surface development from a modern perspective to represent new projects. Each of the three case studies starts from the aforementioned references and then approaches the representation of the surface in a different way.

The first case study sees the focus placed on the exterior surface of the architecture. The façade is the focus of Minoru Takeyama, known in the West primarily for being one of the forefathers of Japanese post-modernism. Takeyama's path passes through Waseda University, Harvard, Jean Lluis Sert, and Arne Jacobsen. In '64, he founded Minoru Takeyama Architectural Research Institute, and as early as '68 came the first major project that would bring him immediate success [10]. We are talking about the buildings *Ichiban-kan* and *Niban-kan*, which arose within a short distance of each other in Kabuki-cho, the entertainment area of Shinjuku, Tokyo. The two buildings, also known as *BOS* and *BOS-2*, stood towering among the existing buildings in the area, which were still small at the time. In fact, until 1963, it was forbidden in Japan to construct buildings higher than 31 meters in height; only with the introduction of the *Yousekiritsu* (floor area ratio), which allowed greater height based on the area in which the building stood, was the construction of skyscrapers and large-scale buildings allowed. From that moment on, skyscrapers began to crowd the Japan sapita starting with the 1964 Olympics. However, the *Ichi* (one) and *Ni* (two) scale was not the most prominent reature. That immediately made them iconic buildings was the curious volumetry that shaped them, and especial of the cladding applied to them. Geometric motifs and colors covered the faces of solids that looked like the fruit of a wild's wood in constructions. Pure extruded volumes, without any kind of functional reference, housed motifs on the sface that sould be traced back to Victor Vasarely's Op-art. Inside were playrooms and clubs for adults.

Charles Jencks put the *Niban-kan* on the cover of his famous 1977 book "Post-Moo rn A ante oure", published almost ten years after the two buildings were completed. The *Ichi* and *Ni* had already foresnadowed to eschizophrenia and incoherence of Tokyo while representing some characteristics of *Po-Mo* through the content of the cont

Therefore, Takeyama is not concerned with the internal function of the building; his is a *façade architecture*. He focuses on the membrane that relates the building to its or text, allowing it to influence and live independently. Hence, it is no accident that he comes to projuce do the set that are nothing more than the flat development of the different façades of the *Niban-kan* (Fig. 4) One thing the most appropriate that the comparison (as Takeyama's later career with show) is with or *gami*. So, a playful valence, where the different façades can be folded in a way that reconstructs the membrane of the building.




Fig. 4. Graphic elaboration combining two versions of the *Niban-kan*'s surface. Left: Minoru Takeyama, *Niban-kan*, 1968 retrieved from Bognar, 1995 [9]. Right: Minoru Takeyama, *Nibahn-Kan* Repainted, 1976 retrieved from

Frampton, 1978 [10].

A membrane that Takeyama imagines from the beginning as a mutable object, ready to change to relate to the frenetic *Kabuki-cho*. To make it so, he relies on Kiyoshi Awazu, a very famous graphic designer who was responsible for the book "Metabolism 1960" and later "Kisho Kurokawa Selected Works" [11]. Awazu then designs brightly colored façades, the same ones he used in his posters in those years. At first, the building is repainted every five years, hosting different membranes occasionally.

In these representations, Takeyama treats the façade as a separate element, a real membrane that develops flat, ready to change. The flat development in this situation is merely turned outward as a covering: a dress that conceals an integrate protected from prying eyes.

The second case worth analyzing is that of an architect who could be called the most colorful fruit that fokyo's chois produced in the 1980s: Kunihiko Hayakawa. His buildings synthesized urban disorder, assimilated it, a direproduced it in scenarios composed of two-dimensional elements assembled. Tokyo's labyrinthine, oversting and paradoxical qualities became the engine of spaces where pastel colors muted external visual roise. We are not talking about architectural masterpieces, quite the opposite, but solutions that fully represent that proficular moment in Japanese architecture.

Already in his early projects, Hayakawa focused on drawing, or at least on compositions that are representative of his architecture. In projects such as "House in Minami-Aoyama" (1981) and "Touse at Bus Stop" (1982), he already employed a mix of special axonometry and tilts to create figures that reference are into our way. In not being fully legible.

The experimental drawings of the early projects can be considered in retrosp of almost as a preamble to the representations he would produce in 1985 with his most famous project. "Attention". It is a reinterpretation of the concept of a multi-unit complex, in which Hayakawa imagines twelve apartment of varying sizes connected by a large openair interior courtyard. Hayakawa considers this atrium to be an *interior landse pe*. Once inside, it is possible to find garden elements such as a gate, steps, a fountain without small pool, a sculpture, and even a rotunda. Another characteristic is the checkerboard paving, which is slightly round from the direction of the lot. Hayakawa describes the project as a non-natural, artificial space: "The atrium does not have any elements that simulate nature, thus making it as much of an artificial scene as possible. [...] (my the atrium space is colored, out of a desire to introduce a festive and theatrical atmosphere within the housing complex "frog)

It is interesting to see that Hayakawa, starting from this poject, began to produce drawings published as "Elevational Development" (Fig. 5). These are drawings where the interestions were flipped flat, with hinges placed naturally at the connection with the atrium. The skip of a awings allowed Hayakawa to show the scenic quality of the internal façades all at the same time. "The landscape produced [in Atrium] is two-dimensional, man-made, and gives the feeling of being alien to everyday life [13]




Fig. 5. Kunihiko Hayakawa, Atrium, 1985 retrieved from Kawats 1990 2.

When Hayakawa mentions two-dimensionality, we cannot help to link of okoshi-ezu. Thus, he does not introduce a novelty in the Japanese representational landscape but applies it intelligently to his architecture. His drawings perfectly express the bi-dimensional quality of less façades. What is more, Hayakawa does something counterintuitive: instead of totally flattening the elevation once it has becaute perfectly expressed to the plan, using a special axonometry (Y and Z axes coincide) depending or the direction in which the elevation is flipped. In doing so, he then adds different dimensions to the represented series, creating an ambiguity that can only be resolved if the drawing is observed in portions. It also adds to be perfectly to the overturning, representing multiple meanings.

The labyrinthine conformation of Tokyo led F yakawa to design a project in 1989 called "Labyrinth", which is the epitome of his influences at a theories on arcmeeture. It is again a housing complex with an inner courtyard, where many staircases and ramps on act different units. It is his most spatially complex project, reminiscent of the distributional complex project by Hayakawa's former employer, Moshe Safdie.

The semi-regula, valaped courtyard allows for precise tilting. However, it again introduces a three-dimensional component which he has of stairs often depicted in special axonometry (fig. 06). The development of the elevations in this paper also sees the introduction of color, which is extremely flat and homogeneous, further enhancing the two-dimensional effect of the elaborate design. The elevations become theatrical wings dropped to the ground with a thud. The architecture becomes readable only by trying to connect the different pieces of the labyrinth. Each one has different penings, but the color allows for a common depth between the different tilts, making the space of what Hayakawa can the valley layered by levels.



Fig. 6. Kunihiko Hayakawa, "Labyrinth", 1989 ieved from Hayakawa, 1989 [14].

Kunihiko Hayakawa enjoys a limited reput tion (continued bibliography), but with a few clear steadfast points he has succeeded in synthesizing the convolution of Tokyo into architectures as complex as the Japanese city. His drawings reflect this willingness to work in fragments to control an inordinate amount of external input. His approach to representation to the perform within the complex and richly changing period of mid-1980s Japan. The interior façades he depicts in development limind us of the 19th-century ones recounted by Evans, of which Hayakawa was probably unaware. The reference here again is presumably the *okoshi-ezu*, but in its most intimate and controlled sense, relating to the proper design of the tea room.

The third case study seem is also about a little-known architect in the West, Takefumi Aida. Among the *anti-metabolism* group / tchite. It memory, Aida had a varied and sometimes contradictory theoretical and design path, but it did not prevent sim from thing some of the most interesting architecture of 1970s and 1980s Japan.

Around the 1.70s, it idea was that modern architecture resulted from a series of continuous imitations of something done before, crooking the cities. Therefore, he decides to try to avoid any pitfalls related to the axioms of modern architecture. The fruit of his theories is one of his most famous projects, the "House like a Die" (also called the "Dice House", from 1974. It is a detached house, which, as the name implies, looks like a die: in fact, in addition to being lubic, it also presents the different dots (i.e., square windows) that characterize the faces of a die in the elevations. So, are we taking about a mere divertissement similar to American novelty architecture, or is it an architecture with a valid theory behind it? In the case of Aida, the answer is both.

On the one hand, the building is undoubtedly a comic object, born in the climate of great compositional freedom that igned at that time in Japan. Wacky, or at least curious, single-family houses were the order of the day. On the other hand, the Dice House becomes the manifesto and foundation of later Aida architecture. On the theoretical level, the house exemplifies his motto "Form follows *Fiction* rather than the modernist *Function*", a phrase that connects us back to the theme of the play and pantomime to avoid any connection to already built architecture. In short, it is a way of hiding any functional aspect of the house behind a surface: "By giving special importance to the external form of architecture, I intend to seek the independence of the building. In $N\bar{o}$ theater masks, emotions are not expressed externally. The goal is to conceal the emotions. The hidden expressions, I understand them as an expression of silence. The Dice House is presented in an ironic way, wearing a mask that is a die. The die is a big face, facing the exterior

space. It is a mask of architecture." [10]

Aida mentions silence, a feature he hopes to achieve by hiding the true expression of his architecture behind a mask. This paper is not focused on the completeness of the theories in relation to the built artifact; indeed, what interests us is how Aida decided to represent his "Dice House" in relation to the aforementioned theories. The solution he adopts, in retrospect, seems the only possible one: an okoshi-ezu. His architecture made of masks is developed in the plane (Fig. 7, left). A traditional method of representation is employed to tell something new. The faces of the die are all visible at the same time: like a dress spread out on a table, the "Dice House" opens before the viewer in all its parts. Even the face with the number six is visible since it is not in contact with the ground thanks to six pilotis. The ezu, in the Edo period, served to control the different interior finishes better, but Aida operated a reversal of means. His drawing aimed not to control the artifact's design but rather a part of its performance, a mask of are necessary than can be assembled like a children's game.




Fig. 7. Graphic elaboration combining two different versions of ida's Jouse like a Die". Left: Takefumi Aida, "House like a Die", 1974 retrieved from Aida, 1974 [16]. Right Takeft ni Aida, "House like a Die" (Okoshie Drawing), 1978 retrieved from Frampton, 1978 [10].

It is precisely the concept of an assemblable of the unat introduces a design that is the direct evolution of the one just analyzed. In fact, the latter could be considered a protection of a series of more curated drawings presented as part of the "A New Wave of Japanese Architecture" tour organized by the IAUS and Kenneth Frampton in 1978. For the occasion, Aida produced no less than the drawings in the skoshi-ezu style, depicting his (up to that time) most famous architecture. The drawing of the "Die How Tig. /, right) immediately allows us to make a comparison with its magazine precursor of four year earn... The deferences are many: the first one employed screentones for some backgrounds, paying no particular attention to the stage of eventual assembly; the second one, on the contrary, is clearly a more polished design, per ect for sisplay and, at the same time, taking the question of assembly seriously, depicting the folding lines as well as a small fire that, once folded and glued, allow for perfect construction. The playful component becomes very lear a record the other two projects represented in this style, "Annihilation House" and "Nirvana House" also she e with "Louse Like a Die" the concept of an architectural mask (Fig. 8). Indeed, it is from them that this concert starts, nating been built a year before the "House Like a Die". Their meaningless elevations tied to pure geo for a are the masks that Aida makes his architecture wear, not to make them talkative but rather silent.




Fig. 8. Graphic elaboration combining two drawings by Takefumi Aida. Left: Takefum' Aida, Anni. Nation House (Okoshie Drawing), 1978. Right: Takefumi Aida, Nirvana House (Okoshie Drawing), 1978. Problems are from 1972, but the drawings presented were published in this version only in 1978 inside Frampton's New Wave of Japanese Architecture [10].

Aida's drawings turn out to be a summation of the iterations expressed by To eyam and Hoyakawa, developing the totality of architecture in plan: interior and exterior coexist and can be observed so altaneously.

4. Geometrical applications

It was possible to reconstruct on a 3D modeler the plane development or the "Dice House" in order to understand how it works spatially. Such operation was particularly easy, partly by virtue of the building's windows, arranged as mentioned above like the numbers on a playing dice, making the reception of homologous interior and exterior faces immediate. Indeed, the most interesting aspect of the an operation is precisely the relationship created between the exterior and interior of the architecture. Each will and floor of the building is shown simultaneously in its two visible faces, imagining the architecture as two solids parts and whin each other. Once developed on the plane (Fig. 9), the building is configured as a normally unfold a main cube (the outer one, i.e., the dice), around which the corresponding inner façades have been juxtaposed; these façades are marketed to the main cube by four outer/inner connection hinges (in red in the image), around which faces at, 4 5I and 6I must make a 180-degree rotation. Face 3I rejoins its counterpart by following face 5 to which it is connected and making a 90-degree rotation in the opposite direction, while face 2I is affected by a carticular step many of interest (Fig. 10): in order to allow the representation of the inner slab of the second floor (who seem alone and intrados are represented by faces SE and SI), face 2I has been decomposed into two sections (2Ia and 2Ib) at are regioned by automatically recomposing the face once the rotation of both faces of the inner slab is simple id. Two as (in dashed green in the image) are required to make this process.

The peculiarity of the representation is undoubtedly its ability to show, as mentioned above, all the faces of the solid simultaneously, related the interior and exterior of the building without losing its spatial continuity and without creating inclear mage corrlays. In a single drawing, two-floor plans, the roof plan, three hypographs (ceiling plan), four elevations and four sections are shown simultaneously, allowing the image user to reconstruct the spatial conformation of the building with a few simple mental steps.




Fig. 9. Analysis of the flat development of the "Dice House": Correst and ince relations between external and internal faces together with connection hinges (red lines) and cut lines (given at hed lines). Graphic elaboration by Alekos Diacodimitri.



Fig. 10. Render of the "Dice House" model with folding steps and middle floor construction (Graphic elaboration by Alekos Diacodimitri).

5. Conclusions

Within this research, it was chosen to experiment with 3D modeling software, specifically *Rhinoceros*. The software

employs NURBS, mathematical functions that allow different geometric entities to be visually represented. Its flexibility and rigor make it the most suitable software for handling operations on surfaces. The choice of using a 3D modeler, in this case, becomes an added value compared to the representation and reconstruction of the *okoshi-ezu* on paper. As geometric qualities are investigated and studied from a historical and theoretical standpoint, the modeler makes it possible to undo any irregularities and imperfections in the paper, as well as its thickness. This latter feature also involves the eventual imprecisions caused by the folding of the paper, resulting in a hinge never working in a precise geometrical way.

The case studies recounted and the experimentation allowed us to expand the theme of architectural representation through the developed surface: this is a niche in architectural drawing that seems to surface only in response specific expressive needs combined with a strong cultural identity. It is a type of drawing that asserts in the information of the strong cultural identity of the strong cultural identity. It is a type of drawing that asserts in the information of the strong cultural identity.

The reason it does not seem to regain luster today is easily identifiable by two interconnected factor. The first is related to the tools used for representation. Software allowing the control of an architectural extifact in its three dimensions bypass the need to develop a solid in plan. If we want to see all the elevations simultaneous it is project to split the screen to frame them all. At the same time, projects are often conceived through sonds, moving in a 3D environment that does not need to be flattened to be controlled. Thus, the flat development of a convenient was sorn with assumptions of design control that simply no longer exist today.

The second factor is the direction that the forms of architecture have taken to be a rely and morally because of software that allows them to be controlled. Flowing, curved, or non-regular for as go poorly with a tilting-in plan that sees the regularity of simple solids as a cornerstone.

Despite the factors that hinder this type of representation, we can see an qual number of reasons that make it unique and still extremely useful and communicative today. These representations arretricably take us back to analog drawing, the proper use of two-dimensional representation methods, and he rigor derived from the proper use of proportion and scale. These factors are inextricably linked with a conception of handcrafted architecture, often synonymous with greater care and reasoning, which sees the development of a surfaces as a way of verifying façade design. The characterization and balance relationships and the synonetries and asymmetries of an envelope are immediately highlighted. The grammatical continuity (or disconcined) of a façade is verified in an omniscient drawing that becomes an excellent design control to all

Such reasoning clashes with the direction the contemporary architecture seems to have taken. However, the representation of the surface of architecture call today see a pol of renewed inspiration for an approach to the façade and the total design of an artifact, holding within it a unifying gaze.

6. Author Contributions

While the authors shared the search in its entirety, they contributed to the text as follows: Maria Belen Trivi for chapter 1; Alekos Diacodic atri for mapters 2 and 4; Federico Rebecchini for chapter 3; Emanuela Chiavoni for chapter 5.

7. References

- 1. Evans *V* (2. 97) be Developed Surface: An Enquiry into the Brief Life of and Eighteenth-Century Drawing Technicae. The DeTrai lations from drawing to building and other essays Architectural Association, London, pp 194-23.
- 2. JAANUS Lanese Architecture and Art Net Users System (2023) Okoshi-ezu (起絵図). https://www.aisf.or.jp/~jaanus/deta/o/okoshiezu.htm. Accessed 22 Gen 2023.
- 4. Meystre O (2017) Pictures of the Floating Microcosm. New Representations of Japanese Architecture. Park Books, Zurich
- 5. Barrie A (2010) Okoshi-ezu: Speculations on thinness in Interstices: Journal of Architecture and Related Arts, 11, pp 62-71
- 6. Hougaard A K (2015) Architectural Drawing. An Animate Field in Open House International 40(2), June 2015, pp

44-53

- 7. Stewart D B (1987) The Making of a Modern Japanese Architecture. From the Founders to Shinohara and Isozaki. Kodansha International, Tokyo
- 8. 茶室おこし絵図集. (n.d.). Retrieved 29 January 2024, from https://www.bunsei.co.jp/old-book/ctg-08/japanese-tea-room/
- 9. Bognar B (eds) (1995) Architectural Monographs No. 42 Minoru Takeyama. Academy Editions, London
- 10. Frampton K (eds) (1978) A New Wave of Japanese Architecture. The Institute for Architecture and Studies (IAUS), New York
- 11. Koolhaas R, Obrist H U (eds) (2011) Project Japan. Metabolism Talks... Taschen, Koln
- 12. Kawatsu K (eds) (1990) SD Space Design Modern Architect: Kunihiko Hayakawa. K suma Puba. Tokyo
- 13. Hayakawa K (1986) Contemporary Architecture in Drawings 19 Space and Conception Linihiko Hayakawa. Doho-sha, Tokyo
- 14. Hayakawa K (1989) Labyrinth. The Japan Architect, October, 1989, pp 3 41
- 15. Hsieh L (2013) Architext: The readable, playable and edible architecture of the appanese new wave (Ph.D. Dissertation), Princeton University, Princeton
- 16. Aida T (1974) When the Architecture Disappears. The Japan Prchite. Ar. 1, 1974, pp 42-44.
- 17. Hsieh L (2017) The Architecture Utters Nothing in Log pp 6 -68
- 18. Daniell T (2018) An Anatomy of Influence. A Publications, London
- 19. De Rosa A (1998) L'infinito svelato allo Luard Studi Edizioni, Torino