

## Bibliography

- [1] Lieviti, downloaded from <http://users.unimi.it/~dmora/materiali/Lezione4mg.pdf> on 22-11-2010 h 9:58
- [2] F. Rodrigues, P. Ludovico, C. Leão, Sugar Metabolism in Yeasts: an Overview of Aerobic and Anaerobic Glucose Catabolism – Chapter 3, 2005, Clinical Mycology Group, Life and Health Sciences Research Institute, Health Sciences School, University of Minho, Campus de Gualtar, 4710-057 Braga, Portugal
- [3] [http://biochemie.web.med.unimuenchen.de/Yeast\\_Biol/02%20Yeast%20Cell%20Architecture%20and%20Function.Pdf](http://biochemie.web.med.unimuenchen.de/Yeast_Biol/02%20Yeast%20Cell%20Architecture%20and%20Function.Pdf) consulted on 27-9-2012 h 10:37
- [4] J. Smedsgaard, J. Nielsen, Metabolite profiling of fungi and yeast: from phenotype to metabolome by MS and informatics, 2005, Journal of Experimental Botany 56(410), 273-286
- [5] I. S. Snoek, H. Y. Steensma, Why does *Kluyveromyces lactis* not grow under anaerobic conditions? Comparison of essential anaerobic genes of *Saccharomyces cerevisiae* with the *Kluyveromyces lactis* genome, 2006, FEMS Yeast Res. 6(3), 393-403
- [6] A. J. J. van Ooyen, P. Dekker, M. Huang, M. M. A. Olsthoorn, D. I. Jacobs, P. A. Colussi, C. H. Taron, Heterologous protein production in the yeast *Kluyveromyces lactis*, 2006, FEM Yeast Res 6, 381–392
- [7] J. A. Van den Berg, K. J. Van der Laken, A. J. J. Van Ooyen, *Kluyveromyces* as a host for heterologous gene expression: Expression and secretion of prochymosin, 1990, BioTechnology 8, 135–139
- [8] B. W. Swinkels, A. J. J. Van Ooyen, F. J. Bonekamp, The yeast *Kluveromyces lactis* as an efficient host for heterologous gene expression, 1993, Antonie van Leeuwenhoek 64, 187–201
- [9] B. Dujon, D. Sherman, G. Fisher, Genome evolution in yeasts, 2004, Nature 430, 35-44
- [10] M. Bolotin-Fukuhara, Genomics and Biodiversity in Yeasts, 2005, Chapter 4 downloaded from [http://link.springer.com/chapter/10.1007%2F3-540-30985-3\\_4#page-2](http://link.springer.com/chapter/10.1007%2F3-540-30985-3_4#page-2) on 02-12-2011 h 14:32
- [11] S. Bratulic, Resource utilization and competition among yeasts, 2010, Master of Science Thesis, Chalmers University of Technology, University of Gothenburg, Sweden

- [12] D. Kręgiel, Physiology and metabolism of Crabtree-negative yeasts *Debaryomyces occidentalis*, 2008, Food Chemistry and Biotechnology 1029(72), 35-44
- [13] <http://www.genome.jp/kegg/pathway.html> consulted on 24-6-2011 h 16:02
- [14] [http://en.wikipedia.org/wiki/Glyoxylate\\_cycle](http://en.wikipedia.org/wiki/Glyoxylate_cycle) consulted on 17-11-2011 h 11:34
- [15] O. Tehlivets, K. Scheuringer, S. D. Kohlwein, Fatty acid synthesis and elongation in yeast, 2007, Biochimica et Biophysica Acta 1771, 255-270
- [16] J. B. M. Rattray, A. Schibeci, D. K. Kidby, Lipids of yeasts, 1975, American Society for Microbiology - Bacteriological Reviews, Vol. 39, No. 3, 197-231, Printed in US.A., downloaded from <http://mmbir.asm.org/> on November 9, 2011
- [17] [http://en.wikipedia.org/wiki/Fatty\\_acid\\_synthase](http://en.wikipedia.org/wiki/Fatty_acid_synthase) consulted on 27-02-2012 h 12:22
- [18] K. Kainou, Y. Kamisaka, K. Kimura, H. Uemura, Isolation of Δ12 and ω3-fatty acid desaturase genes from the yeast *Kluyveromyces lactis* and their heterologous expression to produce linoleic and α-linolenic acids in *Saccharomyces cerevisiae*, 2006, Yeast 23, 605-612
- [19] D. A. Los, N. Murata, Structure and expression of fatty acid desaturases, 1998, Biochimica et Biophysica Acta 1394, 3-15
- [20] L. W. Parks, W. M. Casey, Physiological implications of sterol biosynthesis in yeast, 1995, Annual Review of Microbiology 49, 95-116
- [21] T. Iwaki, H. Iefuji, Y. Hiraga, A. Hosomi, T. Morita, Y. Giga-Hama, K. Takegawa, Multiple functions of ergosterol in the fission yeast *Schizosaccharomyces pombe*, 2008, Microbiology, 830-841
- [22] H. Pichler, H. Riezman, Where sterols are required for endocytosis, 2004, Biochimica et Biophysica Acta 1666, 51-61
- [23] T. Engmann, Structural, physical and genetic interactions of the i-AAA protease Yme1 in *Saccharomyces cerevisiae*, 2009, Inaugural – Dissertation zur Erlangung des Doktorgrades der Mathematisch-Naturwissenschaftlichen Fakultät der Universität zu Köln
- [24] M. A. Quail, S.L. Kelly, The extraction and analysis of sterols from yeast, 1996, Methods in Molecular Biology 53, 123-131
- [25] [http://www.genome.jp/kegg-bin/show\\_pathway?kla00900](http://www.genome.jp/kegg-bin/show_pathway?kla00900) 1 consulted on 03-12-2012 h 15:42

- [26] [http://www.genome.jp/kegg-bin/show\\_pathway?kla00909](http://www.genome.jp/kegg-bin/show_pathway?kla00909) consulted on 03-12-2012 h 15:57
- [27] [http://www.genome.jp/keggbin/show\\_pathway?org\\_name=kla&mapno=00100&mapscale=1.0&show\\_description>Show](http://www.genome.jp/keggbin/show_pathway?org_name=kla&mapno=00100&mapscale=1.0&show_description>Show) consulted on 13-12-2012 h 16:37
- [28] T. Pfeiffer, S. Bonhoeffer, Evolutionary consequences of tradeoffs between yield and rate of ATP production, 2002, Zeitschrift fur Physikalische Chemie 216, 1-51
- [29] A. Lehninger, D. Nelson, M. Cox, Principles of Biochemistry, 2004, W. H. Freeman Publisher, ISBN 978-0716762652
- [30] I. Famili, J. Forster, J. Nielsen, B. O. Palsson, *Saccharomyces cerevisiae* phenotypes can be predicted by using constraint-based analysis of a genome-scale reconstructed metabolic network, 2003, Proceedings of the National Academy of Sciences, 100(23), 13134–9
- [31] J. E. Bailey, Toward a science of metabolic engineering, 1991, Science 252, 1668-1675
- [32] T. Szyperski, <sup>13</sup>C-NMR, MS and metabolic flux balancing in biotechnology research, 1998, Quarterly Reviews of Biophysics 31(1), 41-106
- [33] G. Stephanopoulos, Metabolic engineering, 1994, Curr. Opinion Biotechnol. 5, 196-200
- [34] G. Hardy, K. G. Oliver, Genetics and biotechnology, 1985, In Biotechnology (eds. I. J. Higgins, D. J. Best & J. Jones), 257–282. Oxford: Blackwell Science Publications
- [35] M. R. Mashego, K. Rumbold, M. De Mey, E. Vandamme, W. Soetaert, J. J. Heijnen, Microbial metabolomics: past, present and future methodologies, 2007, Biotechnol. Lett. 29, 1-16
- [36] R.H. De Deken, The Crabtree effect: a regulatory system in yeast, 1966, J. Gen. Microbiol. 44, 149–156
- [37] M.I. Gonzalez-Siso, M.A. Freire-Picos, E. Ramil, M. Gonzalez- Dominguez, A. Rodriguez Torres, M.E. Cerdà, Respirofermentative metabolism in *Kluyveromyces lactis*: Insights and perspectives, 2000, Enzyme Microb. Technol. 26, 699–705
- [38] A. Merico, S. Galafassi, J. Piskur, C. Compagno, The oxygen level determines the fermentation pattern in *Kluyveromyces lactis*, 2009, Fems. Yeast Res. 9, 749–756
- [39] P. Goffrini, A.A. Algeri, C. Donnini, M. Wésolowski-Louvel, I. Ferrero, RAG1 and RAG2: nuclear genes involved in the dependence/independence on mitochondrial respiratory function for growth on sugars, 1989, Yeast 5, 99–106

- [40] M. Wésolowski-Louvel, C. Prior, D. Bornecque, H. Fukuhara, Rag2 mutations involved in glucose metabolism in yeast: isolation and genetic characterization, 1992, Yeast 8, 711–719
- [41] S. Cialfi, D. Uccelletti, A. Carducci, M. Wésolowski-Louvel, P. Mancini, H.J. Heipieper, M. Saliola, KlHs11 is a component of glycerol response pathways in the milk yeast *Kluyveromyces lactis*, 2011, Microbiology 157, 1509-18
- [42] H. Neil, M. Hnatova, M. Wésolowski-Louvel, A. Rycovska, M. Lemaire, Sck1 activator coordinates glucose transport and glycolysis and is controlled by Rag8 casein kinase I in *Kluyveromyces lactis*, 2007, Molecular Microbiology 63(5), 1537–1548
- [43] S. Betina, P. Goffrini, I. Ferrero, M. Wésolowski-Louvel, RAG4 gene encodes a glucose sensor in *Kluyveromyces lactis*, 2001, Genetics 158, 541-548
- [44] C. Prior, P. Mamessier, H. Fukuhara, X. J. Chen, M. Wésolowski-Louvel, The hexokinase gene is required for transcriptional regulation of the glucose transporter gene RAG1 in *Kluyveromyces lactis*, 1993, Molecular and Cellular Biology 13, 3882-3889
- [45] J. Blaisonneau, H. Fukuhara, M. Wésolowski-Louvel, The *Kluyveromyces lactis* equivalent of casein kinase I is required for the transcription of the gene encoding the low-affinity glucose permease, 1997, Molecular and General Genetics 253, 469-477
- [46] M. Lemaire, A. Guyon, S. Betina, M. Wésolowski-Louvel, Regulation of glycolysis by casein kinase I (Rag8p) in *Kluyveromyces lactis* involves a DNA-binding protein, Sck1p, a homologue of Sgc1p of *Saccharomyces cerevisiae*, 2002, Curr Genet 40, 355–364 DOI 10.1007/s00294-001-0266-7
- [47] P. Goffrini, M. Wésolowski-Louvel, I. Ferrero, A phosphoglucose isomerase gene is involved in the Rag phenotype of the yeast *Kluyveromyces lactis*, 1991, Molecular and General Genetics 2283, 401-409
- [48] M. Wésolowski-Louvel, P. Goffrini, I. Ferrero, H. Fukuhara, Glucose transport in the yeast *Kluyveromyces lactis*, 1992, Molecular and General Genetics 233, 89-96
- [49] M. Bianchi, L. Tizzani, M. Destruelle, L. Frontali, M. Wésolowski-Louvel, the ‘petite-negative’ yeast *Kluyveromyces lactis* has a single gene expressing pyruvate decarboxylase activity, 1996, Molecular Microbiology 19, 27-36

- [50] C. Prior, L. Tizzani, H. Fukuhara, M. Wésolowski-Louvel, RAG3 gene and transcriptional regulation of the pyruvate decarboxylase gene in *Kluyveromyces lactis*, 1996, Molecular Microbiology 20, 765-772
- [51] M. Lemaire, M. Wésolowski-Louvel, Enolase and glycolytic flux play a role in the regulation of the glucose permease gene RAG1 of *Kluyveromyces lactis*, 2004, Genetics 168, 723-731
- [52] M. Hnatova, M. Wésolowski-Louvel, G. Dieppois, J. Deffaud, M. Lemaire, Characterization of kIGRR1 and SMS1 genes, two new elements of the glucose signaling pathway of *Kluyveromyces lactis*, 2008, Eukaryotic Cell 7, 1299-1308
- [53] D. Gorietti, E. Zanni, C. Palleschi, M. Delfini, D. Uccelletti, M. Saliola, A. Miccheli, Depletion of the unique casein kinase I leads to a NAD(P)<sup>+</sup>/NAD(P)H balance-dependent metabolic adaptation as determined by NMR spectroscopy-metabolomic profile in *Kluyveromyces lactis*, 2014, Biochimica et Biophysica Acta 1840, 556-564, PMID: 24144565, DOI: 10.1016/j.bbagen.2013.10.020
- [54] A. Buchholz, J. Hurlebaus, C. Wandrey, R. Takors, Metabolomics: quantification of intracellular metabolite dynamics, 2002, Biomolecular Engineering 19, 5-15
- [55] M. Emmerling, M. Dauner, A. Ponti, J. Fiaux, M. Hochuli, T. Szyperski, K. Wütrich, J. E. Bailey, U. Sauer, Metabolic flux responses to pyruvate kinase knockout in *Escherichia coli*, 2002, Journal of Bacteriology 184, 152-164
- [56] J. Schwender, J. Ohlrogge, Y. Shachar-Hill, *Understanding flux in plant metabolic networks*, 2004, Current Opinion in Plant Biology 7, 309-317
- [57] R. G. Ratcliffe, Y. S. Hill, Probing plant metabolism with NMR, 2001, Annu. Rev. Plant Physiol. Plant Mol. Biol. 52, 499-526
- [58] Q. Wang, C. Wu, T. Chen, X. Chen, X. Zhao, Integrating metabolomics into systems biology framework to exploit metabolic complexity: strategies and applications in microorganisms, 2006, Appl. Microbiol. Biotechnol. 70, 151-161
- [59] K. Morgenthal, W. Weckwerth, R. Steuer, Metabolomic networks in plants: transitions from pattern recognition to biological interpretation, 2006, BioSystems 83, 108-117

- [60] Computational System Biology Lecture 6: Metabolic Control Analysis, downloaded from [http://www.inf.ed.ac.uk/teaching/courses/csb/CSB\\_lecture\\_MCA.pdf](http://www.inf.ed.ac.uk/teaching/courses/csb/CSB_lecture_MCA.pdf) consulted on 22-2-2011 h 9:33
- [61] A. Shimizu, A review on metabolic pathway analysis with emphasis on isotope labeling approach, 2002, Biotechnol. Bioprocess Eng. 7, 237-251
- [62] J. K. Nicholson, J. Connelly, J. C. Lindon, E. Holmes, Metabonomics: a platform for studying drug toxicity and gene function, 2002, Nature Reviews – Drug Discovery vol. 1, 153-162
- [63] E. Holmes, H. Tang, Y. Wang, C. Seger, The assessment of plant metabolite profiles by NMR-based methodologies, 2006, Planta Med 72, 771-785
- [64] J. K. Nicholson, J. C. Lindon, E. Holmes, “Metabonomics”: understanding the metabolic responses of living systems to pathophysiological stimuli via multivariate statistical analysis of biological NMR spectroscopic data, 1999, Xenobiotica 29, 1181-1189
- [65] O. Fiehn, Metabolomics – the link between genotype and phenotype, 2002, Plant Mol Biol 48, 155-171
- [66] I. J. Clquhoun, Use of NMR for metabolic profiling in plant systems, 2007, J. Pestic. Sci., 32, 200–212
- [67] P. Krishnan, N. J. Kruger, R. G. Ratcliffe, Meabolite fingerprinting and profiling in plants using NMR, 2005, Journal of Experimental Botany, Vol. 56, No. 410, 254-265
- [68] A. Tomassini Miccheli, A. Miccheli, R. Di Clemente, M. Valerio, P. Coluccia, M. Bizzarri, F. Conti, NMR-based metabolic profiling of human hepatoma cells in relation to cell growth by culture media analysis, 2006, Biochimica et Biophysica Acta 1760, 1723–1731
- [69] W. B. Dunn, D. I. Ellis, Metabolomics: current analytical platforms and methodologies, 2005, Trends Anal Chem 24, 285-294
- [70] <http://www.metabolomicssociety.org/pages/history> consulted on 26-3-2013 h 15:28
- [71] R. Powers, NMR metabolomics and drug discovery, 2009, Magn. Reson. Chem. 47, S2-S11
- [72] <http://spinportal.magnet.fsu.edu/> consulted on 07-03-2013 h 15:37

- [73] H.S. Son, G.S. Hwang, K.M. Kim, H.J. Ahn, W.M. Park, F. Van Den Berg, Y.S. Hong, C.H Lee., , Metabolomic Studies on Geographical Grapes and Their Wines Using  $^1\text{H}$  NMR Analysis Coupled with Multivariate Statistics, 2009, *J. Agric. Food Chem.*, 57, 1481–1490
- [74] L. Tarachiwin, K. Ute, A. Kobayashi, E. Fukusaki,  $^1\text{H}$  NMR based metabolic profiling in the evaluation of Japanese green tea quality, 2007, *J. Agric. Food Chem.*, 55, 9330–9336
- [75] R. Consonni, L.R. Cagliani, F. Benevelli, M. Spraulc, E. Humpferc, M. Stocchero, NMR and chemometric methods: a powerful combination for characterization of balsamic and traditional balsamic vinegar of Modena, 2008, *Anal. Chim. Acta*, 611, 31–40
- [76] L. Mannina, M. Patumi, N. Proietti, AL Segre, P.D.O. (protected designation of origin): geographical characterization of Tuscan extra virgin olive oils using high field  $^1\text{H}$ -NMR spectroscopy, 2001, *Ital. J. Food Sci.* 13, 53-63
- [77] G. Le Gall, I. J. Colquhoun, A. L. Davis, G. J. Collins, M. E. Verhoeven, Metabolite profiling of tomato (*Lycopersicon esculentum*) using  $^1\text{H}$  NMR spectroscopy as a tool to detect potentioal unintended effect following a genetic modification, 2003, *J. Agric. Food Chem.* 51, 2447-56
- [78] M. Defernez, Y. M: Gunning, A. J. Parr, L. V. T. Sherphed, H. V. Davies, I.J. Clquhoun, NMR and HPLC-UV profiling of potatoes with genetic modifications to metabolic pathways, 2004, *J. Agric. Food Chem.* 52, 6075-85
- [79] H. K. Choi, Y. H. Choi, M. Vererne, A. W. M. Lefeber, C. Erkelens, R. Verpoorte, Metabolic fingerprinting of wild type and transgenic tobacco plants by  $^1\text{H}$  NMR and multivariate analysis technique, 2004, *Phytochemistry* 65, 857-864
- [80] T. M. D. Ebbels, E. Holmes, J. C. Lindon, J. K. Nicholson, Evaluation of metabolic variation in normal rat strains from a statistical analysis of  $^1\text{H}$  NMR spectra of urine, 2004, *J. Pharm. Biomed. Anal.* 36, 823-833
- [81] C. L. Gavaghan McKee, I. D. Wilson, J. K. Nicholson, Metabolic phenotyping of nude and normal (Alpk:ApfCD, C57BL10J) mice, 2006, *J. Proteome Re.* 5, 378-384
- [82] L. M. Raamsdonk, B. Teusink, D. Broadhurst, N. Zhang, A. Hayes, M. C. Walsh et al, A functional genomics strategy that uses metabolome data to reveal the phenotype of silent mutations, 2001, *Nat. Biotechnol.* 19, 45-50

- [83] R.G. Ratcliffe, Y. Shachar-Hill, Revealing metabolic phenotypes in plants: inputs from NMR analysis, 2005, Biol. Rev., 80, 27-43
- [84] T. W.-M. Fan, A. N. Lane, R. M. Higashi, J. Yan, Stable isotope resolved metabolomics of lung cancer in a SCID mouse model, 2011, Metabolomics 7, 257-269
- [85] L.-E. Quek, C. Witmann, L. K. Niesen, J. O. Kromer, OpenFLUX: efficient modelling software for <sup>13</sup>C-based metabolic flux analysis, 2009, Microbial Cell Factories 8(25), 1-15
- [86] A. Miccheli, A. Tomassini, C. Puccetti, M. Valerio, G. Peluso, F. Tuccillo, M. Calvani, C. Manetti, F. Conti, Metabolic profiling by <sup>13</sup>C-NMR spectroscopy: [1,2-<sup>13</sup>C<sub>2</sub>] glucose reveals a heterogeneous metabolism in human leukemia T cells, 2006, Biochimie 88, 437-448
- [87] S. H. Hansen, J. G. McCormack, Application of <sup>13</sup>C-filtered <sup>1</sup>H NMR to evaluate drug action on gluconeogenesis and glycogenolysis simultaneously in isolated rat hepatocytes, 2002, NMR Biomed. 15, 313-319
- [88] A. R. Fernie, A. Roscher, R. G. Ratcliffe, N. J. Kruger, Fructose 2,6-bisphosphate activates pyrophosphate: fructose-6-phosphate 1-phosphotransferase and increases triose phosphate to hexose phosphate cycling in heterotrophic cells, 2001, Planta 212, 250–263
- [89] T. W.-M. Fan, A. N. Lane, R. M. Higashi, M. A. Farag, H. Gao, M. Bousamra, D. M. Miller, Altered regulation of metabolic pathways in human lung cancer discerned by <sup>13</sup>C stable isotope-resolved metabolomics (SIRM), 2009, Molecular Cancer 8:41, doi:10.1186/1476-4598-8-41
- [90] B. Schneider, J. Gershenzon, G. Graser, D. Holscher, B. Schmitt, One-dimensional <sup>13</sup>C NMR and HPLC-<sup>1</sup>HNMR techniques for observing carbon-13 and deuterium labelling in biosynthetic studies, 2003, Phytochemistry Reviews 2, 31-43
- [91] Dauner, M., and Sauer, U., GC-MS analysis of amino acids rapidly provides rich information for isotopomer balancing, 2001, Biotechnol. Prog. 76, 642-649
- [92] W. Wiechert, <sup>13</sup>C Metabolic Flux Analysis, 2001, Metabolic Engineering 3, 195-206
- [93] J. Kikuchi, K. Shinozaki, T. Hirayama, Stable isotope labelling of *Arabidopsis thaliana* for an NMR-based metabolomics approach, 2004, Plant Cell Physiol. 45(8), 1099-1104
- [94] J. L. Griffin, Metabonomics: NMR spectroscopy and pattern recognition analysis of body fluids and tissues for characterization of xenobiotic toxicity and disease diagnosis, 2003, Curr. Opin. Chem. Biol. 7, 648-654

- [95] I. Pelczer, High-resolution NMR for metabolomics, 2005, Current Opinion in Drug Discovery & Development 8, 127-134
- [96] K. K. Millis, W. E. Maas, D. G. Cory, S. Singer, Gradient, high-resolution, magic-angle spinning nuclear magnetic resonance spectroscopy of human adipocyte tissue, 1997, Magn. Reson. Med. 38, 399-403
- [97] S. G. Oliver, M. K. Winson, D. B. Kell, F. Baganz, Systematic functional analysis of the yeast genome, 1998, Trends Biotechnol. 16, 373-378
- [98] J. K. Nicholson, I. D. Wilson, Understanding ‘global’ systems biology: Metabonomics and the continuum of the metabolism, 2003, Nat. Rev. Drug Discov. 7, 668-676
- [99] R. T. Eakin, L. O. Morgan, C. T. Gregg, N. A. Matwiyoff, Carbon-13 nuclear magnetic resonance spectroscopy of living cells and their metabolism of a specifically labeled 13C substrate, 1972, FEBS Lett 28(3), 259 –264
- [100] N. J. Kruger, R.G. Ratcliffe, A. Roscher, Quantitative approaches for analyzing fluxes through plant metabolic networks using NMR and stable isotope labeling, 2003, Phytochemistry Reviews 2, 17-30
- [101] R. L. Dobbins, C. R. Malloy, Measuring in-vivo metabolism using nuclear magnetic resonance, 2003, Curr Opin Clin Nutr Metab Care 6(5), 501–509
- [102] C. Puccetti, T. Aureli, C. Manetti, F. Conti, 13C-NMR isotopomer distribution analysis: a method for measuring metabolic fluxes in condensation biosynthesis, 2002, NMR Biomed. 15, 404-415
- [103] B. KuÈnnecke, Application of 13C NMR Spectroscopy to metabolic studies on animals, 1995, Carbon-13 NMR Spectroscopy of Biological Systems (Beckmann, N., ed.), 226-240. Academic Press, San Diego
- [104] T. W.-M. Fan, J. A. Bird, E. L. Brodie, A. N. Lane, 13C-Isotopomer-based metabolomics of microbial groups isolated from two forest soils, 2009, Metabolomics 5, 108-122
- [105] T. Szyperski, J. E. Bailey, K. Wüthrich, Detecting and dissecting metabolic fluxes using biosynthetic fractional 13C labeling and two dimensional NMR spectroscopy, 1996, TIBTECH December, vol. 14, 453-459

- [106] D. M. Mowery, R. A. Assink, D. K. Derzon, S. B. Klamo, R. L. Clough, R. Bernstein, Solid-state <sup>13</sup>C NMR investigation of the oxidative degradation of selectively labeled polypropylene by thermal aging and -irradiation, 2005, *Macromolecules* 38, 5035–5046
- [107] D. M. Mowery, R. A. Assink, D. K. Derzon, S. B. Klamo, R. Bernstein, R. L. Clough, Radiation oxidation of polypropylene. A solid-state <sup>13</sup>C NMR study using selective isotopic labelling, 2007, *Radiation Physics and Chemistry* 76, 864–878
- [108] S. Bluml, A. Moreno, J. H. Hwang, B. D. Ross, <sup>1</sup>-<sup>13</sup>C glucose magnetic resonance spectroscopy of pediatric and adult brain disorders, 2001, *NMR Biomed* 14(1), 19–32
- [109] A. P. Lin, F. Shic, C. Enriquez, B. D. Ross, Reduced glutamate neurotransmission in patients with Alzheimer's disease—an in vivo <sup>13</sup>C magnetic resonance spectroscopy study, 2003, *Magma* 16(1), 29–42
- [110] B. Kunnecke, S. Cerdan, J. Seelig, Cerebral metabolism of [1,2-<sup>13</sup>C<sub>2</sub>]glucose and [<sup>U-</sup><sup>13</sup>C<sub>4</sub>]3-hydroxybutyrate in rat brain as detected by <sup>13</sup>C NMR spectroscopy, 1993, *NMR Biomed* 6(4), 264–277
- [111] F. Chapa, B. Kunnecke, R. Calvo, F. Escobar del Rey, G. Morreale de Escobar, S. Cerdan, Adult-onset hypothyroidism and the cerebral metabolism of (1,2- <sup>13</sup>C<sub>2</sub>) acetate as detected by <sup>13</sup>C nuclear magnetic resonance, 1995, *Endocrinology* 136(1), 296–305
- [112] N. E. Preece, S. Cerdan, Metabolic precursors and compartmentation of cerebral GABA in vigabatrin-treated rats, 1996, *J Neurochem* 67(4), 1718–1725
- [113] J. M. Pascual, F. Carceller, J. M. Roda, S. Cerdan, Glutamate, glutamine, and GABA as substrates for the neuronal and glial compartments after focal cerebral ischemia in rats, 1998, *Stroke* 29(5), 1048–1056; discussion 1056–1047
- [114] F. Cruz F, S. Cerdan, Quantitative C-13 NMR studies of metabolic compartmentation in the adult mammalian brain, 1999, *NMR Biomed* 12(7), 451–462
- [115] F. Chapa, F. Cruz, M. L. Garcia-Martin, M. A. Garcia-Espinosa, S. Cerdan, Metabolism of (1-<sup>13</sup>C) glucose and (2-<sup>13</sup>C, 2-<sup>2</sup>H<sub>3</sub>) acetate in the neuronal and glial compartments of the adult rat brain as detected by (<sup>13</sup>C, <sup>2</sup>H) NMR spectroscopy, 2000, *Neurochem Int* 37(2–3), 217–228

- [116] M. A. Garcia-Espinosa, T. B. Rodrigues, A. Sierra, M. Benito, C. Fonseca, H. L. Gray, B. L. Bartnik, M. L. Garcia-Martin, P. Ballesteros, S. Cerdan, Cerebral glucose metabolism and the glutamine cycle as detected by in vivo and in vitro  $^{13}\text{C}$  NMR spectroscopy, 2004, *Neurochem Int* 45(2–3), 297–303
- [117] T. Aureli, C. Puccetti, M. E. Di Cocco, A. Arduini, R. Ricciolini, M. Scalibastri, C. Manetti, F. Conti, Entry of [(1,2- $^{13}\text{C}_2$ )acetyl]-L-carnitine in liver tricarboxylic acid cycle and lipogenesis, 1999, *Eur. J. Biochem.* 263, 287–293
- [118] M. Dieuaide-Noubhani, G. Raffard, P. Canioni, A. Pradet, P. Raymond, Quantification of compartmented metabolic fluxes in maize root tips using isotope distribution from  $^{13}\text{C}$ - or  $^{14}\text{C}$ -labeled glucose, 1995, *J. Biol. Chem.* 270, 13147–59
- [119] S. G. Villas-Bôas, J. Højer-Pedersen, M. Åkesson, J. Smedsgaard, J. Nielsen, Global metabolite analysis of yeast: evaluation of sample preparation methods, 2005, *Yeast* 22, 1155–1169
- [120] W. de Koning, K. van Dam, A method for the determination of changes of glycolytic metabolites in yeast on a subsecond time scale using extraction at neutral pH, 1992, *Anal. Biochem.* 204, 118–123
- [121] A. Tanamati, C. C. Oliveira, J. V. Visentainer, M. Matsushita, N. E. de Souza, Comparative Study of Total Lipids in Beef Using Chlorinated Solvent and Low-Toxicity Solvent Methods, 2005, *JAOCS* 82, 393–397
- [122] J. Folch, M. Less, G. H. Sloane Stanley, A simple method for the isolation and purification of total lipides from animal tissues, 1956, downloaded from [ww.jc.org](http://www.jc.org) at Auburn University on 13-10-2008 h 12:07
- [123] E. G. Bligh, W. J. Dyer, A rapid method of total lipid extraction and purification, 1959, *Can. J. Biochem. Physiol.* 37, 911–917
- [124] <http://www.cyberlipid.org/extract/extr0002.htm> consulted on 14-09-2004 h 13:57
- [125] <http://www.cyberlipid.org/extract/extr0006.htm> consulted on 14-09-2004 h 12:42
- [126] A. Miccheli, T. Aureli, M. Delfini, M.E. Di Cocco, P. Viola, R. Gobetto, F. Conti, Study on the influence of inactivation enzyme techniques and extraction procedures on cerebral phosphorylated metabolite levels by  $^{31}\text{P}$  NMR spectroscopy, 1988, *Cellular and Molecular Biology* 34, 591–603

- [127] G. Gaulitz, T. Vo-Dinh, *Handbook of Spectroscopy*, 2003, WILEY-VCH Verlag GmbH & Co. KGaA, Weinheim ISBN 3-527-29782-0
- [128] R. M. Silverstein, F. X. Webster, D. J. Kiemle, *Spectrometric identification of organic compounds* - Seventh Edition, 2005, John Wiley & Sons ISBN 978-0-471-39362-7
- [129] Bruker, Avance 1D and 2D course, 2003, Bruker AG, Fällanden, Switzerland, version 030401
- [130] T. D. W. Claridge, *High-Resolution NMR techniques in organic chemistry – Second edition*, 2009, Tetrahedron Organic Chemistry volume 27, Elsevier, ISBN-13: 978-0-08-054818-0
- [131] K. V. R. Chary, G. Govil, *NMR in biological systems – From molecules to humans*, 2008, Focus on Structural Biology 6, Springer P.O. Box 17, 3300 AA dordrecht, the Netherlands, ISBN 978-1-4020-6679-5
- [132] T. W.-M. Fan, Metabolite profiling by one- and two-dimensional NMR analysis of complex mixtures, 1996, *Prog. Nucl. Magn. Reson. Spectrosc.* 28, 161–219
- [133] V. Govindaraju, K. Young, A. A. Maudsley, Proton NMR chemical shifts and coupling constants for brain metabolites, 2000, *NMR Biomed.* 13, 129-153
- [134] L. Mannina, M. Cristinzio, A. P. Sobolev, P. Ragni, A. Segre, High-field nuclear magnetic resonance (NMR) study of truffe (*Tuber aestivum vittadini*), 2004, *J. Agric. Food Chemistry* 52 (26), 7988-7996
- [135] M. A. Brescia, V. Mazzilli, A. Sgaramella, S. Ghelli, F. P. Fanizzi, A. Sacco, 1H NMR characterization of milk lipids: a comparison between cow and buffalo milk, 2004, *JAOCs* 81, 431-436
- [136] A. P. Sobolev, E. Brosio, R. Gianferri, A. Segre, Metabolic profile of lettuce leaves by high-field NMR spectra, 2005, *Magn. Reson. Chem.* 43, 625-638
- [137] F. Piccioni, A. Borioni, M. Delfini, M. R. Del Giudice, C. Mustazza, A. Rodomonte, G. Risuleo, Metabolic alterations in cultured mouse fibroblasts induced by an inhibitor of the tyrosine kinase receptor fibroblast growth factor receptor, 2007, *Analytical Biochemistry* 367, 111-121
- [138] T. W.-M. Fan, A. N. Lane, Structure-based profiling of metabolites and isotopomers by NMR, 2008, *Progress in Nuclear Magnetic Resonance Spectroscopy* 52, 69-117

- [139] J. Saric, J. V. Li, Y. Wang, J. Keiser, J. G. Bundy, E. Holmes, J. Utzinger, Metabolic profiling of an *Echinostoma caproni* infection in the mouse for biomarker discovery, 2008, www.plosntds.org, Vol. 2, Issue 7, e254
- [140] F.-P. J. Martin, N. Sprenger, I. K. S. Yap, Y. Wang, R. Bibiloni, F. Rochat, S. Rezzi, C. Cherbut, S. Kochhar, J. C. Lindon, E. Holmes, J. K. Nicholson, Panorganismal gut microbiome-host metabolic crosstalk, 2009, Journal of Proteome Research 8, 2090-2105
- [141] D. Capitani, L. Mannina, N. Proietti, A. P. Sobolev, A. Tomassini, A. Miccheli, M. E. Di Cocco, G. Capuani, R. De Savior, M. Delfini, Monitoring of metabolic profiling and water status of Hayward kiwifruits by nuclear magnetic resonance, 2010, Talanta 82, 1826-1838
- [142] <http://www.ymdb.ca/spectra/search> consulted on 02-02-2011 h 10:34
- [143] [http://www.hmdb.ca/spectra/nmr\\_one\\_d/search](http://www.hmdb.ca/spectra/nmr_one_d/search) consulted on 02-02-2011 h 14:12
- [144] [http://riodb01.ibase.aist.go.jp/sdbs/cgi-bin/direct\\_frame\\_top.cgi](http://riodb01.ibase.aist.go.jp/sdbs/cgi-bin/direct_frame_top.cgi) consulted on 02-02-2011 h 17:32
- [145] [http://isogenic.info/html/11\\_\\_statistical\\_analysis.html](http://isogenic.info/html/11__statistical_analysis.html) consulted on 24-8-2013 h 10:37
- [146] <http://en.wikipedia.org/wiki/Statistics> consulted on 24-8-13 h 10:42
- [147] D. G. Rossiter, An introduction to statistical analysis, overheads, 2006, Department of Earth Systems Analysis <<http://www.itc.nl/personal/rossiter>>
- [148] G. Fernandez, Principal Componet Analysis, ERS701D downloaded from <http://www.ag.unr.edu/saito/classes/ers701/pca2.pdf> on 29-08-2013 h 12:38
- [149] G. P. Quinn, M. J. Keough, Experimental design and data analysis for biologists - 17. Principal components and correspondence analysis, 2002, Cambridge University Press, 443-472, ISBN 9780511806384
- [150] Multi- and Megavariate Data Analysis: Part I – 3 PCA, pp. 39-62
- [151] W. Wiechert, M. Mollney, N. Isermann, M. Wurzel, A. A. de Graaf, bidirectional reaction steps in metabolic networks: III. Explicit solution and analysis of isotopomer labeling systems, 1999, Biotechnology and bioengineering 66, 69-85
- [152] P. E. Hansen, Isotope effects in nuclear shielding, 1988, Prog. NMR Spectrosc. 20, 207 – 255

- [153] H. C. Kwon, S. D. Zee, S. Y. Cho, S. U. Choi, K. R. Lee, Cytotoxic ergosterols from *Paecilomyces sp.* J300, 2002, Arch. Pharm. Res. 25(6), 851-855
- [154] O. Soubias, F. Jolibois, S. Massou, A. Milon, V. Réat, Determination of the Orientation and Dynamics of Ergosterol in Model Membranes Using Uniform  $^{13}\text{C}$  Labeling and Dynamically Averaged  $^{13}\text{C}$  Chemical Shift Anisotropies as Experimental Restraints, 2005, Biophysical Journal 89, 1120-1131
- [155] D. L. Compton, K. E. Vermillion, J. A. Laszlo, Acyl Migration Kinetics of 2-Monoacylglycerols from Soybean Oil Via  $^1\text{H}$  NMR, 2007, J. Amer. Oil Chem. Soc. 84, 343-348
- [156] E. Hatzakis, A. Agiomyrgianaki, S. Kostidis, P. Dais, High-resolution NMR spectroscopy: an alternative fast tool for qualitative and quantitative analysis of diacylglycerol (DAG) oil, 2011, J. Am. Oil Chem. Soc. 88, 1695-1708
- [157] O. Rosati, S. Albrizio, D. Montesano, R. Riccieri, L. Cossignani, M. Curini, M. S. Simonetti, L. Rastrelli, P. Damiani, HPLC separation and NMR structural elucidation of sn-1,2-, 2,3-, and 1,3-diacylglycerols from olive oil as naphthylethylurethane derivatives, 2007, J. Agric. Food Chem. 55, 191-196
- [158] G. Vlahov, A. A. Giuliani, P. Del Re,  $^{13}\text{C}$  NMR spectroscopy for determining the acylglycerol positional composition of lampante olive oils. Chemical shift assignments and their dependence on sample concentration, 2010, Anal. Methods 2, 916-923
- [159] H. Dai, C. Xiao, H. Liu, H. Tang, Combined NMR and LC-MS analysis reveals the metabonomic changes in *Salvia miltiorrhiza* bunge induced by water depletion, 2010, Journal of Proteome Research 9, 1460-1475
- [160] J. L. Griffin, K. K. Lehtimäki, P. K. Valonen, O. H. J. Gröhn, M. I. Kettunen, S. Ylä-Herttuala, A. Pitkänen, J. K. Nicholson, R. A. Kauppinen, Assignment of  $^1\text{H}$  Nuclear Magnetic Resonance visible polyunsaturated fatty acids in BT4C gliomas undergoing ganciclovir-thymidine kinase gene therapy-induced programmed cell death, 2003, Cancer Research 63, 3195-3201
- [161] A. Ferretti, A. Knijn, E. Iorio, S. Pulciani, M. Giambenedetti, A. Molinari, S. Meschini, A. Stringaro, A. Calcabrini, I. Freitas, R. Strom, G. Arancia, F. Podo, Biophysical and structural characterization of  $^1\text{H}$ -NMR-detectable mobile lipid domains in NIH-3T3 fibroblasts, 1999, Biochimica et Biophysica Acta 1438, 329-348

- [162] H. E. Gottlieb, V. Kotlyar, A. Nudelman, NMR chemical shifts of common laboratory solvents as trace impurities, 1997, J. Org. Chem. 62, 7512-7515
- [163] H.-O. Kalinowski, S. Berger, S. Braun, Carbon-13 NMR spectroscopy, 1988, John Wiley & Sons Ltd, ISBN 0471913065
- [164] E. Breitmaier, W. Voelter, Carbon-13 NMR spectroscopy, High-resolution methods and applications in organic chemistry and biochemistry, 1987, Third completely revised edition, VCH Publisher, ISBN 0895734931
- [165] S. Hohmann, Control of high osmolarity signalling in the yeast *Saccharomyces cerevisiae*, 2009, FEBS Lett. 583, 4025-4029
- [166] J.P. van Dijken, W.A. Scheffers, Redox balances in the metabolism of sugars by yeast, 1986, FEMS Microbiol Rev 32, 199-224
- [167] K.M. Overkamp, B.M. Bakker, H.Y. Steensma, J.P. van Dijken, J.T. Pronk, Two mechanisms for oxidation of cytosolic NADPH by *Kluyveromyces lactis* mitochondria, 2002, Yeast 19, 813-624
- [168] M. Saliola, A. Tramonti, C. Lanini, S. Cialfi, D. De Biase, C. Falcone, Intracellular NADPH levels affect the oligomeric state of the glucose 6-phosphate dehydrogenase, 2012, Eukaryotic Cell 11, 1503-11
- [169] C. Marchal, R. Haguenauer-Tsapis, D. Urban-Grimal, Casein kinase I-dependent phosphorylation within a PEST sequence and ubiquitination at nearby lysines signal endocytosis of yeast uracil permease, 2000, J. Biol. Chem. 275, 23608–23614
- [170] [http://www.brenda-enzymes.info/php/result\\_flat.php4?ecno=4.1.2.5](http://www.brenda-enzymes.info/php/result_flat.php4?ecno=4.1.2.5) consulted on 6-12-12 h 14:56
- [171] M. Saliola, I. De Maria, T. Lodi, A. Fiori, C. Falcone, KlADH3, a gene encoding a mitochondrial alcohol dehydrogenase, affects respiratory metabolism and cytochrome content in *Kluyveromyces lactis*, 2006, FEMS Yeast Res 6, 1184-1192
- [172] M. A. van den Berg, P. de Jong-Gubbels, C. J. Kortland, J. P. van Dijken, J. T. Pronk, H. Yde Steensma, The two acetyl-coenzyme A synthetases of *Saccharomyces cerevisiae* differ with respect to kinetic properties and transcriptional regulation, 1996, The Journal of Biological Chemistry 271, 46, 28953-28959

- [173] Y. Chen, V. Siewers, J. Nielsen, Profiling of cytosolic and peroxisomal acetyl-CoA metabolism in *Saccharomyces cerevisiae*, 2012, PloS ONE vol. 7, Issue 8, e42475, 1-9
- [174] J. Nielsen, System biology of lipid metabolism: from yeast to human, 2009, FEBS Letters 583, 3905-3913
- [175] H. Yazawa, H. Iwahashi, Y. Kamisaka, K. Kimura, H. Uemura, Production of polyunsaturated fatty acid in yeast *Saccharomyces cerevisiae* and its relation to alkaline pH tolerance, 2009, Yeast 26, 167-184
- [176] M. Möllney, W. Wiechert, D. Kownatzki, A. A. de Graaf, Bidirectional reaction steps in metabolic networks: IV. Optimal design of isotopomer labeling experiments, 1999, John Wiley & Sons, Inc., CCC 0006-3592/99/020086-18, 86-103
- [177] S. C. Burgess, R. A. Carvalho, M. E. Merritt, J. G. Jones, C. R. Malloy, A. D. Sherry, <sup>13</sup>C isotopomer analysis of glutamate by J-resolved heteronuclear single quantum coherence spectroscopy, 2001, Analytical Biochemistry 289, 187-195
- [178] <http://www.google.it/url?sa=t&rct=j&q=aimee%20teruchi%20and%20valerie%20villareal%20peroxisomes&source=web&cd=1&cad=rja&ved=0CC8QFjAA&url=http%3A%2F%2Fvoh.chem.ucla.edu%2Fvohtar%2Fspring04%2Fclasses%2F161A%2Fpdf%2F Peroxisome.ppt&ei=tNUZUoudGKXn4QSMzoGADA&usg=AFQjCNFXnhOh-oLRRFPyOdzPoSfxVZ715A&bvm=bv.51156542,d.bGE> consulted on 04-07-13 h 12:48
- [179] L. M. Blank, F. Lehmbeck, U. Sauer, Metabolic-flux and network analysis in fourteen *hemiascomycetous* yeasts, 2005, FEMS Yeast Research 5, 545-558
- [180] A. Ghosh, F. Charalampous, Y. Sison, R. Borer, Metabolic functions of myo-inositol, 1960, The Journal of Biological Chemistry 235, 9, 2522-2528
- [181] [http://digilander.libero.it/silvanodgl3/reticolo\\_endoplasmatico.htm](http://digilander.libero.it/silvanodgl3/reticolo_endoplasmatico.htm) consulted on 02-08-2013 h 17:39
- [182] D. R. Appling, E. Kastanos, L. B. Pasternack, Y. Y. Woldman, Use of <sup>13</sup>C nuclear magnetic resonance to evaluate metabolic flux through folate one-carbon pools in *Saccharomyces cervisiae*, 1997, Methods Enzymol. 281, 218–31