



CONVEYING CAPPADOCIA

THE REPRESENTATION OF ROCK-CAVE ARCHITECTURE BY CONTOUR LINES AND CHROMATIC CODES

Marco Carpiceci^a, Fabio Colonnese^b, Carlo Inglese^c

^a Department of History, Drawing and Restoration of Architecture, Sapienza University of Rome, P.zza Borghese 8, 00186, Rome, Italy.
marco.carpiceci@uniroma1.it

^b Department of History, Drawing and Restoration of Architecture, Sapienza University of Rome, P.zza Borghese 8, 00186, Rome, Italy.
fabio.colonnese@uniroma1.it

^c Department of History, Drawing and Restoration of Architecture, Sapienza University of Rome, P.zza Borghese, 8, 00186, Rome, Italy.
carlo.inglese@uniroma1.it

Abstract

Architectural heritage preservation bases on a deep, layered and interdisciplinary knowledge of the sites, especially when they are on the edge between natural and artificial, like rupestrian architecture often is. Survey and representation of rock-cut architecture are between the most problematic issues for a number of problems concerning the geometrical complexity of the interior and exterior enveloping surfaces. Laser-scanner is an appropriate tool concerning the registration of geometric and spatial properties of those artificial caves in continuity with the external topography, but automatic representations are often unable to convey their hidden geometric and spatial relationships. In the context of a work methodology customized on the rupestrian habitat of Cappadocia, the authors developed an envisioning model in which an associate use of contour lines and chromatic codes transforms traditional orthogonal projections after the numeric model into drawings able to transmit the complex forms and relationships of rupestrian settlements.

Key words: Cappadocia, Karanlik Monastery, Rock-cut architecture, Cultural Heritage, Infographic representation

1. Introduction

Although the technique of laser scanning (together with the photo-modelling) has either contaminated or replaced all surveying techniques practiced until a few years ago, its practice is still poorly controlled. Recorded scans are commonly used to produce eye-catching immersive representations and the wonder they realize has contributed to the success of this form of registration of historical heritage. But if architectural surveyor's goal is heritage knowledge, then representation stage requires for critical analysis and hermeneutic actions. The cloud of points after the laser scans should never mark the end of a survey but its beginning. Yet the current practice of the architectural survey, although supported by technologically advanced tools able to quickly record amounts of high-precision data, remains bereft of a solid and standardized methodology of metric data processing.

A briefly summary of the canonical architecture representations can contribute to elucidate the question. The plan is commonly considered the type of drawing

that best describes the interiors and the reduction scale 1:50 is the most efficient scale to translate a building into exhaustive drawings. A plan is generated by a horizontal section plan which conventionally cut the structure as high as the eye of an observer standing on the floor. The resulting line demarcating the sectioned parts is generally integrated by the graphic description of edges and apparent contours of all items placed below the section plan. Sometimes discontinuities among elements like the connecting lines of elements (e.g. Litostrati, ceramic tiles, and inlaid wood) are added while discontinuities of surfaces are generally ignored. This conventional way of conceiving the architectural drawing generally results in a comprehensible image representing reality but may cause problems when the architectural work is formed by curved surfaces, like either simple or composites vaults. Such problems become central when one considers a man-made rock-cut habitat that is a sort of inhabited sculpture.

In the traditional practice of architecture survey, after a first phase of acquisition of the basic measures, a geometrical model is built, first mentally and then either graphically or digitally. This model represents the

^{*} Marco Carpiceci, marco.carpiceci@uniroma1.it

architectural subject through elementary geometric elements, such as parallelepipeds, cylinders, spheres, etc. which approximate the actual parts of the building. This geometrical model can be sectioned and projected in order to obtain plans, elevations and sections in an appropriate reduction scale and according to a metric tolerance that is proportional to the scale adopted.

The cloud of points generated by laser scanner or photo-modelling procedure, is the visual outcome of the process of measures acquisition but, despite the appearance of a defined numerical model (points model), it still requires a long processing stage to represent the morphological and chromatic features of the artefact in a coherent and univocal way.

2. Rock-cut architecture in Cappadocia

The knowledge and preservation of architectural heritage base on a deep, layered and interdisciplinary knowledge of the sites, especially when the architectural monuments are on the edge between natural and artificial, like rupestrian architecture often is.

In the last years the authors have had the opportunity to experiment a work procedure to meet the needs of both metric precision and correctness of the final graphic outcomes. As a survey team of a national research on rupestrian architecture in Italy and Cappadocia, authors have focused on the survey and representation of rock-cut architecture (Carpiceci 2013; Carpiceci and Inglese 2015). This is one of the most problematic issues for a number of problems concerning both the geometrical complexity of interior and exterior surfaces and the inefficient Cartesian approach to the built environment.

Rupestrian architecture has its constructive specificity in being cut out of natural rock formations: this means that interior space is realized by subtracting matter rather than adding and assembling parts. As a consequence of this way of producing space, there is no direct relationship between interior and exterior surfaces. The external look of a rupestrian church is made of the natural surface of a cliff or a stepped hill. The interiors shaped by the ancient builders generally replicate rooms and forms after traditional architectures of the same ages. They can be easily reduced to their models such as boxes, columns and pillars, vaulted ceilings, sails, plumes and domes. At the same time, their surfaces have been carved with continuous formal variations that cannot simply be considered as an effect of builders' incompetence, as it has been commonly interpreted.

Scans have been achieved with a small light laser scanner by German company Faro: such an ultimate tool can be easily carried in the narrow and dusty caves of Cappadocia and guarantees a high daily productivity.

Spherical target shapes have been extensively used during the recording of individual clouds as they can be placed along longitudinal paths and geometrically identified with every angle of vision. This operational practice resulted in the total abandonment of the topographic network that once was needed to spatially compose all the reference targets in the different rooms.

Surveying the painted surfaces within many of the rooms has required a special consideration (Carpiceci and Colonnese, 2014; Carpiceci et al., 2015b). With the existing artificial lighting, RGB scanner recording

procedure produces bad pictures that do not record the chromatic data of the surfaces. A proper registration through high definition cameras and with a controlled uniform light on all of painted surfaces would have required too much time. An acceptable compromise has been found by recording a black & white cloud by the reflectance in a complete darkness.

This procedure has resulted in a good definition of the painted surfaces, leaving a special and parallel photographic campaign the task of surveying the colour data of surfaces.



Figure 1: Goreme, Karanlik Monastery (photo by M. Carpiceci)

3. The case of the Monastery of Karanlik

The Open Air Museum in Goreme contains a remarkable number of religious settlements carved inside a large vertical semi-circular cliff linking the upper plateau to the lower valley (Carpiceci and Inglese 2015), where other rooms can be found inside the famous conical formations. Some of the settlements open their windows and courts on the natural exedra like the so-called Monastery of Karanlik (the Dark Church), which possibly harboured one of the most important communities of Goreme (Fig.1).

The rooms of this monastery were carved on three levels around a large C-shape courtyard. A short side presents the entrance, via a staircase leading to the upper level where there is a small entry, a side chapel and a quadrangular tetrastyla church with three apses, whose walls and vaults were completely painted by XI century (Fig.2).



Figure 2: Goreme, Karanlik Monastery, Cylindrical panoramic photomosaic (elaboration by M. Carpiceci)



Figure 3: Goreme, Karanlık Monastery, left vaults of Oratorio (photo by M. Carpiceci)

The longitudinal side of the courtyard leads to several anonymous rooms as well as the dining hall (*refectory*) at the same level in the courtyard. Like in many of other Cappadocian monasteries the function of this kind of rooms is generally detectable thanks to the presence of a long table and a single annular seat, all of them clearly obtained by excavation. From this room a narrow staircase leads up but is stopped halfway (second level) by a millstone door. The steps then lead up to the third level where, in addition to several anonymous rooms, there is a sort of oratory or meeting room in a privileged position for taking light from the facade upper windows and overlooking the courtyard. Beyond place and size, the importance of this room is underlined by both the architectural form similar to the structural components of

the church and the presence of red monochrome decorations (Fig.3) that are probably older than the church's paintings (Krautheimer 1986; Carpiceci et al. 2015a).

4. Methodological notes

The external surfaces of Karanlık Monastery have been scanned at sunset while the internal surfaces of its rooms have been scanned in the dark of the night, for three consecutive days. This procedure responds to the problem of the crowd of tourists walking in this monument all day long. Recording has been favored by both the spherical targets and the detection of homologous points that are easy to find in the sharp discontinuities offered by the cuts in the tuff rock.

After the registration the numerical model (per points) has been processed and translated into a meshed model (per surfaces). A number of significant section plans have been identified according to their ability to describe the complex morphology of the settlement: horizontal for the plans and vertical plans for elevations and sections.

The sculptural nature of rock-cut architecture makes it impossible to envision rooms unambiguously through apparent contours or edges. Therefore, the authors opted for a contour line representation, like in topographic charts. This was also suggested by the morphological continuity between interiors and exteriors.

In the cartography practice the equidistance (i.e. the constant gap between successive contour lines) is conventionally set at 1/1000 of the denominator of the scale of representation in meters. The equidistance is 5 cm for a canonical 1:50 architectural representation but tests authors have done with this step have not given a readable result. The authors have consequently decided to adopt an equidistance of 10 cm that allows contour lines to describe the architectural shapes without becoming a sort of confusing background noise produced by excessive visual data.

The next step is the choice of the reference plans to produce the horizontal sections and the vertical sections. While a plan cannot but refer to a horizontal section plan, the vertical sections require a careful choice to describe most of the architectural characteristics of the rock-cut rooms whose configuration is so changing. In this case authors have oriented the vertical sections in a perpendicular way to the longitudinal axes of the larger decorated rooms (fig.4).




Figure 4: Goreme, Karanlik Monastery, Goreme, Karanlik Monastery, Section through the church, entrance and court (drawing by M. Carpiceci)

By producing a number of sections driven by the position of the significant section plans adopted with regular intervals, this graphical strategy allows an efficient visualization of the tufa wall surfaces. In particular, it points out the relationships among the several rock-cut rooms and between them and the natural external surface of the rocky cliff, referring to the section plane chosen. To make sense of the horizontal and vertical complexity of the whole settlement as well as the three-dimensional relationships between the rooms, an experimental representation has been developed by multi-colored contour lines.




Figure 5: Goreme, Karanlik Monastery, Karanlik Monastery, General plan: lower level in blue; middle level in green; upper level in red (drawing by M. Carpiceci)

The procedure to realize this type of representation is formed by two main steps. The former step is to leave sectioned parts unfilled and to maintain the background surfaces conceptually transparent in the orthogonal projections, in order to let the lower contour lines visible. The latter step is to divide the contour lines in groups referred to a single level and to assign them a different color.

In this kind of representation each color allows the reader to quickly identify all the rooms and corridors sharing approximately either the same altitude or depth relative to the section plane. At the same time the succession of colors helps the reader to relate the environments with what lies either above and below them or before and behind them (Fig.5,6). Moreover it is evident that interiors show a natural continuity with the external surfaces.

5. Knowledge after drawings

Architectural representations of rupestrian habitat seem to have been generally influenced by the quest for the idea behind the tangible form. This is an approach historically shared by many other scholars. In many other contexts, such as the French draughtsman Paul-Marie Letarouilly, whose idealistic drawings for *Edifices de Rome Moderne* represent an attempt to correct and translate in seducing images the most famous

Renaissance buildings according to the XIX century idea of Renaissance.




Figure 6: Goreme, Karanlik Monastery, General plan, detail (drawing by M. Carpiceci)

Until a few years ago, the drawings of Cappadocia rupestrian architecture were obtained with traditional procedures and show plans and sections with rectangular rooms, definitely regularized if not invented.

They are a direct representation of that geometrical model that every surveyor builds in his or her mind to study and gradually master a architecture configuration. But this sort of aggregation of parallelepipeds and cylinders should be only a stage of the process and not the final graphical result. Such an attitude is testified i.e. by the drawings made by either Père de Jerphanion (1925-1942) (Fig.6), Nicole Thierry (Thierry and Thierry 1963) or Lyn Rodley (1985) (Fig.7), which have been widely used by historians and archaeologists to speculate and conjecture on builders' procedures and targets.

In their plans, walls and openings appear as if they were built in masonry, with a constant thickness and orthogonal mutual T-junctions. Some of the rooms either

of the examined settlements or near to them are generally ignored or censored. Their plans look systematically extracted out of their physical environment. Vertical sections are partial or missing and generally no altimetry information is reported in the drawings. This appears a serious omission in the case of Cappadocian morphology. Opposite than traditional architecture, in such a rock-cut architecture neither a wall can be assumed as a vertical surface nor a floor as a horizontal plane and this “natural” quality strongly influences its experience.




Figure 7: Goreme, Karanlık Monastery, Plan of church, first and third level according to Jerphanion (elaboration by M. Carpijeci)




Figure 8: Goreme, Karanlık Monastery, Plan of first level and third level according to Rodley (elaboration by M. Carpijeci)

These drawings represent the effect of an excessive critical contribute of their authors as their translating the actual form of caves into traditional rectified architectures-like drawings would indirectly convey arbitrary interpretation and generate misunderstandings. The Nineties surveys by Robert Ousterhout (2005) demonstrate a different attention to actual form of rock-cut rooms and contemporary studies by Veronica Kalas (2009) testifies she is aware of importance of

representing the actual deformations of plans. But also in their works only few sections describe the actual altimetry of sites and the natural and morphological presences nearby are quite totally neglected. Instead the authors believe that a neutral and faithful representation of actual forms by contour lines can:

- describe the strong continuity between external natural surfaces and internal carved rooms;
- suggest meanings and intent beyond the cliché of the “rough imitation of traditional byzantine architecture”;
- cast a new light on constructive intents;
- emphasise the visual perceptive role of paths, openings and curved surfaces.

Moreover the use of polychromatic drawings to envision the relationships between distant rooms may contribute to form new hypothesis on both their uses and transformation stages. For example they are able to reveal unpredictable geometrical relationships between distant rooms, as in the case of the church and the rooms of monastery, despite the triangular shape of court and the rotated entry hall.

6. Final considerations

The observations on the drawings produced by Jerphanion, Rodley, Ousterhout and Kalas demonstrate that, also in virtue of a proper use of laser scanner, in the last century the representation of rock cut architecture has been moving from the practice of a spontaneous description of formal impressions toward a representation based on a stricter interpretation that is always supported by punctual metric operations. Although not in final form, the representation for contour lines after a points cloud definitely denotes a more geometric strictness and therefore it is able to confute things the surveyor’s eye had falsely caught and represented. In this case the objective eye of the machine has the power to capture and reveal forms with a precision that is beyond the capability of human senses and traditional survey instruments. At the same time, surveyor’s critical approach is required to develop images that are able to produce and convey knowledge about both tangible objects and invisible relationships between them, such as the chromatic interpretation of contour-lines plan proposed by the authors.

Authors are aware that much is yet to be done in terms of processing and representation. The quality level of digital heritage products is to be implemented through at least three elements. First of all, it must be clear that the points cloud “is not” the survey but only a good start. Second, surveyors’ critical approach cannot be eluded but applied to guide processes and products toward both their final users’ expectations and a general knowledge development. Third, the representation is the key moment in which these challenges take place and both historical and transformation hypotheses take shape. Most of all, it is the theatre stage in which the negotiation between the urgency of preserving the last remains of remote societies and the short-terms planning of our capitalistic society face each other. Such a delicate task should never be totally left to a machine.

Acknowledgements

This paper is a collective work of the three authors. In particular M. Carpiceci has edited *Introduction* and *Final Considerations*; F. Colonnese has edited *Methodological notes* and *Knowledge through drawings*; and C. Inglese has edited, *Rock-cut architecture in Cappadocia* and *The case of the Monastery of Karanlik*.

It is part of a larger study on rupestrian habitat from the Italian national research called "Arte e habitat rupestre in Cappadocia (Turchia) e nell'Italia centromeridionale. Rocca, architettura scavata, pittura: fra conoscenza, conservazione, valorizzazione", whose National Coordinator is Maria Crocifissa Andaloro, and Scientific Director of Sapienza University unity is Marco Carpiceci.

References

- CARPICECI, M., 2013. Cappadocia Laboratorio-Rilievo (2007-2015). In: FILIPPA, M. and CONTE, A., eds, *Patrimoni e Siti Unesco, memoria, misura e armonia*. Roma: Gangemi, pp. 221-229.
- CARPICECI, M., 2015. Rilievo morfologico e rappresentazione dell'architettura rupestre. In: G. BORDI, I. CARLETTINI, M.L. FOPELLI, M.R. MENNA, and P. POGLIANI, eds, *L'officina dello sguardo. Studi in onore di Maria Andaloro*. Roma: Gangemi, II, pp. 385-391.
- CARPICECI, M., COLONNESE, F., 2014. Rilievo e documentazione del colore in architettura: un problema attuale e irrisolto. In S. BERTOCCHI, S. VAN RIEL, eds, *La cultura del restauro e della valorizzazione*, vol.1. Firenze: Alinea, pp. 189-196.
- CARPICECI, M., INGLESE, C., 2015. Laser scanning and Automated Photogrammetry for Knowledge and Representation of the Rupestrian Architecture in Cappadocia: Sahinefendi and the Open Air Museum of Göreme. In: F. GILIGNY, F. DJINDJIAN, L. COSTA, P. MOSCATI, and S. ROBERT, eds, *CAA2014. 21st Century Archaeology Concepts, methods and tools. Proceedings of the 42nd Annual Conference on Computer Applications and Quantitative Methods in Archaeology (CAA)*. Oxford, Archaeopress, pp. 87-94.
- CARPICECI, M., INGLESE, C., COLONNESE, F., 2015a. La caverna svelata. Il monastero di Karanlik e la rappresentazione digitale del patrimonio rupestre. In: L.M. PALMERO IGLESIAS, ed, *ReUSO 2015. III Congreso Internacional sobre Documentación, Conservación, y Reutilización del Patrimonio Arquitectónico: Paper Book*. Valencia: Universitat Politècnica de Valencia, pp. 635-642.
- CARPICECI, M., INGLESE, C., COLONNESE, F., 2015b, Potential and limitations of new technologies for the survey of morphology and colour of rupestrian habitat. In: *Proceedings of Hypogea2015 International Congress Of Speleology in Artificial Cavities*. Urbino: AGE, pp. 399-407.
- CARPICECI, M., INGLESE, C., COLONNESE, F., 2015c, The Cave Revealed. The Monastery of Aynalı and the Representation of Rupestrian Architecture. In: A. KEPCZYŃSKA-WALCZAK, ed, *Envisioning Architecture: Image, Perception and Communication of Heritage*. Lodz: Lodz University Of Technology Publisher, pp.330-337.
- de JERPHANION, G., 1925-1942. *Une nouvelle province de l'art byzantin. Les églises rupestres de Cappadoce*. Paris: Paul Geuthner.
- KALAS, V., 2009. Sacred Boundaries and Protective Border: Outlying Chapels of Middle Byzantine Settlements in Cappadocia. In: C. GATES, J. MORIN, and T. ZIMMERMANN, eds, *Sacred Landscapes in Anatolia and Neighboring Regions*. Oxford: British Archaeological Reports, pp. 79-91.
- KRAUTHEIMER, R., 1986. *Architettura paleocristiana e bizantina*. Torino: Einaudi.
- OUSTERHOUT, R., 2005. *A Byzantine Settlement in Cappadocia*. Washington, DC.: Dumbarton Oaks Research Library and Collection.
- RODLEY, L., 1985. *Cave monasteries of Byzantine Cappadocia*. Cambridge: Cambridge University Press.
- THIERRY, N., THIERRY, M., 1963. Une nouvelle église rupestre de Cappadoce: Cambazlı Kilise à Ortahisar. *Journal des savants*, 1963, 1, pp. 5-23. DOI: 10.3406/jds.1963.1042

