



Monitoring of **Mediterranean** **Coastal Areas**

PROBLEMS AND MEASUREMENT TECHNIQUES

EIGHTH INTERNATIONAL SYMPOSIUM
Livorno (Italy) June 2020



edited by

Laura Bonora, Donatella Carboni,
Matteo De Vincenzi



PROCEEDINGS E REPORT

ISSN 2704-601X (PRINT) | ISSN 2704-5846 (ONLINE)

CNR - IBE
Fondazione Clima e Sostenibilità

Museo di Storia Naturale
del Mediterraneo Livorno

Eighth International Symposium

**MONITORING OF MEDITERRANEAN COASTAL AREAS:
PROBLEMS AND MEASUREMENT TECHNIQUES**

LIVORNO (ITALY) JUNE 2020

Patronized by

Università degli Studi di Firenze

Regione Toscana

Accademia dei Georgofili

Provincia di Livorno

Eighth International Symposium
“Monitoring of Mediterranean Coastal
Areas. Problems and Measurement
Techniques”

Livorno (Italy) June 2020

edited by
Laura Bonora, Donatella Carboni,
Matteo De Vincenzi

FIRENZE UNIVERSITY PRESS
2020

Eighth International Symposium “Monitoring of Mediterranean Coastal Areas. Problems and Measurement Techniques” : Livorno (Italy) June 2020 / a cura di Laura Bonora, Donatella Carboni, Matteo De Vincenzi. – Firenze University Press, 2020.
(Proceedings e report; 126)

<https://www.fupress.com/isbn/9788855181471>

ISSN 2704-601X (print)

ISSN 2704-5846 (online)

ISBN 978-88-5518-147-1 (PDF)

ISBN 978-88-5518-148-8 (XML)

DOI 10.36253/978-88-5518-147-1

Cover graphic design: Alberto Pizarro Fernández, Lettera Meccanica SRLs

Front cover: *Terrazza Mascagni Livorno* (Italy), photo by Gianni Fasano

Edited by: Laura Bonora, Donatella Carboni, Matteo De Vincenzi

Desktop publishing: Matteo De Vincenzi

Graphic Design: Gianni Fasano

FUP Best Practice in Scholarly Publishing (DOI https://doi.org/10.36253/fup_best_practice)

All publications are submitted to an external refereeing process under the responsibility of the FUP Editorial Board and the Scientific Boards of the series. The works published are evaluated and approved by the Editorial Board of the publishing house, and must be compliant with the Peer review policy, the Open Access, Copyright and Licensing policy and the Publication Ethics and Complaint policy.

Firenze University Press Editorial Board

M. Garzaniti (Editor-in-Chief), M.E. Alberti, F. Arrigoni, M. Boddi, R. Casalbuoni, F. Ciampi, A. Dolfi, R. Ferrise, P. Guarnieri, A. Lambertini, R. Lanfredini, P. Lo Nostro, G. Mari, A. Mariani, P.M. Mariano, S. Marinai, R. Minuti, P. Nanni, A. Novelli, A. Orlandi, A. Perulli, G. Pratesi, O. Roselli.

📖 The online digital edition is published in Open Access on www.fupress.com.

Content license: the present work is released under Creative Commons Attribution 4.0 International license (CC BY 4.0: <http://creativecommons.org/licenses/by/4.0/legalcode>). This license allows you to share any part of the work by any means and format, modify it for any purpose, including commercial, as long as appropriate credit is given to the author, any changes made to the work are indicated and a URL link is provided to the license.

Metadata license: all the metadata are released under the Public Domain Dedication license (CC0 1.0 Universal: <https://creativecommons.org/publicdomain/zero/1.0/legalcode>).

© 2020 Author(s)

Published by Firenze University Press

Firenze University Press

Università degli Studi di Firenze

via Cittadella, 7, 50144 Firenze, Italy

www.fupress.com

This book is printed on acid-free paper

Printed in Italy

ORGANIZING AUTHORITIES

**National Research Council of Italy
Institute of BioEconomy (CNR-IBE)**

Clima e Sostenibilità Foundation (FCS)

Natural History Museum of the Mediterranean

SCIENTIFIC COMMITTEE

Presidency

Donatella Carboni	<i>Department of Humanities and Social Sciences University of Sassari</i>
Fabrizio Benincasa	<i>National Research Council of Italy Institute of BioEconomy (CNR-IBE) Seat of Florence</i>
Simone Orlandini	<i>Department of Agriculture, Food, Environment and Forestry University of Florence Clima e Sostenibilità Foundation (FCS)</i>
Antonio Raschi	<i>National Research Council of Italy Institute of BioEconomy (CNR-IBE) Seat of Florence</i>
Laura Bonora (Scientific Secretariat)	<i>National Research Council of Italy Institute of BioEconomy (CNR-IBE) Seat of Florence</i>
Matteo De Vincenzi	<i>National Research Council of Italy Institute of BioEconomy (CNR-IBE) Seat of Florence</i>
<i>Coordinator of the Scientific Secretariat</i>	

Session Underwater and Coastal Cultural Heritage

Marinella Pasquinucci	<i>University of Pisa</i>
Fabrizio Antonioli	<i>ENEA – Casaccia Laboratory for Climate Modeling and Impacts</i>
Giovanna Bianchi	<i>Department of History and Cultural Heritage University of Siena</i>
Giulio Ciampoltrini	<i>Superintendence for Archaeological Heritage of Tuscany</i>
Tessa Matteini	<i>Department of Architecture University of Florence</i>

Session Coastline Geography and Coastal Landscapes: territorial dynamics and integrated protection

Gloria Pungetti	<i>Department of Humanities and Social Sciences University of Sassari</i>
Rossella Bardazzi	<i>Department of Economics and Management University of Florence</i>
Biagio Guccione	<i>Department of Architecture University of Florence</i>
Ilaria Lolli	<i>Department of Law University of Pisa</i>
Tessa Matteini	<i>Department of Architecture University of Florence</i>
Carlo Natali	<i>Department of Architecture University of Florence</i>
Claudio Saragosa	<i>Department of Architecture University of Florence</i>
Stefano Soriani	<i>Department of Economics University of Venice</i>
Alessio Valente	<i>Department of Science and Technology University of Sannio Benevento</i>

Session *Morphology and evolution of coastlines and seabeds*

Giovanni Sarti *Department of Earth Sciences University of Pisa*
Duccio Bertoni *Department of Earth Sciences University of Pisa*
Filippo Catani *Department of Earth Sciences University of Florence*
Corinne Sabine Corbau *Department of Physics and Earth Science
University of Ferrara*
Giuliano Gabbani *Department of Earth Sciences University of Florence*
Sandro Moretti *Department of Earth Sciences University of Florence*

Session *Flora and Fauna of the littoral system: dynamics and protection*

Davide Travaglini *Department of Agriculture, Food, Environment and Forestry
University of Florence*
Carla Cesaraccio *National Research Council of Italy
Institute of BioEconomy (CNR-IBE) Seat of Sassari*
Anna Roselli *Natural History Museum of the Mediterranean, Livorno*
Federico Selvi *Department of Agriculture, Food, Environment and Forestry
University of Florence*
Roberto Tognetti *Department of Agricultural, Environmental and Food Sciences
University of Molise*

Session *Coastal Environmental Engineering: pollution, energy production, monitoring and economic environmental assessment, regulatory context*

Marcantonio Catelani *Department of Information Engineering University of Florence*
Rossella Bardazzi *Department of Economics and Management
University of Florence*
Carlo Carcasci *Department of Industrial Engineering University of Florence*
Giuliano Gabbani *Department of Earth Sciences University of Florence*
Ilaria Lolli *Department of Law University of Pisa*
Giampaolo Manfrida *Department of Industrial Engineering University of Florence*

Organizing Committee:

Gianni Fasano CNR – IBE Seat of Florence (Coordinator of Committee)
Alessandro Materassi CNR – IBE Seat of Florence
Laura Pellegrino CNR – IBE Seat of Livorno
Federica Zabini CNR – IBE Seat of Florence
Francesca Chellini FCS Florence

Organizing secretariat:

CNR-IBE Area di Ricerca di Firenze
Via Madonna del Piano 10,
50019 Sesto Fiorentino (Florence - Italy)
Phone +390555226557
e-mail: segr.org@ibe.cnr.it

Scientific Secretariat:

CNR-IBE Area di Ricerca di Firenze
Via Madonna del Piano 10,
50019 Sesto Fiorentino (Florence - Italy)
Phone +390555226060-6030
e-mail: simposio@ibe.cnr.it

INDEX OF PAPERS

Preface	XIII
Introduction	XV
F. Benincasa, M. De Vincenzi, G. Fasano <i>Alexander von Humboldt, da 250 anni il teorizzatore dello studio interdisciplinare dell'ambiente</i>	XVII
Session: Underwater and Coastal Cultural Heritage	1
Chairman: Marinella Pasquinucci	
G. Cera <i>Understanding the settlement dynamics of the Ionian coastal area of Salento (Puglia, Southern Italy): the contribution of the new archeological data from the fortified Messapian centre at Li Schiavoni</i>	7
V. Coletta, F. Prestileo, P. Allasia, A. Bonazza, A. Ciarravano, S. Federico, D. Notti, R. C. Torcasio, M. Crespi, S. Dietrich <i>Pyrgi: analysis of possible climatic effects on a coastal archaeological site</i>	17
L. Corniello, A. Burda, A. Trematerra, D. Carleo, A. De Cicco, M. Gargiulo, F. Guerriero, G.P. Lento <i>The Monastic heritage in the Saronic Gulf (Greece). Architectural and environmental survey of the architecture and coastline.</i>	28
M. C. de Francesco, M. Zappalorto, D. de Francesco, M. Mangifesta, A. Faraone, M. Paluzzi, C. Minciarelli, G. Tatasciore, A. R. Natale <i>Archeological findings of ancient harbor in the pilot site of Interreg Adrion APPRODI project in Ortona (Ch, Abruzzo), central Adriatic Sea</i>	38
F. Fabrizio <i>Il parco archeologico di Saturo (Leporano-TA) millenni di storia, decenni di incuria</i>	47
I. Ferrari, A. Quarta <i>San Cataldo (Lecce, Italy): the historical evolution of the coastal landscape</i>	58
M. Fontana <i>Another Sicily, tuna-fishing structures and landscape: a diachronic and contemporary photographic journey along the Sicilian Western coast</i>	69
G. Grigatti, P.P. Peruccio <i>Il design sistemico per la valorizzazione del patrimonio faristico italiano</i>	79
A. Ivona <i>Coastal heritage and territorial signs</i>	85

R. Martín, V. Yepes, A. Grindlay <i>Discovering the marina's cultural heritage and cultural landscape</i>	95
L. Montioni, A. Del Corona, I. Palano, F. Pichi, M. Scamporrino <i>Evaluation and monitoring of the Livorno's Fossi System</i>	105
A. Pellegrini, A. Asta <i>Evolution of the coastal landscape in eastern Veneto: new data from preventive archaeology</i>	117
P. Tartara <i>Along the Ceretan coast and forward on</i>	127
S. L. Trigona <i>Archeologia subacquea in Liguria un progetto integrato per la tutela e la valorizzazione</i>	137
Session: Coastline Geography and Coastal Landscapes: territorial dynamics and integrated protection	147
Chairman: G. Pungetti	
S. Altavilla, A. Caligiore, J. Ceccarelli, G. Corrente, F. Galeano, G. Pappacena, M. Pisconti, A. Petrillo, F. Rottino, P. Puri, G. Scatigna, F. Simione, T. Sinesi, G. Spaccavento, C. Ubaldi <i>Environmental training of the Italian Coast Guard between tradition and innovation</i>	155
T. Bisiani, M. Savron <i>New scenarios for a development between infrastructures and innovation</i>	164
A. Casu, J. Zaccagna <i>New features of the rivershore: climate change and new relations between town and water</i>	174
A. Cazzani, S. Barontini <i>Lake Garda lemon houses: a Mediterranean landscape in an internal lake</i>	183
C. Corbau, M. Contini, V. Gazale, A.L. Lazarou, U. Simeoni, D. Carboni <i>Distribuzione del marine litter nelle spiagge della Sardegna: il caso di Cala dei Ponzesi e di Cala Spalmatore nell'isola dell'Asinara</i>	194
D. De Marchi, M. Lalli, A. Mancini <i>Monitoring online perception of environmental issues on coasts of Sicily</i>	214
F. Epifani, F. Pollice, <i>Stabilimenti balneari come presidi ambientali. Verso la multifunzionalità dei servizi di balneazione. Alcune riflessioni a partire dal progetto Interreg RE.CO.RD.</i>	219
M. A. Esposito, F. Bosi <i>LaCoast Atlas: a consistent database to support sustainable coastal zone management</i>	229
A. Ghersi <i>CAPO MELE: a story-telling experimental beach in Laigueglia (SV)</i>	242

G. N. M. Giudici, F. Jannuzzi, S. Patrizio, F. Pisani Massamormile	250
<i>The coastal lakes of Campi Flegrei: between biodiversity and anthropization</i>	
I. Lolli	259
<i>The management of dredged materials: the «long and winding road» from waste to resource</i>	
G. Mazzeo	270
<i>Domitian coast. Rehabilitation' outlooks of the Northern coast of Campania</i>	
I. Palano A. Del Corona, L. Montioni, F. Pichi, M. Scamporrino	280
<i>Strategic Planning Document of Port Authority System, a new city-ports agreement: the case of Northern Tyrrhenian Sea AdSP</i>	
A. M. Pidalà	289
<i>Le coste dei Nebrodi tra mosaico paesaggistico, beni culturali e criticità complesse. Visioni e scenari strategici progettuali nel paradigma della sostenibilità</i>	
M. Russo	299
<i>Salerno: il porto e le metamorfosi del waterfront</i>	
J. Salaün, S. Pioch, J. C. Dauvin	309
<i>Artificial reef along the French Mediterranean coastline: toward innovative integrated biodiversity management</i>	
C. Saragosa, M. Chiti	316
<i>Spatial configurations and flows in the morphogenetic processes of settlements. A planning experience on the Tuscan coast</i>	
M. Scamporrino	326
<i>View Management in city-port landscapes. Livorno applicative experience</i>	
G. Tagarelli, N. Cantasano, T. Caloiero, G. Pellicone	338
<i>Integrated Coastal Zone Management of Natura 2000 and cultural heritage sites in calabrian coastal landscape (southern Italy)</i>	
A. Venudo, V. Rodani, V. Devescovi	348
<i>Lagoon scenarios for the Bassa Friulana plain: a flooding archipelago</i>	
F. Zullo, L. Fiorini, A. Marucci, B. Romano	363
<i>Analysis of the theoretical settlement scenario implemented by the municipal plans. The case study of the Romagna coast municipalities</i>	
Session: Morphology and evolution of coastlines and seabeds	375
Chairman: G. Sarti	
R. Bedini, P. Colantoni, C. Pergent-Martini	379
<i>Coastal erosion in the Gulf of Follonica and Baratti and coastal defense methods</i>	

O. Bulkan, B. Yalamaz, M.Namık Çağatay	385
<i>A sedimentological pattern of a coastal transitional environment: from the Eastern Mediterranean Sea shoreline through the Lake Bafa</i>	
A. Di Leo, S. Giandomenico, L. Spada, N. Cardellicchio, F. P. Buonocunto, E. Esposito, L. Ferraro, L. Giordano, A. Milia, C. Violante	392
<i>The offshore environmental impact by Sarno River in Naples Bay (South-west Italy)</i>	
M. Di Natale, S. Di Ronza, C. Eramo	402
<i>Water circulation in coastal marine areas - case studies</i>	
P. Gomes da Silva, A.L. Beck, J. Martinez Sanchez, R. Medina Santamaria, M. Jones, A. Taji	412
<i>Advances on coastal erosion assessment from satellite Earth Observations: exploring the use of Sentinel products along with very high resolution sensors</i>	
I. Kadri, F. Atroune	422
<i>Diachronic evolution of the coastline of Bordj El Kiffane (Algiers, Algeria) in absence and presence of coastal protection structures</i>	
I. López, J. I. Pagán, A. J. Tenza-Abril, L. Aragonés, L. Bañón	432
<i>Relationship between shoreline evolution and sediment wear</i>	
J. I. Pagán, I. López, L. Aragonés, A. J. Tenza-Abril	441
<i>Experiences with beach nourishments on the coast of Alicante, Spain</i>	
G. Piccioli-Resta, S. Fai, A. Picciolo	451
<i>Drone Remote Sensing for coastal habitats protection</i>	
K. Pikelj, N. Furčić	462
<i>Impact of cliff erosion on marine sediment composition - indication of local coastline evolution (Vrgada Island, Croatia)</i>	
Session:	Flora and Fauna of the littoral system: dynamics and protection
	469
Chairman:	D. Travaglini
B. Akçali, E. Taşkin, G. Kaman, A. Evcen, H. Çalık, O. Akyol	475
<i>Posidonia oceanica monitoring system on the coast of Aegean Sea of Turkey</i>	
L. Beccarisi, C. G. Giannuzzi, G. D'Andria, M. Greco	483
<i>Habitat and flora monitoring in the Regional Nature Reserve of "Palude del Conte e Duna Costiera di Porto Cesareo" (Puglia, Italy)</i>	
R. Bedini, M. Bedini, E. Salvadori	492
<i>A new transplanting method of Posidonia Oceanica (Linnaeus) Delile, 1813 plants</i>	
A. F. Bellia, J. Evans, S. Lanfranco	501
<i>A Drone's Eye View: a Preliminary Assessment of the Efficiency of Drones in Mapping Shallow-Water Benthic Assemblages</i>	

G. Bellissimo, B. Sirchia, V. Ruvolo	510
<i>Monitoring of Posidonia oceanica meadows in the Sicilian coasts under the Water Framework Directive (WFD)</i>	
G. Bellissimo, B. Sirchia, V. Ruvolo	519
<i>Assessment of the ecological status of Sicilian coastal waters according to a macroalgae based index (CARLIT)</i>	
M. C. de Francesco, I. Chiuchiarelli, L. Frate, M. L. Carranza, T. Pagliani, A. Stanisci	529
<i>Towards new marine-coastal NATURA 2000 SITES in the central Adriatic Sea</i>	
H. Humeniuk, O. Voloshyn, V. Voloshyn	540
<i>Seasonal dynamics of cadmium and plumbum in the Turia and Pripjat rivers</i>	
H. Idmoussi, L. Somoue, K. Hilmi, O. Ettahiri, T. Baibai, A. Makaoui, A. Errhif	547
<i>Phytoplankton assemblage Characterization along the Mediterranean coast of Morocco during autumn</i>	
C. Ippoliti, S. Tora, C. Giansante, R. Salini, F. Filipponi, E. Scamosci, M. Petrini, N. Di Deo, A. Conte	557
<i>Sentinel-2 e campionamenti in situ per il monitoraggio delle acque marine dell'Abruzzo: primi risultati</i>	
M. Morel, B. Lapierre, A. Goossens, E. Dieudonné, P. Lenfant, L. Vasseur, V. Hartmann, M. Verdoit-Jarraya	569
<i>Métiers, effort and catches of a Mediterranean small-scale coastal fishery: the case of the Gulf of Lion marine natural Park</i>	
F. V. Romano, V. Scalcione, P. D'Antonio, C. D'Antonio, E. Lacetra	580
<i>Precision agriculture and conservation of coastal landscapes</i>	
C. Rugge, G. Ciccarese, A. Longo, S. Petrachi, M. M. Niceta Potì	586
<i>Interventi di tutela e valorizzazione della biodiversità del SIC "Torre dell'Orso"-IT 9150004</i>	
D. Sgambati, É. Moura, A. E. Said, L. Rueda, E. Hoarau, L. Pribelja, D. Kļaviņš, A. Fagnano, A. De Angelis, A. Miccio	597
<i>Monitoraggio, conservazione e informazione nella baia di Ieranto: un modello circolare per la gestione delle Aree Marine Protette</i>	
M. Simeone, M. Solano, P. Masucci, S. Mecca, E. Barra	610
<i>5 anni di monitoraggio, controllo e prevenzione della pesca illegale nel Parco Sommerso di Gaiola (golfo di Napoli)</i>	
R. Stocco, L. Pirrera, E. Cellini	620
<i>L'applicazione di tecniche innovative nel monitoraggio costiero degli habitat prioritari</i>	
E. Taşkin, İ. Tan, O. Minareci, E. Minareci, H. Atabay, Ç. Polat Beken	632
<i>The pressures and the ecological quality status of the Marmara Sea (Turkey) by using marine macroalgae and angiosperms</i>	

Session:	Coastal Environmental Engineering: pollution, energy production, monitoring and economic environmental assessment, regulatory context	639
Chairman:	M. Catelani	
A. Bono, M. Marini	<i>Renewable power sources in coastal areas. A viability assessment in the scope of needs and regulation</i>	645
A. Cioffi, F. Cuculo, L. Di Nucci, G. Orlando	<i>The economic-environmental impact analysis in the choice of the management of the dredging materials of a port basin in relation to the classification and the quality: the experience of the port of Termoli (2018)</i>	656
D. Colarossi, P. Principi	<i>Feasibility study of a cold ironing system and district heating in port area</i>	666
M. De Vincenzi, G. Fasano	<i>Monitoring coastal areas: a brief history of measuring instruments for solar radiation</i>	676
A. Di Cicco, R. Gupana, A. Damm, S. Colella, F. Angelini, L. Fiorani, F. Artuso, V. E. Brando, A. Lai, A. Genangeli, F. Miglietta, R. Santoleri	<i>“FLEX 2018” cruise: an opportunity to assess phytoplankton chlorophyll fluorescence retrieval at different observative scales</i>	688
J. Droit	<i>Careening areas in marinas, anchorages, and private shipyards. Status of implementation of the MSFD measure</i>	698
F. Figueredo, F. Girolametti, S. Illuminati, C. Truzzi, A. Annibaldi, S. Susmel	<i>Electrochemical phosphate detection in oligotrophic seawater with a stand-alone plastic electrode</i>	705
N. Ghirardi, M. Bresciani, G. Luciani, G. Fornaro, V. Zamparelli, F. De Santi, G. De Carolis, C. Giardino	<i>Mapping of the risk of coastal erosion for two case studies: Pianosa island (Tuscany) and Piscinas (Sardinia)</i>	713
P. Ventura, M. Palmarocchi	<i>New coastal protection and sea energy production</i>	723
	<i>Index of Authors</i>	737

Preface

2019 was the 250th year since the birth of Alexander von Humboldt, a nature scholar. He was born in Germany and lived in many parts of the world, giving a unified vision of this, where organic and inorganic nature form a single system, whose manifestations are all connected to each other.

Since our Symposium, with its interdisciplinarity, intends to demonstrate, edition after edition, this thesis we seemed appropriate to remember the theorist of this holistic view of Nature. Since the Symposium is held in even years, and in 2019 it was not foreseen, we intended to take the occasion to celebrate Humboldt in 2020 edition.

It would have been interesting to remember him during the traditional three days of Symposium but unfortunately could not be carried out due to the COVID-19 pandemic restrictions. The pandemic also led to a reduction of the works; from the approximately 150 works selected by the Scientific Committee, in these Proceedings only half of them are present for obvious reasons. In any case, it seemed appropriate, giving a clear sign of continuity, to publish the works that the authors were able to complete in this difficult period.

In this reduced edition, the celebration of Humboldt was ensured by F. Benincasa, M. De Vincenzi, G. Fasano with a note that we place before the works of the different Sessions.

The Editors

PRECISION AGRICULTURE AND CONSERVATION OF COASTAL LANDSCAPES

F.V. Romano², V. Scalcione¹, P. D'Antonio¹, C. D'Antonio¹, E. Lacetra¹

¹Università degli Studi della Basilicata Safe, via dell'Ateneo Lucano, 25 85100 Potenza

e-mail: paola.dantonio@unibas.it

²Università degli Studi di Roma "La Sapienza"

Abstract – The application of Precision Agriculture strategies represents an opportunity for farmers to obtain economic benefits given by the optimization of inputs and the reduction of the pressure exerted by agricultural systems on the environment, especially in coastal areas. In this context, the present experimentation was inserted, which aimed to evaluate a sprayer for the distribution of pesticide products on cereal crops in the coastal area of Metapontino, an irrigation area with a surface of 280 979 ha. In this area, as demonstrated by the experimentation conducted, the challenge of producing food and at the same time protecting nature and safeguarding biodiversity, it is possible to face it through the introduction of global positioning systems (GPS), a technology capable of integrating the information on soil type, climate, cultivar, crop and farm management, topography and economy.

Methodology

The application of Precision Agriculture strategies represents an opportunity for farmers to obtain economic benefits given by the optimization of inputs and the reduction of the pressure exerted by agricultural systems on the environment, especially in coastal areas.

The management of cultivation practices through the application of variable dosage of production inputs can guarantee numerous benefits, which can be divided into substantially two types of advantages:

- Economic advantages, due to the rationalization in the use of the different cultivation factors;
- Environmental benefits, related to the reduction of the negative impact of agricultural practices on natural resources.

In this context, the present experimentation was inserted which aimed to evaluate a spraying machine for the distribution of pesticide products on cereal crops in the coastal area of Metapontino, the agricultural production area of Matera, and once the cradle of Pythagorean knowledge.

The Bradano-Metaponto irrigation area has an area of 280 979 ha, comprising the territory of 25 municipalities in the Bradano, Basento, Cavone, Agri and Sinni basins in their lower course. 22.2 % of it is equipped for irrigation, while 9.1 % is actually irrigated.

From this point of view, the Bradano-Metaponto area is the most advanced of the Lucanian consortium areas.

There is no doubt that the Metapontino area is the area with the greatest susceptibility to development in the region, not only in the purely agricultural context but in a wider socio-economic context. It is the only territory that since the 1950s and 1960s has recorded a significant demographic increase, expressing growth potential not yet fully expressed.

By virtue of the growing weight that some centrifugal attraction-dependence factors have had towards some neighboring regions and Puglia in particular. The Mediterranean climate, the favorable soil conditions, the flat land, the presence of large works of collection, transport and distribution of the water resource and finally the existence of an adequate infrastructure network have transformed the landscape of the area (until a few decades ago a swamp in which malaria claimed victims) in a very orderly chessboard of vegetables and fruit trees, citrus fruits, olive trees and vines. All these conditions make the metapontine area a highly suitable area for the creation of supply chain processes in the field of fruit and vegetable crops, here characterized by high levels and marked earliness. In terms of transformation and marketing, the area in question is now commonly considered as an "agro-industrial center", due to the level of production specialization achieved, the high profitability of the sector and the levels of employment that are significantly higher than to the rest of the region.

The surface of the irrigation area is 280 979 hectares of which 22 %, that is 62 424 hectares, is equipped for irrigation while 41 %, that is 25 555 hectares, is actually irrigated. The climate of the area is Mediterranean, with average temperatures ranging from a minimum of about 7-8 °C to a maximum of over 30 °C in summer. Precipitation is around 550 mm per year, mainly distributed in the autumn-winter period. The predominant crops in the area are fruit and vegetables, whose diffusion has been encouraged in past years as well as by the favorable pedo-climatic characteristics, also by the good supply of production factors. The main crops are strawberries, cabbage and salads among vegetables, stone fruits (especially peach and apricot) and citrus fruits (oranges and clementines) among the fruit trees, even if the latter are currently experiencing a phase of stasis due the high production and commercial risks associated with their cultivation. The cultivation of the vine is intended for 60 % for the production of table grapes, while the remaining part for the production of wine grapes (for self-consumption or purchased and processed mainly in Puglia). The table grapes, on the other hand, are marketed in part by local operators and in part by extra-regional operators (from Puglia). Next to the fruit and vegetables, which characterizes the coastal strip and the valley floors of the rivers that surround it, in an almost unmistakable way, the landscape is also marked in its innermost and steep slopes by the ancient presence of the olive tree, whose cultivation was already known and practiced in the area by settlers belonging to the settlements of Hellenic origin, as evidenced by the numerous finds found in more than a few companies. While presenting different systems of plants conducted in a modern and rational way, the olive growing of the Metapontino mostly follows the structural characteristics of the province of Matera (small farm sizes and production mainly destined to self-consumption). The use of the cultivation of durum wheat as an income supplement is widespread (frequent part-time phenomena), even in the more flat areas, given the limited number of days per hectare and the relative concentration of cultivation operations in a few months of the year . Most of the cereal farms, due to the small size of the company, have a predominantly family-run business and a subcontracting system limited to harvesting.

The recent launch of the MOCs (Macro Market Organizations, promoted with EU co-financing) and the Organization of Producers activated by the fruit and vegetable CMO have made it possible to become part of established circuits of large organized distribution; suffice it to say that 97 % of Lucanian agricultural exports are concentrated in the fruit and vegetable production of the Metapontino area.

With reference to this last aspect, the problems relating to the management of water resources have assumed a decisive importance for several years already. The reduction, but above all the rationalization of irrigation volumes, in order to lower production costs and limit the impact deriving from excessive water consumption, represent the main objectives that modern agriculture must set itself.

Moreover, the most recent scientific research, in the field of irrigation management in citrus fruit cultivation, is aimed at promoting eco-sustainable agriculture.

To achieve these objectives, it is essential to have the possibility of constant monitoring of the relationships between soil, plant and atmosphere.

It is therefore necessary to provide for socially fair, ecologically sustainable and economically advantageous agricultural activity, through an inclusive process of the parties. Farmers face a twofold challenge: to produce food and at the same time protect nature and safeguard biodiversity. Using natural resources prudently is essential for our food production and for our quality of life.

The changes that are taking place in Italian agriculture can be attributed not so much to a recession, due to changes in the international panorama, but rather to a crisis of technological identity. To make such a profound change possible, it is necessary to carefully review the cultivation practices and technologies adopted in the light of modern achievements in the field of knowledge and technology. Precision agriculture owes its birth and evolution precisely to the potential deriving from the widespread application of new technical solutions to the primary sector. In its essence it consists in the application of principles and technologies for the management of spatio-temporal variability, associated with all aspects of agricultural production. Without variability, the concepts of precision agriculture would have little meaning and probably would never have developed.

- The first phase of its application consists in the measurement and interpretation of variability.
- The second phase uses this information to manage variability, adapting agronomic inputs to local conditions within the field.
- The third phase, perhaps the most important, consists in validating the proposed approach, using indicators capable of measuring the effectiveness of "site-specific" practices. In the event that the results are not satisfactory, the management proposals must be suitably modified before transferring them to the farmers.

Whatever the application sector, there is now a widespread need to develop a useful tool, capable of making the agricultural system productive, profitable and environmentally friendly, through the transition from "generalized" agriculture to the entire farm area (fertilization, irrigation, weeding, variety, uniform sowing density) to a "specific site" which, while retaining an extensive character, starts from a detailed knowledge of the environment and knows how to match the use of production factors to specific local characteristics. The challenge therefore of modern agriculture is to use modern technologies both to identify the processes underlying production and to manage spatio-temporal

variability, in order to maximize economic revenues, always respecting environmental constraints. (scheme of the integrated approach to precision agriculture) The introduction of global positioning systems (GPS) and yield displays, equipped with GPS and mounted on automatic harvesters, has already made it possible to quantify the variations in yield within the fields and to produce production maps, classifying the different areas according to the quantitative and qualitative properties of the product collected. This technology, together with the spread of geographic information systems on computers (GIS) and the ability to process and map attributes related to productivity, thanks to the use of advanced techniques of spatial analysis and dynamic simulation of crop systems, has facilitated the spread of precision agriculture. The georeferenced information on the crop response can therefore be inserted in a GIS and integrated with the information relating to the type of soil, the climate, the cultivar, the crop and farm management, the topography and the economy.

With the availability of acquiring high resolution satellite images, it is now possible to read the Earth's surface and what it covers in an ever more precise and detailed way. The evolution of the reflection and absorption capacity of sunlight at different wavelengths by vegetation is today related to the quantitative and functional development of the same; it is therefore possible, by calculating suitable radiometric vegetative indices, to obtain important indications about the vegetative growth rates of the crops and the possible onset of stress which, in turn, can influence the quantity and quality of the final product. The GPS system offers the possibility of being able to express the position of any point in the plot as a pair of geographical coordinates and to associate information and data relating to it. It also records the variability present within it, coding it and creating a geographical format within a reference system. The use of a satellite receiver in agriculture can find various applications, which can essentially be traced back to the detection of the boundaries of a plot and the determination of the position of a machine operating inside it, so as to be able to create a registration at a point (mapping) and / or the implementation of information (variable dosage distribution).

To this end, the tests carried out have made it possible to evaluate the performance of the distribution, quantity and quality, according to the different guides of the tractor: manual guide, assisted guide and automatic guide with satellite correction.

The results showed a sharp reduction in the failure rates in automatic driving just 0.2 %, as well as the overlaps obtained with automatic driving were 0.2 % compared to 1.5 % recorded with automatic driving.

Alongside these technical data linked to the functionality of the tractor, there is a higher advancement speed with automatic driving, which also reaches 12.6 km/h compared to 6.6 km/h that can be reached with the manual guided machine; this trend is repeated for the turning times, data which therefore express greater maneuverability of the machines driven by self-driving tractors.

Therefore, with a view to an economic and environmental sustainability of crops in coastal areas, the use of these guide systems appears indispensable for optimizing crop interventions in terms of the use of human and production resources according to crop needs, The other serves to ensure production systems that are respectful of particularly sensitive landscapes such as coastal ones.

The study is basic for the implementation of RTK systems for 5G data transmission.

GNSS systems (global satellite navigation system) are proving to be very useful in many aspects of our lives; their integration into mobile devices, then, makes asking where a place is has become a useless question. The satellites continuously transmit information to the terrestrial stations that identify the position of the satellite itself and the time at which it is transmitting the signal (derived from an internal atomic clock) while the user receiver uses its own clock to compare the data received: it can be performed several measurements with different satellites to obtain the position of the receiver according to a principle called trilateration.

Satellite observation allows to optimize the use of water for irrigation, to improve agricultural productivity, to minimize the use of pesticides. For example, the correct use of satellite observation data would improve crop estimates by 200 %, thus facilitating the forecast of food crises and consciously using water and pesticides. Ultimately, help from space makes these activities more sustainable.

If space technologies demonstrate their great ability to support the quality of life on our planet, they have practically exclusivity in supporting human exploration of the universe. Sustainable development is the challenge of these years and it is easy to imagine that it will not be a challenge that we will win simply.

Bibliography

- [1] Bellomo F., D'Antonio P. (2008) - *Come meccanizzare l'oliveto per avere più reddito*; L'informatore agrario, pp. 36-44.
- [2] Bellomo F., D'Antonio P. (2008) - *Using a grape harvester in super-intensive olive cultivation*, Journal of Agricultural engineering 39 (1), 2008, pp.33-39.
- [3] Brisco, B., Brown, R., Hirose, J., McNairn, H. and Staenz, K. (n.d.) - *Precision Agriculture and the Role of Remote Sensing: A Review*. Retrieved on 1st October 2012.
- [4] D'Antonio P., Bellomo F., Arrivo A. (2001) - *Limiti e convenienza per l'impiego delle macchine operatrici. Applicazione a macchine mono e polifunzionali per la viticoltura*, Rivista di ingegneria agraria, pp.147-158,
- [5] D'Antonio P., D'Antonio C., Evangelista C., Doddato V. (2013) -*Satellite guidance systems in agriculture: experimantal comparison between EZ-Steer/RTK and AUTOPILOT/EGNOS*, Journal of Agricultural engineering,
- [6] D'Antonio P., Romano F., Scalcione V. N., D'Antonio C. - *Technologies and sustainable development: the case studies of cultural landscapes in the Mediterranean area* IJRDO - Journal of Agriculture and Research ISSN: 2455-7668
- [7] D'Antonio P., Scalcione V. N., D'Antonio C., (2020) - *Innovative systems in the production and organization of forest biomass and urban green areas*, IJRDO - Journal of Agriculture and Research, 6(5), 46-57
- [8] D'Antonio P., Scalcione V. N., D'Antonio C. (2020) - *Sustainable urban green management systems: battery powered machines and equipment*. International Journal for Research in Agricultural and Food Science Vol. 6, Issue-3, March, 2020
- [9] D'Antonio P., Scalcione V. N., (2020) - *Software and satellite technologies for precision agriculture: the potential with the 5 g network*, EPH, International Journal of Agriculture and Environmental Research Vol. 6, Issue-3, March, 2020

- [10] D'Antonio P., Scalcione V. N., Romano F., (2020) - *The use of satellite technology for digital citizenship: experimental tests and investigation methods*, International Journal of Food Science and Agriculture, Vol. 4, Issue 1.
- [11] Esri (2008) - *GIS for Sustainable Agriculture*. GIS Best Practices. New York: ESRI Publications.
- [12] Sohne, W., Heinze, O. and Groten, E. (1994) - *Integrated INS/GPS System for High Precision Navigation Applications*. Record-IEEE PLANS, Position Location and Navigation Symposium, 35(2): 310-313.
- [13] Xiangjian, M. and Gang, L. (2007) - *Integrating GIS and GPS to Realise Autonomous Navigation of Farm Machinery*. New Zealand Journal of Research, 50(1), 807-812.

INDEX OF AUTHORS

Akçali B.	475	Çalık H.	475
Akyol O.	475	Caloiero T.	338
Allasia P.	17	Cantasano N.	338
Altavilla S.	155	Carboni D.	194
Angelini F.	688	Cardellicchio N.	392
Annibaldi A.	705	Carleo D.	28
Aragonés L.	432, 441	Carranza M.L.	529
Artuso F.	688	Casu A.	174
Asta A.	117	Cazzani A.	183
Atabay H.	632	Ceccarelli J.	155
Atroune F.	422	Cellini E.	620
Baibai T.	547	Cera G.	7
Bañón L.	432	Chiti M.	316
Barontini S.	183	Chiuchiarelli I.	529
Barra E.	610	Ciarravano A.	17
Beccarisi L.	483	Ciccarese G.	586
Beck A.L.	412	Cioffi A.	656
Bedini M.	492	Colantoni P.	379
Bedini R.	379, 492	Colarossi D.	666
Bellia A.F.	501	Colella S.	688
Bellissimo G.	510, 519	Coletta V.	17
Benincasa F.	XVII	Conte A.	557
Bisiani T.	164	Contini M.	194
Bonazza A.	17	Corbau C.	194
Bono A.	645	Corniello L.	28
Bosi F.	229	Corrente G.	155
Brando V.E.	688	Crespi M.	17
Bresciani M.	713	Cuculo F.	656
Bulkan O.	385	D'Andria G.	483
Buonocunto F.P.	392	D'Antonio C.	580
Burda A.	28	D'Antonio P.	580
Caligiore A.	155	Damm A.	688

Dauvin J.C.	309	Filipponi F.	557
De Angelis A.	597	Fiorani L.	688
De Carolis G.	713	Fiorini L.	363
De Cicco A.	28	Fontana M.	69
de Francesco D.	38	Fornaro G.	713
de Francesco M.C.	38, 529	Frate L.	529
De Marchi D.	214	Furčić N.	462
De Santi F.	713	Galeano F.	155
De Vincenzi M.	XVII, 676	Gargiulo M.	28
Del Corona A.	105, 280	Gazale V.	194
Devescovi V.	348	Genangeli A.	688
Di Cicco A.	688	Gherzi A.	242
Di Deo N.	557	Ghirardi N.	713
Di Leo A.	392	Giandomenico S.	392
Di Natale M.	402	Giannuzzi C.G.	483
Di Nucci L.	656	Giansante C.	557
Di Ronza S.	402	Giardino C.	713
Dietrich S.	17	Giordano L.	392
Dieudonné E.	569	Girolametti G.	705
Droit J.	698	Giudici G.N.M.	250
Epifani F.	219	Gomes da Silva P.	412
Eramo C.	402	Goossens A.	569
Errhif A.	547	Greco M.	483
Esposito E.	392	Grigatti G.	79
Esposito M.A.	229	Grindlay A.	95
Ettahiri O.	547	Guerrero F.	28
Evans J.	501	Gupana R.	688
Evcen A.	475	Hartmann V.	569
Fabrizio F.	47	Hilmi K.	547
Fagnano A.	597	Hoarau E.	597
Fai S.	451	Humeniuk H.	540
Faraone A.	38	Idmoussi H.	547
Fasano G.	XVII, 676	Illuminati S.	705
Federico S.	17	Ippoliti C.	557
Ferrari I.	58	Ivona A.	85
Ferraro L.	392	Jannuzzi F.	250
Figueredo F.	705	Jones M.	412

Kadri I.	422	Niceta Poti M.M.	586
Kaman G.	475	Notti D.	17
Kļaviņš D.	597	Orlando G.	656
Lacetra E.	580	Pagán J.I.	432, 441
Lai A.	688	Pagliani T.	529
Lalli M.	214	Palano I.	105, 280
Lanfranco S.	501	Palmarocchi M.	723
Lapierre B.	569	Paluzzi M.	38
Lazarou A.L.	194	Pappacena G.	155
Lenfant P.	569	Patrizio S.	250
Lento G.P.	28	Pellegrini A.	117
Lolli I.	259	Pellicone G.	338
Longo A.	586	Pergent-Martini C.	379
López I.	432, 441	Peruccio P.P.	79
Luciani G.	713	Petrachi S.	586
Makaoui A.	547	Petrillo A.	155
Mancini A.	214	Petrini M.	557
Mangifesta M.	38	Piccioli-Resta G.	451
Marini M.	645	Picciolo A.	451
Martín R.	95	Pichi F.	105, 280
Martinez Sanchez J.	412	Pidalà A.M.	289
Marucci A.	363	Pikelj K.	462
Masucci P.	610	Pioch S.	309
Mazzeo G.	270	Pirrerà L.	620
Mecca S.	610	Pisani Massamormile F.	250
Medina Santamaria R.	412	Pisconti M.	155
Miccio A.	597	Polat Beken Ç.	632
Miglietta F.	688	Pollice F.	219
Milia A.	392	Prestileo F.	17
Minareci E.	632	Pribelja L.	597
Minareci O.	632	Principi P.	666
Minciarelli C.	38	Puri P.	155
Montioni L.	105, 280	Quarta A.	58
Morel M.	569	Rodani V.	348
Moura É	597	Romano B.	363
Namık Çağatay M.	385	Romano F.V.	580
Natale A.R.	38	Rottino F.	155

Rueda L.	597	Susmel S.	705
Rugge C.	586	Tagarelli G.	338
Russo M.	299	Taji A.	412
Ruvolo V.	510, 519	Tan I.	632
Said A.E.	597	Tartara P.	127
Salaün J.	309	Taşkin E.	475, 632
Salini R.	557	Tatasciore G.	38
Salvadori E.	492	Tenza-Abril A.J.	432, 441
Santoleri R.	688	Tora S.	557
Saragosa C.	316	Torcasio R.C.	17
Savron M.	164	Trematerra A.	28
Scalcione V.	580	Trigona S.L.	137
Scamosci E.	557	Truzzi C.	705
Scamporrino M.	105, 280, 326	Ubaldi C.	155
Scatigna G.	155	Vasseur L.	569
Sgambati D.	597	Ventura P.	723
Simeone M.	610	Venudo A.	348
Simeoni U.	194	Verdoit-Jarraya M.	569
Simione F.	155	Violante C.	392
Sinesi T.	155	Voloshyn O.	540
Sirchia B.	510, 519	Voloshyn V.	540
Solano M.	610	Yalamaz N.	385
Somoue L.	547	Yepes V.	95
Spaccavento G.	155	Zaccagna J.	174
Spada L.	392	Zamparelli V.	713
Stanisci A.	529	Zappalorto M.	38
Stocco R.	620	Zullo F.	363

The 8th International Symposium *Monitoring of Mediterranean Coastal Areas. Problems and Measurements Techniques* was organized by CNR-IBE in collaboration with FCS Foundation, and Natural History Museum of the Mediterranean and under the patronage of *University of Florence, Accademia dei Geografi, Tuscany Region and Livorno Province*. It is the occasion in which scholars can illustrate and exchange their activities and innovative proposals, with common aims to promote actions to preserve coastal marine environment. Considering Symposium interdisciplinary nature, the Scientific Committee, underlining this holistic view of Nature, decided to celebrate Alexander von Humboldt; a nature scholar that proposed the organic and inorganic nature's aspects as a single system. It represents a sign of continuity considering that in-presence Symposium could not be carried out due to the COVID-19 pandemic restrictions. Subjects are related to coastal topics: morphology; flora and fauna; energy production; management and integrated protection; geography and landscape, cultural heritage and environmental assets, legal and economic aspects



PATRONAGE BY



ISSN 2704-601X (print)
ISSN 2704-5846 (online)
ISBN 978-88-5518-147-1 (PDF)
ISBN 978-88-5518-148-8 (XML)
DOI 10.36253/978-88-5518-147-1