



























- [7] Andrea Cali, Georg Gottlob, Thomas Lukasiewicz, Bruno Marnette, and Andreas Pieris. 2010. Datalog+/-: A Family of Logical Knowledge Representation and Query Languages for New Applications. In *LICS*. 228–242.
- [8] Chen C. Chang and H. Jerome Keisler. 1992. *Model theory, Third Edition*. North-Holland.
- [9] Ronald Fagin, Phokion G. Kolaitis, Renée J. Miller, and Lucian Popa. 2005. Data exchange: semantics and query answering. *Theor. Comput. Sci.* 336, 1 (2005), 89–124.
- [10] Ronald Fagin and Moshe Y. Vardi. 1986. The Theory of Data Dependencies - A Survey. In *Symposia in Applied Mathematics*. 19–71.
- [11] Maurizio Lenzerini. 2002. Data Integration: A Theoretical Perspective. In *PODS*. 233–246.
- [12] Carsten Lutz, Robert Piro, and Frank Wolter. 2011. Description Logic TBoxes: Model-Theoretic Characterizations and Rewritability. In *IJCAI*. 983–988.
- [13] David Maier, Alberto O. Mendelzon, and Yehoshua Sagiv. 1979. Testing Implications of Data Dependencies. *ACM Trans. Database Syst.* 4, 4 (1979), 455–469.
- [14] Johann A. Makowsky and Moshe Y. Vardi. 1986. On the Expressive Power of Data Dependencies. *Acta Inf.* 23, 3 (1986), 231–244.
- [15] Marie-Laure Mugnier and Michaël Thomazo. 2014. An Introduction to Ontology-Based Query Answering with Existential Rules. In *Reasoning Web*. 245–278.
- [16] Balder ten Cate and Phokion G. Kolaitis. 2009. Structural characterizations of schema-mapping languages. In *ICDT*. 63–72.
- [17] Heng Zhang, Yan Zhang, and Guifei Jiang. 2020. Model-theoretic Characterizations of Existential Rule Languages. In *IJCAI*.