



Search for boosted diphoton resonances in the 10 to 70 GeV mass range using 138 fb^{-1} of 13 TeV pp collisions with the ATLAS detector

The ATLAS Collaboration

A search for diphoton resonances in the mass range between 10 and 70 GeV with the ATLAS experiment at the Large Hadron Collider (LHC) is presented. The analysis is based on pp collision data corresponding to an integrated luminosity of 138 fb^{-1} at a centre-of-mass energy of 13 TeV recorded from 2015 to 2018. Previous searches for diphoton resonances at the LHC have explored masses down to 65 GeV, finding no evidence of new particles. This search exploits the particular kinematics of events with pairs of closely spaced photons reconstructed in the detector, allowing examination of invariant masses down to 10 GeV. The presented strategy covers a region previously unexplored at hadron colliders because of the experimental challenges of recording low-energy photons and estimating the backgrounds. No significant excess is observed and the reported limits provide the strongest bound on promptly decaying axion-like particles coupling to gluons and photons for masses between 10 and 70 GeV.

1 Introduction

One of the primary goals of the Large Hadron Collider (LHC) experiments is to investigate any ‘beyond the Standard Model’ (BSM) scenarios where deviations from Standard Model (SM) behaviour appear in the high-energy regime of observables accessible in hadron collisions. This work focuses on diphoton final states, looking for new phenomena in the form of narrow resonances X in the mass range between 10 and 70 GeV, below that targeted in previous diphoton searches at the LHC [1–4], and extending the experimental coverage of the LHC to BSM scenarios where i) all the heavy states are beyond the reach of the LHC, ii) a scalar which is a singlet of the SM gauge group is naturally lighter than the EW scale, iii) the singlet scalar is abundantly produced in proton–proton (pp) collisions and iv) the singlet scalar decays promptly into a pair of SM particles, generically with a narrow width.

The natural targets of this search are pseudo Nambu–Goldstone bosons (pNGBs) associated with spontaneously broken approximate global symmetries at the TeV scale or above, often referred to as axion-like particles (ALPs). A light ALP coupled to gluons would be abundantly produced in pp collisions, and even though it would decay mostly into dijets, its suppressed coupling to photons presents experimental advantages that make the diphoton final state more desirable to look for at the LHC. Light ALPs with these phenomenological features are predicted by a wide variety of BSM scenarios, such as ‘heavy’ QCD axion models [5–17], the R-axion in SUSY-breaking models [18–20] and Composite Higgs models [21–23]. Light ALPs can also be the mediator of dark-matter freeze out [24] and trigger baryogenesis [25]. In all of these models, the mass of the ALP is a free parameter without any particularly strong theory expectation, and for this reason the experimental coverage should span all possible masses.

This search uses the diphoton invariant mass distribution as the discriminating variable. It therefore closely follows the strategy used in previous diphoton searches [2, 26], but it also exhibits some clear differences. Selecting photons with transverse energies close to the trigger thresholds sculpts the diphoton invariant mass distribution at its lower edge, limiting the lowest accessible mass and requiring an accurate description of the background shape to avoid drastically limiting the final sensitivity. This challenge is overcome here by selecting events with pairs of closely spaced photons and large diphoton transverse momentum, typically arising from recoil against a jet. Concretely, requiring photon pairs with transverse momentum $p_T^{\gamma\gamma}$ larger than 50 GeV flattens the background shape, making it easier to describe with simple analytic functions.

A model composed of analytic functions is used to describe the signal and background components and fit the diphoton invariant mass spectrum to search for narrow resonances. The impact of the uncertainty arising from the analytic function chosen to describe the background shape, estimated by fitting the analytic model to a representative sample of simulated background events, is mitigated by applying a smoothing procedure using Gaussian Processes to the simulated background sample. In the scenario in which no significant signal excess is observed, limits are placed on the production cross-section times branching ratio, $\sigma_{\text{fid}} \cdot \mathcal{B}(X \rightarrow \gamma\gamma)$, as a function of the resonance mass m_X . Additionally, the observed limits are recast in the ALP parameter space in terms of the mass of an ALP, m_a , and its decay constant, f_a .

2 ATLAS detector

The ATLAS experiment [27–29] at the LHC is a multipurpose particle detector with a forward–backward symmetric cylindrical geometry and a near 4π coverage in solid angle.¹ It consists of an inner tracking detector (ID) surrounded by a thin superconducting solenoid providing a 2 T axial magnetic field, electromagnetic and hadronic calorimeters, and a muon spectrometer (MS). The ID covers the pseudorapidity range $|\eta| < 2.5$. It consists of silicon pixel, silicon microstrip, and transition radiation tracking detectors. Lead/liquid-argon (LAr) sampling calorimeters provide electromagnetic (EM) energy measurements with high granularity. A hadron sampling calorimeter composed of steel and scintillator tiles covers the central pseudorapidity range ($|\eta| < 1.7$). The endcap and forward regions are instrumented with LAr calorimeters for EM and hadronic energy measurements up to $|\eta| = 4.9$. For $|\eta| < 2.5$, the EM calorimeter is divided into three longitudinal layers, which are finely segmented in η and ϕ , particularly in the η direction in the first layer. This segmentation allows the measurement of the lateral and longitudinal shower profile, and the calculation of shower shapes [30] used for electron and photon identification. The longitudinal segmentation of the EM calorimeter is also exploited to calibrate the energy response of photon candidates [30]. The MS surrounds the calorimeters and is equipped with three large air-core toroidal superconducting magnets with eight coils each. The field integral of the toroids ranges between 2.0 and 6.0 Tm across most of the detector. A two-level trigger system is used to select events to be recorded [31]. The first-level trigger is implemented in hardware and uses a subset of the detector information. It selects events of interest within the event rate limitation of 100 kHz. This is followed by a software-based trigger which runs algorithms similar to those in the offline reconstruction software, reducing the event rate to approximately 1 kHz. An extensive software suite [32] is used in data simulation, in the reconstruction and analysis of real and simulated data, in detector operations, and in the trigger and data acquisition systems of the experiment.

3 Data and simulated event samples

The search is performed using the $\sqrt{s} = 13$ TeV pp collision dataset with a bunch spacing of 25 ns collected from 2015 to 2018 by the ATLAS detector, referred to as the full Run 2 dataset in the following. Only events with stable beam conditions and all ATLAS subsystems operational are considered [33], corresponding to an integrated luminosity of 138 fb^{-1} [34]. The data were recorded using a diphoton trigger [35] that required two electromagnetic energy clusters satisfying identification criteria based on the expected shape of the two electromagnetic showers and with transverse energies E_T above a certain threshold that varied across the data-taking period to cope with the increase in instantaneous luminosity over the years. In 2015 and the first portion of 2016, the E_T threshold was 20 GeV, while in the remainder of 2016 an E_T threshold of 22 GeV was imposed. During 2017 and 2018, the E_T threshold was lowered to 20 GeV and combined with an additional requirement on the calorimetric isolation transverse energy. Data collected with alternative and prescaled diphoton triggers with looser identification criteria for the EM shower shapes, corresponding to an integrated luminosity of 6.3 fb^{-1} , are used for background estimation purposes.

Monte Carlo (MC) simulated events are used to optimize the analysis selections and to characterize the signal and background shapes.

¹ ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the centre of the LHC ring, and the y -axis points upwards. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z -axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$. Angular distance is measured in units of $\Delta R \equiv \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2}$.

Signal event samples were generated for a hypothetical resonance produced in gluon–gluon fusion in association with up to two additional jets for resonance masses between 10 and 80 GeV. The decay width Γ_a was set to 4 MeV, negligible compared to the experimental resolution, to describe a hypothetical resonance in the narrow-width approximation (NWA). The samples were generated using the effective-field-theory approach [36] implemented in MADGRAPH5_AMC@NLO [37] with the NNPDF2.3LO PDF set [38], and using the A14 set [39] of tuned parameters and PYTHIA 8.240 [40] to simulate parton showering, hadronization and the decay of the resonance into a pair of photons.

Background events with two prompt photons and associated jets were simulated using the SHERPA 2.2.4 [41, 42] event generator. Matrix elements were calculated in perturbative QCD (pQCD) at next-to-leading order (NLO) for up to one additional parton, and at LO for two or three partons, and merged with the SHERPA parton-shower simulation using the MEPS@NLO prescription [43–46]. The NNPDF3.0NNLO PDF set was used in conjunction with a dedicated parton-shower tune in the SHERPA generator. Interference effects between the resonant signal and all background processes are expected to be small for narrow-width signals and are neglected in this analysis.

The effects of multiple pp interactions in the same bunch crossing as the hard scatter and in neighbouring ones (defined as pile-up) are included using simulated events generated with PYTHIA 8. Simulated events were weighted to reproduce the distribution of the average number of interactions per bunch crossing observed in data.

All simulated signal events were processed using a full simulation of the ATLAS detector [47] based on GEANT4 [48]. The background $\gamma\gamma$ events were processed using a fast simulation of the ATLAS detector [49], where the full simulation of the calorimeter is replaced with a parameterization of the calorimeter response. All simulated events were reconstructed with the same reconstruction algorithms as those used for data.

4 Object and event selection

Photon candidates are reconstructed from topological clusters of energy deposited in the EM calorimeter, as well as from charged-particle tracks and conversion vertices reconstructed in the inner detector, and they are calibrated as described in Ref. [30]. The event selection requires at least two photon candidates with transverse energies larger than 22 GeV and $|\eta| < 2.37$, excluding the barrel-to-endcap transition regions of the calorimeter, $1.37 < |\eta| < 1.52$. The transverse energy requirement is chosen to mitigate the effect of the trigger efficiency turn-on from the trigger thresholds discussed in Section 3. The properties of the EM clusters associated with the two highest- E_T photons and additional information from the tracking systems are used to identify the diphoton production vertex [50], which is used to correct the photon direction, resulting in improved $m_{\gamma\gamma}$ resolution.

To reduce the background from jets, photon candidates are required to satisfy *tight* identification criteria based on the shape of EM showers in the LAr calorimeter and energy leakage into the hadronic calorimeter [30]. Events with one or both photon candidates passing a looser identification are kept for background estimations. The *tight* identification is optimized in ranges of photon E_T and $|\eta|$, and has an identification efficiency that increases with E_T from 70% at 22 GeV to 90% above 50 GeV.

To further improve the rejection of jets misidentified as photons, the candidates are required to be isolated using information from both the calorimeter and tracking subsystems. The calorimeter isolation transverse energy $E_T^{\text{iso,calo}}$ is required to be smaller than $0.065E_T^\gamma$, where $E_T^{\text{iso,calo}}$ is defined as the sum of the transverse energies of positive-energy topological clusters [51] within a cone of size $\Delta R = 0.2$ around the photon

candidate, excluding the photon transverse energy E_T^γ and correcting for pile-up and underlying-event contributions [52–54]. The track isolation transverse energy $E_T^{\text{iso, trk}}$ is required to be less than $0.05E_T^\gamma$, where $E_T^{\text{iso, trk}}$ is defined as the scalar sum of the transverse momenta of tracks with $p_T > 1$ GeV in a $\Delta R = 0.2$ cone around the photon candidate, and which satisfy some loose track-quality criteria, are not associated with a photon conversion, and originate from the diphoton production vertex. The combined isolation efficiency for pairs of photons fulfilling the identification requirement in simulated signal samples increases with $m_{\gamma\gamma}$ from 80% at 10 GeV to 90% at 90 GeV.

The diphoton invariant mass is computed using the transverse energies of the leading and subleading photon candidates and their angular separation in both azimuth ϕ and pseudorapidity η , determined from their positions in the calorimeter and the diphoton production vertex.

An additional kinematic selection is placed on the transverse momentum of the diphoton system, $p_T^{\gamma\gamma}$, requiring events to have a diphoton pair with $p_T^{\gamma\gamma} > 50$ GeV. This requirement is motivated by the fact that the analysis targets diphoton pairs with low masses, down to about half the trigger energy thresholds, and such pairs are typically highly boosted with respect to the ATLAS detector rest frame. The $p_T^{\gamma\gamma}$ requirement is chosen in order to reach the best compromise between the statistical uncertainty in the lowest part of the spectrum and sculpting effects on the background shape from the trigger efficiency turn-on, the modelling of which would result in large systematic uncertainties.

In total, 1 166 636 data events with $m_{\gamma\gamma} < 80$ GeV are selected.

Following the detector-level selection, the measurement of the signal production cross-section is performed in a fiducial volume defined from the simulated samples by requiring two photons at particle level with $E_T > 22$ GeV, $|\eta| < 2.37$ and $p_T^{\gamma\gamma} > 50$ GeV. The particle isolation, defined as the scalar sum of the p_T of all the stable particles (except muons and neutrinos) found within a $\Delta R = 0.2$ cone around the photon direction, is required to be less than $0.05E_T^\gamma$. This isolation requirement is chosen to reproduce the detector-level selection.

5 Signal modelling

The shape of a possible signal in the diphoton invariant mass distribution is modelled by a double-sided Crystal Ball (DSCB) function, composed of a Gaussian core with power-law tails [1, 55], whose parameter values evolve linearly with respect to the mass m_X . The parameters of the DSCB function are extracted from fits to the MADGRAPH simulated signal samples. The width of the Gaussian core is entirely determined by the resolution of the detector and ranges from 0.2 to 1.2 GeV, as shown in Figure 1(a). Good agreement between the signal parameterization and the simulated signal samples is found, with differences below 1% of the fitted signal yield. An example of the simulated resonance overlaid with the signal model parameterization is shown in Figure 1(b).




Figure 1: (a) Width of the Gaussian core of the DSCB function as a function of m_X (solid markers) overlaid with the linear parameterization (dashed line). The detector resolution is 2.0% at 10 GeV and 1.4% at 80 GeV. (b) Simulated diphoton invariant mass distribution of a narrow-width signal resonance with $m_X = 30$ GeV (solid markers) overlaid with the DSCB function obtained from a single fit (solid line) and from the signal model parameterization (dashed line).

6 Background estimates

The dominant background components consist of continuum $\gamma\gamma$ production, and of photon–jet (γj and $j\gamma$)² and jet pair (jj) events where one or more jets are misidentified as photons. Other backgrounds arising from electrons faking photons in Z boson decays are found to be negligible in the mass range of this search and are not considered. The analysis makes use of a data-driven background estimate in which the continuum background shape is parameterized by an analytic function. The chosen analytic functional form is described in Section 6.1. The uncertainty arising from the choice of background model is based on signal-plus-background fits to background-only template histograms with a binning of 100 MeV, following the methodology described in Ref. [56] and further described in Section 6.1. The background modelling uncertainty is found to be dominated by the limited size of available simulated event samples. In order to reduce the impact of the background modelling uncertainty on the analysis, the background templates are smoothed using a Gaussian Processes fit. This technique is described further in Section 6.2, and its impact on the analysis is detailed in Section 6.3.

6.1 Background template modelling

The background-only template has two components. The $\gamma\gamma$ component is built from the simulated $\gamma\gamma$ samples described in Section 3, and the γj and jj components are built from control samples obtained from data, in which one or both photons must fail the *tight* identification requirements while passing a looser set of identification cuts. The two components are combined according to their relative fractions. The relative contribution of each of these processes is shown in Figure 2 and is estimated using the two-dimensional sideband method described in Ref. [57]. The purity of the diphoton sample, defined

² The order denotes which of the two, either the photon or the jet, has a larger transverse momentum. In the following, the term γj refers to both contributions.

as the fraction of $\gamma\gamma$ events, increases with $m_{\gamma\gamma}$ from 50% at 10 GeV to 70% at 80 GeV with an overall uncertainty of 3% dominated by its statistical component arising from the limited size of the data sample collected with the prescaled triggers described in Section 4. No significant difference in the diphoton purity is observed between the various LHC data-taking periods of Run 2.




Figure 2: Diphoton invariant mass distributions of the data after event selection and their decomposition into contributions from diphoton ($\gamma\gamma$), photon+jet (γj and $j\gamma$) and dijet (jj) events as determined using the two-dimensional sideband method. The total uncertainties, including statistical and systematic components added in quadrature, are shown as error bands.

The goal of this analysis is to reach the lowest invariant mass possible, including the ‘turn-on’ region for masses below 20 GeV. The resulting background shape needs to be described by a more complex analytic form than in previous diphoton resonance searches [2, 26] and is constructed as the combination of two pieces: one capable of describing the turn-on shape and a second used to describe the smoothly decreasing part. The two-parts analytic function described below was found to adequately model the background shape across the full invariant mass range of the search.

The turn-on region (TO) is described by the following function:

$$h_{\text{TO}}(m_{\gamma\gamma}; f_0, \tau_{\text{TO}}) = 1 - (1 - f_0) e^{-\frac{m_{\gamma\gamma}}{\tau_{\text{TO}}}},$$

where f_0 corresponds to the value of the function at $m_{\gamma\gamma} = 0$ and τ_{TO} is the length scale of the turn-on.

The smoothly falling region beyond 30 GeV is described by a power-law function multiplied by an ‘activation’ function to increase its flexibility in the high mass region (above 50 GeV). For this activation term, an exponential function times a ‘Fermi–Dirac-like’ function is chosen, and the total function is:

$$h_{\text{High}}(m_{\gamma\gamma}; c_1, a_0, c_0, \delta_{\text{tail}}, \tau_{\text{tail}}, \delta_{\text{thresh}}, \tau_{\text{thresh}}) = \underbrace{\left(1 - \left(\frac{m_{\gamma\gamma}}{c_1}\right)^{a_0}\right)^{c_0}}_{\text{Power-law}} \underbrace{\left(1 + \frac{e^{\frac{m_{\gamma\gamma} - \delta_{\text{tail}}}{\tau_{\text{tail}}}}}{1 + e^{-\frac{m_{\gamma\gamma} - \delta_{\text{thresh}}}{\tau_{\text{thresh}}}}}\right)}_{\text{Activation function}},$$

where c_1 , a_0 and c_0 are the parameters of the power-law term, and δ_{tail} , τ_{tail} , δ_{thresh} and τ_{thresh} describe the activation function. The power-law part is qualitatively described by its endpoints, being 1 at $m_{\gamma\gamma} = 0$, and 0 at $m_{\gamma\gamma} = c_1$, and a fixed value of $c_1 = 115$ GeV can be set with no impact on the flexibility of the complete model. The activation function only plays a role above δ_{thresh} , below which its value is practically 1.

The complete functional form is obtained by adding the two components and has ten parameters in total:

$$f(m_{\gamma\gamma}; \boldsymbol{\theta}_{\text{TO}}, \boldsymbol{\theta}_{\text{High}}, f_{\text{TO}}) = h_{\text{TO}}(\boldsymbol{\theta}_{\text{TO}}) \cdot f_{\text{TO}} + (1 - f_{\text{TO}}) \cdot h_{\text{High}}(\boldsymbol{\theta}_{\text{High}}), \quad (1)$$

where f_{TO} is the parameter that describes the relative contribution of the turn-on component and $\boldsymbol{\theta}_i$ are the sets of parameters belonging to h_{High} and h_{TO} . To reduce the potentially large correlations between the ten parameters, a subset of them are fixed to ensure the convergence of the fit. The choice of free parameters is based on the results of stability tests using generated pseudo-datasets from the best fit to the background template. The chosen configuration has the largest number of floating parameters, with only three fixed parameters (c_1 , δ_{thresh} , τ_{thresh}) while the remaining seven parameters are free to vary.

Variations of the nominal background template are built to validate the flexibility of the chosen functional form and subsequently to estimate background modelling systematic uncertainties in Section 6.3. They are constructed by i) modifying the fractions of the background components, referred to as variations of the $\gamma\gamma$ fraction ($f_{\gamma\gamma}$); ii) varying the identification criteria used to define the γj and $j j$ control regions, referred to as variations of the control region; and iii) altering the templates by varying the $p_{\text{T}}^{\gamma\gamma}$ cut by 10%, referred to as $p_{\text{T}}^{\gamma\gamma}$ variations. These variations change the steepness of the turn-on by up to 20%, and the slope in the high mass region by $\pm 5\%$, with respect to the nominal background template.

6.2 Gaussian Processes to mitigate statistical fluctuations in background templates

The bias arising from the choice of background model is evaluated from signal-plus-background fits to background-only templates: any fitted signal yield N_{SS} is referred to as a ‘spurious signal’ and it is considered as a systematic uncertainty in the modelling of the background shape. The functional form of Eq. (1) provides an acceptable maximal spurious signal that is below 30% of the statistical uncertainty in the mass range between 10 and 75 GeV, and therefore it is chosen as the background model.

The estimation of this systematic uncertainty requires the shape of the background template to be as close as possible to the shape of the data distribution, but with an event count large enough for the statistical fluctuations of the template to be negligible. When evaluating the uncertainty, if the background model perfectly describes the representative background sample, then the number of signal events fitted by the signal-plus-background model will be zero. However, the representative background-only sample for this analysis is constructed using a limited number of simulated diphoton events, and the presence of statistical fluctuations in the sample introduces large statistical fluctuations in the number of fitted signal events, regardless of the quality of the background model. This issue was addressed previously [26] by using simulated datasets with much larger event counts than in data, which leads to smaller statistical fluctuations in the background shape but is computationally expensive. In order to meet the aforementioned requirements, an alternative approach to easing statistical effects on the background modelling uncertainty by using Gaussian Processes is followed instead.

A Gaussian Process (GP) is a flexible Bayesian machine-learning technique which may be used to obtain a non-parametric fit to an input dataset [58]. The analysis uses the scikit-learn GP implementation [59] to

fit a GP to the representative background sample histogram; the posterior mean of the GP fit is used as a smoothed background template. The combined signal and background model fit is then performed on the smoothed template instead of the original representative background sample. The degree of smoothing applied is controlled through the choice of kernel and its hyperparameters. A radial basis function (RBF) kernel [58] with an additional constant noise component is utilized here. The RBF kernel includes a length-scale hyperparameter that encodes the correlation between the event counts for different bins in invariant mass. The contents of bins which are less than the length scale apart in invariant mass are highly correlated, while the contents of those which are much further apart than the length scale are essentially uncorrelated. Physically, the length scale encodes a minimum feature size expected in the background shape, which in this analysis corresponds to the 1–2 GeV width of the trigger efficiency turn-on region and thus is also greater than the 100 MeV bin width of the original background histogram. The kernel hyperparameter values are determined in the fit to the representative background sample. Notably, because GPs are non-parametric in nature, the GP smoothing technique is not expected to significantly bias the shape of the resulting smoothed template towards a specific choice of analytic background model.

GPs may introduce mis-modelling at the edges of the diphoton invariant mass distribution, since edge points are only constrained by their correlation with other data points on one side. To mitigate these edge effects, the GP fit is performed using an extended invariant mass range of 7–80 GeV, while the combined signal and background model fit is performed using the nominal analysis invariant mass range of 9–77 GeV.

Figure 3 shows an example of a pseudo-dataset generated from the nominal background modelling function, as well as the GP-smoothed pseudo-dataset. The smoothed pseudo-dataset is observed to reproduce the nominal background modelling function shape with relatively high accuracy, and without the bin-scale statistical fluctuations of the original pseudo-dataset. The smoothed pseudo-dataset shows some oscillatory behaviour beyond the turn-on region; these features are an artefact of the steep slope in the turn-on region pulling the fitted length scale to a smaller value than would otherwise be needed to model the remaining mass range. Similarly, some mis-modelling of the smoothed pseudo-dataset is observed in the turn-on region because of the length scale being pulled to a larger value by the higher mass region. The magnitude of the fluctuations in the smoothed pseudo-dataset is significantly smaller than that of statistical fluctuations in the unsmoothed pseudo-dataset.

6.3 Impact of smoothing on the background modelling uncertainty

In order to verify that the GP smoothing technique does not introduce any significant bias into the background histogram shape, its effect is checked on an ensemble of pseudo-datasets generated from a known background shape. Ensembles are generated using both the nominal background modelling function (provided in Eq. (1)) and a set of analytic forms capable of describing the turn-on feature in the background shape. This set is composed of functional forms built similarly to the nominal functional form in which either the turn-on component or the smoothly falling component is replaced by other analytic forms, such as different Fermi–Dirac-like functions for the turn-on or sums of exponential functions for the smoothly falling component. The parameters of the analytic forms are determined by fitting them to the original simulated background sample, and each histogram in the ensemble is generated with the same effective event count as in the original simulated background sample.

The background modelling uncertainty is then evaluated for each pseudo-dataset, with and without smoothing. The aforementioned functional forms are used to probe for potential smoothing bias in both the cases where the analytic background model did or did not properly describe the pseudo-dataset. The bias




Figure 3: The upper panel shows a single pseudo-dataset (solid markers) generated from the nominal background modelling function described in Eq. (1) (blue dashed line). The GP-smoothed pseudo-dataset is shown with the red solid line. The bottom panel shows the difference between the unsmoothed and smoothed pseudo-datasets with respect to the nominal background shape. The horizontal axis of the plot utilizes a wider diphoton invariant mass range than the one used in the analysis in order to mitigate the impact of edge effects from the GP smoothing technique. The lower right panel shows the profile of the difference between the unsmoothed (black) and smoothed (red) pseudo-datasets with respect to the nominal background shape.

that arises from the GP smoothing technique is defined as the difference between the observed spurious signals in the smoothed template and the unsmoothed template. The uncertainty associated with the GP smoothing technique is observed to be roughly 20% of the background modelling uncertainty for masses below 20 GeV, stabilizing at 5% for larger masses. This bias is added in quadrature to the background modelling uncertainty.

The final background modelling uncertainty is computed as the envelope of the maximal fitted signal yields over all the background template variations defined previously in this section after smoothing. Figure 4(a) shows the number of spurious-signal events N_{SS} , taken as the background modelling uncertainty, relative to its statistical uncertainty δS for the unsmoothed and smoothed templates. Applying the GP smoothing procedure to the background template leads to a reduction of at least 50% in this background modelling uncertainty relative to the unsmoothed case. The uncertainty arising from the GP smoothing technique is found to be small compared to the decrease in background modelling uncertainty due to the reduction of statistical noise. The magnitude of the smoothing uncertainty, as well as the remaining background modelling uncertainty, is presented as a function of the diphoton invariant mass in Figure 4(b).

7 Statistical analysis

The data are interpreted by following the statistical procedure described in Ref. [60]. A binned likelihood function is built from the observed diphoton invariant mass distribution and the analytic functions discussed




Figure 4: (a) Number of spurious-signal events N_{SS} relative to its uncertainty δS as a function of the resonance mass m_X for smoothed variations of the nominal template obtained from different control region definitions, diphoton purity variations and different kinematic selections. The light green line encloses the local maxima of the distribution. The dark green envelope includes the bias observed from the GP fit. The light blue envelope shows the relative background modelling uncertainty obtained from a parameterization of the unsmoothed template. (b) Absolute number of spurious-signal events $|N_{SS}|$ as a function of m_X evaluated for smoothed variations of the nominal template obtained from different control region definitions, diphoton purity variations and different kinematic selections. The light green line encloses the local maxima of the distribution. The dark green line includes the bias observed from the GP fit.

in Sections 5 and 6, describing the signal and background components in the 9 to 77 GeV mass range. The search is performed in the 10 to 70 GeV mass range to avoid edge effects, based on the different diphoton invariant mass resolutions at these values, as illustrated in Figure 1(a).

The parameter of interest to be extracted from the likelihood fit is the fiducial production cross-section times branching ratio $\sigma_{\text{fid}} \cdot \mathcal{B}(X \rightarrow \gamma\gamma)$. Since the measurement is performed in a fiducial volume (defined in Section 4) to allow easier reinterpretation of the results, the fiducial cross-section includes a correction factor C_X to account for the signal detection efficiency:

$$\sigma_{\text{fid}} \cdot \mathcal{B}(X \rightarrow \gamma\gamma) = \frac{N_S}{C_X \mathcal{L}}, \quad \text{with} \quad C_X = \frac{N_{\text{MC}}^{\text{det}}}{N_{\text{MC}}^{\text{fid}}},$$

where N_S is the number of signal events fitted in data, \mathcal{L} is the integrated luminosity, $N_{\text{MC}}^{\text{det}}$ is the number of reconstructed and selected signal events in the simulation and $N_{\text{MC}}^{\text{fid}}$ is the number of simulated signal events present within the fiducial volume. The C_X values are computed from the simulated signal samples described in Section 3 and range from 0.2 to 0.5 as a function of m_X .

The theoretical uncertainties affecting the measurement of $\sigma_{\text{fid}} \cdot \mathcal{B}(X \rightarrow \gamma\gamma)$ arise from variations of the renormalization and factorization scales affecting the signal efficiencies evaluated in simulated samples. The experimental uncertainties directly impacting the signal yield include those involved in the luminosity determination, the modelling of pile-up interactions in simulation, the trigger efficiency, and photon identification and isolation. An additional systematic uncertainty in the trigger is included to account for the capability of the trigger system to identify two closely spaced electromagnetic showers. Events containing a $Z \rightarrow l\ell\gamma$ decay, recorded only with electron triggers, in which the photon is close to one

of the two electrons are used to evaluate the photon trigger efficiency in data and simulated radiative Z samples [35]. The observed difference is added in quadrature to the nominal trigger systematic uncertainty. Uncertainties in the signal shape parameterization from the modelling and the determination of the photon energy resolution and scale are also accounted for, with mild impact on the signal yield.

The systematic uncertainties are implemented in the likelihood function as nuisance parameters constrained by Gaussian penalty terms, except for the background modelling systematic uncertainty, which is implemented as an additional signal component. All sources of systematic uncertainties are summarized in Table 1.

The compatibility of the observed data and the background-only hypothesis for a given signal hypothesis m_X is tested by estimating a local p -value based on a profile-likelihood-ratio test statistic, detailed in Ref. [60]. The global significance of a given event excess is computed using background-only generated pseudo-datasets to account for the look-elsewhere effect [61].

In the absence of a signal, the expected and observed 95% confidence level (CL) exclusion limits on the cross-section times branching ratio are evaluated using the modified frequentist approach CL_s [62, 63] with the asymptotic approximation to the test-statistic distribution.

Table 1: Summary of the main sources of systematic uncertainty. Their impact on the fiducial production cross-section of a hypothetical resonant signal is shown, except for the background modelling uncertainty, which is expressed both as a number of events and relative to the expected statistical uncertainty δS of a fitted signal. Unless written otherwise, numbers are mass independent.

Source	Uncertainty
On $\sigma_{\text{fid}} \cdot \mathcal{B}(X \rightarrow \gamma\gamma)$ [%]	
Pile-up modelling	± 3.5 (at 10 GeV) to ± 2 (beyond 15 GeV), mass dependent
Photon energy resolution	± 2.5 to ± 2.7 , mass dependent
Scale and PDFs uncertainties	± 2.5 to ± 0.5 , mass dependent
Trigger on closely spaced photons	± 2 (at 10 GeV) to < 0.1 (beyond 35 GeV), mass dependent
Photon identification	± 2.0
Isolation efficiency	± 2.0
Luminosity (2015–2018)	± 1.7
Trigger	± 1.0
Signal shape modelling	< 1
Photon energy scale	negligible
<i>Background modelling</i>	
Spurious signal (relative to δS)	30–65 events (10%–30%), mass dependent

8 Results

The diphoton invariant mass distribution of events passing the analysis selection is shown in Figure 5, along with the background-only fit performed in the 9 to 77 GeV mass range.

The result of the p -value scan as a function of the hypothesized resonance mass m_X is shown in Figure 6. The most significant deviation from the background-only hypothesis is observed for a mass of 19.4 GeV, corresponding to a local significance of 3.1σ . The global significance of such an excess is 1.5σ , computed




Figure 5: (a) Distribution of the diphoton invariant mass for all events passing the analysis selections in the full Run 2 dataset with the background-only fit superimposed. The functional form is decomposed into the different pieces described in detail in Section 6.1. (b) Vertically enlarged version of Figure 5(a). The normalized residuals between the data and the fit are shown in the bottom panel.

using the methodology described in Section 7. Therefore, no significant deviations from the SM are observed.




Figure 6: Scan of the observed p -value as a function of the diphoton invariant mass for the background-only hypothesis for the full Run 2 dataset.

The observed and expected upper limits on $\sigma_{\text{fid}} \cdot \mathcal{B}(X \rightarrow \gamma\gamma)$ as a function of the resonance mass are shown in Figure 7. The expected upper limit is nearly constant across almost the whole invariant mass range of the search because of the competing effects of the increase of signal efficiencies and widening of the signal widths with increasing mass.




Figure 7: Expected and observed upper limits on the fiducial production cross-section times branching ratio to photon pairs for a scalar resonance in the NWA as a function of the resonance mass m_X , for the full Run 2 dataset.

9 Phenomenological interpretation

In this section the observed limits on the fiducial cross-section for a hypothetical resonance X are recast in the parameter space of an ALP a . The KSVZ-ALP model, inspired by the simplest QCD-axion model [64–66], is chosen as a benchmark because it allows for couplings between the ALP field and gauge bosons, including a non-zero coupling to gluons and photons. It is described by the following effective Lagrangian:

$$\frac{a}{4\pi f_a} [\alpha_3 c_3 G^a \tilde{G}^a + \alpha_2 c_2 W^i \tilde{W}^i + \alpha_1 c_1 B \tilde{B}] + \frac{1}{2} m_a^2 a^2, \quad (2)$$

where a and m_a are the ALP field and its mass, and f_a corresponds to the decay constant that governs its coupling with the SM fields. The QCD and EW field strengths are denoted by G , W and B with $\tilde{F}^{\mu\nu} = (1/2) \epsilon^{\mu\nu\rho\sigma} F_{\rho\sigma}$ for all field strengths. The coupling constants α_3 , α_2 and $\alpha_1 = (5/3) \alpha_Y$ (where α_Y stands for the weak SM hypercharge Y coupling constant) set the strength of the strong and EW interactions in the SM. The coefficients c_i encode the anomalies of the global symmetry non-linearly realized by the ALP with the SM gauge group. These anomalies are generated by integrating out heavy fermions which are charged under the SM gauge group at the scale f_a . This Lagrangian is equivalent to the one used to generate the simulated signal samples described in Section 3.

The ALP a under consideration, being the pNGB of an approximate global symmetry, remains naturally light well below the scale of new physics. Considering m_a , the mass of the ALP, to be much smaller than m_Z , the relevant two-body decays of a are to photons and to jets, with widths which can be found, e.g., in Ref. [67]. In the 10 to 70 GeV mass range and for the choice of anomalies $c_1 = c_2 = c_3 = 10$, the branching ratio $\mathcal{B}(a \rightarrow \gamma\gamma)$ varies from $0.6 \cdot 10^{-3}$ to $1.6 \cdot 10^{-3}$. Choosing to set the magnitude of the c_i parameters to be the same is motivated by gauge coupling unification in a Grand Unified Theory scenario. While the specific value of 10 is arbitrary, the rescaling of the results to a different anomaly




Figure 8: Parameter space of the ALP for $c_1 = c_2 = c_3 = 10$ (Eq. (2)). The observed and expected lower bounds on the ALP decay constant derived from this analysis are shown in black solid and dashed lines respectively. *BABAR* bounds on $B \rightarrow Ka$ derived in Ref. [72] are shown in purple; in green the LHC bounds on boosted dijet resonances [73] and in blue the LHC searches for diphoton resonances taken from Ref. [67]. The red bounds are derived from Tevatron [74] and LHC [57, 75, 76] diphoton cross-section measurements, following the method described in Ref. [67]. Weaker constraints covering lower invariant masses are obtained from LHCb diphoton measurements [77] and from LEP searches for $Z \rightarrow \gamma a(jj)$ [78], in cyan and yellow respectively. On the right, the y -axis shows the ALP–photon coupling $g_{a\gamma\gamma} \equiv \alpha_{\text{em}} E / \pi f_a$ ($E = c_2 + \frac{5}{3}c_1$), a standard QCD axion notation.

parameter choice would be trivial. The ALP Lagrangian in Eq. (2) is implemented in Feynrules [68], and the production cross-section at the LHC for the process $gg \rightarrow ag$ is computed at leading order with MADGRAPH [69], where the gluon is explicitly required to boost the ALP. A constant K -factor $K = 2$ is applied to this cross-section to account for NLO corrections, which were computed for a similar signal topology in Ref. [70]. ALPs that couple to gluons decay promptly over the entire mass range of interest for this study (recent studies of displaced ALP decays can be found in Refs. [70, 71]). Because of the large hierarchy between f_a and m_a , and the loop suppression of the coupling, the ALP total width is dominated by its coupling to gluons and is always small compared to its mass. As a consequence, the narrow-width approximation always applies and finite-width effects can be safely neglected.

The recasting is done by comparing the theoretical signal yield obtained from the ALP model of Eq. (2), after applying the particle-level selection described in Section 4, with the bounds on the fiducial cross-section in Figure 7. The signal cross-section times branching ratio can be written as $1/f_a^2$ times a weakly varying function of the ALP mass. The upper limit on the cross-section then results in a lower limit on f_a , which is shown in Figure 8 for a specific choice of the c_i coefficients.

Figure 8 shows how the sensitivity of the search presented here covers a large portion of the unexplored

ALP parameter space where the heavy colour states generating the ALP coupling to gauge bosons are in the multi-TeV range and therefore inaccessible at the LHC. Any production mechanism other than gluon–gluon fusion suffers from a smaller production cross-section, and the decoupling of the heavy states inducing the ALP coupling to SM states would require further study.

Constraints from $\Upsilon \rightarrow \gamma a(jj)$ [79], constraints from Z boson width measurements [80], and ALP production in light-by-light scattering in heavy-ion collisions [81, 82] are too weak to appear in the plot.

10 Conclusion

A search for new narrow-width boosted resonances is performed in the diphoton invariant mass spectrum ranging from 10 to 70 GeV, using 138 fb^{-1} of pp collision data collected at a centre-of-mass energy of 13 TeV with the ATLAS detector at the Large Hadron Collider. The data are consistent with the SM background expectation. Limits are set on the fiducial cross-section times branching ratio in a fiducial region defined to mimic the detector-level selection. The observed limits on $\sigma_{\text{fid}} \cdot \mathcal{B}(X \rightarrow \gamma\gamma)$ range from 4 to 17 fb, with variations mainly due to statistical fluctuations of the data. The dominant uncertainties arise from the limited number of pp collisions collected and the background modelling uncertainty. The impact of the latter is reduced by smoothing the simulated background-only sample with Gaussian Processes in order to reduce the statistical fluctuations in the sample. Furthermore, the observed limits are recast in the parameter space of an axion-like particle, covering a longstanding gap in diphoton resonance searches.

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; ANID, Chile; CAS, MOST and NSFC, China; Minciencias, Colombia; MEYS CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS and CEA-DRF/IRFU, France; SRNSFG, Georgia; BMBF, HGF and MPG, Germany; GSRI, Greece; RGC and Hong Kong SAR, China; ISF and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MEiN, Poland; FCT, Portugal; MNE/IFA, Romania; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DSI/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taiwan; TENMAK, Türkiye; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, CANARIE, Compute Canada and CRC, Canada; PRIMUS 21/SCI/017 and UNCE SCI/013, Czech Republic; COST, ERC, ERDF, Horizon 2020 and Marie Skłodowska-Curie Actions, European Union; Investissements d’Avenir Labex, Investissements d’Avenir Idex and ANR, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF, Greece; BSF-NSF and MINERVA, Israel; Norwegian Financial Mechanism 2014-2021, Norway; NCN and NAWA, Poland; La Caixa Banking Foundation, CERCA Programme Generalitat de Catalunya and PROMETEO and GenT Programmes Generalitat Valenciana, Spain; Göran Gustafssons Stiftelse, Sweden; The Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [**ATL-SOFT-PUB-2023-001**].

References

- [1] ATLAS Collaboration, *Search for Scalar Diphoton Resonances in the Mass Range 65–600 GeV with the ATLAS Detector in pp Collision Data at $\sqrt{s} = 8$ TeV*, *Phys. Rev. Lett.* **113** (2014) 171801, arXiv: [1407.6583 \[hep-ex\]](#).
- [2] ATLAS Collaboration, *Search for resonances decaying into photon pairs in 139fb^{-1} of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *Phys. Lett. B* **822** (2021) 136651, arXiv: [2102.13405 \[hep-ex\]](#).
- [3] CMS Collaboration, *Search for diphoton resonances in the mass range from 150 to 850 GeV in pp collisions at $\sqrt{s} = 8$ TeV*, *Phys. Lett. B* **750** (2015) 494, arXiv: [1506.02301 \[hep-ex\]](#).
- [4] CMS Collaboration, *Search for physics beyond the standard model in high-mass diphoton events from proton–proton collisions at $\sqrt{s} = 13$ TeV*, *Phys. Rev. D* **98** (2018) 092001, arXiv: [1809.00327 \[hep-ex\]](#).
- [5] B. Holdom and M. E. Peskin, *Raising the Axion Mass*, *Nucl. Phys. B* **208** (1982) 397.
- [6] K. Choi, C. W. Kim and W. K. Sze, *Mass Renormalization by Instantons and the Strong CP Problem*, *Phys. Rev. Lett.* **61** (1988) 794.
- [7] B. Holdom, *Strong QCD at high energies and a heavy axion*, *Phys. Lett. B* **154** (1985) 316, [Erratum: *Phys.Lett.B* 156, 452 (1985)].
- [8] M. Dine and N. Seiberg, *String theory and the strong CP problem*, *Nucl. Phys. B* **273** (1986) 109.
- [9] J. M. Flynn and L. Randall, *A computation of the small instanton contribution to the axion potential*, *Nucl. Phys. B* **293** (1987) 731.
- [10] V. A. Rubakov, *Grand unification and heavy axion*, *JETP Lett.* **65** (1997) 621, arXiv: [hep-ph/9703409](#).
- [11] K. Choi and H. D. Kim, *Small instanton contribution to the axion potential in supersymmetric models*, *Phys. Rev. D* **59** (1999) 072001, arXiv: [hep-ph/9809286](#).
- [12] Z. Berezhiani, L. Gianfagna and M. Giannotti, *Strong CP problem and mirror world: The Weinberg-Wilczek axion revisited*, *Phys. Lett. B* **500** (2001) 286, arXiv: [hep-ph/0009290](#).
- [13] A. Hook, *Anomalous Solutions to the Strong CP Problem*, *Phys. Rev. Lett.* **114** (2015) 141801, arXiv: [1411.3325 \[hep-ph\]](#).
- [14] H. Fukuda, K. Harigaya, M. Ibe and T. T. Yanagida, *Model of visible QCD axion*, *Phys. Rev. D* **92** (2015) 015021, arXiv: [1504.06084 \[hep-ph\]](#).
- [15] S. Dimopoulos, A. Hook, J. Huang and G. Marques-Tavares, *A collider observable QCD axion*, *JHEP* **11** (2016) 052, arXiv: [1606.03097 \[hep-ph\]](#).
- [16] P. Agrawal and K. Howe, *Factoring the strong CP problem*, *JHEP* **12** (2018) 029, arXiv: [1710.04213 \[hep-ph\]](#).
- [17] M. K. Gaillard, M. B. Gavela, R. Houtz, P. Quilez and R. Del Rey, *Color unified dynamical axion*, *Eur. Phys. J. C* **78** (2018) 972, arXiv: [1805.06465 \[hep-ph\]](#).
- [18] A. E. Nelson and N. Seiberg, *R symmetry breaking versus supersymmetry breaking*, *Nucl. Phys. B* **416** (1994) 46, arXiv: [hep-ph/9309299](#).

- [19] H.-S. Goh and M. Ibe, *R-axion detection at LHC*, *JHEP* **03** (2009) 049, arXiv: [0810.5773 \[hep-ph\]](#).
- [20] B. Bellazzini, A. Mariotti, D. Redigolo, F. Sala and J. Serra, *R-Axion at Colliders*, *Phys. Rev. Lett.* **119** (2017) 141804, arXiv: [1702.02152 \[hep-ph\]](#).
- [21] G. Ferretti and D. Karateev, *Fermionic UV completions of composite Higgs models*, *JHEP* **03** (2014) 077, arXiv: [1312.5330 \[hep-ph\]](#).
- [22] A. Belyaev et al., *Singlets in composite Higgs models in light of the LHC 750 GeV diphoton excess*, *Phys. Rev. D* **94** (2016) 015004, arXiv: [1512.07242 \[hep-ph\]](#).
- [23] G. Ferretti, *Gauge theories of Partial Compositeness: Scenarios for Run-II of the LHC*, *JHEP* **06** (2016) 107, arXiv: [1604.06467 \[hep-ph\]](#).
- [24] J. Mardon, Y. Nomura and J. Thaler, *Cosmic signals from the hidden sector*, *Phys. Rev. D* **80** (2009) 035013, arXiv: [0905.3749 \[hep-ph\]](#).
- [25] K. S. Jeong, T. H. Jung and C. S. Shin, *Axionic electroweak baryogenesis*, *Phys. Lett. B* **790** (2019) 326, arXiv: [1806.02591 \[hep-ph\]](#).
- [26] ATLAS Collaboration, *Search for resonances in the 65 to 110 GeV diphoton invariant mass range using 80 fb⁻¹ of pp collisions collected at $\sqrt{s} = 13$ TeV with the ATLAS detector*, ATLAS-CONF-2018-025, 2018, URL: <https://cds.cern.ch/record/2628760>.
- [27] ATLAS Collaboration, *The ATLAS Experiment at the CERN Large Hadron Collider*, *JINST* **3** (2008) S08003.
- [28] ATLAS Collaboration, *ATLAS Insertable B-Layer Technical Design Report*, ATLAS-TDR-19; CERN-LHCC-2010-013, 2010, URL: <https://cds.cern.ch/record/1291633>, Addendum: ATLAS-TDR-19-ADD-1; CERN-LHCC-2012-009, 2012, URL: <https://cds.cern.ch/record/1451888>.
- [29] B. Abbott et al., *Production and integration of the ATLAS Insertable B-Layer*, *JINST* **13** (2018) T05008, arXiv: [1803.00844 \[physics.ins-det\]](#).
- [30] ATLAS Collaboration, *Electron and photon performance measurements with the ATLAS detector using the 2015–2017 LHC proton–proton collision data*, *JINST* **14** (2019) P12006, arXiv: [1908.00005 \[hep-ex\]](#).
- [31] ATLAS Collaboration, *Performance of the ATLAS trigger system in 2015*, *Eur. Phys. J. C* **77** (2017) 317, arXiv: [1611.09661 \[hep-ex\]](#).
- [32] ATLAS Collaboration, *The ATLAS Collaboration Software and Firmware*, ATLAS-SOFT-PUB-2021-001, 2021, URL: <https://cds.cern.ch/record/2767187>.
- [33] ATLAS Collaboration, *ATLAS data quality operations and performance for 2015–2018 data-taking*, *JINST* **15** (2020) P04003, arXiv: [1911.04632 \[physics.ins-det\]](#).
- [34] ATLAS Collaboration, *Luminosity determination in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector at the LHC*, ATLAS-CONF-2019-021, 2019, URL: <https://cds.cern.ch/record/2677054>.
- [35] ATLAS Collaboration, *Performance of electron and photon triggers in ATLAS during LHC Run 2*, *Eur. Phys. J. C* **80** (2020) 47, arXiv: [1909.00761 \[hep-ex\]](#).
- [36] P. Artoisenet et al., *A framework for Higgs characterisation*, *JHEP* **11** (2013) 043, arXiv: [1306.6464 \[hep-ph\]](#).

- [37] J. Alwall et al., *The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations*, *JHEP* **07** (2014) 079, arXiv: [1405.0301 \[hep-ph\]](#).
- [38] The NNPDF Collaboration, R. D. Ball et al., *Parton distributions for the LHC run II*, *JHEP* **04** (2015) 040, arXiv: [1410.8849 \[hep-ph\]](#).
- [39] ATLAS Collaboration, *ATLAS Pythia 8 tunes to 7 TeV data*, ATL-PHYS-PUB-2014-021, 2014, URL: <https://cds.cern.ch/record/1966419>.
- [40] T. Sjöstrand, S. Mrenna and P. Skands, *A brief introduction to PYTHIA 8.1*, *Comput. Phys. Commun.* **178** (2008) 852, arXiv: [0710.3820 \[hep-ph\]](#).
- [41] T. Gleisberg et al., *Event generation with SHERPA 1.1*, *JHEP* **02** (2009) 007, arXiv: [0811.4622 \[hep-ph\]](#).
- [42] E. Bothmann et al., *Event generation with Sherpa 2.2*, *SciPost Phys.* **7** (2019) 034, arXiv: [1905.09127 \[hep-ph\]](#).
- [43] S. Höche, F. Krauss, M. Schönherr and F. Siegert, *A critical appraisal of NLO+PS matching methods*, *JHEP* **09** (2012) 049, arXiv: [1111.1220 \[hep-ph\]](#).
- [44] S. Höche, F. Krauss, M. Schönherr and F. Siegert, *QCD matrix elements + parton showers. The NLO case*, *JHEP* **04** (2013) 027, arXiv: [1207.5030 \[hep-ph\]](#).
- [45] S. Catani, F. Krauss, B. R. Webber and R. Kuhn, *QCD Matrix Elements + Parton Showers*, *JHEP* **11** (2001) 063, arXiv: [hep-ph/0109231](#).
- [46] S. Höche, F. Krauss, S. Schumann and F. Siegert, *QCD matrix elements and truncated showers*, *JHEP* **05** (2009) 053, arXiv: [0903.1219 \[hep-ph\]](#).
- [47] ATLAS Collaboration, *The ATLAS Simulation Infrastructure*, *Eur. Phys. J. C* **70** (2010) 823, arXiv: [1005.4568 \[physics.ins-det\]](#).
- [48] S. Agostinelli et al., *GEANT4 – a simulation toolkit*, *Nucl. Instrum. Meth. A* **506** (2003) 250.
- [49] ATLAS Collaboration, *The simulation principle and performance of the ATLAS fast calorimeter simulation FastCaloSim*, ATL-PHYS-PUB-2010-013, 2010, URL: <https://cds.cern.ch/record/1300517>.
- [50] ATLAS Collaboration, *Measurement of Higgs boson production in the diphoton decay channel in pp collisions at center-of-mass energies of 7 and 8 TeV with the ATLAS detector*, *Phys. Rev. D* **90** (2014) 112015, arXiv: [1408.7084 \[hep-ex\]](#).
- [51] ATLAS Collaboration, *Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1*, *Eur. Phys. J. C* **77** (2017) 490, arXiv: [1603.02934 \[hep-ex\]](#).
- [52] ATLAS Collaboration, *Measurement of the inclusive isolated prompt photon cross section in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector*, *Phys. Rev. D* **83** (2011) 052005, arXiv: [1012.4389 \[hep-ex\]](#).
- [53] M. Cacciari, G. P. Salam and G. Soyez, *The catchment area of jets*, *JHEP* **04** (2008) 005, arXiv: [0802.1188 \[hep-ph\]](#).
- [54] M. Cacciari, G. P. Salam and S. Sapeta, *On the characterisation of the underlying event*, *JHEP* **04** (2010) 065, arXiv: [0912.4926 \[hep-ph\]](#).

- [55] M. Oreglia, *A Study of the Reactions $\psi' \rightarrow \gamma\gamma\psi$* , PhD thesis, 1980,
URL: <https://www.slac.stanford.edu/cgi-bin/getdoc/slac-r-236.pdf>.
- [56] ATLAS Collaboration, *Recommendations for the Modeling of Smooth Backgrounds*,
ATL-PHYS-PUB-2020-028, 2020, URL: <https://cds.cern.ch/record/2743717>.
- [57] ATLAS Collaboration, *Measurement of isolated-photon pair production in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector*, *JHEP* **01** (2013) 086, arXiv: 1211.1913 [hep-ex].
- [58] C. E. Rasmussen and C. K. I. Williams,
Gaussian Processes for Machine Learning (Adaptive Computation and Machine Learning),
The MIT Press, 2005, ISBN: 026218253X.
- [59] F. Pedregosa et al., *Scikit-learn: Machine Learning in Python*,
Journal of Machine Learning Research **12** (2012) 2825,
URL: <https://arxiv.org/abs/1201.0490>.
- [60] G. Cowan, K. Cranmer, E. Gross and O. Vitells,
Asymptotic formulae for likelihood-based tests of new physics, *Eur. Phys. J. C* **71** (2011) 1554,
arXiv: 1007.1727 [physics.data-an], Erratum: *Eur. Phys. J. C* **73** (2013) 2501.
- [61] E. Gross and O. Vitells, *Trial factors for the look elsewhere effect in high energy physics*,
Eur. Phys. J. C **70** (2010) 525, arXiv: 1005.1891 [physics.data-an].
- [62] T. Junk, *Confidence level computation for combining searches with small statistics*,
Nucl. Instrum. Meth. A **434** (1999) 435, arXiv: hep-ex/9902006.
- [63] A. L. Read, *Presentation of search results: the CL_s technique*, *J. Phys. G* **28** (2002) 2693.
- [64] R. D. Peccei and H. R. Quinn, *CP Conservation in the Presence of Instantons*,
Phys. Rev. Lett. **38** (1977) 1440.
- [65] J. E. Kim, *Weak Interaction Singlet and Strong CP Invariance*, *Phys. Rev. Lett.* **43** (1979) 103.
- [66] M. A. Shifman, A. I. Vainshtein and V. I. Zakharov,
Can confinement ensure natural CP invariance of strong interactions?,
Nucl. Phys. B **166** (1980) 493.
- [67] A. Mariotti, D. Redigolo, F. Sala and K. Tobioka,
New LHC bound on low-mass diphoton resonances, *Phys. Lett. B* **783** (2018) 13,
arXiv: 1710.01743 [hep-ph].
- [68] A. Alloul, N. D. Christensen, C. Degrande, C. Duhr and B. Fuks,
FeynRules 2.0 - A complete toolbox for tree-level phenomenology,
Comput. Phys. Commun. **185** (2014) 2250, arXiv: 1310.1921 [hep-ph].
- [69] J. Alwall, M. Herquet, F. Maltoni, O. Mattelaer and T. Stelzer, *MadGraph 5 : Going Beyond*,
JHEP **06** (2011) 128, arXiv: 1106.0522 [hep-ph].
- [70] Y. Gershtein, S. Knapen and D. Redigolo,
Probing naturally light singlets with a displaced vertex trigger, *Phys. Lett. B* **823** (2021) 136758,
arXiv: 2012.07864 [hep-ph].
- [71] A. Hook, S. Kumar, Z. Liu and R. Sundrum, *High Quality QCD Axion and the LHC*,
Phys. Rev. Lett. **124** (2020) 221801, arXiv: 1911.12364 [hep-ph].
- [72] S. Chakraborty, M. Kraus, V. Loladze, T. Okui and K. Tobioka,
Heavy QCD axion in $b \rightarrow s$ transition: Enhanced limits and projections,
Phys. Rev. D **104** (2021) 055036, arXiv: 2102.04474 [hep-ph].

- [73] CMS Collaboration, *Search for low mass vector resonances decaying into quark–antiquark pairs in proton–proton collisions at $\sqrt{s} = 13$ TeV*, *JHEP* **01** (2018) 097, arXiv: [1710.00159](#) [[hep-ex](#)].
- [74] CDF Collaboration, *Measurement of the Cross Section for Prompt Isolated Diphoton Production Using the Full CDF Run II Data Sample*, *Phys. Rev. Lett.* **110** (2013) 101801, arXiv: [1212.4204](#) [[hep-ex](#)].
- [75] CMS Collaboration, *Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at $\sqrt{s} = 7$ TeV*, *Eur. Phys. J. C* **74** (2014) 3129, arXiv: [1405.7225](#) [[hep-ex](#)].
- [76] ATLAS Collaboration, *Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector*, *JHEP* **11** (2021) 169, arXiv: [2107.09330](#) [[hep-ex](#)].
- [77] X. Cid Vidal, A. Mariotti, D. Redigolo, F. Sala and K. Tobioka, *New axion searches at flavor factories*, *JHEP* **01** (2019) 113, [Erratum: *JHEP* 06, 141 (2020)], arXiv: [1810.09452](#) [[hep-ph](#)].
- [78] L3 Collaboration, *Isolated hard photon emission in hadronic $Z0$ decays*, *Phys. Lett. B* **292** (1992) 472.
- [79] BaBar Collaboration, *Search for Hadronic Decays of a Light Higgs Boson in the Radiative Decay $\Upsilon \rightarrow \gamma A^0$* , *Phys. Rev. Lett.* **107** (2011) 221803, arXiv: [1108.3549](#) [[hep-ex](#)].
- [80] Particle Data Group, *Review of Particle Physics*, *Chin. Phys. C* **40** (2016) 100001.
- [81] ATLAS Collaboration, *Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb^{-1} of $Pb+Pb$ data with the ATLAS detector*, *JHEP* **03** (2021) 243, arXiv: [2008.05355](#) [[hep-ex](#)], Erratum: *JHEP* **11** (2021) 050.
- [82] CMS Collaboration, *Evidence for light-by-light scattering and searches for axion-like particles in ultraperipheral $PbPb$ collisions at $\sqrt{s_{NN}} = 5.02$ TeV*, *Phys. Lett. B* **797** (2019) 134826, arXiv: [1810.04602](#) [[hep-ex](#)].

The ATLAS Collaboration

G. Aad ¹⁰¹, B. Abbott ¹¹⁹, D.C. Abbott ¹⁰², K. Abeling ⁵⁵, S.H. Abidi ²⁹, A. Aboulhorma ^{35e}, H. Abramowicz ¹⁵⁰, H. Abreu ¹⁴⁹, Y. Abulaiti ¹¹⁶, A.C. Abusleme Hoffman ^{136a}, B.S. Acharya ^{68a,68b,p}, B. Achkar ⁵⁵, L. Adam ⁹⁹, C. Adam Bourdarios ⁴, L. Adamczyk ^{84a}, L. Adamek ¹⁵⁴, S.V. Addepalli ²⁶, J. Adelman ¹¹⁴, A. Adiguzel ^{21c}, S. Adorni ⁵⁶, T. Adye ¹³³, A.A. Affolder ¹³⁵, Y. Afik ³⁶, M.N. Agaras ¹³, J. Agarwala ^{72a,72b}, A. Aggarwal ⁹⁹, C. Agheorghiesei ^{27c}, J.A. Aguilar-Saavedra ^{129f}, A. Ahmad ³⁶, F. Ahmadov ^{38,z}, W.S. Ahmed ¹⁰³, S. Ahuja ⁹⁴, X. Ai ⁴⁸, G. Aielli ^{75a,75b}, I. Aizenberg ¹⁶⁸, M. Akbiyik ⁹⁹, T.P.A. Åkesson ⁹⁷, A.V. Akimov ³⁷, K. Al Khoury ⁴¹, G.L. Alberghi ^{23b}, J. Albert ¹⁶⁴, P. Albicocco ⁵³, M.J. Alconada Verzini ⁸⁹, S. Alderweireldt ⁵², M. Aleksa ³⁶, I.N. Aleksandrov ³⁸, C. Alexa ^{27b}, T. Alexopoulos ¹⁰, A. Alfonsi ¹¹³, F. Alfonsi ^{23b}, M. Alhroob ¹¹⁹, B. Ali ¹³¹, S. Ali ¹⁴⁷, M. Aliev ³⁷, G. Alimonti ^{70a}, C. Allaire ³⁶, B.M.M. Allbrooke ¹⁴⁵, P.P. Allport ²⁰, A. Aloisio ^{71a,71b}, F. Alonso ⁸⁹, C. Alpigiani ¹³⁷, E. Alunno Camelia ^{75a,75b}, M. Alvarez Estevez ⁹⁸, M.G. Alvigi ^{71a,71b}, Y. Amaral Coutinho ^{81b}, A. Ambler ¹⁰³, C. Amelung ³⁶, C.G. Ames ¹⁰⁸, D. Amidei ¹⁰⁵, S.P. Amor Dos Santos ^{129a}, S. Amoroso ⁴⁸, K.R. Amos ¹⁶², C.S. Amrouche ⁵⁶, V. Ananiev ¹²⁴, C. Anastopoulos ¹³⁸, N. Andari ¹³⁴, T. Andeen ¹¹, J.K. Anders ¹⁹, S.Y. Andrean ^{47a,47b}, A. Andreazza ^{70a,70b}, S. Angelidakis ⁹, A. Angerami ^{41.ac}, A.V. Anisenkov ³⁷, A. Annovi ^{73a}, C. Antel ⁵⁶, M.T. Anthony ¹³⁸, E. Antipov ¹²⁰, M. Antonelli ⁵³, D.J.A. Antrim ^{17a}, F. Anulli ^{74a}, M. Aoki ⁸², J.A. Aparisi Pozo ¹⁶², M.A. Aparo ¹⁴⁵, L. Aperio Bella ⁴⁸, C. Appelt ¹⁸, N. Aranzabal ³⁶, V. Araujo Ferraz ^{81a}, C. Arcangeletti ⁵³, A.T.H. Arce ⁵¹, E. Arena ⁹¹, J-F. Arguin ¹⁰⁷, S. Argyropoulos ⁵⁴, J.-H. Arling ⁴⁸, A.J. Armbruster ³⁶, O. Arnaez ¹⁵⁴, H. Arnold ¹¹³, Z.P. Arrubarrena Tame ¹⁰⁸, G. Artoni ^{74a,74b}, H. Asada ¹¹⁰, K. Asai ¹¹⁷, S. Asai ¹⁵², N.A. Asbah ⁶¹, E.M. Asimakopoulou ¹⁶⁰, J. Assahsah ^{35d}, K. Assamagan ²⁹, R. Astalos ^{28a}, R.J. Atkin ^{33a}, M. Atkinson ¹⁶¹, N.B. Atlay ¹⁸, H. Atmani ^{62b}, P.A. Atmasiddha ¹⁰⁵, K. Augsten ¹³¹, S. Auricchio ^{71a,71b}, A.D. Auriol ²⁰, V.A. Austrup ¹⁷⁰, G. Avner ¹⁴⁹, G. Avolio ³⁶, K. Axiotis ⁵⁶, M.K. Ayoub ^{14c}, G. Azuelos ^{107.ai}, D. Babal ^{28a}, H. Bachacou ¹³⁴, K. Bachas ^{151,s}, A. Bachiu ³⁴, F. Backman ^{47a,47b}, A. Badea ⁶¹, P. Bagnaia ^{74a,74b}, M. Bahmani ¹⁸, A.J. Bailey ¹⁶², V.R. Bailey ¹⁶¹, J.T. Baines ¹³³, C. Bakalis ¹⁰, O.K. Baker ¹⁷¹, P.J. Bakker ¹¹³, E. Bakos ¹⁵, D. Bakshi Gupta ⁸, S. Balaji ¹⁴⁶, R. Balasubramanian ¹¹³, E.M. Baldin ³⁷, P. Balek ¹³², E. Ballabene ^{70a,70b}, F. Balli ¹³⁴, L.M. Baltos ^{63a}, W.K. Balunas ³², J. Balz ⁹⁹, E. Banas ⁸⁵, M. Bandieramonte ¹²⁸, A. Bandyopadhyay ²⁴, S. Bansal ²⁴, L. Barak ¹⁵⁰, E.L. Barberio ¹⁰⁴, D. Barberis ^{57b,57a}, M. Barbero ¹⁰¹, G. Barbour ⁹⁵, K.N. Barends ^{33a}, T. Barillari ¹⁰⁹, M-S. Barisits ³⁶, J. Barkeloo ¹²², T. Barklow ¹⁴², R.M. Barnett ^{17a}, P. Baron ¹²¹, D.A. Baron Moreno ¹⁰⁰, A. Baroncelli ^{62a}, G. Barone ²⁹, A.J. Barr ¹²⁵, L. Barranco Navarro ^{47a,47b}, F. Barreiro ⁹⁸, J. Barreiro Guimarães da Costa ^{14a}, U. Barron ¹⁵⁰, M.G. Barros Teixeira ^{129a}, S. Barsov ³⁷, F. Bartels ^{63a}, R. Bartoldus ¹⁴², A.E. Barton ⁹⁰, P. Bartos ^{28a}, A. Basalae ⁴⁸, A. Basan ⁹⁹, M. Baselga ⁴⁹, I. Bashta ^{76a,76b}, A. Bassalat ^{66.b}, M.J. Basso ¹⁵⁴, C.R. Basson ¹⁰⁰, R.L. Bates ⁵⁹, S. Batlamous ^{35e}, J.R. Batley ³², B. Batool ¹⁴⁰, M. Battaglia ¹³⁵, M. Bauce ^{74a,74b}, P. Bauer ²⁴, A. Bayirli ^{21a}, J.B. Beacham ⁵¹, T. Beau ¹²⁶, P.H. Beauchemin ¹⁵⁷, F. Becherer ⁵⁴, P. Bechtel ²⁴, H.P. Beck ^{19,r}, K. Becker ¹⁶⁶, C. Becot ⁴⁸, A.J. Beddall ^{21d}, V.A. Bednyakov ³⁸, C.P. Bee ¹⁴⁴, L.J. Beemster ¹⁵, T.A. Beermann ³⁶, M. Begalli ^{81b,81d}, M. Begel ²⁹, A. Behera ¹⁴⁴, J.K. Behr ⁴⁸, C. Beirao Da Cruz E Silva ³⁶, J.F. Beirer ^{55,36}, F. Beisiegel ²⁴, M. Belfkir ¹⁵⁸, G. Bella ¹⁵⁰, L. Bellagamba ^{23b}, A. Bellerive ³⁴, P. Bellos ²⁰, K. Beloborodov ³⁷, K. Belotskiy ³⁷, N.L. Belyaev ³⁷, D. Benckekroun ^{35a},

F. Bendebba ^{35a}, Y. Benhammou ¹⁵⁰, D.P. Benjamin ²⁹, M. Benoit ²⁹, J.R. Bensinger ²⁶,
 S. Bentvelsen ¹¹³, L. Beresford ³⁶, M. Beretta ⁵³, D. Berge ¹⁸, E. Bergeaas Kuutmann ¹⁶⁰,
 N. Berger ⁴, B. Bergmann ¹³¹, J. Beringer ^{17a}, S. Berlendis ⁷, G. Bernardi ⁵, C. Bernius ¹⁴²,
 F.U. Bernlochner ²⁴, T. Berry ⁹⁴, P. Berta ¹³², A. Berthold ⁵⁰, I.A. Bertram ⁹⁰,
 O. Bessidskaia Bylund ¹⁷⁰, S. Bethke ¹⁰⁹, A. Betti ^{74a,74b}, A.J. Bevan ⁹³, M. Bhamjee ^{33c},
 S. Bhatta ¹⁴⁴, D.S. Bhattacharya ¹⁶⁵, P. Bhattarai ²⁶, V.S. Bhopatkar ⁶, R. Bi ¹²⁸, R. Bi ^{29,al},
 R.M. Bianchi ¹²⁸, O. Biebel ¹⁰⁸, R. Bielski ¹²², M. Biglietti ^{76a}, T.R.V. Billoud ¹³¹, M. Bindi ⁵⁵,
 A. Bingul ^{21b}, C. Bini ^{74a,74b}, S. Biondi ^{23b,23a}, A. Biondini ⁹¹, C.J. Birch-sykes ¹⁰⁰,
 G.A. Bird ^{20,133}, M. Birman ¹⁶⁸, T. Bisanz ³⁶, D. Biswas ^{169,1}, A. Bitadze ¹⁰⁰, K. Bjørke ¹²⁴,
 I. Bloch ⁴⁸, C. Blocker ²⁶, A. Blue ⁵⁹, U. Blumenschein ⁹³, J. Blumenthal ⁹⁹, G.J. Bobbink ¹¹³,
 V.S. Bobrovnikov ³⁷, M. Boehler ⁵⁴, D. Bogavac ³⁶, A.G. Bogdanchikov ³⁷, C. Bohm ^{47a},
 V. Boisvert ⁹⁴, P. Bokan ⁴⁸, T. Bold ^{84a}, M. Bomben ⁵, M. Bona ⁹³, M. Boonekamp ¹³⁴,
 C.D. Booth ⁹⁴, A.G. Borbély ⁵⁹, H.M. Borecka-Bielska ¹⁰⁷, L.S. Borgna ⁹⁵, G. Borissov ⁹⁰,
 D. Bortoletto ¹²⁵, D. Boscherini ^{23b}, M. Bosman ¹³, J.D. Bossio Sola ³⁶, K. Bouaouda ^{35a},
 J. Boudreau ¹²⁸, E.V. Bouhova-Thacker ⁹⁰, D. Boumediene ⁴⁰, R. Bouquet ⁵, A. Boveia ¹¹⁸,
 J. Boyd ³⁶, D. Boye ²⁹, I.R. Boyko ³⁸, J. Bracinik ²⁰, N. Brahimy ^{62d,62c}, G. Brandt ¹⁷⁰,
 O. Brandt ³², F. Braren ⁴⁸, B. Brau ¹⁰², J.E. Brau ¹²², W.D. Breaden Madden ⁵⁹,
 K. Brendlinger ⁴⁸, R. Brenner ¹⁶⁸, L. Brenner ³⁶, R. Brenner ¹⁶⁰, S. Bressler ¹⁶⁸,
 B. Brickwedde ⁹⁹, D. Britton ⁵⁹, D. Britzger ¹⁰⁹, I. Brock ²⁴, G. Brooijmans ⁴¹,
 W.K. Brooks ^{136f}, E. Brost ²⁹, P.A. Bruckman de Renstrom ⁸⁵, B. Brüers ⁴⁸, D. Bruncko ^{28b,*},
 A. Bruni ^{23b}, G. Bruni ^{23b}, M. Bruschi ^{23b}, N. Bruscinò ^{74a,74b}, L. Bryngemark ¹⁴²,
 T. Buanes ¹⁶, Q. Buat ¹³⁷, P. Buchholz ¹⁴⁰, A.G. Buckley ⁵⁹, I.A. Budagov ^{38,*}, M.K. Bugge ¹²⁴,
 O. Bulekov ³⁷, B.A. Bullard ⁶¹, S. Burdin ⁹¹, C.D. Burgard ⁴⁸, A.M. Burger ⁴⁰, B. Burghgrave ⁸,
 J.T.P. Burr ³², C.D. Burton ¹¹, J.C. Burzynski ¹⁴¹, E.L. Busch ⁴¹, V. Büscher ⁹⁹, P.J. Bussey ⁵⁹,
 J.M. Butler ²⁵, C.M. Buttar ⁵⁹, J.M. Butterworth ⁹⁵, W. Buttinger ¹³³, C.J. Buxo Vazquez ¹⁰⁶,
 A.R. Buzykaev ³⁷, G. Cabras ^{23b}, S. Cabrera Urbán ¹⁶², D. Caforio ⁵⁸, H. Cai ¹²⁸, Y. Cai ^{14a,14d},
 V.M.M. Cairo ³⁶, O. Cakir ^{3a}, N. Calace ³⁶, P. Calafiura ^{17a}, G. Calderini ¹²⁶, P. Calfayan ⁶⁷,
 G. Callea ⁵⁹, L.P. Caloba ^{81b}, D. Calvet ⁴⁰, S. Calvet ⁴⁰, T.P. Calvet ¹⁰¹, M. Calvetti ^{73a,73b},
 R. Camacho Toro ¹²⁶, S. Camarda ³⁶, D. Camarero Munoz ⁹⁸, P. Camarri ^{75a,75b},
 M.T. Camerlingo ^{76a,76b}, D. Cameron ¹²⁴, C. Camincher ¹⁶⁴, M. Campanelli ⁹⁵, A. Camplani ⁴²,
 V. Canale ^{71a,71b}, A. Canesse ¹⁰³, M. Cano Bret ⁷⁹, J. Cantero ¹⁶², Y. Cao ¹⁶¹, F. Capocasa ²⁶,
 M. Capua ^{43b,43a}, A. Carbone ^{70a,70b}, R. Cardarelli ^{75a}, J.C.J. Cardenas ⁸, F. Cardillo ¹⁶²,
 T. Carli ³⁶, G. Carlino ^{71a}, B.T. Carlson ^{128,t}, E.M. Carlson ^{164,155a}, L. Carminati ^{70a,70b},
 M. Carnesale ^{74a,74b}, S. Caron ¹¹², E. Carquin ^{136f}, S. Carrá ^{70a,70b}, G. Carratta ^{23b,23a},
 F. Carri Argos ^{33g}, J.W.S. Carter ¹⁵⁴, T.M. Carter ⁵², M.P. Casado ^{13,i}, A.F. Casha ¹⁵⁴,
 E.G. Castiglia ¹⁷¹, F.L. Castillo ^{63a}, L. Castillo Garcia ¹³, V. Castillo Gimenez ¹⁶²,
 N.F. Castro ^{129a,129e}, A. Catinaccio ³⁶, J.R. Catmore ¹²⁴, V. Cavaliere ²⁹, N. Cavalli ^{23b,23a},
 V. Cavasinni ^{73a,73b}, E. Celebi ^{21a}, F. Celli ¹²⁵, M.S. Centonze ^{69a,69b}, K. Cerny ¹²¹,
 A.S. Cerqueira ^{81a}, A. Cerri ¹⁴⁵, L. Cerrito ^{75a,75b}, F. Cerutti ^{17a}, A. Cervelli ^{23b}, S.A. Cetin ^{21d},
 Z. Chadi ^{35a}, D. Chakraborty ¹¹⁴, M. Chala ^{129f}, J. Chan ¹⁶⁹, W.S. Chan ¹¹³, W.Y. Chan ¹⁵²,
 J.D. Chapman ³², B. Chargeishvili ^{148b}, D.G. Charlton ²⁰, T.P. Charman ⁹³, M. Chatterjee ¹⁹,
 S. Chekanov ⁶, S.V. Chekulaev ^{155a}, G.A. Chelkov ^{38,a}, A. Chen ¹⁰⁵, B. Chen ¹⁵⁰, B. Chen ¹⁶⁴,
 C. Chen ^{62a}, H. Chen ^{14c}, H. Chen ²⁹, J. Chen ^{62c}, J. Chen ²⁶, S. Chen ¹⁵², S.J. Chen ^{14c},
 X. Chen ^{62c}, X. Chen ^{14b,ah}, Y. Chen ^{62a}, C.L. Cheng ¹⁶⁹, H.C. Cheng ^{64a}, A. Cheplakov ³⁸,
 E. Cheremushkina ⁴⁸, E. Cherepanova ¹¹³, R. Cherkaoui El Moursli ^{35e}, E. Cheu ⁷, K. Cheung ⁶⁵,
 L. Chevalier ¹³⁴, V. Chiarella ⁵³, G. Chiarelli ^{73a}, G. Chiodini ^{69a}, A.S. Chisholm ²⁰,
 A. Chitan ^{27b}, Y.H. Chiu ¹⁶⁴, M.V. Chizhov ³⁸, K. Choi ¹¹, A.R. Chomont ^{74a,74b}, Y. Chou ¹⁰²,

E.Y.S. Chow ^{id113}, T. Chowdhury ^{id33g}, L.D. Christopher ^{id33g}, K.L. Chu ^{id64a}, M.C. Chu ^{id64a},
 X. Chu ^{id14a,14d}, J. Chudoba ^{id130}, J.J. Chwastowski ^{id85}, D. Cieri ^{id109}, K.M. Ciesla ^{id84a}, V. Cindro ^{id92},
 A. Ciocio ^{id17a}, F. Cirotto ^{id71a,71b}, Z.H. Citron ^{id168,m}, M. Citterio ^{id70a}, D.A. Ciubotaru ^{id27b},
 B.M. Ciungu ^{id154}, A. Clark ^{id56}, P.J. Clark ^{id52}, J.M. Clavijo Columbie ^{id48}, S.E. Clawson ^{id100},
 C. Clement ^{id47a,47b}, J. Clercx ^{id48}, L. Clissa ^{id23b,23a}, Y. Coadou ^{id101}, M. Cobal ^{id68a,68c},
 A. Coccaro ^{id57b}, R.F. Coelho Barrue ^{id129a}, R. Coelho Lopes De Sa ^{id102}, S. Coelli ^{id70a}, H. Cohen ^{id150},
 A.E.C. Coimbra ^{id70a,70b}, B. Cole ^{id41}, J. Collot ^{id60}, P. Conde Muiño ^{id129a,129g}, M.P. Connell ^{id33c},
 S.H. Connell ^{id33c}, I.A. Connelly ^{id59}, E.I. Conroy ^{id125}, F. Conventi ^{id71a,aj}, H.G. Cooke ^{id20},
 A.M. Cooper-Sarkar ^{id125}, F. Cormier ^{id163}, L.D. Corpe ^{id36}, M. Corradi ^{id74a,74b}, E.E. Corrigan ^{id97},
 F. Corriveau ^{id103,y}, A. Cortes-Gonzalez ^{id18}, M.J. Costa ^{id162}, F. Costanza ^{id4}, D. Costanzo ^{id138},
 B.M. Cote ^{id118}, G. Cowan ^{id94}, J.W. Cowley ^{id32}, K. Cranmer ^{id116}, S. Crépe-Renaudin ^{id60},
 F. Crescioli ^{id126}, M. Cristinziani ^{id140}, M. Cristoforetti ^{id77a,77b,d}, V. Croft ^{id157}, G. Crosetti ^{id43b,43a},
 A. Cueto ^{id36}, T. Cuhadar Donszelmann ^{id159}, H. Cui ^{id14a,14d}, Z. Cui ^{id7}, A.R. Cukierman ^{id142},
 W.R. Cunningham ^{id59}, F. Curcio ^{id43b,43a}, P. Czodrowski ^{id36}, M.M. Czurylo ^{id63b},
 M.J. Da Cunha Sargedas De Sousa ^{id62a}, J.V. Da Fonseca Pinto ^{id81b}, C. Da Via ^{id100}, W. Dabrowski ^{id84a},
 T. Dado ^{id49}, S. Dahbi ^{id33g}, T. Dai ^{id105}, C. Dallapiccola ^{id102}, M. Dam ^{id42}, G. D'amen ^{id29},
 V. D'Amico ^{id76a,76b}, J. Damp ^{id99}, J.R. Dandoy ^{id127}, M.F. Daneri ^{id30}, M. Danninger ^{id141}, V. Dao ^{id36},
 G. Darbo ^{id57b}, S. Darmora ^{id6}, S.J. Das ^{id29,al}, A. Dattagupta ^{id122}, S. D'Auria ^{id70a,70b}, C. David ^{id155b},
 T. Davidek ^{id132}, D.R. Davis ^{id51}, B. Davis-Purcell ^{id34}, I. Dawson ^{id93}, K. De ^{id8}, R. De Asmundis ^{id71a},
 M. De Beurs ^{id113}, S. De Castro ^{id23b,23a}, N. De Groot ^{id112}, P. de Jong ^{id113}, H. De la Torre ^{id106},
 A. De Maria ^{id14c}, A. De Salvo ^{id74a}, U. De Sanctis ^{id75a,75b}, A. De Santo ^{id145},
 J.B. De Vivie De Regie ^{id60}, D.V. Dedovich ^{id38}, J. Degens ^{id113}, A.M. Deiana ^{id44}, F. Del Corso ^{id23b,23a},
 J. Del Peso ^{id98}, F. Del Rio ^{id63a}, F. Deliot ^{id134}, C.M. Delitzsch ^{id49}, M. Della Pietra ^{id71a,71b},
 D. Della Volpe ^{id56}, A. Dell'Acqua ^{id36}, L. Dell'Asta ^{id70a,70b}, M. Delmastro ^{id4}, P.A. Delsart ^{id60},
 S. Demers ^{id171}, M. Demichev ^{id38}, S.P. Denisov ^{id37}, L. D'Eramo ^{id114}, D. Derendarz ^{id85},
 F. Derue ^{id126}, P. Dervan ^{id91}, K. Desch ^{id24}, K. Dette ^{id154}, C. Deutsch ^{id24}, P.O. Deviveiros ^{id36},
 F.A. Di Bello ^{id74a,74b}, A. Di Ciaccio ^{id75a,75b}, L. Di Ciaccio ^{id4}, A. Di Domenico ^{id74a,74b},
 C. Di Donato ^{id71a,71b}, A. Di Girolamo ^{id36}, G. Di Gregorio ^{id73a,73b}, A. Di Luca ^{id77a,77b},
 B. Di Micco ^{id76a,76b}, R. Di Nardo ^{id76a,76b}, C. Diaconu ^{id101}, F.A. Dias ^{id113}, T. Dias Do Vale ^{id141},
 M.A. Diaz ^{id136a,136b}, F.G. Diaz Capriles ^{id24}, M. Didenko ^{id162}, E.B. Diehl ^{id105}, L. Diehl ^{id54},
 S. Díez Cornell ^{id48}, C. Diez Pardos ^{id140}, C. Dimitriadi ^{id24,160}, A. Dimitrievska ^{id17a}, W. Ding ^{id14b},
 J. Dingfelder ^{id24}, I-M. Dinu ^{id27b}, S.J. Dittmeier ^{id63b}, F. Dittus ^{id36}, F. Djama ^{id101}, T. Djobava ^{id148b},
 J.I. Djuvsland ^{id16}, D. Dodsworth ^{id26}, C. Doglioni ^{id100,97}, J. Dolejsi ^{id132}, Z. Dolezal ^{id132},
 M. Donadelli ^{id81c}, B. Dong ^{id62c}, J. Donini ^{id40}, A. D'Onofrio ^{id14c}, M. D'Onofrio ^{id91}, J. Dopke ^{id133},
 A. Doria ^{id71a}, M.T. Dova ^{id89}, A.T. Doyle ^{id59}, M.A. Draguet ^{id125}, E. Drechsler ^{id141}, E. Dreyer ^{id168},
 I. Drivas-koulouris ^{id10}, A.S. Drobac ^{id157}, D. Du ^{id62a}, T.A. du Pree ^{id113}, F. Dubinin ^{id37},
 M. Dubovsky ^{id28a}, E. Duchovni ^{id168}, G. Duckeck ^{id108}, O.A. Ducu ^{id36}, D. Duda ^{id109}, A. Dudarev ^{id36},
 M. D'uffizi ^{id100}, L. Duflot ^{id66}, M. Dührssen ^{id36}, C. Dülsen ^{id170}, A.E. Dumitriu ^{id27b}, M. Dunford ^{id63a},
 S. Dungs ^{id49}, K. Dunne ^{id47a,47b}, A. Duperrin ^{id101}, H. Duran Yildiz ^{id3a}, M. Düren ^{id58},
 A. Durglishvili ^{id148b}, B.L. Dwyer ^{id114}, G.I. Dyckes ^{id17a}, M. Dyndal ^{id84a}, S. Dysch ^{id100},
 B.S. Dziedzic ^{id85}, Z.O. Earnshaw ^{id145}, B. Eckerova ^{id28a}, M.G. Eggleston ^{id51},
 E. Egidio Purcino De Souza ^{id81b}, L.F. Ehrke ^{id56}, G. Eigen ^{id16}, K. Einsweiler ^{id17a}, T. Ekelof ^{id160},
 P.A. Ekman ^{id97}, Y. El Ghazali ^{id35b}, H. El Jarrari ^{id35e,147}, A. El Moussaouy ^{id35a}, V. Ellajosyula ^{id160},
 M. Ellert ^{id160}, F. Ellinghaus ^{id170}, A.A. Elliot ^{id93}, N. Ellis ^{id36}, J. Elmsheuser ^{id29}, M. Elsing ^{id36},
 D. Emelianov ^{id133}, A. Emerman ^{id41}, Y. Enari ^{id152}, I. Ene ^{id17a}, S. Epari ^{id13}, J. Erdmann ^{id49},
 A. Ereditato ^{id19}, P.A. Erland ^{id85}, M. Errenst ^{id170}, M. Escalier ^{id66}, C. Escobar ^{id162}, E. Etzion ^{id150},
 G. Evans ^{id129a}, H. Evans ^{id67}, M.O. Evans ^{id145}, A. Ezhilov ^{id37}, S. Ezzarqtouni ^{id35a}, F. Fabbri ^{id59},

L. Fabbri [ID23b,23a](#), G. Facini [ID95](#), V. Fadeyev [ID135](#), R.M. Fakhruddinov [ID37](#), S. Falciano [ID74a](#),
 P.J. Falke [ID24](#), S. Falke [ID36](#), J. Faltova [ID132](#), Y. Fan [ID14a](#), Y. Fang [ID14a,14d](#), G. Fanourakis [ID46](#),
 M. Fanti [ID70a,70b](#), M. Faraj [ID68a,68b](#), A. Farbin [ID8](#), A. Farilla [ID76a](#), T. Faroque [ID106](#), S.M. Farrington [ID52](#),
 F. Fassi [ID35e](#), D. Fassouliotis [ID9](#), M. Faucci Giannelli [ID75a,75b](#), W.J. Fawcett [ID32](#), L. Fayard [ID66](#),
 O.L. Fedin [ID37,a](#), G. Fedotov [ID37](#), M. Feickert [ID161](#), L. Feligioni [ID101](#), A. Fell [ID138](#), D.E. Fellers [ID122](#),
 C. Feng [ID62b](#), M. Feng [ID14b](#), M.J. Fenton [ID159](#), A.B. Fenyuk [ID37](#), L. Ferencz [ID48](#), S.W. Ferguson [ID45](#),
 J. Ferrando [ID48](#), A. Ferrari [ID160](#), P. Ferrari [ID113](#), R. Ferrari [ID72a](#), D. Ferrere [ID56](#), C. Ferretti [ID105](#),
 F. Fiedler [ID99](#), A. Filipčič [ID92](#), E.K. Filmer [ID1](#), F. Filthaut [ID112](#), M.C.N. Fiolhais [ID129a,129c,c](#),
 L. Fiorini [ID162](#), F. Fischer [ID140](#), W.C. Fisher [ID106](#), T. Fitschen [ID20,66](#), I. Fleck [ID140](#), P. Fleischmann [ID105](#),
 T. Flick [ID170](#), L. Flores [ID127](#), M. Flores [ID33d,ad](#), L.R. Flores Castillo [ID64a](#), F.M. Follega [ID77a,77b](#),
 N. Fomin [ID16](#), J.H. Foo [ID154](#), B.C. Forland [ID67](#), A. Formica [ID134](#), A.C. Forti [ID100](#), E. Fortin [ID101](#),
 A.W. Fortman [ID61](#), M.G. Foti [ID17a](#), L. Fountas [ID9j](#), D. Fournier [ID66](#), H. Fox [ID90](#), P. Francavilla [ID73a,73b](#),
 S. Francescato [ID61](#), M. Franchini [ID23b,23a](#), S. Franchino [ID63a](#), D. Francis [ID36](#), L. Franco [ID112](#),
 L. Franconi [ID19](#), M. Franklin [ID61](#), G. Frattari [ID26](#), A.C. Freegard [ID93](#), P.M. Freeman [ID20](#), W.S. Freund [ID81b](#),
 Y.Y. Frid [ID150](#), N. Fritzsche [ID50](#), A. Froch [ID54](#), D. Froidevaux [ID36](#), J.A. Frost [ID125](#), Y. Fu [ID62a](#),
 M. Fujimoto [ID117](#), E. Fullana Torregrosa [ID162,*](#), J. Fuster [ID162](#), A. Gabrielli [ID23b,23a](#), A. Gabrielli [ID36](#),
 P. Gadow [ID48](#), G. Gagliardi [ID57b,57a](#), L.G. Gagnon [ID17a](#), G.E. Gallardo [ID125](#), E.J. Gallas [ID125](#),
 B.J. Gallop [ID133](#), R. Gamboa Goni [ID93](#), K.K. Gan [ID118](#), S. Ganguly [ID152](#), J. Gao [ID62a](#), Y. Gao [ID52](#),
 F.M. Garay Walls [ID136a,136b](#), B. Garcia [ID29,al](#), C. García [ID162](#), J.E. García Navarro [ID162](#),
 J.A. García Pascual [ID14a](#), M. Garcia-Sciveres [ID17a](#), R.W. Gardner [ID39](#), D. Garg [ID79](#), R.B. Garg [ID142,q](#),
 S. Gargiulo [ID54](#), C.A. Garner [ID154](#), V. Garonne [ID29](#), S.J. Gasiorowski [ID137](#), P. Gaspar [ID81b](#), G. Gaudio [ID72a](#),
 V. Gautam [ID13](#), P. Gauzzi [ID74a,74b](#), I.L. Gavrilenko [ID37](#), A. Gavrilyuk [ID37](#), C. Gay [ID163](#), G. Gaycken [ID48](#),
 E.N. Gazis [ID10](#), A.A. Geanta [ID27b](#), C.M. Gee [ID135](#), J. Geisen [ID97](#), M. Geisen [ID99](#), C. Gemme [ID57b](#),
 M.H. Genest [ID60](#), S. Gentile [ID74a,74b](#), S. George [ID94](#), W.F. George [ID20](#), T. Geralis [ID46](#), L.O. Gerlach [ID55](#),
 P. Gessinger-Befurt [ID36](#), M. Ghasemi Bostanabad [ID164](#), M. Ghneimat [ID140](#), A. Ghosal [ID140](#),
 A. Ghosh [ID159](#), A. Ghosh [ID7](#), B. Giacobbe [ID23b](#), S. Giagu [ID74a,74b](#), N. Giangiacomi [ID154](#),
 P. Giannetti [ID73a](#), A. Giannini [ID62a](#), S.M. Gibson [ID94](#), M. Gignac [ID135](#), D.T. Gil [ID84b](#), A.K. Gilbert [ID84a](#),
 B.J. Gilbert [ID41](#), D. Gillberg [ID34](#), G. Gilles [ID113](#), N.E.K. Gillwald [ID48](#), L. Ginabat [ID126](#),
 D.M. Gingrich [ID2,ai](#), M.P. Giordani [ID68a,68c](#), P.F. Giraud [ID134](#), G. Giugliarelli [ID68a,68c](#), D. Giugni [ID70a](#),
 F. Giuli [ID36](#), I. Gkialas [ID9j](#), L.K. Gladilin [ID37](#), C. Glasman [ID98](#), G.R. Gledhill [ID122](#), M. Glisic [ID122](#),
 I. Gnesi [ID43b,f](#), Y. Go [ID29,al](#), M. Goblirsch-Kolb [ID26](#), D. Godin [ID107](#), S. Goldfarb [ID104](#), T. Golling [ID56](#),
 M.G.D. Gololo [ID33g](#), D. Golubkov [ID37](#), J.P. Gombas [ID106](#), A. Gomes [ID129a,129b](#), G. Gomes Da Silva [ID140](#),
 A.J. Gomez Delegido [ID162](#), R. Goncalves Gama [ID55](#), R. Gonçalves [ID129a,129c](#), G. Gonella [ID122](#),
 L. Gonella [ID20](#), A. Gongadze [ID38](#), F. Gonnella [ID20](#), J.L. Gonski [ID41](#), R.Y. González Andana [ID52](#),
 S. González de la Hoz [ID162](#), S. Gonzalez Fernandez [ID13](#), R. Gonzalez Lopez [ID91](#),
 C. Gonzalez Renteria [ID17a](#), R. Gonzalez Suarez [ID160](#), S. Gonzalez-Sevilla [ID56](#),
 G.R. Gonzalvo Rodriguez [ID162](#), L. Goossens [ID36](#), N.A. Gorasia [ID20](#), P.A. Gorbounov [ID37](#), B. Gorini [ID36](#),
 E. Gorini [ID69a,69b](#), A. Gorišek [ID92](#), A.T. Goshaw [ID51](#), M.I. Gostkin [ID38](#), C.A. Gottardo [ID36](#),
 M. Goughri [ID35b](#), V. Goumarre [ID48](#), A.G. Goussiou [ID137](#), N. Govender [ID33c](#), C. Goy [ID4](#),
 I. Grabowska-Bold [ID84a](#), K. Graham [ID34](#), E. Gramstad [ID124](#), S. Grancagnolo [ID18](#), M. Grandi [ID145](#),
 V. Gratchev [ID37,*](#), P.M. Gravila [ID27f](#), F.G. Gravili [ID69a,69b](#), H.M. Gray [ID17a](#), M. Greco [ID69a,69b](#),
 C. Grefe [ID24](#), I.M. Gregor [ID48](#), P. Grenier [ID142](#), C. Grieco [ID13](#), A.A. Grillo [ID135](#), K. Grimm [ID31,n](#),
 S. Grinstein [ID13,v](#), J.-F. Grivaz [ID66](#), E. Gross [ID168](#), J. Grosse-Knetter [ID55](#), C. Grud [ID105](#), A. Grummer [ID111](#),
 J.C. Grundy [ID125](#), L. Guan [ID105](#), W. Guan [ID169](#), C. Gubbels [ID163](#), J.G.R. Guerrero Rojas [ID162](#),
 G. Guerrieri [ID68a,68b](#), F. Guescini [ID109](#), R. Gugel [ID99](#), J.A.M. Guhit [ID105](#), A. Guida [ID48](#), T. Guillemain [ID4](#),
 E. Guilloton [ID166,133](#), S. Guindon [ID36](#), F. Guo [ID14a,14d](#), J. Guo [ID62c](#), L. Guo [ID66](#), Y. Guo [ID105](#),
 R. Gupta [ID48](#), S. Gurbuz [ID24](#), S.S. Gurdasani [ID54](#), G. Gustavino [ID36](#), M. Guth [ID56](#), P. Gutierrez [ID119](#),

L.F. Gutierrez Zagazeta ¹²⁷, C. Gutschow ⁹⁵, C. Guyot ¹³⁴, C. Gwenlan ¹²⁵, C.B. Gwilliam ⁹¹,
 E.S. Haaland ¹²⁴, A. Haas ¹¹⁶, M. Habedank ⁴⁸, C. Haber ^{17a}, H.K. Hadavand ⁸, A. Hadeif ⁹⁹,
 S. Hadzic ¹⁰⁹, M. Haleem ¹⁶⁵, J. Haley ¹²⁰, J.J. Hall ¹³⁸, G.D. Hallewell ¹⁰¹, L. Halser ¹⁹,
 K. Hamano ¹⁶⁴, H. Hamdaoui ^{35e}, M. Hamer ²⁴, G.N. Hamity ⁵², J. Han ^{62b}, K. Han ^{62a},
 L. Han ^{14c}, L. Han ^{62a}, S. Han ^{17a}, Y.F. Han ¹⁵⁴, K. Hanagaki ⁸², M. Hance ¹³⁵,
 D.A. Hangal ^{41.ac}, M.D. Hank ³⁹, R. Hankache ¹⁰⁰, J.B. Hansen ⁴², J.D. Hansen ⁴²,
 P.H. Hansen ⁴², K. Hara ¹⁵⁶, D. Harada ⁵⁶, T. Harenberg ¹⁷⁰, S. Harkusha ³⁷, Y.T. Harris ¹²⁵,
 N.M. Harrison ¹¹⁸, P.F. Harrison ¹⁶⁶, N.M. Hartman ¹⁴², N.M. Hartmann ¹⁰⁸, Y. Hasegawa ¹³⁹,
 A. Hasib ⁵², S. Haug ¹⁹, R. Hauser ¹⁰⁶, M. Havranek ¹³¹, C.M. Hawkes ²⁰, R.J. Hawkings ³⁶,
 S. Hayashida ¹¹⁰, D. Hayden ¹⁰⁶, C. Hayes ¹⁰⁵, R.L. Hayes ¹⁶³, C.P. Hays ¹²⁵, J.M. Hays ⁹³,
 H.S. Hayward ⁹¹, F. He ^{62a}, Y. He ¹⁵³, Y. He ¹²⁶, M.P. Heath ⁵², V. Hedberg ⁹⁷,
 A.L. Heggelund ¹²⁴, N.D. Hehir ⁹³, C. Heidegger ⁵⁴, K.K. Heidegger ⁵⁴, W.D. Heidorn ⁸⁰,
 J. Heilman ³⁴, S. Heim ⁴⁸, T. Heim ^{17a}, J.G. Heinlein ¹²⁷, J.J. Heinrich ¹²², L. Heinrich ^{109.af},
 J. Hejbal ¹³⁰, L. Helary ⁴⁸, A. Held ¹⁶⁹, S. Hellesund ¹²⁴, C.M. Helling ¹⁶³, S. Hellman ^{47a.47b},
 C. Hensens ³⁶, R.C.W. Henderson ⁹⁰, L. Henkelmann ³², A.M. Henriques Correia ³⁶, H. Herde ¹⁴²,
 Y. Hernández Jiménez ¹⁴⁴, H. Herr ⁹⁹, M.G. Herrmann ¹⁰⁸, T. Herrmann ⁵⁰, G. Herten ⁵⁴,
 R. Hertenberger ¹⁰⁸, L. Hervas ³⁶, N.P. Hessey ^{155a}, H. Hibi ⁸³, E. Higón-Rodríguez ¹⁶²,
 S.J. Hillier ²⁰, I. Hinchliffe ^{17a}, F. Hinterkeuser ²⁴, M. Hirose ¹²³, S. Hirose ¹⁵⁶,
 D. Hirschbuehl ¹⁷⁰, T.G. Hitchings ¹⁰⁰, B. Hiti ⁹², J. Hobbs ¹⁴⁴, R. Hobincu ^{27e}, N. Hod ¹⁶⁸,
 M.C. Hodgkinson ¹³⁸, B.H. Hodgkinson ³², A. Hoecker ³⁶, J. Hofer ⁴⁸, D. Hohn ⁵⁴, T. Holm ²⁴,
 M. Holzbock ¹⁰⁹, L.B.A.H. Hommels ³², B.P. Honan ¹⁰⁰, J. Hong ^{62c}, T.M. Hong ¹²⁸,
 Y. Hong ⁵⁵, J.C. Honig ⁵⁴, A. Hönle ¹⁰⁹, B.H. Hooberman ¹⁶¹, W.H. Hopkins ⁶, Y. Horii ¹¹⁰,
 S. Hou ¹⁴⁷, A.S. Howard ⁹², J. Howarth ⁵⁹, J. Hoya ⁸⁹, M. Hrabovsky ¹²¹, A. Hrynevich ³⁷,
 T. Hryn'ova ⁴, P.J. Hsu ⁶⁵, S.-C. Hsu ¹³⁷, Q. Hu ^{41.ac}, Y.F. Hu ^{14a.14d.ak}, D.P. Huang ⁹⁵,
 S. Huang ^{64b}, X. Huang ^{14c}, Y. Huang ^{62a}, Y. Huang ^{14a}, Z. Huang ¹⁰⁰, Z. Hubacek ¹³¹,
 M. Huebner ²⁴, F. Huegging ²⁴, T.B. Huffman ¹²⁵, M. Huhtinen ³⁶, S.K. Huiberts ¹⁶,
 R. Hulsken ¹⁰³, N. Huseynov ^{12.a}, J. Huston ¹⁰⁶, J. Huth ⁶¹, R. Hyneman ¹⁴², S. Hyrych ^{28a},
 G. Iacobucci ⁵⁶, G. Iakovidis ²⁹, I. Ibragimov ¹⁴⁰, L. Iconomidou-Fayard ⁶⁶, P. Iengo ^{71a.71b},
 R. Iguchi ¹⁵², T. Iizawa ⁵⁶, Y. Ikegami ⁸², A. Ilg ¹⁹, N. Ilic ¹⁵⁴, H. Imam ^{35a},
 T. Ingebretsen Carlson ^{47a.47b}, G. Introzzi ^{72a.72b}, M. Iodice ^{76a}, V. Ippolito ^{74a.74b}, M. Ishino ¹⁵²,
 W. Islam ¹⁶⁹, C. Issever ^{18.48}, S. Istin ^{21a.am}, H. Ito ¹⁶⁷, J.M. Iturbe Ponce ^{64a}, R. Iuppa ^{77a.77b},
 A. Ivina ¹⁶⁸, J.M. Izen ⁴⁵, V. Izzo ^{71a}, P. Jacka ^{130.131}, P. Jackson ¹, R.M. Jacobs ⁴⁸,
 B.P. Jaeger ¹⁴¹, C.S. Jagfeld ¹⁰⁸, G. Jäkel ¹⁷⁰, K. Jakobs ⁵⁴, T. Jakoubek ¹⁶⁸, J. Jamieson ⁵⁹,
 K.W. Janas ^{84a}, G. Jarlskog ⁹⁷, A.E. Jaspán ⁹¹, T. Javůrek ³⁶, M. Javurkova ¹⁰², F. Jeanneau ¹³⁴,
 L. Jeanty ¹²², J. Jejelava ^{148a.aa}, P. Jenni ^{54.g}, C.E. Jessiman ³⁴, S. Jézéquel ⁴, J. Jia ¹⁴⁴,
 X. Jia ⁶¹, X. Jia ^{14a.14d}, Z. Jia ^{14c}, Y. Jiang ^{62a}, S. Jiggins ⁵², J. Jimenez Pena ¹⁰⁹, S. Jin ^{14c},
 A. Jinaru ^{27b}, O. Jinnouchi ¹⁵³, H. Jivan ^{33g}, P. Johansson ¹³⁸, K.A. Johns ⁷, C.A. Johnson ⁶⁷,
 D.M. Jones ³², E. Jones ¹⁶⁶, P. Jones ³², R.W.L. Jones ⁹⁰, T.J. Jones ⁹¹, J. Jovicevic ¹⁵,
 X. Ju ^{17a}, J.J. Junggeburth ³⁶, A. Juste Rozas ^{13.v}, S. Kabana ^{136e}, A. Kaczmarska ⁸⁵,
 M. Kado ^{74a.74b}, H. Kagan ¹¹⁸, M. Kagan ¹⁴², A. Kahn ⁴¹, A. Kahn ¹²⁷, C. Kahra ⁹⁹, T. Kaji ¹⁶⁷,
 E. Kajomovitz ¹⁴⁹, N. Kakati ¹⁶⁸, C.W. Kalderon ²⁹, A. Kamenshchikov ¹⁵⁴, N.J. Kang ¹³⁵,
 Y. Kano ¹¹⁰, D. Kar ^{33g}, K. Karava ¹²⁵, M.J. Kareem ^{155b}, E. Karentzos ⁵⁴, I. Karkanias ¹⁵¹,
 S.N. Karpov ³⁸, Z.M. Karpova ³⁸, V. Kartvelishvili ⁹⁰, A.N. Karyukhin ³⁷, E. Kasimi ¹⁵¹,
 C. Kato ^{62d}, J. Katzy ⁴⁸, S. Kaur ³⁴, K. Kawade ¹³⁹, K. Kawagoe ⁸⁸, T. Kawaguchi ¹¹⁰,
 T. Kawamoto ¹³⁴, G. Kawamura ⁵⁵, E.F. Kay ¹⁶⁴, F.I. Kaya ¹⁵⁷, S. Kazakos ¹³, V.F. Kazanin ³⁷,
 Y. Ke ¹⁴⁴, J.M. Keaveney ^{33a}, R. Keeler ¹⁶⁴, G.V. Kehris ⁶¹, J.S. Keller ³⁴, A.S. Kelly ⁹⁵,
 D. Kelsey ¹⁴⁵, J.J. Kempster ²⁰, J. Kendrick ²⁰, K.E. Kennedy ⁴¹, O. Kepka ¹³⁰,

B.P. Kerridge [ID166](#), S. Kersten [ID170](#), B.P. Kerševan [ID92](#), L. Keszeghova [ID28a](#), S. Ketabchi Haghighat [ID154](#),
 M. Khandoga [ID126](#), A. Khanov [ID120](#), A.G. Kharlamov [ID37](#), T. Kharlamova [ID37](#), E.E. Khoda [ID137](#),
 T.J. Khoo [ID18](#), G. Khoriali [ID165](#), J. Khubua [ID148b](#), Y.A.R. Khwaira [ID66](#), M. Kiehn [ID36](#),
 A. Kilgallon [ID122](#), D.W. Kim [ID47a,47b](#), E. Kim [ID153](#), Y.K. Kim [ID39](#), N. Kimura [ID95](#), A. Kirchhoff [ID55](#),
 D. Kirchmeier [ID50](#), C. Kirfel [ID24](#), J. Kirk [ID133](#), A.E. Kiryunin [ID109](#), T. Kishimoto [ID152](#), D.P. Kisliuk [ID154](#),
 C. Kitsaki [ID10](#), O. Kivernyk [ID24](#), M. Klassen [ID63a](#), C. Klein [ID34](#), L. Klein [ID165](#), M.H. Klein [ID105](#),
 M. Klein [ID91](#), U. Klein [ID91](#), P. Klimek [ID36](#), A. Klimentov [ID29](#), F. Klimpel [ID109](#), T. Klingl [ID24](#),
 T. Klioutchnikova [ID36](#), F.F. Klitzner [ID108](#), P. Kluit [ID113](#), S. Kluth [ID109](#), E. Kneringer [ID78](#),
 T.M. Knight [ID154](#), A. Knue [ID54](#), D. Kobayashi⁸⁸, R. Kobayashi [ID86](#), M. Kocian [ID142](#), T. Kodama [ID152](#),
 P. Kodyš [ID132](#), D.M. Koeck [ID145](#), P.T. Koenig [ID24](#), T. Koffas [ID34](#), N.M. Köhler [ID36](#), M. Kolb [ID134](#),
 I. Koletsou [ID4](#), T. Komarek [ID121](#), K. Köneke [ID54](#), A.X.Y. Kong [ID1](#), T. Kono [ID117](#), N. Konstantinidis [ID95](#),
 B. Konya [ID97](#), R. Kopeliansky [ID67](#), S. Koperny [ID84a](#), K. Korcyl [ID85](#), K. Kordas [ID151](#), G. Koren [ID150](#),
 A. Korn [ID95](#), S. Korn [ID55](#), I. Korolkov [ID13](#), N. Korotkova [ID37](#), B. Kortman [ID113](#), O. Kortner [ID109](#),
 S. Kortner [ID109](#), W.H. Kostecka [ID114](#), V.V. Kostyukhin [ID140](#), A. Kotsokechagia [ID66](#), A. Kotwal [ID51](#),
 A. Koulouris [ID36](#), A. Kourkoumeli-Charalampidi [ID72a,72b](#), C. Kourkoumelis [ID9](#), E. Kourlitis [ID6](#),
 O. Kovanda [ID145](#), R. Kowalewski [ID164](#), W. Kozanecki [ID134](#), A.S. Kozhin [ID37](#), V.A. Kramarenko [ID37](#),
 G. Kramberger [ID92](#), P. Kramer [ID99](#), M.W. Krasny [ID126](#), A. Krasznahorkay [ID36](#), J.A. Kremer [ID99](#),
 T. Kresse [ID50](#), J. Kretschmar [ID91](#), K. Kreul [ID18](#), P. Krieger [ID154](#), F. Krieter [ID108](#),
 S. Krishnamurthy [ID102](#), A. Krishnan [ID53b](#), M. Krivos [ID132](#), K. Krizka [ID17a](#), K. Kroeninger [ID49](#),
 H. Kroha [ID109](#), J. Kroll [ID130](#), J. Kroll [ID127](#), K.S. Krowpman [ID106](#), U. Kruchonak [ID38](#), H. Krüger [ID24](#),
 N. Krumnack⁸⁰, M.C. Kruse [ID51](#), J.A. Krzysiak [ID85](#), A. Kubota [ID153](#), O. Kuchinskaja [ID37](#), S. Kuday [ID3a](#),
 D. Kuechler [ID48](#), J.T. Kuechler [ID48](#), S. Kuehn [ID36](#), T. Kuhl [ID48](#), V. Kukhtin [ID38](#), Y. Kulchitsky [ID37,a](#),
 S. Kuleshov [ID136d,136b](#), M. Kumar [ID33g](#), N. Kumari [ID101](#), M. Kuna [ID60](#), A. Kupco [ID130](#), T. Kupfer⁴⁹,
 A. Kupich [ID37](#), O. Kuprash [ID54](#), H. Kurashige [ID83](#), L.L. Kurchaninov [ID155a](#), Y.A. Kurochkin [ID37](#),
 A. Kurova [ID37](#), E.S. Kuwertz [ID36](#), M. Kuze [ID153](#), A.K. Kvam [ID102](#), J. Kvita [ID121](#), T. Kwan [ID103](#),
 K.W. Kwok [ID64a](#), C. Lacasta [ID162](#), F. Lacava [ID74a,74b](#), H. Lacker [ID18](#), D. Lacour [ID126](#), N.N. Lad [ID95](#),
 E. Ladygin [ID38](#), B. Laforge [ID126](#), T. Lagouri [ID136e](#), S. Lai [ID55](#), I.K. Lakomic [ID84a](#), N. Lalloue [ID60](#),
 J.E. Lambert [ID119](#), S. Lammers [ID67](#), W. Lampl [ID7](#), C. Lampoudis [ID151](#), A.N. Lancaster [ID114](#),
 E. Lançon [ID29](#), U. Landgraf [ID54](#), M.P.J. Landon [ID93](#), V.S. Lang [ID54](#), R.J. Langenberg [ID102](#),
 A.J. Lankford [ID159](#), F. Lanni [ID29](#), K. Lantzsch [ID24](#), A. Lanza [ID72a](#), A. Lapertosa [ID57b,57a](#),
 J.F. Laporte [ID134](#), T. Lari [ID70a](#), F. Lasagni Manghi [ID23b](#), M. Lassnig [ID36](#), V. Latonova [ID130](#), T.S. Lau [ID64a](#),
 A. Laudrain [ID99](#), A. Laurier [ID34](#), S.D. Lawlor [ID94](#), Z. Lawrence [ID100](#), M. Lazzaroni [ID70a,70b](#), B. Le¹⁰⁰,
 B. Leban [ID92](#), A. Lebedev [ID80](#), M. LeBlanc [ID36](#), T. LeCompte [ID6](#), F. Ledroit-Guillon [ID60](#), A.C.A. Lee⁹⁵,
 G.R. Lee [ID16](#), L. Lee [ID61](#), S.C. Lee [ID147](#), S. Lee [ID47a,47b](#), L.L. Leeuw [ID33c](#), H.P. Lefebvre [ID94](#),
 M. Lefebvre [ID164](#), C. Leggett [ID17a](#), K. Lehmann [ID141](#), G. Lehmann Miotto [ID36](#), W.A. Leight [ID102](#),
 A. Leisos [ID151,u](#), M.A.L. Leite [ID81c](#), C.E. Leitgeb [ID48](#), R. Leitner [ID132](#), K.J.C. Leney [ID44](#), T. Lenz [ID24](#),
 S. Leone [ID73a](#), C. Leonidopoulos [ID52](#), A. Leopold [ID143](#), C. Leroy [ID107](#), R. Les [ID106](#), C.G. Lester [ID32](#),
 M. Levchenko [ID37](#), J. Levêque [ID4](#), D. Levin [ID105](#), L.J. Levinson [ID168](#), M.P. Lewicki [ID85](#), D.J. Lewis [ID20](#),
 B. Li [ID14b](#), B. Li [ID62b](#), C. Li [ID62a](#), C-Q. Li [ID62c,62d](#), H. Li [ID62a](#), H. Li [ID62b](#), H. Li [ID14c](#), H. Li [ID62b](#),
 J. Li [ID62c](#), K. Li [ID137](#), L. Li [ID62c](#), M. Li [ID14a,14d](#), Q.Y. Li [ID62a](#), S. Li [ID62d,62c,e](#), T. Li [ID62b](#), X. Li [ID103](#),
 Z. Li [ID62b](#), Z. Li [ID125](#), Z. Li [ID103](#), Z. Li [ID91](#), Z. Liang [ID14a](#), M. Liberatore [ID48](#), B. Liberti [ID75a](#),
 K. Lie [ID64c](#), J. Lieber Marin [ID81b](#), K. Lin [ID106](#), R.A. Linck [ID67](#), R.E. Lindley [ID7](#), J.H. Lindon [ID2](#),
 A. Linss [ID48](#), E. Lipeles [ID127](#), A. Lipniacka [ID16](#), T.M. Liss [ID161,ag](#), A. Lister [ID163](#), J.D. Little [ID4](#),
 B. Liu [ID14a](#), B.X. Liu [ID141](#), D. Liu [ID62d,62c](#), J.B. Liu [ID62a](#), J.K.K. Liu [ID32](#), K. Liu [ID62d,62c](#), M. Liu [ID62a](#),
 M.Y. Liu [ID62a](#), P. Liu [ID14a](#), Q. Liu [ID62d,137,62c](#), X. Liu [ID62a](#), Y. Liu [ID48](#), Y. Liu [ID14c,14d](#), Y.L. Liu [ID105](#),
 Y.W. Liu [ID62a](#), M. Livan [ID72a,72b](#), J. Llorente Merino [ID141](#), S.L. Lloyd [ID93](#), E.M. Lobodzinska [ID48](#),
 P. Loch [ID7](#), S. Loffredo [ID75a,75b](#), T. Lohse [ID18](#), K. Lohwasser [ID138](#), M. Lokajicek [ID130,*](#), J.D. Long [ID161](#),

I. Longarini ^{74a,74b}, L. Longo ^{69a,69b}, R. Longo ¹⁶¹, I. Lopez Paz ³⁶, A. Lopez Solis ⁴⁸,
 J. Lorenz ¹⁰⁸, N. Lorenzo Martinez ⁴, A.M. Lory ¹⁰⁸, A. Lösle ⁵⁴, X. Lou ^{47a,47b}, X. Lou ^{14a,14d},
 A. Lounis ⁶⁶, J. Love ⁶, P.A. Love ⁹⁰, J.J. Lozano Bahilo ¹⁶², G. Lu ^{14a,14d}, M. Lu ⁷⁹,
 S. Lu ¹²⁷, Y.J. Lu ⁶⁵, H.J. Lubatti ¹³⁷, C. Luci ^{74a,74b}, F.L. Lucio Alves ^{14c}, A. Lucotte ⁶⁰,
 F. Luehring ⁶⁷, I. Luise ¹⁴⁴, O. Lukianchuk ⁶⁶, O. Lundberg ¹⁴³, B. Lund-Jensen ¹⁴³,
 N.A. Luongo ¹²², M.S. Lutz ¹⁵⁰, D. Lynn ²⁹, H. Lyons ⁹¹, R. Lysak ¹³⁰, E. Lytken ⁹⁷, F. Lyu ^{14a},
 V. Lyubushkin ³⁸, T. Lyubushkina ³⁸, H. Ma ²⁹, L.L. Ma ^{62b}, Y. Ma ⁹⁵, D.M. Mac Donell ¹⁶⁴,
 G. Maccarrone ⁵³, J.C. MacDonald ¹³⁸, R. Madar ⁴⁰, W.F. Mader ⁵⁰, J. Maeda ⁸³, T. Maeno ²⁹,
 M. Maerker ⁵⁰, V. Magerl ⁵⁴, J. Magro ^{68a,68c}, H. Maguire ¹³⁸, D.J. Mahon ⁴¹,
 C. Maidantchik ^{81b}, A. Maio ^{129a,129b,129d}, K. Maj ^{84a}, O. Majersky ^{28a}, S. Majewski ¹²²,
 N. Makovec ⁶⁶, V. Maksimovic ¹⁵, B. Malaescu ¹²⁶, Pa. Malecki ⁸⁵, V.P. Maleev ³⁷,
 F. Malek ⁶⁰, D. Malito ^{43b,43a}, U. Mallik ⁷⁹, C. Malone ³², S. Maltezos ¹⁰, S. Malyukov ³⁸,
 J. Mamuzic ¹³, G. Mancini ⁵³, G. Manco ^{72a,72b}, J.P. Mandalia ⁹³, I. Mandić ⁹²,
 L. Manhaes de Andrade Filho ^{81a}, I.M. Maniatis ¹⁵¹, M. Manisha ¹³⁴, J. Manjarres Ramos ⁵⁰,
 D.C. Mankad ¹⁶⁸, K.H. Mankinen ⁹⁷, A. Mann ¹⁰⁸, A. Manousos ⁷⁸, B. Mansoulie ¹³⁴,
 S. Manzoni ³⁶, A. Marantis ^{151,u}, G. Marchiori ⁵, M. Marcisovsky ¹³⁰, L. Marcoccia ^{75a,75b},
 C. Marcon ⁹⁷, M. Marinescu ²⁰, M. Marjanovic ¹¹⁹, Z. Marshall ^{17a}, S. Marti-Garcia ¹⁶²,
 T.A. Martin ¹⁶⁶, V.J. Martin ⁵², B. Martin dit Latour ¹⁶, L. Martinelli ^{74a,74b}, M. Martinez ^{13,v},
 P. Martinez Agullo ¹⁶², V.I. Martinez Outschoorn ¹⁰², P. Martinez Suarez ¹³, S. Martin-Haugh ¹³³,
 V.S. Martoiu ^{27b}, A.C. Martyniuk ⁹⁵, A. Marzin ³⁶, S.R. Maschek ¹⁰⁹, L. Masetti ⁹⁹,
 T. Mashimo ¹⁵², J. Masik ¹⁰⁰, A.L. Maslennikov ³⁷, L. Massa ^{23b}, P. Massarotti ^{71a,71b},
 P. Mastrandrea ^{73a,73b}, A. Mastroberardino ^{43b,43a}, T. Masubuchi ¹⁵², T. Mathisen ¹⁶⁰,
 A. Matic ¹⁰⁸, N. Matsuzawa ¹⁵², J. Maurer ^{27b}, B. Maček ⁹², D.A. Maximov ³⁷, R. Mazini ¹⁴⁷,
 I. Maznas ¹⁵¹, M. Mazza ¹⁰⁶, S.M. Mazza ¹³⁵, C. Mc Ginn ²⁹, J.P. Mc Gowan ¹⁰³,
 S.P. Mc Kee ¹⁰⁵, T.G. McCarthy ¹⁰⁹, W.P. McCormack ^{17a}, E.F. McDonald ¹⁰⁴,
 A.E. McDougall ¹¹³, J.A. Mcfayden ¹⁴⁵, G. Mchedlize ^{148b}, R.P. Mckenzie ^{33g},
 T.C. McLachlan ⁴⁸, D.J. McLaughlin ⁹⁵, K.D. McLean ¹⁶⁴, S.J. McMahon ¹³³, P.C. McNamara ¹⁰⁴,
 R.A. McPherson ^{164,y}, J.E. Mdhululi ^{33g}, S. Meehan ³⁶, T. Megy ⁴⁰, S. Mehlhase ¹⁰⁸,
 A. Mehta ⁹¹, B. Meirose ⁴⁵, D. Melini ¹⁴⁹, B.R. Mellado Garcia ^{33g}, A.H. Melo ⁵⁵,
 F. Meloni ⁴⁸, E.D. Mendes Gouveia ^{129a}, A.M. Mendes Jacques Da Costa ²⁰, H.Y. Meng ¹⁵⁴,
 L. Meng ⁹⁰, S. Menke ¹⁰⁹, M. Mentink ³⁶, E. Meoni ^{43b,43a}, C. Merlassino ¹²⁵,
 L. Merola ^{71a,71b}, C. Meroni ^{70a,70b}, G. Merz ¹⁰⁵, O. Meshkov ³⁷, J.K.R. Meshreki ¹⁴⁰,
 J. Metcalfe ⁶, A.S. Mete ⁶, C. Meyer ⁶⁷, J-P. Meyer ¹³⁴, M. Michetti ¹⁸, R.P. Middleton ¹³³,
 L. Mijović ⁵², G. Mikenberg ¹⁶⁸, M. Mikestikova ¹³⁰, M. Mikuž ⁹², H. Mildner ¹³⁸,
 A. Milic ¹⁵⁴, C.D. Milke ⁴⁴, D.W. Miller ³⁹, L.S. Miller ³⁴, A. Milov ¹⁶⁸, D.A. Milstead ^{47a,47b},
 T. Min ^{14c}, A.A. Minaenko ³⁷, I.A. Minashvili ^{148b}, L. Mince ⁵⁹, A.I. Mincer ¹¹⁶, B. Mindur ^{84a},
 M. Mineev ³⁸, Y. Minegishi ¹⁵², Y. Mino ⁸⁶, L.M. Mir ¹³, M. Miralles Lopez ¹⁶²,
 M. Mironova ¹²⁵, T. Mitani ¹⁶⁷, A. Mitra ¹⁶⁶, V.A. Mitsou ¹⁶², O. Miu ¹⁵⁴, P.S. Miyagawa ⁹³,
 Y. Miyazaki ⁸⁸, A. Mizukami ⁸², J.U. Mjörnmark ⁹⁷, T. Mkrtchyan ^{63a}, M. Mlynarikova ¹¹⁴,
 T. Moa ^{47a,47b}, S. Mobius ⁵⁵, K. Mochizuki ¹⁰⁷, P. Moder ⁴⁸, P. Mogg ¹⁰⁸,
 A.F. Mohammed ^{14a,14d}, S. Mohapatra ⁴¹, G. Mokgatitwane ^{33g}, B. Mondal ¹⁴⁰, S. Mondal ¹³¹,
 K. Mönig ⁴⁸, E. Monnier ¹⁰¹, L. Monsonis Romero ¹⁶², J. Montejo Berlingen ³⁶, M. Montella ¹¹⁸,
 F. Monticelli ⁸⁹, N. Morange ⁶⁶, A.L. Moreira De Carvalho ^{129a}, M. Moreno Llácer ¹⁶²,
 C. Moreno Martinez ¹³, P. Morettini ^{57b}, S. Morgenstern ¹⁶⁶, M. Morii ⁶¹, M. Morinaga ¹⁵²,
 V. Morisbak ¹²⁴, A.K. Morley ³⁶, F. Morodei ^{74a,74b}, L. Morvaj ³⁶, P. Moschovakos ³⁶,
 B. Moser ³⁶, M. Mosidze ^{148b}, T. Moskalets ⁵⁴, P. Moskvitina ¹¹², J. Moss ^{31,o}, E.J.W. Moyse ¹⁰²,
 S. Muanza ¹⁰¹, J. Mueller ¹²⁸, D. Muenstermann ⁹⁰, R. Müller ¹⁹, G.A. Mullier ⁹⁷, J.J. Mullin ¹²⁷,

D.P. Mungo ^{70a,70b}, J.L. Munoz Martinez ¹³, D. Munoz Perez ¹⁶², F.J. Munoz Sanchez ¹⁰⁰,
 M. Murin ¹⁰⁰, W.J. Murray ^{166,133}, A. Murrone ^{70a,70b}, J.M. Muse ¹¹⁹, M. Muškinja ^{17a},
 C. Mwewa ²⁹, A.G. Myagkov ^{37,a}, A.J. Myers ⁸, A.A. Myers ¹²⁸, G. Myers ⁶⁷, M. Myska ¹³¹,
 B.P. Nachman ^{17a}, O. Nackenhorst ⁴⁹, A. Nag ⁵⁰, K. Nagai ¹²⁵, K. Nagano ⁸², J.L. Nagle ^{29,al},
 E. Nagy ¹⁰¹, A.M. Nairz ³⁶, Y. Nakahama ⁸², K. Nakamura ⁸², H. Nanjo ¹²³, R. Narayan ⁴⁴,
 E.A. Narayanan ¹¹¹, I. Naryshkin ³⁷, M. Naseri ³⁴, C. Nass ²⁴, G. Navarro ^{22a},
 J. Navarro-Gonzalez ¹⁶², R. Nayak ¹⁵⁰, P.Y. Nechaeva ³⁷, F. Nechansky ⁴⁸, T.J. Neep ²⁰,
 A. Negri ^{72a,72b}, M. Negrini ^{23b}, C. Nellist ¹¹², C. Nelson ¹⁰³, K. Nelson ¹⁰⁵, S. Nemecek ¹³⁰,
 M. Nessi ^{36,h}, M.S. Neubauer ¹⁶¹, F. Neuhaus ⁹⁹, J. Neundorf ⁴⁸, R. Newhouse ¹⁶³,
 P.R. Newman ²⁰, C.W. Ng ¹²⁸, Y.S. Ng ¹⁸, Y.W.Y. Ng ¹⁵⁹, B. Ngair ^{35e}, H.D.N. Nguyen ¹⁰⁷,
 R.B. Nickerson ¹²⁵, R. Nicolaidou ¹³⁴, J. Nielsen ¹³⁵, M. Niemeyer ⁵⁵, N. Nikiforou ³⁶,
 V. Nikolaenko ^{37,a}, I. Nikolic-Audit ¹²⁶, K. Nikolopoulos ²⁰, P. Nilsson ²⁹, H.R. Nindhito ⁵⁶,
 A. Nisati ^{74a}, N. Nishu ², R. Nisius ¹⁰⁹, J-E. Nitschke ⁵⁰, E.K. Nkadameng ^{33g},
 S.J. Noacco Rosende ⁸⁹, T. Nobe ¹⁵², D.L. Noel ³², Y. Noguchi ⁸⁶, T. Nommensen ¹⁴⁶,
 M.A. Nomura ²⁹, M.B. Norfolk ¹³⁸, R.R.B. Norisam ⁹⁵, B.J. Norman ³⁴, J. Novak ⁹², T. Novak ⁴⁸,
 O. Novgorodova ⁵⁰, L. Novotny ¹³¹, R. Novotny ¹¹¹, L. Nozka ¹²¹, K. Ntekas ¹⁵⁹, E. Nurse ⁹⁵,
 F.G. Oakham ^{34,ai}, J. Ocariz ¹²⁶, A. Ochi ⁸³, I. Ochoa ^{129a}, S. Oerdek ¹⁶⁰, A. Ogrodnik ^{84a},
 A. Oh ¹⁰⁰, C.C. Ohm ¹⁴³, H. Oide ¹⁵³, R. Oishi ¹⁵², M.L. Ojeda ⁴⁸, Y. Okazaki ⁸⁶,
 M.W. O'Keefe ⁹¹, Y. Okumura ¹⁵², A. Olariu ^{27b}, L.F. Oleiro Seabra ^{129a}, S.A. Olivares Pino ^{136e},
 D. Oliveira Damazio ²⁹, D. Oliveira Goncalves ^{81a}, J.L. Oliver ¹⁵⁹, M.J.R. Olsson ¹⁵⁹,
 A. Olszewski ⁸⁵, J. Olszowska ^{85,*}, Ö.O. Öncel ⁵⁴, D.C. O'Neil ¹⁴¹, A.P. O'Neill ¹⁹,
 A. Onofre ^{129a,129e}, P.U.E. Onyisi ¹¹, M.J. Oreglia ³⁹, G.E. Orellana ⁸⁹, D. Orestano ^{76a,76b},
 N. Orlando ¹³, R.S. Orr ¹⁵⁴, V. O'Shea ⁵⁹, R. Ospanov ^{62a}, G. Otero y Garzon ³⁰, H. Otono ⁸⁸,
 P.S. Ott ^{63a}, G.J. Ottino ^{17a}, M. Ouchrif ^{35d}, J. Ouellette ^{29,al}, F. Ould-Saada ¹²⁴, M. Owen ⁵⁹,
 R.E. Owen ¹³³, K.Y. Oyulmaz ^{21a}, V.E. Ozcan ^{21a}, N. Ozturk ⁸, S. Ozturk ^{21d}, J. Pacalt ¹²¹,
 H.A. Pacey ³², K. Pachal ⁵¹, A. Pacheco Pages ¹³, C. Padilla Aranda ¹³, G. Padovano ^{74a,74b},
 S. Pagan Griso ^{17a}, G. Palacino ⁶⁷, A. Palazzo ^{69a,69b}, S. Palazzo ⁵², S. Palestini ³⁶,
 M. Palka ^{84b}, J. Pan ¹⁷¹, T. Pan ^{64a}, D.K. Panchal ¹¹, C.E. Pandini ¹¹³, J.G. Panduro Vazquez ⁹⁴,
 H. Pang ^{14b}, P. Pani ⁴⁸, G. Panizzo ^{68a,68c}, L. Paolozzi ⁵⁶, C. Papadatos ¹⁰⁷, S. Parajuli ⁴⁴,
 A. Paramonov ⁶, C. Paraskevopoulos ¹⁰, D. Paredes Hernandez ^{64b}, T.H. Park ¹⁵⁴, M.A. Parker ³²,
 F. Parodi ^{57b,57a}, E.W. Parrish ¹¹⁴, V.A. Parrish ⁵², J.A. Parsons ⁴¹, U. Parzefall ⁵⁴,
 B. Pascual Dias ¹⁰⁷, L. Pascual Dominguez ¹⁵⁰, V.R. Pascuzzi ^{17a}, F. Pasquali ¹¹³,
 E. Pasqualucci ^{74a}, S. Passaggio ^{57b}, F. Pastore ⁹⁴, P. Pasuwan ^{47a,47b}, J.R. Pater ¹⁰⁰, J. Patton ⁹¹,
 T. Pauly ³⁶, J. Pearkes ¹⁴², M. Pedersen ¹²⁴, R. Pedro ^{129a}, S.V. Peleganchuk ³⁷, O. Penc ³⁶,
 C. Peng ^{64b}, H. Peng ^{62a}, K.E. Pensi ¹⁰⁸, M. Penzin ³⁷, B.S. Peralva ^{81a,81d},
 A.P. Pereira Peixoto ⁶⁰, L. Pereira Sanchez ^{47a,47b}, D.V. Perepelitsa ^{29,al}, E. Perez Codina ^{155a},
 M. Perganti ¹⁰, L. Perini ^{70a,70b,*}, H. Pernegger ³⁶, S. Perrella ³⁶, A. Perrevoort ¹¹², O. Perrin ⁴⁰,
 K. Peters ⁴⁸, R.F.Y. Peters ¹⁰⁰, B.A. Petersen ³⁶, T.C. Petersen ⁴², E. Petit ¹⁰¹, V. Petousis ¹³¹,
 C. Petridou ¹⁵¹, A. Petrukhin ¹⁴⁰, M. Pettee ^{17a}, N.E. Pettersson ³⁶, A. Petukhov ³⁷,
 K. Petukhova ¹³², A. Peyaud ¹³⁴, R. Pezoa ^{136f}, L. Pezzotti ³⁶, G. Pezzullo ¹⁷¹, T. Pham ¹⁰⁴,
 P.W. Phillips ¹³³, M.W. Phipps ¹⁶¹, G. Piacquadio ¹⁴⁴, E. Pianori ^{17a}, F. Piazza ^{70a,70b},
 R. Piegai ³⁰, D. Pietreanu ^{27b}, A.D. Pilkington ¹⁰⁰, M. Pinamonti ^{68a,68c}, J.L. Pinfold ²,
 B.C. Pinheiro Pereira ^{129a}, C. Pitman Donaldson ⁹⁵, D.A. Pizzi ³⁴, L. Pizzimento ^{75a,75b},
 A. Pizzini ¹¹³, M.-A. Pleier ²⁹, V. Plesanovs ⁵⁴, V. Pleskot ¹³², E. Plotnikova ³⁸, G. Poddar ⁴,
 R. Poettgen ⁹⁷, R. Poggi ⁵⁶, L. Poggioli ¹²⁶, I. Pogrebnyak ¹⁰⁶, D. Pohl ²⁴, I. Pokharel ⁵⁵,
 S. Polacek ¹³², G. Polesello ^{72a}, A. Poley ^{141,155a}, R. Polifka ¹³¹, A. Polini ^{23b}, C.S. Pollard ¹²⁵,
 Z.B. Pollock ¹¹⁸, V. Polychronakos ²⁹, D. Ponomarenko ³⁷, L. Pontecorvo ³⁶, S. Popa ^{27a},

G.A. Popeneciu [ID27d](#), D.M. Portillo Quintero [ID155a](#), S. Pospisil [ID131](#), P. Postolache [ID27c](#), K. Potamianos [ID125](#), I.N. Potrap [ID38](#), C.J. Potter [ID32](#), H. Potti [ID1](#), T. Poulsen [ID48](#), J. Poveda [ID162](#), G. Pownall [ID48](#), M.E. Pozo Astigarraga [ID36](#), A. Prades Ibanez [ID162](#), M.M. Prapa [ID46](#), J. Pretel [ID54](#), D. Price [ID100](#), M. Primavera [ID69a](#), M.A. Principe Martin [ID98](#), M.L. Proffitt [ID137](#), N. Proklova [ID37](#), K. Prokofiev [ID64c](#), G. Proto [ID75a,75b](#), S. Protopopescu [ID29](#), J. Proudfoot [ID6](#), M. Przybycien [ID84a](#), J.E. Puddefoot [ID138](#), D. Pudzha [ID37](#), P. Puzo [ID66](#), D. Pyatiizbyantseva [ID37](#), J. Qian [ID105](#), Y. Qin [ID100](#), T. Qiu [ID93](#), A. Quadt [ID55](#), M. Queitsch-Maitland [ID100](#), G. Rabanal Bolanos [ID61](#), D. Rafanoharana [ID54](#), F. Ragusa [ID70a,70b](#), J.L. Rainbolt [ID39](#), J.A. Raine [ID56](#), S. Rajagopalan [ID29](#), E. Ramakoti [ID37](#), K. Ran [ID14a,14d](#), V. Raskina [ID126](#), D.F. Rassloff [ID63a](#), S. Rave [ID99](#), B. Ravina [ID59](#), I. Ravinovich [ID168](#), M. Raymond [ID36](#), A.L. Read [ID124](#), N.P. Readioff [ID138](#), D.M. Rebutzi [ID72a,72b](#), D. Redigolo [ae](#), G. Redlinger [ID29](#), K. Reeves [ID45](#), J.A. Reidelsturz [ID170](#), D. Reikher [ID150](#), A. Reiss [ID99](#), A. Rej [ID140](#), C. Rembser [ID36](#), A. Renardi [ID48](#), M. Renda [ID27b](#), M.B. Rendel [ID109](#), A.G. Rennie [ID59](#), S. Resconi [ID70a](#), M. Ressegotti [ID57b,57a](#), E.D. Resseguie [ID17a](#), S. Rettie [ID95](#), B. Reynolds [ID118](#), E. Reynolds [ID17a](#), M. Rezaei Estabragh [ID170](#), O.L. Rezanova [ID37](#), P. Reznicek [ID132](#), E. Ricci [ID77a,77b](#), R. Richter [ID109](#), S. Richter [ID47a,47b](#), E. Richter-Was [ID84b](#), M. Ridel [ID126](#), P. Rieck [ID116](#), P. Riedler [ID36](#), M. Rijssenbeek [ID144](#), A. Rimoldi [ID72a,72b](#), M. Rimoldi [ID48](#), L. Rinaldi [ID23b,23a](#), T.T. Rinn [ID29](#), M.P. Rinnagel [ID108](#), G. Ripellino [ID143](#), I. Riu [ID13](#), P. Rivadeneira [ID48](#), J.C. Rivera Vergara [ID164](#), F. Rizatdinova [ID120](#), E. Rizvi [ID93](#), C. Rizzi [ID56](#), B.A. Roberts [ID166](#), B.R. Roberts [ID17a](#), S.H. Robertson [ID103,y](#), M. Robin [ID48](#), D. Robinson [ID32](#), C.M. Robles Gajardo [ID136f](#), M. Robles Manzano [ID99](#), A. Robson [ID59](#), A. Rocchi [ID75a,75b](#), C. Roda [ID73a,73b](#), S. Rodriguez Bosca [ID63a](#), Y. Rodriguez Garcia [ID22a](#), A. Rodriguez Rodriguez [ID54](#), A.M. Rodríguez Vera [ID155b](#), S. Roe [ID36](#), J.T. Roemer [ID159](#), A.R. Roepe-Gier [ID119](#), J. Roggel [ID170](#), O. Røhne [ID124](#), R.A. Rojas [ID164](#), B. Roland [ID54](#), C.P.A. Roland [ID67](#), J. Roloff [ID29](#), A. Romaniouk [ID37](#), E. Romano [ID72a,72b](#), M. Romano [ID23b](#), A.C. Romero Hernandez [ID161](#), N. Rompotis [ID91](#), L. Roos [ID126](#), S. Rosati [ID74a](#), B.J. Rosser [ID39](#), E. Rossi [ID4](#), E. Rossi [ID71a,71b](#), L.P. Rossi [ID57b](#), L. Rossini [ID48](#), R. Rosten [ID118](#), M. Rotaru [ID27b](#), B. Rottler [ID54](#), D. Rousseau [ID56](#), D. Rousso [ID32](#), G. Rovelli [ID72a,72b](#), A. Roy [ID161](#), A. Rozanov [ID101](#), Y. Rozen [ID149](#), X. Ruan [ID33g](#), A. Rubio Jimenez [ID162](#), A.J. Ruby [ID91](#), T.A. Ruggeri [ID1](#), F. Rühr [ID54](#), A. Ruiz-Martinez [ID162](#), A. Rummler [ID36](#), Z. Rurikova [ID54](#), N.A. Rusakovich [ID38](#), H.L. Russell [ID164](#), J.P. Rutherford [ID7](#), E.M. Rüttinger [ID138](#), K. Rybacki [ID90](#), M. Rybar [ID132](#), E.B. Rye [ID124](#), A. Ryzhov [ID37](#), J.A. Sabater Iglesias [ID56](#), P. Sabatini [ID162](#), L. Sabetta [ID74a,74b](#), H.F.W. Sadrozinski [ID135](#), F. Safai Tehrani [ID74a](#), B. Safarzadeh Samani [ID145](#), M. Safdari [ID142](#), S. Saha [ID103](#), M. Sahinsoy [ID109](#), M. Saimpert [ID134](#), M. Saito [ID152](#), T. Saito [ID152](#), D. Salamani [ID36](#), G. Salamanna [ID76a,76b](#), A. Salnikov [ID142](#), J. Salt [ID162](#), A. Salvador Salas [ID13](#), D. Salvatore [ID43b,43a](#), F. Salvatore [ID145](#), A. Salzburger [ID36](#), D. Sammel [ID54](#), D. Sampsonidis [ID151](#), D. Sampsonidou [ID62d,62c](#), J. Sánchez [ID162](#), A. Sanchez Pineda [ID4](#), V. Sanchez Sebastian [ID162](#), H. Sandaker [ID124](#), C.O. Sander [ID48](#), J.A. Sandesara [ID102](#), M. Sandhoff [ID170](#), C. Sandoval [ID22b](#), D.P.C. Sankey [ID133](#), A. Sansoni [ID53](#), L. Santi [ID74a,74b](#), C. Santoni [ID40](#), H. Santos [ID129a,129b](#), S.N. Santpur [ID17a](#), A. Santra [ID168](#), K.A. Saoucha [ID138](#), J.G. Saraiva [ID129a,129d](#), J. Sardain [ID7](#), O. Sasaki [ID82](#), K. Sato [ID156](#), C. Sauer [ID63b](#), F. Sauerburger [ID54](#), E. Sauvan [ID4](#), P. Savard [ID154,ai](#), R. Sawada [ID152](#), C. Sawyer [ID133](#), L. Sawyer [ID96](#), I. Sayago Galvan [ID162](#), C. Sbarra [ID23b](#), A. Sbrizzi [ID23b,23a](#), T. Scanlon [ID95](#), J. Schaarschmidt [ID137](#), P. Schacht [ID109](#), D. Schaefer [ID39](#), U. Schäfer [ID99](#), A.C. Schaffer [ID66](#), D. Schaile [ID108](#), R.D. Schamberger [ID144](#), E. Schanet [ID108](#), C. Scharf [ID18](#), V.A. Schegelsky [ID37](#), D. Scheirich [ID132](#), F. Schenck [ID18](#), M. Schernau [ID159](#), C. Scheulen [ID55](#), C. Schiavi [ID57b,57a](#), Z.M. Schillaci [ID26](#), E.J. Schioppa [ID69a,69b](#), M. Schioppa [ID43b,43a](#), B. Schlag [ID99](#), K.E. Schleicher [ID54](#), S. Schlenker [ID36](#), K. Schmieden [ID99](#), C. Schmitt [ID99](#), S. Schmitt [ID48](#), L. Schoeffel [ID134](#), A. Schoening [ID63b](#), P.G. Scholer [ID54](#), E. Schopf [ID125](#), M. Schott [ID99](#), J. Schovancova [ID36](#), S. Schramm [ID56](#), F. Schroeder [ID170](#), H-C. Schultz-Coulon [ID63a](#), M. Schumacher [ID54](#), B.A. Schumm [ID135](#), Ph. Schune [ID134](#),

A. Schwartzman ¹⁴², T.A. Schwarz ¹⁰⁵, Ph. Schwemling ¹³⁴, R. Schvienhorst ¹⁰⁶,
 A. Sciandra ¹³⁵, G. Sciolla ²⁶, F. Scuri ^{73a}, F. Scutti ¹⁰⁴, C.D. Sebastiani ⁹¹, K. Sedlaczek ⁴⁹,
 P. Seema ¹⁸, S.C. Seidel ¹¹¹, A. Seiden ¹³⁵, B.D. Seidlitz ⁴¹, T. Seiss ³⁹, C. Seitz ⁴⁸,
 J.M. Seixas ^{81b}, G. Sekhniaidze ^{71a}, S.J. Sekula ⁴⁴, L. Selem ⁴, N. Semprini-Cesari ^{23b,23a},
 S. Sen ⁵¹, D. Sengupta ⁵⁶, V. Senthilkumar ¹⁶², L. Serin ⁶⁶, L. Serkin ^{68a,68b}, M. Sessa ^{76a,76b},
 H. Severini ¹¹⁹, S. Sevova ¹⁴², F. Sforza ^{57b,57a}, A. Sfyrta ⁵⁶, E. Shabalina ⁵⁵, R. Shaheen ¹⁴³,
 J.D. Shahinian ¹²⁷, N.W. Shaikh ^{47a,47b}, D. Shaked Renous ¹⁶⁸, L.Y. Shan ^{14a}, M. Shapiro ^{17a},
 A. Sharma ³⁶, A.S. Sharma ¹⁶³, P. Sharma ⁷⁹, S. Sharma ⁴⁸, P.B. Shatalov ³⁷, K. Shaw ¹⁴⁵,
 S.M. Shaw ¹⁰⁰, Q. Shen ^{62c}, P. Sherwood ⁹⁵, L. Shi ⁹⁵, C.O. Shimmin ¹⁷¹, Y. Shimogama ¹⁶⁷,
 J.D. Shinner ⁹⁴, I.P.J. Shipsey ¹²⁵, S. Shirabe ⁶⁰, M. Shiyakova ^{38,x}, J. Shlomi ¹⁶⁸,
 M.J. Shochet ³⁹, J. Shojaii ¹⁰⁴, D.R. Shope ¹⁴³, S. Shrestha ¹¹⁸, E.M. Shrif ^{33g}, M.J. Shroff ¹⁶⁴,
 P. Sicho ¹³⁰, A.M. Sickles ¹⁶¹, E. Sideras Haddad ^{33g}, O. Sidiropoulou ³⁶, A. Sidoti ^{23b},
 F. Siegert ⁵⁰, Dj. Sijacki ¹⁵, R. Sikora ^{84a}, F. Sili ⁸⁹, J.M. Silva ²⁰, M.V. Silva Oliveira ³⁶,
 S.B. Silverstein ^{47a}, S. Simion ⁶⁶, R. Simoniello ³⁶, E.L. Simpson ⁵⁹, N.D. Simpson ⁹⁷,
 S. Simsek ^{21d}, S. Sindhu ⁵⁵, P. Sinervo ¹⁵⁴, V. Sinetckii ³⁷, S. Singh ¹⁴¹, S. Singh ¹⁵⁴,
 S. Sinha ⁴⁸, S. Sinha ^{33g}, M. Sioli ^{23b,23a}, I. Siral ¹²², S. Yu. Sivoklov ^{37,*}, J. Sjölin ^{47a,47b},
 A. Skaf ⁵⁵, E. Skorda ⁹⁷, P. Skubic ¹¹⁹, M. Slawinska ⁸⁵, V. Smakhtin ¹⁶⁸, B.H. Smart ¹³³,
 J. Smiesko ¹³², S.Yu. Smirnov ³⁷, Y. Smirnov ³⁷, L.N. Smirnova ^{37,a}, O. Smirnova ⁹⁷,
 A.C. Smith ⁴¹, E.A. Smith ³⁹, H.A. Smith ¹²⁵, J.L. Smith ⁹¹, R. Smith ¹⁴², M. Smizanska ⁹⁰,
 K. Smolek ¹³¹, A. Smykiewicz ⁸⁵, A.A. Snesarev ³⁷, H.L. Snoek ¹¹³, S. Snyder ²⁹,
 R. Sobie ^{164,y}, A. Soffer ¹⁵⁰, C.A. Solans Sanchez ³⁶, E.Yu. Soldatov ³⁷, U. Soldevila ¹⁶²,
 A.A. Solodkov ³⁷, S. Solomon ⁵⁴, A. Soloshenko ³⁸, K. Solovieva ⁵⁴, O.V. Solovyanov ³⁷,
 V. Solovyev ³⁷, P. Sommer ³⁶, A. Sonay ¹³, W.Y. Song ^{155b}, A. Sopczak ¹³¹, A.L. Sopio ⁹⁵,
 F. Sopkova ^{28b}, V. Sothilingam ^{63a}, S. Sottocornola ^{72a,72b}, R. Soualah ^{115b}, Z. Soumami ^{35e},
 D. South ⁴⁸, S. Spagnolo ^{69a,69b}, M. Spalla ¹⁰⁹, F. Spanò ⁹⁴, D. Sperlich ⁵⁴, G. Spigo ³⁶,
 M. Spina ¹⁴⁵, S. Spinali ⁹⁰, D.P. Spiteri ⁵⁹, M. Spousta ¹³², E.J. Staats ³⁴, A. Stabile ^{70a,70b},
 R. Stamen ^{63a}, M. Stamenkovic ¹¹³, A. Stampekis ²⁰, M. Standke ²⁴, E. Stanecka ⁸⁵,
 B. Stanislaus ^{17a}, M.M. Stanitzki ⁴⁸, M. Stankaityte ¹²⁵, B. Stapf ⁴⁸, E.A. Starchenko ³⁷,
 G.H. Stark ¹³⁵, J. Stark ^{101,ab}, D.M. Starko ^{155b}, P. Staroba ¹³⁰, P. Starovoitov ^{63a}, S. Stärz ¹⁰³,
 R. Staszewski ⁸⁵, G. Stavropoulos ⁴⁶, J. Steentoft ¹⁶⁰, P. Steinberg ²⁹, A.L. Steinhebel ¹²²,
 B. Stelzer ^{141,155a}, H.J. Stelzer ¹²⁸, O. Stelzer-Chilton ^{155a}, H. Stenzel ⁵⁸, T.J. Stevenson ¹⁴⁵,
 G.A. Stewart ³⁶, M.C. Stockton ³⁶, G. Stoicea ^{27b}, M. Stolarski ^{129a}, S. Stonjek ¹⁰⁹,
 A. Straessner ⁵⁰, J. Strandberg ¹⁴³, S. Strandberg ^{47a,47b}, M. Strauss ¹¹⁹, T. Strebler ¹⁰¹,
 P. Strizenec ^{28b}, R. Ströhmer ¹⁶⁵, D.M. Strom ¹²², L.R. Strom ⁴⁸, R. Stroynowski ⁴⁴,
 A. Strubig ^{47a,47b}, S.A. Stucci ²⁹, B. Stugu ¹⁶, J. Stupak ¹¹⁹, N.A. Styles ⁴⁸, D. Su ¹⁴²,
 S. Su ^{62a}, W. Su ^{62d,137,62c}, X. Su ^{62a,66}, K. Sugizaki ¹⁵², V.V. Sulin ³⁷, M.J. Sullivan ⁹¹,
 D.M.S. Sultan ^{77a,77b}, L. Sultanaliyeva ³⁷, S. Sultansoy ^{3b}, T. Sumida ⁸⁶, S. Sun ¹⁰⁵, S. Sun ¹⁶⁹,
 O. Sunneborn Gudnadottir ¹⁶⁰, M.R. Sutton ¹⁴⁵, M. Svatos ¹³⁰, M. Swiatlowski ^{155a},
 T. Swirski ¹⁶⁵, I. Sykora ^{28a}, M. Sykora ¹³², T. Sykora ¹³², D. Ta ⁹⁹, K. Tackmann ^{48,w},
 A. Taffard ¹⁵⁹, R. Tafirout ^{155a}, J.S. Tafoya Vargas ⁶⁶, R.H.M. Taibah ¹²⁶, R. Takashima ⁸⁷,
 K. Takeda ⁸³, E.P. Takeva ⁵², Y. Takubo ⁸², M. Talby ¹⁰¹, A.A. Talyshv ³⁷, K.C. Tam ^{64b},
 N.M. Tamir ¹⁵⁰, A. Tanaka ¹⁵², J. Tanaka ¹⁵², R. Tanaka ⁶⁶, M. Tanasini ^{57b,57a}, J. Tang ^{62c},
 Z. Tao ¹⁶³, S. Tapia Araya ⁸⁰, S. Tapprogge ⁹⁹, A. Tarek Abouelfadl Mohamed ¹⁰⁶, S. Tarem ¹⁴⁹,
 K. Tariq ^{62b}, G. Tarna ^{27b}, G.F. Tartarelli ^{70a}, P. Tas ¹³², M. Tasevsky ¹³⁰, E. Tassi ^{43b,43a},
 A.C. Tate ¹⁶¹, G. Tateno ¹⁵², Y. Tayalati ^{35e}, G.N. Taylor ¹⁰⁴, W. Taylor ^{155b}, H. Teagle ⁹¹,
 A.S. Tee ¹⁶⁹, R. Teixeira De Lima ¹⁴², P. Teixeira-Dias ⁹⁴, J.J. Teoh ¹⁵⁴, K. Terashi ¹⁵²,
 J. Terron ⁹⁸, S. Terzo ¹³, M. Testa ⁵³, R.J. Teuscher ^{154,y}, A. Thaler ⁷⁸, N. Themistokleous ⁵²,

T. Theveneaux-Pelzer ¹⁸, O. Thielmann ¹⁷⁰, D.W. Thomas ⁹⁴, J.P. Thomas ²⁰, E.A. Thompson ⁴⁸, P.D. Thompson ²⁰, E. Thomson ¹²⁷, E.J. Thorpe ⁹³, Y. Tian ⁵⁵, V. Tikhomirov ^{37,a}, Yu.A. Tikhonov ³⁷, S. Timoshenko ³⁷, E.X.L. Ting ¹, P. Tipton ¹⁷¹, S. Tisserant ¹⁰¹, S.H. Tlou ^{33g}, A. Tnourji ⁴⁰, K. Todome ^{23b,23a}, S. Todorova-Nova ¹³², S. Todt ⁵⁰, M. Togawa ⁸², J. Tojo ⁸⁸, S. Tokár ^{28a}, K. Tokushuku ⁸², R. Tombs ³², M. Tomoto ^{82,110}, L. Tompkins ^{142,q}, P. Tornambe ¹⁰², E. Torrence ¹²², H. Torres ⁵⁰, E. Torró Pastor ¹⁶², M. Toscani ³⁰, C. Tosciri ³⁹, D.R. Tovey ¹³⁸, A. Traeet ¹⁶, I.S. Trandafir ^{27b}, T. Trefzger ¹⁶⁵, A. Tricoli ²⁹, I.M. Trigger ^{155a}, S. Trincaz-Duvoid ¹²⁶, D.A. Trischuk ¹⁶³, B. Trocmé ⁶⁰, A. Trofymov ⁶⁶, C. Troncon ^{70a}, L. Truong ^{33c}, M. Trzebinski ⁸⁵, A. Trzupiek ⁸⁵, F. Tsai ¹⁴⁴, M. Tsai ¹⁰⁵, A. Tsiamis ¹⁵¹, P.V. Tsiarehka ³⁷, S. Tsigaridas ^{155a}, A. Tsirigotis ^{151,u}, V. Tsiskaridze ¹⁴⁴, E.G. Tskhadadze ^{148a}, M. Tsopoulou ¹⁵¹, Y. Tsujikawa ⁸⁶, I.I. Tsukerman ³⁷, V. Tsulaia ^{17a}, S. Tsuno ⁸², O. Tsur ¹⁴⁹, D. Tsybychev ¹⁴⁴, Y. Tu ^{64b}, A. Tudorache ^{27b}, V. Tudorache ^{27b}, A.N. Tuna ³⁶, S. Turchikhin ³⁸, I. Turk Cakir ^{3a}, R. Turra ^{70a}, T. Turtuvshin ³⁸, P.M. Tuts ⁴¹, S. Tzamarias ¹⁵¹, P. Tzanis ¹⁰, E. Tzovara ⁹⁹, K. Uchida ¹⁵², F. Ukegawa ¹⁵⁶, P.A. Ulloa Poblete ^{136c}, G. Unal ³⁶, M. Unal ¹¹, A. Undrus ²⁹, G. Unel ¹⁵⁹, K. Uno ¹⁵², J. Urban ^{28b}, P. Urquijo ¹⁰⁴, G. Usai ⁸, R. Ushioda ¹⁵³, M. Usman ¹⁰⁷, Z. Uysal ^{21b}, V. Vacek ¹³¹, B. Vachon ¹⁰³, K.O.H. Vadla ¹²⁴, T. Vafeiadis ³⁶, C. Valderanis ¹⁰⁸, E. Valdes Santurio ^{47a,47b}, M. Valente ^{155a}, S. Valentinetti ^{23b,23a}, A. Valero ¹⁶², A. Vallier ^{101,ab}, J.A. Valls Ferrer ¹⁶², T.R. Van Daalen ¹³⁷, P. Van Gemmeren ⁶, S. Van Stroud ⁹⁵, I. Van Vulpen ¹¹³, M. Vanadia ^{75a,75b}, W. Vandelli ³⁶, M. Vandenbroucke ¹³⁴, E.R. Vandewall ¹²⁰, D. Vannicola ¹⁵⁰, L. Vannoli ^{57b,57a}, R. Vari ^{74a}, E.W. Varnes ⁷, C. Varni ^{17a}, T. Varol ¹⁴⁷, D. Varouchas ⁶⁶, L. Varriale ¹⁶², K.E. Varvell ¹⁴⁶, M.E. Vasile ^{27b}, L. Vaslin ⁴⁰, G.A. Vasquez ¹⁶⁴, F. Vazeille ⁴⁰, T. Vazquez Schroeder ³⁶, J. Veatch ³¹, V. Vecchio ¹⁰⁰, M.J. Veen ¹¹³, I. Veliscek ¹²⁵, L.M. Veloce ¹⁵⁴, F. Veloso ^{129a,129c}, S. Veneziano ^{74a}, A. Ventura ^{69a,69b}, A. Verbytskyi ¹⁰⁹, M. Verducci ^{73a,73b}, C. Vergis ²⁴, M. Verissimo De Araujo ^{81b}, W. Verkerke ¹¹³, J.C. Vermeulen ¹¹³, C. Vernieri ¹⁴², P.J. Verschuuren ⁹⁴, M. Vessella ¹⁰², M.L. Vesterbacka ¹¹⁶, M.C. Vetterli ^{141,ai}, A. Vgenopoulos ¹⁵¹, N. Viaux Maira ^{136f}, T. Vickey ¹³⁸, O.E. Vickey Boeriu ¹³⁸, G.H.A. Viehhauser ¹²⁵, L. Vignani ^{63b}, M. Villa ^{23b,23a}, M. Villaplana Perez ¹⁶², E.M. Villhauer ⁵², E. Vilucchi ⁵³, M.G. Vincter ³⁴, G.S. Virdee ²⁰, A. Vishwakarma ⁵², C. Vittori ^{23b,23a}, I. Vivarelli ¹⁴⁵, V. Vladimirov ¹⁶⁶, E. Voevodina ¹⁰⁹, F. Vogel ¹⁰⁸, P. Vokac ¹³¹, J. Von Ahnen ⁴⁸, E. Von Toerne ²⁴, B. Vormwald ³⁶, V. Vorobel ¹³², K. Vorobev ³⁷, M. Vos ¹⁶², J.H. Vosseveld ⁹¹, M. Vozak ¹¹³, L. Vozdecky ⁹³, N. Vranjes ¹⁵, M. Vranjes Milosavljevic ¹⁵, M. Vreeswijk ¹¹³, R. Vuillermet ³⁶, O. Vujanovic ⁹⁹, I. Vukotic ³⁹, S. Wada ¹⁵⁶, C. Wagner ¹⁰², W. Wagner ¹⁷⁰, S. Wahdan ¹⁷⁰, H. Wahlberg ⁸⁹, R. Wakasa ¹⁵⁶, M. Wakida ¹¹⁰, V.M. Walbrecht ¹⁰⁹, J. Walder ¹³³, R. Walker ¹⁰⁸, W. Walkowiak ¹⁴⁰, A.M. Wang ⁶¹, A.Z. Wang ¹⁶⁹, C. Wang ^{62a}, C. Wang ^{62c}, H. Wang ^{17a}, J. Wang ^{64a}, P. Wang ⁴⁴, R.-J. Wang ⁹⁹, R. Wang ⁶¹, R. Wang ⁶, S.M. Wang ¹⁴⁷, S. Wang ^{62b}, T. Wang ^{62a}, W.T. Wang ⁷⁹, W.X. Wang ^{62a}, X. Wang ^{14c}, X. Wang ¹⁶¹, X. Wang ^{62c}, Y. Wang ^{62d}, Y. Wang ^{14c}, Z. Wang ¹⁰⁵, Z. Wang ^{62d,51,62c}, Z. Wang ¹⁰⁵, A. Warburton ¹⁰³, R.J. Ward ²⁰, N. Warrack ⁵⁹, A.T. Watson ²⁰, M.F. Watson ²⁰, G. Watts ¹³⁷, B.M. Waugh ⁹⁵, A.F. Webb ¹¹, C. Weber ²⁹, M.S. Weber ¹⁹, S.A. Weber ³⁴, S.M. Weber ^{63a}, C. Wei ^{62a}, Y. Wei ¹²⁵, A.R. Weidberg ¹²⁵, J. Weingarten ⁴⁹, M. Weirich ⁹⁹, C. Weiser ⁵⁴, C.J. Wells ⁴⁸, T. Wenaus ²⁹, B. Wendland ⁴⁹, T. Wengler ³⁶, N.S. Wenke ¹⁰⁹, N. Wermes ²⁴, M. Wessels ^{63a}, K. Whalen ¹²², A.M. Wharton ⁹⁰, A.S. White ⁶¹, A. White ⁸, M.J. White ¹, D. Whiteson ¹⁵⁹, L. Wickremasinghe ¹²³, W. Wiedenmann ¹⁶⁹, C. Wiel ⁵⁰, M. Wielers ¹³³, N. Wieseotte ⁹⁹, C. Wiglesworth ⁴², L.A.M. Wiik-Fuchs ⁵⁴, D.J. Wilbern ¹¹⁹, H.G. Wilkens ³⁶, D.M. Williams ⁴¹, H.H. Williams ¹²⁷, S. Williams ³², S. Willocq ¹⁰², P.J. Windischhofer ¹²⁵, F. Winklmeier ¹²², B.T. Winter ⁵⁴, M. Wittgen ¹⁴², M. Wobisch ⁹⁶, A. Wolf ⁹⁹, R. Wölker ¹²⁵, J. Wollrath ¹⁵⁹,

M.W. Wolter ¹, H. Wolters ^{129a,129c}, V.W.S. Wong ¹⁶³, A.F. Wongel ⁴⁸, S.D. Worm ⁴⁸, B.K. Wosiek ⁸⁵, K.W. Woźniak ⁸⁵, K. Wraight ⁵⁹, J. Wu ^{14a,14d}, M. Wu ^{64a}, S.L. Wu ¹⁶⁹, X. Wu ⁵⁶, Y. Wu ^{62a}, Z. Wu ^{134,62a}, J. Wuerzinger ¹²⁵, T.R. Wyatt ¹⁰⁰, B.M. Wynne ⁵², S. Xella ⁴², L. Xia ^{14c}, M. Xia ^{14b}, J. Xiang ^{64c}, X. Xiao ¹⁰⁵, M. Xie ^{62a}, X. Xie ^{62a}, J. Xiong ^{17a}, I. Xiotidis ¹⁴⁵, D. Xu ^{14a}, H. Xu ^{62a}, H. Xu ^{62a}, L. Xu ^{62a}, R. Xu ¹²⁷, T. Xu ¹⁰⁵, W. Xu ¹⁰⁵, Y. Xu ^{14b}, Z. Xu ^{62b}, Z. Xu ¹⁴², B. Yabsley ¹⁴⁶, S. Yacoob ^{33a}, N. Yamaguchi ⁸⁸, Y. Yamaguchi ¹⁵³, H. Yamauchi ¹⁵⁶, T. Yamazaki ^{17a}, Y. Yamazaki ⁸³, J. Yan ^{62c}, S. Yan ¹²⁵, Z. Yan ²⁵, H.J. Yang ^{62c,62d}, H.T. Yang ^{17a}, S. Yang ^{62a}, T. Yang ^{64c}, X. Yang ^{62a}, X. Yang ^{14a}, Y. Yang ⁴⁴, Z. Yang ^{62a,105}, W-M. Yao ^{17a}, Y.C. Yap ⁴⁸, H. Ye ^{14c}, J. Ye ⁴⁴, S. Ye ²⁹, X. Ye ^{62a}, Y. Yeh ⁹⁵, I. Yeletsikh ³⁸, M.R. Yexley ⁹⁰, P. Yin ⁴¹, K. Yorita ¹⁶⁷, C.J.S. Young ⁵⁴, C. Young ¹⁴², M. Yuan ¹⁰⁵, R. Yuan ^{62b,k}, L. Yue ⁹⁵, X. Yue ^{63a}, M. Zaazoua ^{35e}, B. Zabinski ⁸⁵, E. Zaid ⁵², T. Zakareishvili ^{148b}, N. Zakharchuk ³⁴, S. Zambito ⁵⁶, J. Zang ¹⁵², D. Zanzi ⁵⁴, O. Zaplatilek ¹³¹, S.V. ZeiBner ⁴⁹, C. Zeitnitz ¹⁷⁰, J.C. Zeng ¹⁶¹, D.T. Zenger Jr ²⁶, O. Zenin ³⁷, T. Ženiš ^{28a}, S. Zenz ⁹³, S. Zerradi ^{35a}, D. Zerwas ⁶⁶, B. Zhang ^{14c}, D.F. Zhang ¹³⁸, G. Zhang ^{14b}, J. Zhang ⁶, K. Zhang ^{14a,14d}, L. Zhang ^{14c}, R. Zhang ¹⁶⁹, S. Zhang ¹⁰⁵, T. Zhang ¹⁵², X. Zhang ^{62c}, X. Zhang ^{62b}, Z. Zhang ^{17a}, Z. Zhang ⁶⁶, H. Zhao ¹³⁷, P. Zhao ⁵¹, T. Zhao ^{62b}, Y. Zhao ¹³⁵, Z. Zhao ^{62a}, A. Zhemchugov ³⁸, Z. Zheng ¹⁴², D. Zhong ¹⁶¹, B. Zhou ¹⁰⁵, C. Zhou ¹⁶⁹, H. Zhou ⁷, N. Zhou ^{62c}, Y. Zhou ⁷, C.G. Zhu ^{62b}, C. Zhu ^{14a,14d}, H.L. Zhu ^{62a}, H. Zhu ^{14a}, J. Zhu ¹⁰⁵, Y. Zhu ^{62a}, X. Zhuang ^{14a}, K. Zhukov ³⁷, V. Zhulanov ³⁷, N.I. Zimine ³⁸, J. Zinsser ^{63b}, M. Ziolkowski ¹⁴⁰, L. Živković ¹⁵, A. Zoccoli ^{23b,23a}, K. Zoch ⁵⁶, T.G. Zorbas ¹³⁸, O. Zormpa ⁴⁶, W. Zou ⁴¹, L. Zwalinski ³⁶.

¹Department of Physics, University of Adelaide, Adelaide; Australia.

²Department of Physics, University of Alberta, Edmonton AB; Canada.

^{3(a)}Department of Physics, Ankara University, Ankara; ^(b)Division of Physics, TOBB University of Economics and Technology, Ankara; Türkiye.

⁴LAPP, Université Savoie Mont Blanc, CNRS/IN2P3, Annecy; France.

⁵APC, Université Paris Cité, CNRS/IN2P3, Paris; France.

⁶High Energy Physics Division, Argonne National Laboratory, Argonne IL; United States of America.

⁷Department of Physics, University of Arizona, Tucson AZ; United States of America.

⁸Department of Physics, University of Texas at Arlington, Arlington TX; United States of America.

⁹Physics Department, National and Kapodistrian University of Athens, Athens; Greece.

¹⁰Physics Department, National Technical University of Athens, Zografou; Greece.

¹¹Department of Physics, University of Texas at Austin, Austin TX; United States of America.

¹²Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.

¹³Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona; Spain.

^{14(a)}Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; ^(b)Physics Department, Tsinghua University, Beijing; ^(c)Department of Physics, Nanjing University, Nanjing; ^(d)University of Chinese Academy of Science (UCAS), Beijing; China.

¹⁵Institute of Physics, University of Belgrade, Belgrade; Serbia.

¹⁶Department for Physics and Technology, University of Bergen, Bergen; Norway.

^{17(a)}Physics Division, Lawrence Berkeley National Laboratory, Berkeley CA; ^(b)University of California, Berkeley CA; United States of America.

¹⁸Institut für Physik, Humboldt Universität zu Berlin, Berlin; Germany.

¹⁹Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern; Switzerland.

- ²⁰School of Physics and Astronomy, University of Birmingham, Birmingham; United Kingdom.
- ²¹(^a)Department of Physics, Bogazici University, Istanbul;(^b)Department of Physics Engineering, Gaziantep University, Gaziantep;(^c)Department of Physics, Istanbul University, Istanbul;(^d)Istinye University, Sariyer, Istanbul; Türkiye.
- ²²(^a)Facultad de Ciencias y Centro de Investigaciones, Universidad Antonio Nariño, Bogotá;(^b)Departamento de Física, Universidad Nacional de Colombia, Bogotá; Colombia.
- ²³(^a)Dipartimento di Fisica e Astronomia A. Righi, Università di Bologna, Bologna;(^b)INFN Sezione di Bologna; Italy.
- ²⁴Physikalisches Institut, Universität Bonn, Bonn; Germany.
- ²⁵Department of Physics, Boston University, Boston MA; United States of America.
- ²⁶Department of Physics, Brandeis University, Waltham MA; United States of America.
- ²⁷(^a)Transilvania University of Brasov, Brasov;(^b)Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest;(^c)Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi;(^d)National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj-Napoca;(^e)University Politehnica Bucharest, Bucharest;(^f)West University in Timisoara, Timisoara;(^g)Faculty of Physics, University of Bucharest, Bucharest; Romania.
- ²⁸(^a)Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava;(^b)Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice; Slovak Republic.
- ²⁹Physics Department, Brookhaven National Laboratory, Upton NY; United States of America.
- ³⁰Universidad de Buenos Aires, Facultad de Ciencias Exactas y Naturales, Departamento de Física, y CONICET, Instituto de Física de Buenos Aires (IFIBA), Buenos Aires; Argentina.
- ³¹California State University, CA; United States of America.
- ³²Cavendish Laboratory, University of Cambridge, Cambridge; United Kingdom.
- ³³(^a)Department of Physics, University of Cape Town, Cape Town;(^b)iThemba Labs, Western Cape;(^c)Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg;(^d)National Institute of Physics, University of the Philippines Diliman (Philippines);(^e)University of South Africa, Department of Physics, Pretoria;(^f)University of Zululand, KwaDlangezwa;(^g)School of Physics, University of the Witwatersrand, Johannesburg; South Africa.
- ³⁴Department of Physics, Carleton University, Ottawa ON; Canada.
- ³⁵(^a)Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies - Université Hassan II, Casablanca;(^b)Faculté des Sciences, Université Ibn-Tofail, Kénitra;(^c)Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech;(^d)LPMR, Faculté des Sciences, Université Mohamed Premier, Oujda;(^e)Faculté des sciences, Université Mohammed V, Rabat;(^f)Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco.
- ³⁶CERN, Geneva; Switzerland.
- ³⁷Affiliated with an institute covered by a cooperation agreement with CERN.
- ³⁸Affiliated with an international laboratory covered by a cooperation agreement with CERN.
- ³⁹Enrico Fermi Institute, University of Chicago, Chicago IL; United States of America.
- ⁴⁰LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand; France.
- ⁴¹Nevis Laboratory, Columbia University, Irvington NY; United States of America.
- ⁴²Niels Bohr Institute, University of Copenhagen, Copenhagen; Denmark.
- ⁴³(^a)Dipartimento di Fisica, Università della Calabria, Rende;(^b)INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; Italy.
- ⁴⁴Physics Department, Southern Methodist University, Dallas TX; United States of America.
- ⁴⁵Physics Department, University of Texas at Dallas, Richardson TX; United States of America.
- ⁴⁶National Centre for Scientific Research "Demokritos", Agia Paraskevi; Greece.

- 47^(a) Department of Physics, Stockholm University;^(b) Oskar Klein Centre, Stockholm; Sweden.
- 48 Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen; Germany.
- 49 Fakultät Physik, Technische Universität Dortmund, Dortmund; Germany.
- 50 Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden; Germany.
- 51 Department of Physics, Duke University, Durham NC; United States of America.
- 52 SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh; United Kingdom.
- 53 INFN e Laboratori Nazionali di Frascati, Frascati; Italy.
- 54 Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg; Germany.
- 55 II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen; Germany.
- 56 Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.
- 57^(a) Dipartimento di Fisica, Università di Genova, Genova;^(b) INFN Sezione di Genova; Italy.
- 58 II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen; Germany.
- 59 SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow; United Kingdom.
- 60 LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble; France.
- 61 Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA; United States of America.
- 62^(a) Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei;^(b) Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE), Shandong University, Qingdao;^(c) School of Physics and Astronomy, Shanghai Jiao Tong University, Key Laboratory for Particle Astrophysics and Cosmology (MOE), SKLPPC, Shanghai;^(d) Tsung-Dao Lee Institute, Shanghai; China.
- 63^(a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg;^(b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; Germany.
- 64^(a) Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong;^(b) Department of Physics, University of Hong Kong, Hong Kong;^(c) Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong; China.
- 65 Department of Physics, National Tsing Hua University, Hsinchu; Taiwan.
- 66 IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay; France.
- 67 Department of Physics, Indiana University, Bloomington IN; United States of America.
- 68^(a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine;^(b) ICTP, Trieste;^(c) Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine; Italy.
- 69^(a) INFN Sezione di Lecce;^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce; Italy.
- 70^(a) INFN Sezione di Milano;^(b) Dipartimento di Fisica, Università di Milano, Milano; Italy.
- 71^(a) INFN Sezione di Napoli;^(b) Dipartimento di Fisica, Università di Napoli, Napoli; Italy.
- 72^(a) INFN Sezione di Pavia;^(b) Dipartimento di Fisica, Università di Pavia, Pavia; Italy.
- 73^(a) INFN Sezione di Pisa;^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa; Italy.
- 74^(a) INFN Sezione di Roma;^(b) Dipartimento di Fisica, Sapienza Università di Roma, Roma; Italy.
- 75^(a) INFN Sezione di Roma Tor Vergata;^(b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma; Italy.
- 76^(a) INFN Sezione di Roma Tre;^(b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma; Italy.
- 77^(a) INFN-TIFPA;^(b) Università degli Studi di Trento, Trento; Italy.
- 78 Universität Innsbruck, Department of Astro and Particle Physics, Innsbruck; Austria.
- 79 University of Iowa, Iowa City IA; United States of America.
- 80 Department of Physics and Astronomy, Iowa State University, Ames IA; United States of America.
- 81^(a) Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora;^(b) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro;^(c) Instituto de Física,

- Universidade de São Paulo, São Paulo;^(d)Rio de Janeiro State University, Rio de Janeiro; Brazil.
- ⁸²KEK, High Energy Accelerator Research Organization, Tsukuba; Japan.
- ⁸³Graduate School of Science, Kobe University, Kobe; Japan.
- ⁸⁴^(a)AGH University of Krakow, Faculty of Physics and Applied Computer Science, Krakow;^(b)Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow; Poland.
- ⁸⁵Institute of Nuclear Physics Polish Academy of Sciences, Krakow; Poland.
- ⁸⁶Faculty of Science, Kyoto University, Kyoto; Japan.
- ⁸⁷Kyoto University of Education, Kyoto; Japan.
- ⁸⁸Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka ; Japan.
- ⁸⁹Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata; Argentina.
- ⁹⁰Physics Department, Lancaster University, Lancaster; United Kingdom.
- ⁹¹Oliver Lodge Laboratory, University of Liverpool, Liverpool; United Kingdom.
- ⁹²Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana; Slovenia.
- ⁹³School of Physics and Astronomy, Queen Mary University of London, London; United Kingdom.
- ⁹⁴Department of Physics, Royal Holloway University of London, Egham; United Kingdom.
- ⁹⁵Department of Physics and Astronomy, University College London, London; United Kingdom.
- ⁹⁶Louisiana Tech University, Ruston LA; United States of America.
- ⁹⁷Fysiska institutionen, Lunds universitet, Lund; Sweden.
- ⁹⁸Departamento de Física Teórica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid; Spain.
- ⁹⁹Institut für Physik, Universität Mainz, Mainz; Germany.
- ¹⁰⁰School of Physics and Astronomy, University of Manchester, Manchester; United Kingdom.
- ¹⁰¹CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille; France.
- ¹⁰²Department of Physics, University of Massachusetts, Amherst MA; United States of America.
- ¹⁰³Department of Physics, McGill University, Montreal QC; Canada.
- ¹⁰⁴School of Physics, University of Melbourne, Victoria; Australia.
- ¹⁰⁵Department of Physics, University of Michigan, Ann Arbor MI; United States of America.
- ¹⁰⁶Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America.
- ¹⁰⁷Group of Particle Physics, University of Montreal, Montreal QC; Canada.
- ¹⁰⁸Fakultät für Physik, Ludwig-Maximilians-Universität München, München; Germany.
- ¹⁰⁹Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München; Germany.
- ¹¹⁰Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya; Japan.
- ¹¹¹Department of Physics and Astronomy, University of New Mexico, Albuquerque NM; United States of America.
- ¹¹²Institute for Mathematics, Astrophysics and Particle Physics, Radboud University/Nikhef, Nijmegen; Netherlands.
- ¹¹³Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam; Netherlands.
- ¹¹⁴Department of Physics, Northern Illinois University, DeKalb IL; United States of America.
- ¹¹⁵^(a)New York University Abu Dhabi, Abu Dhabi;^(b)University of Sharjah, Sharjah; United Arab Emirates.
- ¹¹⁶Department of Physics, New York University, New York NY; United States of America.
- ¹¹⁷Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo; Japan.
- ¹¹⁸Ohio State University, Columbus OH; United States of America.
- ¹¹⁹Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK; United

States of America.

¹²⁰Department of Physics, Oklahoma State University, Stillwater OK; United States of America.

¹²¹Palacký University, Joint Laboratory of Optics, Olomouc; Czech Republic.

¹²²Institute for Fundamental Science, University of Oregon, Eugene, OR; United States of America.

¹²³Graduate School of Science, Osaka University, Osaka; Japan.

¹²⁴Department of Physics, University of Oslo, Oslo; Norway.

¹²⁵Department of Physics, Oxford University, Oxford; United Kingdom.

¹²⁶LPNHE, Sorbonne Université, Université Paris Cité, CNRS/IN2P3, Paris; France.

¹²⁷Department of Physics, University of Pennsylvania, Philadelphia PA; United States of America.

¹²⁸Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA; United States of America.

¹²⁹^(a)Laboratório de Instrumentação e Física Experimental de Partículas - LIP, Lisboa;^(b)Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa;^(c)Departamento de Física, Universidade de Coimbra, Coimbra;^(d)Centro de Física Nuclear da Universidade de Lisboa, Lisboa;^(e)Departamento de Física, Universidade do Minho, Braga;^(f)Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain);^(g)Departamento de Física, Instituto Superior Técnico, Universidade de Lisboa, Lisboa; Portugal.

¹³⁰Institute of Physics of the Czech Academy of Sciences, Prague; Czech Republic.

¹³¹Czech Technical University in Prague, Prague; Czech Republic.

¹³²Charles University, Faculty of Mathematics and Physics, Prague; Czech Republic.

¹³³Particle Physics Department, Rutherford Appleton Laboratory, Didcot; United Kingdom.

¹³⁴IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette; France.

¹³⁵Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA; United States of America.

¹³⁶^(a)Departamento de Física, Pontificia Universidad Católica de Chile, Santiago;^(b)Millennium Institute for Subatomic physics at high energy frontier (SAPHIR), Santiago;^(c)Instituto de Investigación Multidisciplinario en Ciencia y Tecnología, y Departamento de Física, Universidad de La Serena;^(d)Universidad Andres Bello, Department of Physics, Santiago;^(e)Instituto de Alta Investigación, Universidad de Tarapacá, Arica;^(f)Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso; Chile.

¹³⁷Department of Physics, University of Washington, Seattle WA; United States of America.

¹³⁸Department of Physics and Astronomy, University of Sheffield, Sheffield; United Kingdom.

¹³⁹Department of Physics, Shinshu University, Nagano; Japan.

¹⁴⁰Department Physik, Universität Siegen, Siegen; Germany.

¹⁴¹Department of Physics, Simon Fraser University, Burnaby BC; Canada.

¹⁴²SLAC National Accelerator Laboratory, Stanford CA; United States of America.

¹⁴³Department of Physics, Royal Institute of Technology, Stockholm; Sweden.

¹⁴⁴Departments of Physics and Astronomy, Stony Brook University, Stony Brook NY; United States of America.

¹⁴⁵Department of Physics and Astronomy, University of Sussex, Brighton; United Kingdom.

¹⁴⁶School of Physics, University of Sydney, Sydney; Australia.

¹⁴⁷Institute of Physics, Academia Sinica, Taipei; Taiwan.

¹⁴⁸^(a)E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi;^(b)High Energy Physics Institute, Tbilisi State University, Tbilisi;^(c)University of Georgia, Tbilisi; Georgia.

¹⁴⁹Department of Physics, Technion, Israel Institute of Technology, Haifa; Israel.

¹⁵⁰Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv; Israel.

¹⁵¹Department of Physics, Aristotle University of Thessaloniki, Thessaloniki; Greece.

- ¹⁵²International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo; Japan.
- ¹⁵³Department of Physics, Tokyo Institute of Technology, Tokyo; Japan.
- ¹⁵⁴Department of Physics, University of Toronto, Toronto ON; Canada.
- ¹⁵⁵(^a) TRIUMF, Vancouver BC; (^b) Department of Physics and Astronomy, York University, Toronto ON; Canada.
- ¹⁵⁶Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba; Japan.
- ¹⁵⁷Department of Physics and Astronomy, Tufts University, Medford MA; United States of America.
- ¹⁵⁸United Arab Emirates University, Al Ain; United Arab Emirates.
- ¹⁵⁹Department of Physics and Astronomy, University of California Irvine, Irvine CA; United States of America.
- ¹⁶⁰Department of Physics and Astronomy, University of Uppsala, Uppsala; Sweden.
- ¹⁶¹Department of Physics, University of Illinois, Urbana IL; United States of America.
- ¹⁶²Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia - CSIC, Valencia; Spain.
- ¹⁶³Department of Physics, University of British Columbia, Vancouver BC; Canada.
- ¹⁶⁴Department of Physics and Astronomy, University of Victoria, Victoria BC; Canada.
- ¹⁶⁵Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg; Germany.
- ¹⁶⁶Department of Physics, University of Warwick, Coventry; United Kingdom.
- ¹⁶⁷Waseda University, Tokyo; Japan.
- ¹⁶⁸Department of Particle Physics and Astrophysics, Weizmann Institute of Science, Rehovot; Israel.
- ¹⁶⁹Department of Physics, University of Wisconsin, Madison WI; United States of America.
- ¹⁷⁰Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal; Germany.
- ¹⁷¹Department of Physics, Yale University, New Haven CT; United States of America.
- ^a Also Affiliated with an institute covered by a cooperation agreement with CERN.
- ^b Also at An-Najah National University, Nablus; Palestine.
- ^c Also at Borough of Manhattan Community College, City University of New York, New York NY; United States of America.
- ^d Also at Bruno Kessler Foundation, Trento; Italy.
- ^e Also at Center for High Energy Physics, Peking University; China.
- ^f Also at Centro Studi e Ricerche Enrico Fermi, Italy.
- ^g Also at CERN, Geneva; Switzerland.
- ^h Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.
- ⁱ Also at Departament de Física de la Universitat Autònoma de Barcelona, Barcelona; Spain.
- ^j Also at Department of Financial and Management Engineering, University of the Aegean, Chios; Greece.
- ^k Also at Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America.
- ^l Also at Department of Physics and Astronomy, University of Louisville, Louisville, KY; United States of America.
- ^m Also at Department of Physics, Ben Gurion University of the Negev, Beer Sheva; Israel.
- ⁿ Also at Department of Physics, California State University, East Bay; United States of America.
- ^o Also at Department of Physics, California State University, Sacramento; United States of America.
- ^p Also at Department of Physics, King's College London, London; United Kingdom.
- ^q Also at Department of Physics, Stanford University, Stanford CA; United States of America.
- ^r Also at Department of Physics, University of Fribourg, Fribourg; Switzerland.

- ^s Also at Department of Physics, University of Thessaly; Greece.
- ^t Also at Department of Physics, Westmont College, Santa Barbara; United States of America.
- ^u Also at Hellenic Open University, Patras; Greece.
- ^v Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona; Spain.
- ^w Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg; Germany.
- ^x Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia; Bulgaria.
- ^y Also at Institute of Particle Physics (IPP); Canada.
- ^z Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.
- ^{aa} Also at Institute of Theoretical Physics, Iliia State University, Tbilisi; Georgia.
- ^{ab} Also at L2IT, Université de Toulouse, CNRS/IN2P3, UPS, Toulouse; France.
- ^{ac} Also at Lawrence Livermore National Laboratory, Livermore; United States of America.
- ^{ad} Also at National Institute of Physics, University of the Philippines Diliman (Philippines); Philippines.
- ^{ae} Associated at Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv; Israel.
- ^{af} Also at Technical University of Munich, Munich; Germany.
- ^{ag} Also at The City College of New York, New York NY; United States of America.
- ^{ah} Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing; China.
- ^{ai} Also at TRIUMF, Vancouver BC; Canada.
- ^{aj} Also at Università di Napoli Parthenope, Napoli; Italy.
- ^{ak} Also at University of Chinese Academy of Sciences (UCAS), Beijing; China.
- ^{al} Also at University of Colorado Boulder, Department of Physics, Colorado; United States of America.
- ^{am} Also at Yeditepe University, Physics Department, Istanbul; Türkiye.
- * Deceased